

NCPHRF - CURRENT FLEET ROSTER

This Roster lists the boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: **3/26/2024**

Boat Name Vasara **Sail #** 85 **Max Headsail** 103 **I:** 73.16 **Symmetric Spin?** No **LOA:** 56 **Displacement:** 29555
Boat Type Custom R/P 56 **J:** 22.31 **SL:** SSMG: SSF: SPL: **LWL:** 54.5 **Ballast:** 8237
Rating: -108 **DW Rating:** 438 **Certificate Date** 3/1/2024 **Rig Data:** **Rig Type** FS **E:** ##### **Asymmetric Spin?** Yes **Beam:** 16.89 **Engine** IB
Displacement used for DW Rating: 29555 **Mast Material** CARBON **ISP:** 82.5 **SLE:** SLU: ASMG: ASF: **Draft:** 13.62 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 31.5 **80.52 91.54 49.94 52.83**
Modifications on file: (Mtg 2/29/24, Custom rating of -108 assigned)

Boat Name Buona Sera **Sail #** 41104 **Max Headsail** 155 **I:** 73.15 **Symmetric Spin?** No **LOA:** 68.9 **Displacement:** 24618
Boat Type Santa Cruz 70 **J:** 22.52 **SL:** SSMG: SSF: SPL: **LWL:** 60.4 **Ballast:** 8390
Rating: -84 **DW Rating:** 439 **Certificate Date** 2/13/2024 **Rig Data:** **Rig Type** MS **E:** 25.39 **Asymmetric Spin?** Yes **Beam:** 15.1 **Engine** IB
Displacement used for DW Rating: 23618 **Mast Material** CARBON **ISP:** 73.63 **SLE:** SLU: ASMG: ASF: **Draft:** 10.62 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 68.31 79.07 40.95 40.06
Modifications on file: (Mtg 8/27/15, New rudder noted, -9 sec/mi for new keel)(Mtg 3/23/17, -6 sec/mi for 13% increase in SPL, -3 sec/mi for increase in spinnaker area, +3 sec/mi for decrease in mainsail area)(Mtg 3/25/19, -3 sec/mi for change in displacement)

Boat Name Lucky Duck **Sail #** 61421 **Max Headsail** 130 **I:** 66.05 **Symmetric Spin?** NO **LOA:** 46.03 **Displacement:** 14337
Boat Type Rogers 46 **J:** 26.2 **SL:** SSMG: SSF: SPL: **LWL:** 44.64 **Ballast:** 6614
Rating: -60 **DW Rating:** 461 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** FS **E:** 20.9 **Asymmetric Spin?** Yes **Beam:** 13.07 **Engine** IB
Displacement used for DW Rating: 14337 **Mast Material** CARBON **ISP:** 66.05 **SLE:** SLU: ASMG: ASF: **Draft:** 9.56 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 26.2 **62.99 75.46 40.35 41.17**
Modifications on file: (Mtg 3/29/21, Custom rating of -48 assigned)(Mtg 5/24/21, -9 sec/mi for increased I & J)(Mtg 1/22/23, -3 sec/mi for J0, change custom rating from -57 to -60)

Boat Name Arsenal Sail # 52125 Max Headsail 155 I: 49 Symmetric Spin? No LOA: 41 Displacement: 8350
Boat Type J 125 J: 14.8 SL: SSMG: SSF: SPL: 23.4 LWL: 37 Ballast: 4646
Rating: -12 DW Rating: 485 Certificate Date 1/17/2024 **Rig Data:** Rig Type FS E: 18 Asymmetric Spin? Yes Beam: 10.6 Engine IB
Displacement used for DW Rating: 9500 Mast Material CARBON ISP: 52 SLE: SLU: ASMG: ASF: 53.44 60.04 37.07 39.27 Draft: 7.9 Prop Type Fold
Certified PHRF Data on file? JSP: 23.4

Modifications on file:

Boat Name Velvet Hammer Sail # 51517 Max Headsail 155 I: 48.86 Symmetric Spin? No LOA: 41 Displacement: 9771
Boat Type J 125 J: 14.8 SL: SSMG: SSF: SPL: LWL: 37 Ballast: 4646
Rating: -12 DW Rating: 488 Certificate Date 1/18/2024 **Rig Data:** Rig Type FS E: 18 Asymmetric Spin? Yes Beam: 10.5 Engine IB
Displacement used for DW Rating: 9449 Mast Material CARBON ISP: 52.03 SLE: SLU: ASMG: ASF: 51.18 60.7 36.79 37.73 Draft: 7.9 Prop Type Fold
Certified PHRF Data on file? JSP: 22.13

Modifications on file: (Mtg 1/20/20, -6 sec/mi for 60% midgirth tweener sail)(11/3/20, removed tweener)

Boat Name Changabang Sail # 31 Max Headsail 88 I: 50.7 Symmetric Spin? NO LOA: 40 Displacement: 10350
Boat Type Open 40 J: 16.4 SL: SSMG: SSF: SPL: LWL: 40 Ballast: 4122
Rating: 6 DW Rating: 473 Certificate Date 2/20/2024 **Rig Data:** Rig Type FS E: 20 Asymmetric Spin? Yes Beam: 14.4 Engine OB
Displacement used for DW Rating: 10350 Mast Material CARBON ISP: 56.2 SLE: SLU: ASMG: ASF: 55.8 64.6 36.6 38.7 Draft: 9.8 Prop Type Fold
Certified PHRF Data on file? JSP: 22.7

Modifications on file: (Mtg 8/23/21, Custom rating assigned of 6, when water ballast is disabled, -3 when water ballast is enabled)

Boat Name Destin Sail # 12343 Max Headsail 107 I: 55.94 Symmetric Spin? No LOA: 42.88 Displacement: 18192
Boat Type Landmark 43 J: 15.53 SL: SSMG: SSF: SPL: LWL: 36.94 Ballast: 9212
Rating: 9 DW Rating: 536 Certificate Date 3/7/2024 **Rig Data:** Rig Type FS E: 20.14 Asymmetric Spin? Yes Beam: 12.64 Engine IB
Displacement used for DW Rating: 18192 Mast Material CARBON ISP: 63.04 SLE: SLU: ASMG: ASF: 60.37 71.52 36.09 40.68 Draft: 9.03 Prop Type Fold
Certified PHRF Data on file? JSP: 22.83

Modifications on file: Cabin top winch for halyards

Boat Name Hypatia **Sail #** 70777 **Max Headsail** I: 64.31 **Symmetric Spin?** No **LOA:** 47.8 **Displacement:** 29321
Boat Type Solaris 47 **J:** 17.96 **SL:** SSMG: SSF: SPL: **LWL:** 43.9 **Ballast:** 9000
Rating: 15 **DW Rating:** 542 **Certificate Date** 3/21/2024 **Rig Data:** **Rig Type** P: 62.5 **E:** 21.33 **Asymmetric Spin?** Yes **Beam:** 14.1 **Engine** IB
Displacement used for DW Rating: 29321 **Mast Material** ISP: 68 **SLE:** SLU: ASMG: ASF: **Prop Type** Fold
Certified PHRF Data on file? **ALUMN** **JSP:** 20 58.25 66.5 24.75 33 **Draft:** 8.2
Modifications on file: (Mtg 4/26/21, Custom Rating Assigned. Includes -3 sec/mi penalty for electric sheeting winches, manually eased. As Sailed: 15)

Boat Name Loki **Sail #** 38121 **Max Headsail** I: 64.83 **Symmetric Spin?** No **LOA:** 49.47 **Displacement:** 28440
Boat Type X 4.9 **J:** 17.89 **SL:** SSMG: SSF: SPL: **LWL:** 43.5 **Ballast:** 12015
Rating: 18 **DW Rating:** 527 **Certificate Date** 1/18/2024 **Rig Data:** **Rig Type** P: 62.33 **E:** 21.65 **Asymmetric Spin?** Yes **Beam:** 14.73 **Engine** IB
Displacement used for DW Rating: 28440 **Mast Material** ISP: 69.13 **SLE:** SLU: ASMG: ASF: **Prop Type** Fold
Certified PHRF Data on file? **CARBON** **JSP:** 21.16 67.85 70.37 36.9 33.95 **Draft:** 7.87
Modifications on file: powered sheet winches

Boat Name Kahoots **Sail #** 87477 **Max Headsail** I: 56.98 **Symmetric Spin?** Yes **LOA:** 43.48 **Displacement:** 15251
Boat Type Andrews 43 **J:** 16.5 **SL:** SSMG: SSF: SPL: **LWL:** 36.7 **Ballast:** 6581
Rating: 18 **DW Rating:** 552 **Certificate Date** 1/16/2024 **Rig Data:** **Rig Type** P: 50.09 56.3 29.7 28.92 18.7 **E:** 17.78 **Asymmetric Spin?** Yes **Beam:** 12.87 **Engine** IB
Displacement used for DW Rating: 16804 **Mast Material** ISP: 57 **SLE:** SLU: ASMG: ASF: **Prop Type** Fold
Certified PHRF Data on file? **ALUMN** **JSP:** 18.7 55.5 60.4 29 29.13 **Draft:** 8.86
Modifications on file: (Mtg 1/21/19, custom rating assigned. As Sailed: 15)(Mtg 10/26/20, change custom rating from 15 to 21)(Mtg 1/24/22, added 26" sprit, -3 sec/mi. Change custom rating from 21 to 18)

Boat Name Pendragon **Sail #** 77177 **Max Headsail** I: 56.22 **Symmetric Spin?** Yes **LOA:** 49.8 **Displacement:** 20200
Boat Type CUSTOM Davidson 44 **J:** 15.25 **SL:** SSMG: SSF: SPL: **LWL:** 39 **Ballast:** 8000
Rating: 18 **DW Rating:** 525 **Certificate Date** 3/20/2024 **Rig Data:** **Rig Type** P: 58.21 63.33 32.67 33.83 20.17 **E:** 20.8 **Asymmetric Spin?** Yes **Beam:** 13.9 **Engine** IB
Displacement used for DW Rating: 20340 **Mast Material** ISP: 65.25 **SLE:** SLU: ASMG: ASF: **Prop Type** FOLD
Certified PHRF Data on file? **ALUMN** **JSP:** 20.92 58.58 65.57 26.17 31.75 **Draft:** 8.92
Modifications on file: (Mtg 4/9/98, custom rating of 51 assigned)(Mtg 8/23/21, Boat Modified, including new rig and hull modifications, Custom Rating of 18 assigned)

Boat Name Acey Deucy **Sail #** 97659 **Max Headsail** 155 **I:** ##### *Symmetric Spin?* Yes **LOA:** 44.83 **Displacement:** 22770
Boat Type J 44 **Rating:** 21 **DW Rating:** 562 **Certificate Date** 1/17/2024 **Rig Data:** **J:** 17.08 **SL:** SSMG: SSF: SPL: **LWL:** 38.58 **Ballast:** 9000
Displacement used for DW Rating: 23350 **Rig Type** MS **P:** 53.51 59.8 30.8 30.8 ##### **Beam:** 13.67 **Engine** IB
Certified PHRF Data on file? **Mast Material** ALUMN **E:** 19.41 *Asymmetric Spin?* Yes **Draft:** 8.14 **Prop Type** FOLD
ISP: ##### **SLE:** SLU: ASMG: ASF: **Modifications on file:** Electric Winches
JSP: 55.9 63.8 27.8 27

Boat Name Bacchanal **Sail #** 52585 **Max Headsail** 105 **I:** 57 *Symmetric Spin?* No **LOA:** 43 **Displacement:** 20727
Boat Type J 133 CM **Rating:** 24 **DW Rating:** 542 **Certificate Date** 2/20/2024 **Rig Data:** **J:** 17.25 **SL:** SSMG: SSF: SPL: **LWL:** 37.86 **Ballast:** 6350
Displacement used for DW Rating: 20727 **Rig Type** FS **P:** 54 *Asymmetric Spin?* Yes **Beam:** 12.75 **Engine** IB
Certified PHRF Data on file? **Mast Material** CARBON **E:** 18.5 **SLE:** SLU: ASMG: ASF: **Draft:** 7.5 **Prop Type** Fold
ISP: 60.4 59.48 69.95 42.49 41.73
JSP: 24

Boat Name Nuckelavee **Sail #** 208 **Max Headsail** 105 **I:** 40.86 *Symmetric Spin?* No **LOA:** 31.76 **Displacement:** 3988
Boat Type Melges 32 ODR **Rating:** 27 **DW Rating:** 494 **Certificate Date** 2/6/2024 **Rig Data:** **J:** 10.7 **SL:** SSMG: SSF: SPL: **LWL:** 28.5 **Ballast:** 1600
Displacement used for DW Rating: 3988 **Rig Type** FS **P:** 44.05 *Asymmetric Spin?* Yes **Beam:** 9.83 **Engine** OB
Certified PHRF Data on file? **Mast Material** CARBON **E:** 15.49 **SLE:** SLU: ASMG: ASF: **Draft:** 7 **Prop Type** None
ISP: 48.3 46.9 55.75 31.3 31.8
JSP: 18.7
Modifications on file: (mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)(Mtg 5/21/18, +6 sec/mi for short ISP)(8/15/19, Boat returned to stock ODR configuration)

Boat Name Kuai **Sail #** 211 **Max Headsail** 105 **I:** 40.86 *Symmetric Spin?* No **LOA:** 31.84 **Displacement:** 4200
Boat Type Melges 32 MOD **Rating:** 27 **DW Rating:** 497 **Certificate Date** 1/19/2024 **Rig Data:** **J:** 10.7 **SL:** SSMG: SSF: SPL: **LWL:** 28.5 **Ballast:** 1600
Displacement used for DW Rating: 3828 **Rig Type** FS **P:** 44.05 *Asymmetric Spin?* Yes **Beam:** 9.83 **Engine** OB
Certified PHRF Data on file? **Mast Material** CARBON **E:** 15.49 **SLE:** SLU: ASMG: ASF: **Draft:** 7 **Prop Type** None
ISP: 48.3 46.9 55.75 31.31 31.82
JSP: 18.7
Modifications on file: (Mtg 4/29/19, Class OB switched out, 50# lead brick added)

Boat Name Wildcard **Sail #** 37005 **Max Headsail** 107 **I:** 47.1 *Symmetric Spin?* No **LOA:** 37 **Displacement:** 8662
Boat Type Santa Cruz 37 **Rig Type** FS **J:** 13.4 **SL:** SSMG: SSF: SPL: **LWL:** 34.75 **Ballast:** 3730
Rating: 27 **DW Rating:** 521 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 17 *Asymmetric Spin?* Yes **Beam:** 10.64 **Engine** IB
Displacement used for DW Rating: 9339 **Mast Material** CARBON **ISP:** 52.17 **SLE:** SLU: ASMG: ASF: **Draft:** 7.5 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:** 19 50.85 59.7 33.3 33.3

Modifications on file: (Mtg 1/26/16, new keel box & rudder noted, NCTR)

Boat Name Syzygy **Sail #** 3817 **Max Headsail** 110 **I:** 50.82 *Symmetric Spin?* No **LOA:** 37.66 **Displacement:** 11250
Boat Type AERODYNE 38 CARBON **Rig Type** FS **J:** 14.5 **SL:** SSMG: SSF: SPL: **LWL:** 34.21 **Ballast:** 4150
Rating: 33 **DW Rating:** 527 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 16.5 *Asymmetric Spin?* Yes **Beam:** 13 **Engine** IB
Displacement used for DW Rating: 11250 **Mast Material** CARBON **ISP:** 57.25 **SLE:** SLU: ASMG: ASF: **Draft:** 7.75 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 20.83 61.8 64.68 38.18 37

Modifications on file:

Boat Name Swift Ness **Sail #** 101 **Max Headsail** 105 **I:** 48.37 *Symmetric Spin?* No **LOA:** 36.5 **Displacement:** 9300
Boat Type J 111 **Rig Type** FS **J:** 13.85 **SL:** SSMG: SSF: SPL: **LWL:** 32.7 **Ballast:** 3500
Rating: 36 **DW Rating:** 547 **Certificate Date** 3/7/2024 *Rig Data:* **E:** 14.5 *Asymmetric Spin?* Yes **Beam:** 10.8 **Engine** IB
Displacement used for DW Rating: 9300 **Mast Material** CARBON **ISP:** 51.4 **SLE:** SLU: ASMG: ASF: **Draft:** 7.2 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 20.08 46.88 59.05 31.8 31.8

Modifications on file:

Boat Name Med Viking II **Sail #** 7423 **Max Headsail** 149 **I:** 62.5 *Symmetric Spin?* No **LOA:** 49.1 **Displacement:** 30644
Boat Type Jeanneau Sun Odyssey 519 **Rig Type** MS **J:** 19.5 **SL:** SSMG: SSF: SPL: **LWL:** 45.67 **Ballast:** 9480
Rating: 36 **DW Rating:** 535 **Certificate Date** 3/1/2024 *Rig Data:* **E:** 19.7 *Asymmetric Spin?* Yes **Beam:** 15.33 **Engine** IB
Displacement used for DW Rating: 30644 **Mast Material** ALUMN **ISP:** 62 **SLE:** SLU: ASMG: ASF: **Draft:** 7.42 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 20.75 53.35 61.5 30.6 30.6

Modifications on file: (Mtg 2/29/24, +3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)

Boat Name Peregrine **Sail #** 25487 **Max Headsail** 150 **I:** 50.5 **Symmetric Spin?** No **LOA:** 40 **Displacement:** 13900
Boat Type J 120 Carbon **J:** 14.5 **SL:** SSMG: SSF: SPL: **LWL:** 35 **Ballast:** 6000
Rating: 45 **DW Rating:** 557 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** FS **P:** 46.5 **E:** 17.8 **Asymmetric Spin?** Yes **Beam:** 12 **Engine** IB
Displacement used for DW Rating: 15000 **Mast Material** CARBON **ISP:** 52 **SLE:** SLU: ASMG: ASF: **Draft:** 7 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 52.5 64 36.96 35.1

Modifications on file:

Boat Name Shake & Bake **Sail #** 38135 **Max Headsail** 105 **I:** 38.88 **Symmetric Spin?** No **LOA:** 30.18 **Displacement:** 5401
Boat Type Farr X2 **J:** 14.11 **SL:** SSMG: SSF: SPL: **LWL:** 28.61 **Ballast:** 1973
Rating: 45 **DW Rating:** 554 **Certificate Date** 3/1/2024 **Rig Data:** **Rig Type** FS **P:** 40.03 **E:** 13.45 **Asymmetric Spin?** Yes **Beam:** 10.33 **Engine** IB
Displacement used for DW Rating: 5924 **Mast Material** CARBON **ISP:** 43.96 **SLE:** SLU: ASMG: ASF: **Draft:** 6.89 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 18.37 43.41 50.98 28.18 27.89

Modifications on file: (Mtg 11/27/23, -9 sec/mi for water ballast. Boat rates 45 when water ballast is enabled, 54 when water ballast is disabled)

Boat Name Little Sur **Sail #** 1007 **Max Headsail** 125 **I:** ##### **Symmetric Spin?** No **LOA:** 32.83 **Displacement:** 4705
Boat Type Synergy 1000 **J:** ##### **SL:** SSMG: SSF: SPL: **LWL:** 29.17 **Ballast:** 1800
Rating: 48 **DW Rating:** 527 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** FS **P:** ##### **E:** ##### **Asymmetric Spin?** Yes **Beam:** 9.75 **Engine** IB
Displacement used for DW Rating: 4902 **Mast Material** CARBON **ISP:** 45.8 **SLE:** SLU: ASMG: ASF: **Draft:** 7 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** ##### ##### ##### #####

Modifications on file: (Mtg 1/22/23, +3 sec/mi for non-class small mainsail)

Boat Name Lucky Duck **Sail #** 38904 **Max Headsail** 155 **I:** 35.4 **Symmetric Spin?** No **LOA:** 30 **Displacement:** 3400
Boat Type J 90 Mod **J:** 10.5 **SL:** SSMG: SSF: SPL: **LWL:** 27 **Ballast:** 1865
Rating: 48 **DW Rating:** 530 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** FR **P:** 35.8 **E:** 14.5 **Asymmetric Spin?** Yes **Beam:** 8.5 **Engine** OB
Displacement used for DW Rating: 3400 **Mast Material** CARBON **ISP:** 40 **SLE:** SLU: ASMG: ASF: **Draft:** 6.5 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:** 18 39.7 49.8 28.1 28.8

Modifications on file: (Rudder changes noted, NCTR 1/13/03)(Added battery and kelp cutter 3-05)

Boat Name Family Hour, TNG **Sail #** 46595 **Max Headsail** 155 **I:** 37 *Symmetric Spin?* Yes **LOA:** 30.83 **Displacement:** 3850
Boat Type Henderson 30 **Rig Type** FS **J:** 11 **SL:** 41.5 **SSMG:** 19.8 **SSF:** 19.8 **SPL:** 11 **LWL:** 27.75 **Ballast:** 1750
Rating: 48 **DW Rating:** 513 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 14 *Asymmetric Spin?* Yes **Beam:** 9.84 **Engine** OB
Displacement used for DW Rating: 3850 **Mast Material** CARBON **ISP:** 42.3 **SLE:** 41.99 **SLU:** 49.99 **ASMG:** 31.9 **ASF:** 31.9 **Draft:** 7 **Prop Type** None
Certified PHRF Data on file? **JSP:** 17.8
Modifications on file: Kelp Cutter

Boat Name Mojito **Sail #** 38150 **Max Headsail** 105 **I:** 48.58 *Symmetric Spin?* No **LOA:** 36.06 **Displacement:** 11300
Boat Type J 112e **Rig Type** FS **J:** 14.15 **SL:** 41.5 **SSMG:** 19.8 **SSF:** 19.8 **SPL:** 11 **LWL:** 31.76 **Ballast:** 3816
Rating: 51 **DW Rating:** 575 **Certificate Date** 3/1/2024 *Rig Data:* **E:** 15.5 *Asymmetric Spin?* Yes **Beam:** 11.81 **Engine** IB
Displacement used for DW Rating: 11300 **Mast Material** ALUMN **ISP:** 52 **SLE:** 49.83 **SLU:** 52.82 **ASMG:** 31.04 **ASF:** 34.08 **Draft:** 6.89 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 20.75
Modifications on file: (Mtg 2/29/24, -3 sec/mi for tweener)

Boat Name Alchera **Sail #** 28870 **Max Headsail** 125 **I:** 50.5 *Symmetric Spin?* No **LOA:** 40 **Displacement:** 13900
Boat Type J 120 Mod **Rig Type** FS **J:** 14.5 **SL:** 41.5 **SSMG:** 19.8 **SSF:** 19.8 **SPL:** 11 **LWL:** 35 **Ballast:** 6000
Rating: 51 **DW Rating:** 559 **Certificate Date** 2/13/2024 *Rig Data:* **E:** 17.57 *Asymmetric Spin?* Yes **Beam:** 12 **Engine** IB
Displacement used for DW Rating: 15000 **Mast Material** CARBON **ISP:** 52 **SLE:** 49.99 **SLU:** 57.96 **ASMG:** 30.6 **ASF:** 34 **Draft:** 7 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:** 21.55
Modifications on file: Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +3 sec/mi for small spinnaker, + 3 sec/mi for small headsail)

Boat Name Jubilant **Sail #** 22 **Max Headsail** 105 **I:** 49.02 *Symmetric Spin?* No **LOA:** 36 **Displacement:** 11814
Boat Type J 112e GP **Rig Type** FS **J:** 14.01 **SL:** 41.5 **SSMG:** 19.8 **SSF:** 19.8 **SPL:** 11 **LWL:** 31.73 **Ballast:** 4195
Rating: 51 **DW Rating:** 584 **Certificate Date** 3/1/2024 *Rig Data:* **E:** 15.35 *Asymmetric Spin?* Yes **Beam:** 11.81 **Engine** IB
Displacement used for DW Rating: 12339 **Mast Material** CARBON **ISP:** 52.36 **SLE:** 50.52 **SLU:** 59.38 **ASMG:** 30.68 **ASF:** 27.17 **Draft:** 7.28 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 20.11
Modifications on file:

Boat Name Frequent Flyer **Sail #** 52 **Max Headsail** 104 **I:** 38.2 *Symmetric Spin?* Yes **LOA:** 30.9 **Displacement:** 4561
Boat Type Mumm/Farr 30 **J:** 10.9 **SL:** SSMG: SSF: SPL: **LWL:** 27.6 **Ballast:** 1997
Rating: 54 **DW Rating:** 552 **Certificate Date** 1/16/2024 *Rig Data:* **Rig Type** FS **P:** 40.5 44.58 25.25 24.67 13.58 **Beam:** 10.1 **Engine** IB
Displacement used for DW Rating: 4561 **E:** 14.6 *Asymmetric Spin?* Yes **Draft:** 6.9 **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** CARBON **ISP:** 44.9 **SLE:** SLU: ASMG: ASF: **Prop Type** Fold
JSP: 13.58 41.33 46.92 23.67 25.25

Modifications on file:

Boat Name Gilligan **Sail #** 4581 **Max Headsail** 163 **I:** 58.4 *Symmetric Spin?* No **LOA:** 46.06 **Displacement:** 25794
Boat Type Hanse 458 **J:** 18.04 **SL:** SSMG: SSF: SPL: **LWL:** 40.03 **Ballast:**
Rating: 54 **DW Rating:** 559 **Certificate Date** 3/1/2024 *Rig Data:* **Rig Type** MS **P:** 55.77 *Asymmetric Spin?* Yes **Beam:** 14.37 **Engine** IB
Displacement used for DW Rating: 25794 **E:** 19.52 *Asymmetric Spin?* Yes **Draft:** 7.32 **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 67.59 **SLE:** SLU: ASMG: ASF: **Prop Type** Fold
JSP: 19.46 61.29 67.01 36.68 33.63

Modifications on file: (Mtg 2/29/24, -3 sec/mi for oversized jib, +3 sec/mi for in-mast furling mainsail)

Boat Name Q **Sail #** 28901 **Max Headsail** 105 **I:** 47 *Symmetric Spin?* Yes **LOA:** 40 **Displacement:** 10166
Boat Type Custom Schumacher 40 **J:** 14.67 **SL:** SSMG: SSF: SPL: **LWL:** 31.5 **Ballast:** 4528
Rating: 54 **DW Rating:** 564 **Certificate Date** 1/16/2024 *Rig Data:* **Rig Type** FS **P:** 47.5 46.8 26.41 26.41 14.67 **Beam:** 11 **Engine** IB
Displacement used for DW Rating: 10166 **E:** 18.35 *Asymmetric Spin?* No **Draft:** 7.6 **Prop Type** FOLD
Certified PHRF Data on file? **Mast Material** CARBON **ISP:** 47 **SLE:** SLU: ASMG: ASF: **Prop Type** FOLD
JSP:

Modifications on file:

Boat Name Quiver **Sail #** 18514 **Max Headsail** 146 **I:** 52 *Symmetric Spin?* YES **LOA:** 40 **Displacement:** 10500
Boat Type Santa Cruz 40 **J:** 16 **SL:** SSMG: SSF: SPL: **LWL:** 36 **Ballast:** 5500
Rating: 57 **DW Rating:** 536 **Certificate Date** 1/18/2024 *Rig Data:* **Rig Type** MS **P:** 45.5 51.59 28.8 28.6 16 **Beam:** 12 **Engine** IB
Displacement used for DW Rating: 10500 **E:** 14 *Asymmetric Spin?* No **Draft:** 7 **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 52 **SLE:** SLU: ASMG: ASF: **Prop Type** Fold
JSP: 16

Modifications on file:

Boat Name Talisman **Sail #** 1003 **Max Headsail** I: 52.69 *Symmetric Spin?* No **LOA:** 40.15 **Displacement:** 17437
Boat Type Sunsail F40 ODR (Beneteau F40) **Rig Type** P: 51.15 **J:** 15.09 **SL:** SSMG: SSF: SPL: **LWL:** 35 **Ballast:** 6609
Rating: 57 **DW Rating:** 568 **Certificate Date** 1/17/2024 *Rig Data:* **FS** **E:** 17.65 *Asymmetric Spin?* Yes **Beam:** 12.76 **Engine** IB
Displacement used for DW Rating: 18473 **Mast Material** ALUMN **ISP:** 56.54 **SLE:** SLU: ASMG: ASF: **Draft:** 8.04 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 17.06 **49.5 58.07 25.9 30.32**

Modifications on file:

Boat Name Outsider **Sail #** 1000 **Max Headsail** I: 35.35 *Symmetric Spin?* No **LOA:** 30.75 **Displacement:** 4850
Boat Type Azzura 310 **Rig Type** P: 38.75 **J:** 11.55 **SL:** SSMG: SSF: SPL: **LWL:** 27.4 **Ballast:** 2100
Rating: 57 **DW Rating:** 540 **Certificate Date** 2/20/2024 *Rig Data:* **FS** **E:** 13.25 *Asymmetric Spin?* Yes **Beam:** 10 **Engine** OB
Displacement used for DW Rating: 4748 **Mast Material** CARBON **ISP:** 43.33 **SLE:** SLU: ASMG: ASF: **Draft:** 7.2 **Prop Type** Fixed 3
Certified PHRF Data on file? **JSP:** 21.57 **39.7 47.01 32.7 30.1**

Modifications on file: 6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with outboard. Boat weighed with calibrated scale on 8/9/06 (Mtg 8/17/06 - +3 s/m for small headsail; -3 s/m for outboard)(Mtg 3/19/09, LWL changed noted, NCTR, boat now meets Sportboat classification)

Boat Name Unnamed **Sail #** 0 **Max Headsail** I: 45.41 *Symmetric Spin?* No **LOA:** 39.4 **Displacement:** 10580
Boat Type Beneteau First 36 **Rig Type** P: 47.05 **J:** 6.26 **SL:** SSMG: SSF: SPL: **LWL:** 33.8 **Ballast:** 3420
Rating: 57 **DW Rating:** 555 **Certificate Date** 1/23/2024 *Rig Data:* **FS** **E:** 15.09 *Asymmetric Spin?* Yes **Beam:** 12.5 **Engine** IB
Displacement used for DW Rating: 10580 **Mast Material** ALUMN **ISP:** 51.02 **SLE:** SLU: ASMG: ASF: **Draft:** 7.5 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 9.5 **51.61 59.35 36.15 36.35**

Modifications on file:

Boat Name Ferox **Sail #** 6 **Max Headsail** I: 46.62 *Symmetric Spin?* No **LOA:** 36.63 **Displacement:** 7937
Boat Type Pogo 36 **Rig Type** P: 45.53 **J:** 17.12 **SL:** SSMG: SSF: SPL: **LWL:** 35.32 **Ballast:** 2403
Rating: 57 **DW Rating:** 518 **Certificate Date** 3/12/2024 *Rig Data:* **MS** **E:** 14.1 *Asymmetric Spin?* Yes **Beam:** 13.12 **Engine** IB
Displacement used for DW Rating: 0 **Mast Material** ALUMN **ISP:** 50.6 **SLE:** SLU: ASMG: ASF: **Draft:** 9 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 21.65 **48.49 56.88 27.78 31.12**

Modifications on file:

Boat Name Invictus **Sail #** **Max Headsail** **I:** 46.58 *Symmetric Spin?* Yes **LOA:** 35.42 **Displacement:** 10362
Boat Type Jeanneau Sunfast 3600 12 105 **J:** 13.83 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 31.25 **Ballast:** 4850
Rating: 60 **DW Rating:** 580 **Certificate Date** 1/17/2024 *Rig Data:* **Rig Type** **P:** 44.25 47.9 29.85 29.85 16.32 **Beam:** 11.67 **Engine** IB
Displacement used for DW Rating: 10362 **FS** *Asymmetric Spin?* No **Prop Type** Feath
Certified PHRF Data on file? **Mast Material** **ISP:** 48 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 7
ALUMN **JSP:** 13.83 48.85 55.12 32.55 31.99

Modifications on file: (Mtg 11/30/17, -3 sec/mi for oversized asymmetric spinnaker)(mtg 1/25/21, removed Asymmetric Spinnaker, added smaller symmetric spinnaker on a shorter pole. +3 sec/mi for smaller spinnaker area, +3 sec/mi for shorter spl, -3 sec/mi for articulation)(Mtg 1/24/22, -3 sec/mi for increased spinnaker area)

Boat Name Soliton **Sail #** **Max Headsail** **I:** 40.75 *Symmetric Spin?* No **LOA:** 32.83 **Displacement:** 4800
Boat Type Synergy 1000 60412 125 **J:** 16.3 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 29.17 **Ballast:** 2188
Rating: 60 **DW Rating:** 555 **Certificate Date** 1/16/2024 *Rig Data:* **Rig Type** **P:** 41.86 **Beam:** 9.75 **Engine** IB
Displacement used for DW Rating: 4900 **FS** *Asymmetric Spin?* Yes **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** **ISP:** 40.8 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 7
CARBON **JSP:** 16.3 39.89 44.29 21.72 26.15

Modifications on file: (Mtg 1/24/22, +3 sec/mi for switching to IB Sail Drive, +9 sec/mi for smaller spinnaker area, +3 sec/mi for shorter ISP/Switch to FS)

Boat Name Jet Stream **Sail #** **Max Headsail** **I:** 27.08 *Symmetric Spin?* No **LOA:** 29.9 **Displacement:** 2425
Boat Type Custom JS 9000 9045 87 **J:** 9.5 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 27.9 **Ballast:** 1543
Rating: 60 **DW Rating:** 544 **Certificate Date** 3/14/2024 *Rig Data:* **Rig Type** **P:** 30.84 **Beam:** 5.7 **Engine** OB
Displacement used for DW Rating: 2425 **FS** *Asymmetric Spin?* Yes **Prop Type** None
Certified PHRF Data on file? **Mast Material** **ISP:** 30.25 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 6.8
CARBON **JSP:** 15.5 30.1 35.8 20.1 21.8

Modifications on file: (Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 63)(7/27/17, New mainsail, change rating from 63 to 60)

Boat Name No Name **Sail #** **Max Headsail** **I:** 35.7 *Symmetric Spin?* No **LOA:** 27.7 **Displacement:** 2500
Boat Type Viper 830 106 105 **J:** 10.1 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 25 **Ballast:** 1543
Rating: 63 **DW Rating:** 549 **Certificate Date** 3/21/2024 *Rig Data:* **Rig Type** **P:** 35.7 **Beam:** 8.5 **Engine** OB
Displacement used for DW Rating: 2500 **MS** *Asymmetric Spin?* Yes **Prop Type** None
Certified PHRF Data on file? **Mast Material** **ISP:** 37.75 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 7.16
CARBON **JSP:** 15 33.75 44 22 23

Modifications on file:

Boat Name Sun Dragon **Sail #** 33070 **Max Headsail** I: 40.91 *Symmetric Spin?* No **LOA:** 32.78 **Displacement:** 7716
Boat Type Jeanneau Sun Fast 3300 **Sail #** 33070 **Max Headsail** J: 13.78 **SL:** SSMG: SSF: SPL: **LWL:** 29.16 **Ballast:** 3086
Rating: 63 **DW Rating:** 584 **Certificate Date** 1/18/2024 **Rig Data:** **Rig Type** P: 39.39 **E:** 14.59 *Asymmetric Spin?* Yes **Beam:** 11.18 **Engine** IB
Displacement used for DW Rating: 7716 **Mast Material** ISP: 44.23 **SLE:** SLU: ASMG: ASF: **Draft:** 6.41 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 17.55 45.37 50.31 28.81 30.54

Modifications on file:

Boat Name Nice Rack **Sail #** 9 **Max Headsail** I: 28 *Symmetric Spin?* No **LOA:** 24 **Displacement:** 1680
Boat Type Martin 243 **Sail #** 9 **Max Headsail** J: 9 **SL:** SSMG: SSF: SPL: **LWL:** 24 **Ballast:** 410
Rating: 63 **DW Rating:** 531 **Certificate Date** 3/21/2024 **Rig Data:** **Rig Type** P: 33 **E:** 13 *Asymmetric Spin?* Yes **Beam:** 8 **Engine** OB
Displacement used for DW Rating: 1680 **Mast Material** ISP: 36.25 **SLE:** SLU: ASMG: ASF: **Draft:** 5.7 **Prop Type** None
Certified PHRF Data on file? **JSP:** 16 35 43 19 18.5

Modifications on file: (Mtg 8/26/16, Custom Rating of 63 assigned)

Boat Name Blue Flash **Sail #** 124 **Max Headsail** I: 40.6 *Symmetric Spin?* No **LOA:** 34.5 **Displacement:** 8690
Boat Type J 105 ODR w/ 5'BS MOD **Sail #** 124 **Max Headsail** J: 13.5 **SL:** SSMG: SSF: SPL: **LWL:** 29.5 **Ballast:** 3400
Rating: 66 **DW Rating:** 583 **Certificate Date** 3/26/2024 **Rig Data:** **Rig Type** P: 41.5 **E:** 14.6 *Asymmetric Spin?* Yes **Beam:** 11 **Engine** IB
Displacement used for DW Rating: 8690 **Mast Material** ISP: 41.8 **SLE:** SLU: ASMG: ASF: **Draft:** 6.5 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 19.6 42.9 48.6 29.6 32.5

Modifications on file: (Mtg 3/25/24, - 3 se/mi for 155% headsail, -9 sec/mi for oversized spinnaker)

Boat Name 'io **Sail #** 38124 **Max Headsail** I: 28.83 *Symmetric Spin?* No **LOA:** 27.73 **Displacement:** 2500
Boat Type Antrim 27 C **Sail #** 38124 **Max Headsail** J: 8.17 **SL:** SSMG: SSF: SPL: **LWL:** 23.75 **Ballast:** 1225
Rating: 66 **DW Rating:** 536 **Certificate Date** 2/13/2024 **Rig Data:** **Rig Type** P: 33.75 39.19 20.47 20.86 15.22 **E:** 13.8 *Asymmetric Spin?* Yes **Beam:** 9.25 **Engine** OB
Displacement used for DW Rating: 2518 **Mast Material** ISP: 36.98 **SLE:** SLU: ASMG: ASF: **Draft:** 6 **Prop Type** None
Certified PHRF Data on file? **JSP:** 15.22 36.32 42.06 20.47 20.86

Modifications on file: Carbon Hull & Deck. (Mtg 1/20/20, -3 sec/mi for carbon mods)(Mtg 10/26/20, change penalty for carbon mods from -3 sec/mi to -9 sec/mi)(Mtg 5/23/22, new smaller mainsail, +3 sec/mi)(1/11/23, switching back to larger mainsail, remove +3 sec/mi credit)

Boat Name Lindo **Sail #** 195
Boat Type J 109 ODR w/108^ m **Max Headsail** 125
Rating: 69 DW Rating: 596 **Certificate Date** 1/17/2024 **Rig Data:** FS
 Displacement used for DW Rating: 11000 **Mast Material** ALUMN
 Certified PHRF Data on file?

Symmetric Spin? No
Asymmetric Spin? Yes

LOA: 35.25 **Displacement:** 10900
LWL: 30.5 **Ballast:** 3900
Beam: 11.5 **Engine** IB
Draft: 7 **Prop Type** FOLD

Modifications on file:

Boat Name La Viajera **Sail #** 56480
Boat Type J 109 ODR w/108^ m **Max Headsail** 105
Rating: 69 DW Rating: 598 **Certificate Date** 1/18/2024 **Rig Data:** FS
 Displacement used for DW Rating: 11000 **Mast Material** ALUMN
 Certified PHRF Data on file?

Symmetric Spin? No
Asymmetric Spin? Yes

LOA: 35.25 **Displacement:** 10900
LWL: 30.5 **Ballast:** 3900
Beam: 11.5 **Engine** IB
Draft: 7 **Prop Type** Fold

Modifications on file:

Boat Name Reverie **Sail #** 52423
Boat Type J 109 ODR w/108^ m **Max Headsail** 105
Rating: 69 DW Rating: 603 **Certificate Date** 3/21/2024 **Rig Data:** FS
 Displacement used for DW Rating: 11000 **Mast Material** ALUMN
 Certified PHRF Data on file?

Symmetric Spin? No
Asymmetric Spin? Yes

LOA: 32.25 **Displacement:** 10900
LWL: 30.5 **Ballast:** 3900
Beam: 11.5 **Engine** IB
Draft: 7 **Prop Type** Fold

Modifications on file:

Boat Name Tangoroa **Sail #** 311
Boat Type J 109 ODR w/108^ m **Max Headsail** 105
Rating: 69 DW Rating: 603 **Certificate Date** 1/16/2024 **Rig Data:** FS
 Displacement used for DW Rating: 11000 **Mast Material** ALUMN
 Certified PHRF Data on file?

Symmetric Spin? No
Asymmetric Spin? Yes

LOA: 32.25 **Displacement:** 10900
LWL: 30.5 **Ballast:** 3900
Beam: 11.5 **Engine** IB
Draft: 7 **Prop Type** Fold

Modifications on file:

Boat Name Mymble **Sail #** 57141 **Max Headsail** I: 43.37 *Symmetric Spin?* No **LOA:** 32.6 **Displacement:** 8415
Boat Type J 99 **Sail #** 57141 **Max Headsail** J: 12.56 **SL: SSMG: SSF: SPL:** **LWL:** 28.6 **Ballast:** 3350
Rating: 69 **DW Rating:** 605 **Certificate Date** 3/26/2024 **Rig Data:** **Rig Type** P: 41.8 **E:** 14.3 *Asymmetric Spin?* Yes **Beam:** 11.18 **Engine** IB
Displacement used for DW Rating: 8415 **Mast Material** ISP: 47.25 **SLE: SLU: ASMG: ASF:** **Draft:** 6.54 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 16.73 **41.83 43.79 27.44 26.37**
Modifications on file: (Mtg 3/25/24, -3 sec/mi for tweener sail)

Boat Name White Rose **Sail #** 38131 **Max Headsail** I: 56.5 *Symmetric Spin?* No **LOA:** 42.5 **Displacement:** 24000
Boat Type Sabre 426 **Sail #** 38131 **Max Headsail** J: 16.6 **SL: SSMG: SSF: SPL:** **LWL:** 36 **Ballast:** 8400
Rating: 72 **DW Rating:** 601 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** P: 49.5 **E:** 17.5 *Asymmetric Spin?* Yes **Beam:** 13.42 **Engine** IB
Displacement used for DW Rating: **Mast Material** ISP: 56.5 **SLE: SLU: ASMG: ASF:** **Draft:** 6.88 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 51.24 58.73 32.28 29.85
Modifications on file:

Boat Name Tivoli **Sail #** 46612 **Max Headsail** I: 50.89 *Symmetric Spin?* Yes **LOA:** 42.6 **Displacement:** 18220
Boat Type Beneteau 42S7 First DK SM **Sail #** 46612 **Max Headsail** J: 14.27 **SL: SSMG: SSF: SPL:** **LWL:** 35.9 **Ballast:** 6283
Rating: 72 **DW Rating:** 585 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** P: 47.41 **E:** 17.22 *Asymmetric Spin?* No **Beam:** 13.6 **Engine** IB
Displacement used for DW Rating: 18220 **Mast Material** ISP: 50.89 **SLE: SLU: ASMG: ASF:** **Draft:** 7.7 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:** **50.21 25.6 25 14.27**
Modifications on file:

Boat Name The Boss **Sail #** 69112 **Max Headsail** I: 46.33 *Symmetric Spin?* Yes **LOA:** 35.42 **Displacement:** 10500
Boat Type J 35 **Sail #** 69112 **Max Headsail** J: 15.58 **SL: SSMG: SSF: SPL:** **LWL:** 30 **Ballast:** 4400
Rating: 72 **DW Rating:** 597 **Certificate Date** 3/7/2024 **Rig Data:** **Rig Type** P: 41.42 **E:** 14 *Asymmetric Spin?* No **Beam:** 11.67 **Engine** IB
Displacement used for DW Rating: 10714 **Mast Material** ISP: 46.33 **SLE: SLU: ASMG: ASF:** **Draft:** 6.75 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 42.32 48.88 27.57 26.5
Modifications on file:

Boat Name Willow Sail # 38300 Max Headsail 110 I: 51.5 Symmetric Spin? No LOA: 41.17 Displacement: 18960
Boat Type Wauquiez 40s Centurion J: 14.17 SL: SSMG: SSF: SPL: LWL: 36.4 Ballast: 6085
Rating: 72 DW Rating: 579 Certificate Date 2/6/2024 **Rig Data:** Rig Type FS P: 49.21 50.73 25.54 25.54 14.17 Beam: 12.66 Engine IB
 Displacement used for DW Rating: 18960 Mast Material ALUMN E: 19.3 Asymmetric Spin? Yes Draft: 7.75 Prop Type FEATH
 Certified PHRF Data on file? JSP: 51.5 SLE: SLU: ASMG: ASF: 46.75 52.8 27.66 28.54

Modifications on file: (mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)(1 powered cabin top Halyard winch, NCTR)(Electric backstay adjuster, NCTR)(1/3/23, +3 sec/mi for non-articulation)

Boat Name Chance Sail # 4213 Max Headsail 130 I: 56.75 Symmetric Spin? Yes LOA: 42.75 Displacement: 24300
Boat Type Centurian 42 J: 17.25 SL: SSMG: SSF: SPL: LWL: 33.17 Ballast: 9600
Rating: 72 DW Rating: 605 Certificate Date 3/21/2024 **Rig Data:** Rig Type MS P: 51.66 56.35 31.05 30.9 18.94 Beam: 13.33 Engine IB
 Displacement used for DW Rating: 26312 Mast Material ALUMN E: 15.42 Asymmetric Spin? Yes Draft: 7.7 Prop Type Feath
 Certified PHRF Data on file? JSP: 18.33 SLE: SLU: ASMG: ASF: 51.48 58 28.2 29.3

Modifications on file: (Mtg 2/25/16, -3 sec/mi for OSP)

Boat Name Mojo Sail # 18935 Max Headsail 150 I: 46.4 Symmetric Spin? Yes LOA: 35.42 Displacement: 10500
Boat Type J 35 J: 14.7 SL: SSMG: SSF: SPL: LWL: 30 Ballast: 4400
Rating: 72 DW Rating: 598 Certificate Date 3/12/2024 **Rig Data:** Rig Type MS P: 41.75 46 26.25 26.25 14.7 Beam: 11.8 Engine IB
 Displacement used for DW Rating: 10000 Mast Material ALUMN E: 14.98 Asymmetric Spin? No Draft: 6.9 Prop Type Feath
 Certified PHRF Data on file? JSP: 14.7 SLE: SLU: ASMG: ASF:

Modifications on file:

Boat Name Basic Instinct Sail # 8123 Max Headsail 125 I: 41 Symmetric Spin? No LOA: 34.42 Displacement: 10220
Boat Type Custom Elliott 10.50 J: 12.5 SL: SSMG: SSF: SPL: LWL: 31.83 Ballast: 3000
Rating: 75 DW Rating: 580 Certificate Date 1/16/2024 **Rig Data:** Rig Type FS P: 44.2 45.6 27 27 15 Beam: 12.08 Engine IB
 Displacement used for DW Rating: 10220 Mast Material ALUMN E: 17.5 Asymmetric Spin? Yes Draft: 7 Prop Type FOLD
 Certified PHRF Data on file? JSP: 15 SLE: SLU: ASMG: ASF: 41.25 49 27.35 27

Modifications on file: (mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from -6 sec/mi to -3 sec/mi, change rating from 63 to 66)(10/26/09, removed Asymmetric Spinnaker, change rating from 66 to 69)(Mtg 10/27/16, +3 sec/mi for non articulating sprit/no spl)(05/02/19, added spl back, remove +3 sec/mi credit)(Mtg 5/20/19, +3 sec/mi for 10% reduction in MSA)

Boat Name Paikea **Sail #** 42888 **Max Headsail** I: 55.75 *Symmetric Spin?* YES **LOA:** 48.33 **Displacement:** 28661
Boat Type Jeanneau Sun Odyssey 49 **Sail #** 42888 **Max Headsail** J: 16.92 **SL: SSMG: SSF: SPL:** 55.18 28.87 28.18 16.1 **LWL:** 42.3 **Ballast:** 8267
Rating: 75 **DW Rating:** 554 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** P: 53 **Asymmetric Spin?** Yes **Beam:** 14.8 **Engine** IB
Displacement used for DW Rating: 28661 **Mast Material** FS **ISP:** 18.25 **SLE: SLU: ASMG: ASF:** 55.9 55.6 62 30.4 29.9 **Draft:** 7 **Prop Type** Feath
Certified PHRF Data on file? **JSP:** 18.64

Modifications on file: Electric Winches (Cannot be used for sheeting when racing)

Boat Name Mirthmaker **Sail #** 18250 **Max Headsail** I: 44.22 *Symmetric Spin?* Yes **LOA:** 34.7 **Displacement:** 9810
Boat Type A 35 **Sail #** 18250 **Max Headsail** J: 12.99 **SL: SSMG: SSF: SPL:** 51.67 26.2 24.38 14.99 **LWL:** 30.47 **Ballast:** 4367
Rating: 75 **DW Rating:** 588 **Certificate Date** 2/13/2024 **Rig Data:** **Rig Type** P: 44.94 **Asymmetric Spin?** Yes **Beam:** 11.6 **Engine** IB
Displacement used for DW Rating: 10514 **Mast Material** FS **E:** 14.66 **SLE: SLU: ASMG: ASF:** 51.06 49.02 53.31 21.03 26.28 **Draft:** 6.88 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 14.99

Modifications on file: (Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 69 after appeal)

Boat Name Second Wind **Sail #** 51986 **Max Headsail** I: 56.5 *Symmetric Spin?* Yes **LOA:** 42.5 **Displacement:** 25015
Boat Type Sabre 426 WK **Sail #** 51986 **Max Headsail** J: 16.6 **SL: SSMG: SSF: SPL:** 56.69 30.6 29.74 16.6 **LWL:** 36 **Ballast:** 8850
Rating: 75 **DW Rating:** 592 **Certificate Date** 3/26/2024 **Rig Data:** **Rig Type** P: 50.1 **Asymmetric Spin?** Yes **Beam:** 13.5 **Engine** IB
Displacement used for DW Rating: 25292 **Mast Material** MS **E:** 17.23 **SLE: SLU: ASMG: ASF:** 56.75 48.23 57.74 29.69 31.17 **Draft:** 5.16 **Prop Type** Feath
Certified PHRF Data on file? **JSP:** 16.6

Modifications on file: Electric Main Halyard Winch (Mtg 3/25/24, -3 sec/mi for oversized symmetric spinnaker)

Boat Name Timber Wolf **Sail #** 67519 **Max Headsail** I: 43.91 *Symmetric Spin?* Yes **LOA:** 38.32 **Displacement:** 12000
Boat Type Farr 38-1 C&B Marine **Sail #** 67519 **Max Headsail** J: 13.36 **SL: SSMG: SSF: SPL:** 48 26.4 26.4 14.67 **LWL:** 30.9 **Ballast:** 4100
Rating: 75 **DW Rating:** 593 **Certificate Date** 1/18/2024 **Rig Data:** **Rig Type** P: 44.83 **Asymmetric Spin?** No **Beam:** 11.97 **Engine** IB
Displacement used for DW Rating: 12000 **Mast Material** FS **E:** 17.91 **SLE: SLU: ASMG: ASF:** 47.9 47.9 55.6 62 30.4 29.9 **Draft:** 6.39 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:**

Modifications on file: (REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)

Boat Name Cascade	Sail #	Max Headsail	I:	28.69	<i>Symmetric Spin?</i> No	LOA:	27.73	Displacement:	2900	
Boat Type Antrim 27 CM ODR	13	116	J:	8.17	SL: SSMG: SSF: SPL:	LWL:	23.75	Ballast:	1050	
Rating: 75 DW Rating: 559	Certificate Date 3/7/2024	Rig Data:	Rig Type	P:	33.75	Beam:	9.25	Engine	OB	
Displacement used for DW Rating:	2900		FS	E:	14	<i>Asymmetric Spin?</i> Yes	Draft:	6	Prop Type	None
Certified PHRF Data on file? <input type="checkbox"/>			Mast Material	ISP:	37.25	SLE: SLU: ASMG: ASF:				
			CARBON	JSP:	15	38 44.2 20.1 23				

Modifications on file:

Boat Name Advantage 3	Sail #	Max Headsail	I:	40.6	<i>Symmetric Spin?</i> No	LOA:	34.5	Displacement:	7750	
Boat Type J 105 ODR w/ 5'BS	84	100	J:	13.5	SL: SSMG: SSF: SPL:	LWL:	29.5	Ballast:	3400	
Rating: 78 DW Rating: 592	Certificate Date 1/16/2024	Rig Data:	Rig Type	P:	41.5	Beam:	11	Engine	IB	
Displacement used for DW Rating:	8472		FS	E:	14.5	<i>Asymmetric Spin?</i> Yes	Draft:	6.5	Prop Type	FOLD
Certified PHRF Data on file? <input type="checkbox"/>			Mast Material	ISP:	42.1	SLE: SLU: ASMG: ASF:				
			ALUMN	JSP:	19.07	38.6 49 26.4 25.5				

Modifications on file:

Boat Name Twelve Bar Blues	Sail #	Max Headsail	I:	40.6	<i>Symmetric Spin?</i> No	LOA:	34.5	Displacement:	7750	
Boat Type J 105 ODR w/ 5'BS	87	100	J:	13.5	SL: SSMG: SSF: SPL:	LWL:	29.5	Ballast:	3400	
Rating: 78 DW Rating: 592	Certificate Date 1/26/2024	Rig Data:	Rig Type	P:	41.5	Beam:	11	Engine	IB	
Displacement used for DW Rating:	8472		FS	E:	14.5	<i>Asymmetric Spin?</i> Yes	Draft:	6.5	Prop Type	Fold
Certified PHRF Data on file? <input type="checkbox"/>			Mast Material	ISP:	42.1	SLE: SLU: ASMG: ASF:				
			ALUMN	JSP:	19.07	39.01 48.69 25.79 27.89				

Modifications on file:

Boat Name Streaker	Sail #	Max Headsail	I:	40.6	<i>Symmetric Spin?</i> No	LOA:	34.5	Displacement:	7750	
Boat Type J 105 ODR w/ 5'BS	469	100	J:	13.5	SL: SSMG: SSF: SPL:	LWL:	29.5	Ballast:	3400	
Rating: 78 DW Rating: 595	Certificate Date 1/17/2024	Rig Data:	Rig Type	P:	41.5	Beam:	11	Engine	IB	
Displacement used for DW Rating:	8472		FS	E:	14.5	<i>Asymmetric Spin?</i> Yes	Draft:	6.5	Prop Type	Fold
Certified PHRF Data on file? <input type="checkbox"/>			Mast Material	ISP:	42.1	SLE: SLU: ASMG: ASF:				
			ALUMN	JSP:	19.07	39.8 49.5 22.3 26.2				

Modifications on file:

Boat Name Ravenette **Sail #** 80 **Max Headsail** I: 38.67 *Symmetric Spin?* NO **LOA:** 29.19 **Displacement:** 4990
Boat Type J 88 **Sail #** 80 **Max Headsail** J: 11.28 **SL:** SSMG: SSF: SPL: **LWL:** 26.84 **Ballast:** 1840
Rating: 81 **DW Rating:** 575 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** P: 36.82 **E:** 12 *Asymmetric Spin?* Yes **Beam:** 9.5 **Engine** IB
Displacement used for DW Rating: 4990 **Mast Material** ISP: 46 **SLE:** SLU: ASMG: ASF: **Prop Type** Fold
Certified PHRF Data on file? **CARBON** **JSP:** 18.05 40.84 47.83 27.32 29 **Draft:** 6.5

Modifications on file:

Boat Name Speedwell **Sail #** 20 **Max Headsail** I: 38.67 *Symmetric Spin?* No **LOA:** 29.19 **Displacement:** 4990
Boat Type J 88 **Sail #** 20 **Max Headsail** J: 11.28 **SL:** SSMG: SSF: SPL: **LWL:** 26.84 **Ballast:** 1840
Rating: 81 **DW Rating:** 575 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** P: 36.82 **E:** 12 *Asymmetric Spin?* Yes **Beam:** 9.5 **Engine** IB
Displacement used for DW Rating: 4990 **Mast Material** ISP: 46 **SLE:** SLU: ASMG: ASF: **Prop Type** Feath
Certified PHRF Data on file? **CARBON** **JSP:** 18.05 40.84 47.83 27.32 29 **Draft:** 6.5

Modifications on file:

Boat Name Eight Ball **Sail #** 8 **Max Headsail** I: 38.5 *Symmetric Spin?* No **LOA:** 32 **Displacement:** 7250
Boat Type J 100 MOD **Sail #** 8 **Max Headsail** J: 11.5 **SL:** SSMG: SSF: SPL: **LWL:** 29 **Ballast:** 2450
Rating: 81 **DW Rating:** 589 **Certificate Date** 1/19/2024 **Rig Data:** **Rig Type** P: 38 **E:** 13.5 *Asymmetric Spin?* Yes **Beam:** 9.25 **Engine** IB
Displacement used for DW Rating: 7000 **Mast Material** ISP: 43 **SLE:** SLU: ASMG: ASF: **Prop Type** Fold
Certified PHRF Data on file? **CARBON** **JSP:** 15.9 40 48.39 22.58 22.56 **Draft:** 5.75

Modifications on file: (Boat does not comply with RRS 52)(Mtg 8/24/20, -6 sec/mi for powered captive winches)(Mtg 1/24/22, -6 sec/mi for increased I & J, +3 sec/mi for reduced spinnaker area)(8/3/22, switched back to class I & J, +6 sec/mi)

Boat Name Mintaka 4 **Sail #** 18441 **Max Headsail** I: 43.67 *Symmetric Spin?* Yes **LOA:** 38.25 **Displacement:** 11850
Boat Type Farr 38 **Sail #** 18441 **Max Headsail** J: 13.67 **SL:** SSMG: SSF: SPL: **LWL:** 31.17 **Ballast:** 4100
Rating: 81 **DW Rating:** 589 **Certificate Date** 3/7/2024 **Rig Data:** **Rig Type** P: 44.9 44.13 26.07 24.6 14.5 **E:** 17.9 *Asymmetric Spin?* No **Beam:** 12 **Engine** IB
Displacement used for DW Rating: 11939 **Mast Material** ISP: 46.2 **SLE:** SLU: ASMG: ASF: **Prop Type** FOLD
Certified PHRF Data on file? **ALUMN** **JSP:** **Draft:** 6.33

Modifications on file: (2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/13/04).(Mtg 1/24/13, new stem fitting, NCTR)

Boat Name Pelagia **Sail #** 37 **Max Headsail** 100 **I:** 38.67 **Symmetric Spin?** No **LOA:** 29.19 **Displacement:** 4990
Boat Type J 88 **J:** 11.28 **SL:** SSMG: SSF: SPL: **LWL:** 26.84 **Ballast:** 1840
Rating: 81 **DW Rating:** 575 **Certificate Date** 1/24/2024 **Rig Data:** **Rig Type** FS **E:** 12 **Asymmetric Spin?** Yes **Beam:** 9.5 **Engine** IB
Displacement used for DW Rating: 4990 **Mast Material** CARBON **ISP:** 46 **SLE:** SLU: ASMG: ASF: **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 18.05 40.84 47.83 27.32 29 **Draft:** 6.5

Modifications on file:

Boat Name Bonaparte **Sail #** 38054 **Max Headsail** 155 **I:** 46.4 **Symmetric Spin?** Yes **LOA:** 36 **Displacement:** 12495
Boat Type Beneteau Farr First 36.7 **J:** 13.1 **SL:** SSMG: SSF: SPL: **LWL:** 30.3 **Ballast:** 4034
Rating: 81 **DW Rating:** 614 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** FS **E:** 15.6 **Asymmetric Spin?** No **Engine** IB
Displacement used for DW Rating: 12150 **Mast Material** ALUMN **ISP:** 46.4 **SLE:** SLU: ASMG: ASF: **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 13.1 **Draft:** 7.2

Modifications on file:

Boat Name Outcast **Sail #** 4823 **Max Headsail** 150 **I:** 43.67 **Symmetric Spin?** YES **LOA:** 38.25 **Displacement:** 10600
Boat Type Farr 38 **J:** 13.67 **SL:** SSMG: SSF: SPL: **LWL:** 31.17 **Ballast:** 4100
Rating: 81 **DW Rating:** 597 **Certificate Date** 1/18/2024 **Rig Data:** **Rig Type** FS **E:** 17.9 **Asymmetric Spin?** No **Engine** IB
Displacement used for DW Rating: 11939 **Mast Material** ALUMN **ISP:** 46.2 **SLE:** SLU: ASMG: ASF: **Prop Type** Fixed 2
Certified PHRF Data on file? **JSP:** **Draft:** 6.4

Modifications on file:

Boat Name Lonestar **Sail #** 40 **Max Headsail** 155 **I:** 43.2 **Symmetric Spin?** No **LOA:** 32.75 **Displacement:** 9715
Boat Type Beneteau First 10R ODR MOD **J:** 12.07 **SL:** SSMG: SSF: SPL: **LWL:** 28.7 **Ballast:** 3528
Rating: 81 **DW Rating:** 607 **Certificate Date** 1/16/2024 **Rig Data:** **Rig Type** FS **E:** 14.73 **Asymmetric Spin?** Yes **Engine** IB
Displacement used for DW Rating: 9908 **Mast Material** CARBON **ISP:** 46.41 **SLE:** SLU: ASMG: ASF: **Prop Type** FOLD
Certified PHRF Data on file? **JSP:** 16.5 45.8 52.9 26.4 25.5 **Draft:** 6.55

Modifications on file: (Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)(powered winch on cabin top)

Boat Name Barcanova **Sail #** 3200 **Max Headsail** 110 **I:** 41.92 *Symmetric Spin?* YES **LOA:** 33.1 **Displacement:** 7496
Boat Type Jeanneau Sun Fast 3200 **Rig Type** FS **J:** 12.63 **SL:** SSMG: SSF: SPL: **LWL:** 28 **Ballast:** 2866
Rating: 81 **DW Rating:** 599 **Certificate Date** 2/21/2024 **Rig Data:** **P:** 38.67 44.91 24.08 23.39 13.63 **Beam:** 11.5 **Engine** IB
Displacement used for DW Rating: 7455 **Mast Material** ALUMN **E:** 13.8 *Asymmetric Spin?* Yes **Draft:** 6.2 **Prop Type** Fold
Certified PHRF Data on file? **ISP:** 43.77 **SLE:** SLU: ASMG: ASF: **39.55 44.95 24.52 24.45**

Modifications on file:

Boat Name Mistral **Sail #** 28394 **Max Headsail** 155 **I:** 46.4 *Symmetric Spin?* Yes **LOA:** 35 **Displacement:** 12495
Boat Type Beneteau Farr First 36.7 **Rig Type** FS **J:** 13.1 **SL:** SSMG: SSF: SPL: **LWL:** 30.3 **Ballast:** 4034
Rating: 81 **DW Rating:** 614 **Certificate Date** 3/20/2024 **Rig Data:** **P:** 45.4 45.8 23.47 22.07 13.1 **Beam:** 11.6 **Engine** IB
Displacement used for DW Rating: 12150 **Mast Material** ALUMN **E:** 15.6 *Asymmetric Spin?* No **Draft:** 7.2 **Prop Type** FOLD
Certified PHRF Data on file? **ISP:** 46.4 **SLE:** SLU: ASMG: ASF:

Modifications on file:

Boat Name Avion **Sail #** 30345 **Max Headsail** 150 **I:** 50.14 *Symmetric Spin?* Yes **LOA:** 41.27 **Displacement:** 19953
Boat Type Bianca 414 **Rig Type** MS **J:** 15.61 **SL:** SSMG: SSF: SPL: **LWL:** 32.81 **Ballast:** 8624
Rating: 81 **DW Rating:** 591 **Certificate Date** 1/23/2024 **Rig Data:** **P:** 51.17 50 28.1 28.1 15.61 **Beam:** 9.58 **Engine** IB
Displacement used for DW Rating: 17395 **Mast Material** ALUMN **E:** 17.3 *Asymmetric Spin?* Yes **Draft:** 8.5 **Prop Type** Fold
Certified PHRF Data on file? **ISP:** 50.14 **SLE:** SLU: ASMG: ASF: **47.41 53.41 26.9 31.69**

Modifications on file: (MTG 4/8/99 1360 LBS SHAVED OFF SIDES OF KEEL, 925 LBS ADDED TO BOTTOM OF KEEL - 3 FOR KEEL MODS)(New Rudder, NCTR, 2/15/01)

Boat Name Hijinks **Sail #** 27 **Max Headsail** 104 **I:** 38.67 *Symmetric Spin?* No **LOA:** 29.19 **Displacement:** 4990
Boat Type J 88 **Rig Type** FS **J:** 11.28 **SL:** SSMG: SSF: SPL: **LWL:** 26.84 **Ballast:** 1840
Rating: 81 **DW Rating:** 573 **Certificate Date** 1/24/2024 **Rig Data:** **P:** 36.82 **E:** 12 *Asymmetric Spin?* Yes **Beam:** 9.5 **Engine** IB
Displacement used for DW Rating: 4990 **Mast Material** CARBON **ISP:** 46 **SLE:** SLU: ASMG: ASF: **Draft:** 6.5 **Prop Type** None
Certified PHRF Data on file? **JSP:** 18.05 **40.84 47.83 27.32 29**

Modifications on file:

Boat Name Northern Bear **Sail #** 128 **Max Headsail** I: 38.5 *Symmetric Spin?* No **LOA:** 32.8 **Displacement:** 6500
Boat Type J 100 ODR 84 **J:** 11.5 **SL:** SSMG: SSF: SPL: **LWL:** 29 **Ballast:** 2450
Rating: 84 **DW Rating:** 581 **Certificate Date** 1/23/2024 *Rig Data:* **Rig Type** P: 38 **Beam:** 9.25 **Engine** IB
Displacement used for DW Rating: 7000 **FS** *Asymmetric Spin?* No **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** ISP: 43 **SLE:** SLU: ASMG: ASF: **Draft:** 5.75
CARBON JSP: 12.7 38.35 49.41 24.3 25.02

Modifications on file: Hoyt Boom, NCTR

Boat Name National Biscuit **Sail #** 8573 **Max Headsail** I: 41.9 *Symmetric Spin?* Yes **LOA:** 35.416 **Displacement:** 8400
Boat Type CUSTOM Schumacher 35 125 **J:** 12.43 **SL:** SSMG: SSF: SPL: **LWL:** 29 **Ballast:** 3850
Rating: 84 **DW Rating:** 599 **Certificate Date** 1/16/2024 *Rig Data:* **Rig Type** P: 44.43 41.52 22.37 22.37 12.43 **Engine** IB
Displacement used for DW Rating: 8400 **MS** *Asymmetric Spin?* No **Prop Type** FOLD
Certified PHRF Data on file? **Mast Material** ISP: 41.9 **SLE:** SLU: ASMG: ASF: **Beam:** 11.25
ALUMN JSP: **Draft:** 6.416

Modifications on file:

Boat Name Akyaa **Sail #** 163 **Max Headsail** I: 33.6 *Symmetric Spin?* Yes **LOA:** 37 **Displacement:** 4260
Boat Type Hobie 33 ODR 105 **J:** 12.4 **SL:** SSMG: SSF: SPL: **LWL:** 30.83 **Ballast:** 1800
Rating: 87 **DW Rating:** 543 **Certificate Date** 1/16/2024 *Rig Data:* **Rig Type** P: 35.3 36 23 23 13.12 **Engine** OB
Displacement used for DW Rating: 4550 **MS** *Asymmetric Spin?* No **Prop Type** None
Certified PHRF Data on file? **Mast Material** ISP: 36.5 **SLE:** SLU: ASMG: ASF: **Beam:** 8
ALUMN JSP: 16.2 **Draft:** 5.5

Modifications on file: (mtg 8/19/10, -3 sec/mi for sprit)

Boat Name Wolfpack **Sail #** 3001 **Max Headsail** I: 38.5 *Symmetric Spin?* No **LOA:** 30 **Displacement:** 3300
Boat Type Donovan 30 150 **J:** 11.6 **SL:** SSMG: SSF: SPL: **LWL:** 25 **Ballast:** 1330
Rating: 87 **DW Rating:** 575 **Certificate Date** 1/16/2024 *Rig Data:* **Rig Type** P: 34 11.6 **Engine** OB
Displacement used for DW Rating: 3470 **MS** *Asymmetric Spin?* Yes **Prop Type** None
Certified PHRF Data on file? **Mast Material** ISP: **SLE:** SLU: ASMG: ASF: **Beam:** 10.75
ALUMN JSP: 11.6 37 41.25 19.4 20.65 **Draft:** 5.67

Modifications on file: (Mtg 6/26/14, New Rudder, NCTR)(Mtg 1/26/16, +3 sec/mi for smaller "E")

Boat Name Story Maker **Sail #** 7090 **Max Headsail** 105 **I:** 47.6 *Symmetric Spin?* No **LOA:** 33 **Displacement:** 8600
Boat Type Tartan 101 **Rig Type** FS **J:** 12.5 **SL:** SSMG: SSF: SPL: **LWL:** 29.1 **Ballast:** 3250
Rating: 87 **DW Rating:** 588 **Certificate Date** 1/19/2024 *Rig Data:* **E:** 14.83 *Asymmetric Spin?* Yes **Beam:** 10.9 **Engine** IB
Displacement used for DW Rating: 8600 **Mast Material** CARBON **ISP:** 50.12 **SLE:** SLU: ASMG: ASF: **Draft:** 6.5 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 16.5 46.6 55.3 29.1 28.8

Modifications on file:

Boat Name Swell Patrol **Sail #** 46924 **Max Headsail** 155 **I:** 42.5 *Symmetric Spin?* Yes **LOA:** 33 **Displacement:** 5800
Boat Type Soverel 33-2 **Rig Type** MS **J:** 12.75 **SL:** SSMG: SSF: SPL: **LWL:** 30.42 **Ballast:** 2800
Rating: 90 **DW Rating:** 571 **Certificate Date** 1/16/2024 *Rig Data:* **E:** 13 *Asymmetric Spin?* No **Beam:** 11 **Engine** OB
Displacement used for DW Rating: 6500 **Mast Material** ALUMN **ISP:** 42.5 **SLE:** SLU: ASMG: ASF: **Draft:** 5.83 **Prop Type** None
Certified PHRF Data on file?

Modifications on file: (mtg 8/28/23, -6 sec/mi for OB motor)

Boat Name Roxanne **Sail #** 322 **Max Headsail** 135 **I:** 57 *Symmetric Spin?* No **LOA:** 41.3 **Displacement:** 20400
Boat Type Tartan 4100 SD TM **Rig Type** MS **J:** 15 **SL:** SSMG: SSF: SPL: **LWL:** 35.9 **Ballast:** 8000
Rating: 90 **DW Rating:** 590 **Certificate Date** 3/7/2024 *Rig Data:* **E:** 18 *Asymmetric Spin?* Yes **Beam:** 13.6 **Engine** IB
Displacement used for DW Rating: 20400 **Mast Material** ALUMN **ISP:** 57 **SLE:** SLU: ASMG: ASF: **Draft:** 5.4 **Prop Type** Feath
Certified PHRF Data on file? **JSP:** 15 53 58.9 27.7 27

Modifications on file:

Boat Name Quantum **Sail #** 56281 **Max Headsail** 155 **I:** 52.17 *Symmetric Spin?* Yes **LOA:** 40.42 **Displacement:** 18518
Boat Type Beneteau 405 TM **Rig Type** MS **J:** 14.83 **SL:** SSMG: SSF: SPL: **LWL:** 35.5 **Ballast:** 7694
Rating: 90 **DW Rating:** 592 **Certificate Date** 1/16/2024 *Rig Data:* **E:** 15.09 *Asymmetric Spin?* No **Beam:** 12.75 **Engine** IB
Displacement used for DW Rating: **Mast Material** ALUMN **ISP:** 52.17 **SLE:** SLU: ASMG: ASF: **Draft:** 7.19 **Prop Type** Fold
Certified PHRF Data on file? **JSP:**

Modifications on file:

Boat Name Drop Beer **Sail #** 18277 **Max Headsail** 150 **I:** 37.8 *Symmetric Spin?* Yes **LOA:** 34.2 **Displacement:** 7000
Boat Type Beneteau Class 10 **Rig Type** FS **J:** 12.6 **SL:** 36.11 **SSMG:** 22.1 **SSF:** 22.1 **SPL:** 12.6 **LWL:** 29.6 **Ballast:** 2200
Rating: 90 **DW Rating:** 588 **Certificate Date** 2/21/2024 *Rig Data:* **E:** 13.9 *Asymmetric Spin?* No **Beam:** 9.9 **Engine** IB
Displacement used for DW Rating: 6826 **Mast Material** ALUMN **ISP:** 38.6 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 6.8 **Prop Type** FOLD
Certified PHRF Data on file?

Modifications on file: NEW RUDDER 3/4/95, NCTR (MTG 3/36/95)

Boat Name Rogue **Sail #** 72 **Max Headsail** 101 **I:** 30.67 *Symmetric Spin?* No **LOA:** 21.33 **Displacement:** 2300
Boat Type Mini Transat 6.5 Prototype **Rig Type** FS **J:** 6.83 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 21.33 **Ballast:** 900
Rating: 90 **DW Rating:** 562 **Certificate Date** 1/23/2024 *Rig Data:* **E:** 11.33 *Asymmetric Spin?* Yes **Beam:** 10 **Engine** OB
Displacement used for DW Rating: 2300 **Mast Material** CARBON **ISP:** 35.17 **SLE:** 42.25 **SLU:** 40.45 **ASMG:** 23.52 **ASF:** 23.68 **Draft:** 6.6 **Prop Type** None
Certified PHRF Data on file?

Modifications on file:

Boat Name Tuquila **Sail #** 87112 **Max Headsail** 125 **I:** 33.8 *Symmetric Spin?* Yes **LOA:** 33 **Displacement:** 4000
Boat Type Hobie 33 ODR **Rig Type** FS **J:** 12.4 **SL:** 36.2 **SSMG:** 23.4 **SSF:** 21.4 **SPL:** 13.25 **LWL:** 30.5 **Ballast:** 1800
Rating: 90 **DW Rating:** 554 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 12.4 *Asymmetric Spin?* No **Beam:** 8 **Engine** OB
Displacement used for DW Rating: 4550 **Mast Material** ALUMN **ISP:** 36.8 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 5.5 **Prop Type** None
Certified PHRF Data on file?

Modifications on file: Extended rudder 10", NCTR

Boat Name Serenade **Sail #** **Max Headsail** 108 **I:** 45.5 *Symmetric Spin?* Yes **LOA:** 36.67 **Displacement:** 10500
Boat Type Sabre Spirit **Rig Type** FS **J:** 12.87 **SL:** 44.92 **SSMG:** 23.17 **SSF:** 22.24 **SPL:** 12.87 **LWL:** 28.33 **Ballast:** 3740
Rating: 93 **DW Rating:** 613 **Certificate Date** 1/19/2024 *Rig Data:* **E:** 16.55 *Asymmetric Spin?* No **Beam:** 10.42 **Engine** IB
Displacement used for DW Rating: 10500 **Mast Material** CARBON **ISP:** 45.5 **SLE:** 45.2 **SLU:** 53.6 **ASMG:** 23.9 **ASF:** 23 **Draft:** 6.58 **Prop Type** Fold
Certified PHRF Data on file?

Modifications on file: (Mtg 3/30/20, -3 secmi for keel modification: added shoe)

Boat Name Special Edition **Sail #** 8258 **Max Headsail** 150 **I:** ##### *Symmetric Spin?* Yes **LOA:** 29.75 **Displacement:** 4600
Boat Type Custom Wilderness 30 **J:** 11.75 **SL:** SSMG: SSF: SPL: **LWL:** 27.75 **Ballast:** 1800
Rating: 93 **DW Rating:** 573 **Certificate Date** 1/17/2024 **Rig Data:** **P:** ##### 39 25.4 24.5 ##### **Beam:** 8.75 **Engine** OB
Displacement used for DW Rating: 4600 **FS** *Asymmetric Spin?* No **Draft:** 6 **Prop Type** FOLD
Certified PHRF Data on file? **Mast Material** CARBON **ISP:** ##### **SLE:** SLU: **ASMG:** ASF: **Engine** OB
Modifications on file: Added Masthead Halyards for spin/Jips, replaced inboard with Outboard open Transom (12/17/92) Mtg-. 1/18/90 RTNG 102.) (1998 rtg =96) (New Inboard = +3; Foretriangle is 11.75 = +6, jib=150%, Carbon Mast= -3; Keel = -6
mgt 3/8/05)(3/15/16, now has Outboard Motor, -3 sec/mi)

Boat Name Amicizia **Sail #** 84 **Max Headsail** 91 **I:** 54 *Symmetric Spin?* No **LOA:** 40.6 **Displacement:** 19621
Boat Type Hanse 415 **J:** 15.33 **SL:** SSMG: SSF: SPL: **LWL:** 37.4 **Ballast:** 6393
Rating: 93 **DW Rating:** 585 **Certificate Date** 3/14/2024 **Rig Data:** **P:** 52.91 **Beam:** 13.7 **Engine** IB
Displacement used for DW Rating: 19621 **FS** *Asymmetric Spin?* No **Draft:** 6.92 **Prop Type** Fixed 3
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 60.16 **SLE:** SLU: **ASMG:** ASF: **Engine** IB
Modifications on file:

Boat Name Gavilan **Sail #** 28439 **Max Headsail** 122 **I:** 49 *Symmetric Spin?* Yes **LOA:** 41.5 **Displacement:** 17900
Boat Type Custom Wylie 39 **J:** 14.5 **SL:** SSMG: SSF: SPL: **LWL:** 31.75 **Ballast:** 5920
Rating: 93 **DW Rating:** 613 **Certificate Date** 1/16/2024 **Rig Data:** **P:** 43 48.64 26.6 26.6 14.5 **Beam:** 11.5 **Engine** IB
Displacement used for DW Rating: 17900 **MS** *Asymmetric Spin?* Yes **Draft:** 6.77 **Prop Type** FEATH
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 49 **SLE:** SLU: **ASMG:** ASF: **Engine** IB
Modifications on file: (mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)

Boat Name Rhapsody **Sail #** 88 **Max Headsail** 104 **I:** 45.5 *Symmetric Spin?* No **LOA:** 36.67 **Displacement:** 9600
Boat Type Sabre Spirit **J:** 12.87 **SL:** SSMG: SSF: SPL: **LWL:** 28.33 **Ballast:** 4000
Rating: 93 **DW Rating:** 609 **Certificate Date** 1/23/2024 **Rig Data:** **P:** 45.5 **Beam:** 10.42 **Engine** IB
Displacement used for DW Rating: 9600 **MS** *Asymmetric Spin?* Yes **Draft:** 6.75 **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 49.5 **SLE:** SLU: **ASMG:** ASF: **Engine** IB
Modifications on file: Halyard winches. (Mtg 1/24/22, -3 sec/mi for keel shoe, -3 sec/mi for increased ISP, +3 sec/mi for non-articulation)

Boat Name Katester **Sail #** 227 **Max Headsail** I: 45.5 *Symmetric Spin?* No **LOA:** 36.67 **Displacement:** 9600
Boat Type Sabre Spirit **Rating:** 93 **DW Rating:** 621 **Certificate Date** 1/17/2024 **Rig Data:** 90 J: 12.87 **SL:** SSMG: SSF: SPL: **LWL:** 28.33 **Ballast:** 4000
Displacement used for DW Rating: 9600 **Rig Type** P: 45.5 **Beam:** 10.42 **Engine** IB
Certified PHRF Data on file? **Mast Material** FS *Asymmetric Spin?* No **Draft:** 6.58 **Prop Type** Fold
ISP: 51.2 **SLE:** SLU: **ASMG:** ASF:
JSP: CARBON

Modifications on file: (Electric Winches)(1/20/23, -3 secmi for keel modification: added shoe)

Boat Name Prime Number **Sail #** 38107 **Max Headsail** I: 57 *Symmetric Spin?* No **LOA:** 41.25 **Displacement:** 20400
Boat Type Tartan 4100 SD **Rating:** 96 **DW Rating:** 602 **Certificate Date** 3/20/2024 **Rig Data:** 106 J: 15 **SL:** SSMG: SSF: SPL: **LWL:** 35.75 **Ballast:** 8000
Displacement used for DW Rating: 20400 **Rig Type** P: 47.75 **Beam:** 13.5 **Engine** IB
Certified PHRF Data on file? **Mast Material** MS *Asymmetric Spin?* No **Draft:** 5.33 **Prop Type** Fold
ISP: 57 **SLE:** SLU: **ASMG:** ASF:
JSP: CARBON

Modifications on file:

Boat Name Rebecca **Sail #** 61671 **Max Headsail** I: 51.54 *Symmetric Spin?* No **LOA:** 42.78 **Displacement:** 19850
Boat Type Swan 43 **Rating:** 96 **DW Rating:** 603 **Certificate Date** 3/1/2024 **Rig Data:** 130 J: 17.54 **SL:** SSMG: SSF: SPL: **LWL:** 31 **Ballast:** 10400
Displacement used for DW Rating: 19850 **Rig Type** P: 46.04 **Beam:** 11.67 **Engine** IB
Certified PHRF Data on file? **Mast Material** MS *Asymmetric Spin?* Yes **Draft:** 7.16 **Prop Type** Fold
ISP: 50 **SLE:** SLU: **ASMG:** ASF:
JSP: ALUMN 49.96 52.86 31.57 28.01

Modifications on file:

Boat Name Giusto **Sail #** 45145 **Max Headsail** I: 52.5 *Symmetric Spin?* No **LOA:** 41.75 **Displacement:** 19200
Boat Type Sabre 42 CB **Rating:** 96 **DW Rating:** 605 **Certificate Date** 1/16/2024 **Rig Data:** 135 J: 14.33 **SL:** SSMG: SSF: SPL: **LWL:** 34 **Ballast:** 8200
Displacement used for DW Rating: 19200 **Rig Type** P: 45.83 **Beam:** 12.6 **Engine** IB
Certified PHRF Data on file? **Mast Material** MS *Asymmetric Spin?* Yes **Draft:** 8.6 **Prop Type** Feath
ISP: **SLE:** SLU: **ASMG:** ASF:
JSP: ALUMN 46.1 51.5 26.75 25.8

Modifications on file:

Boat Name Flexi-Flyer **Sail #** 18282 **Max Headsail** I: 42.5 *Symmetric Spin?* Yes **LOA:** 33 **Displacement:** 5800
Boat Type Soverel 33-2 **J:** 12.8 **SL:** SSMG: SSF: SPL: **LWL:** 30.5 **Ballast:** 2800
Rating: 96 **DW Rating:** 574 **Certificate Date** 1/26/2024 **Rig Data:** **P:** 41 42.06 22.7 21.58 12.75 **Beam:** 11 **Engine** IB
Displacement used for DW Rating: 6500 **Mast Material** MS *Asymmetric Spin?* No **Draft:** 5.85 **Prop Type** FOLD
Certified PHRF Data on file? **ISP:** 42.5 **SLE:** SLU: ASMG: ASF:
JSP:

Modifications on file:

Boat Name Boudicca 3.0 **Sail #** 385 **Max Headsail** I: 48.33 *Symmetric Spin?* NO **LOA:** 37.53 **Displacement:** 19297
Boat Type Hanse 385 SD **J:** 14.11 **SL:** SSMG: SSF: SPL: **LWL:** 34.12 **Ballast:** 5512
Rating: 96 **DW Rating:** 630 **Certificate Date** 3/26/2024 **Rig Data:** **P:** 45.93 **Beam:** 12.8 **Engine** IB
Displacement used for DW Rating: 19297 **Mast Material** FS *Asymmetric Spin?* Yes **Draft:** 5.4 **Prop Type** Fold
Certified PHRF Data on file? **ISP:** 50 **SLE:** SLU: ASMG: ASF:
JSP: 15.2 43.8 51.7 27.5 26.41

Modifications on file: Powered Winches (Mtg 3/25/24, -3 sec/mi for oversized spinnaker area)

Boat Name Aquavit **Sail #** 0 **Max Headsail** I: 58.56 *Symmetric Spin?* No **LOA:** 45.01 **Displacement:** 21826
Boat Type Jeanneau Sun Odyssey 45C DK **J:** 15.25 **SL:** SSMG: SSF: SPL: **LWL:** 38.09 **Ballast:** 6504
Rating: 96 **DW Rating:** **Certificate Date** 3/26/2024 **Rig Data:** **P:** 51.14 **Beam:** 14.34 **Engine** IB
Displacement used for DW Rating: **Mast Material** MS *Asymmetric Spin?* No **Draft:** 6.73 **Prop Type** Fold
Certified PHRF Data on file? **ISP:** 55.12 **SLE:** SLU: ASMG: ASF:
JSP: 0

Modifications on file: (Mtg 3/25/24, +3 sec/mi for in-mast furling mainsail)

Boat Name Freedom **Sail #** 18230 **Max Headsail** I: 54 *Symmetric Spin?* Yes **LOA:** 40 **Displacement:** 21000
Boat Type Worth 40 **J:** 16 **SL:** SSMG: SSF: SPL: **LWL:** 34.25 **Ballast:** 7800
Rating: 96 **DW Rating:** 604 **Certificate Date** 1/16/2024 **Rig Data:** **P:** 47 52 28.8 28.8 16 **Beam:** 12.5 **Engine** IB
Displacement used for DW Rating: 21000 **Mast Material** MS *Asymmetric Spin?* No **Draft:** 7.25 **Prop Type** FOLD
Certified PHRF Data on file? **ISP:** **SLE:** SLU: ASMG: ASF:
JSP: 16

Modifications on file:

Boat Name Planet Express **Sail #** 1958 **Max Headsail** 140 **I:** 51.75 *Symmetric Spin?* No **LOA:** 43 **Displacement:** 20943
Boat Type Beneteau 43 **Rating:** 99 **DW Rating:** 574 **Certificate Date** 3/1/2024 *Rig Data:* **Rig Type** MS **J:** 15.33 **SL:** SSMG: SSF: SPL: **LWL:** 38.08 **Ballast:** 6239
Displacement used for DW Rating: 20944 **Mast Material** ALUMN **E:** 16.73 *Asymmetric Spin?* Yes **Beam:** 13.5 **Engine** IB
Certified PHRF Data on file? **ISP:** 52.31 **SLE:** SLU: ASMG: ASF: **Draft:** 6.58 **Prop Type** Feath
Modifications on file: (Mtg 2/29/24, -6 sec/mi for oversized asymmetric, +3 sec/mi for in-mast furling mainsail)

Boat Name Dragonsong **Sail #** 87014 **Max Headsail** 155 **I:** 36 *Symmetric Spin?* Yes **LOA:** 30 **Displacement:** 3600
Boat Type Olson 30 OB **Rating:** 99 **DW Rating:** 583 **Certificate Date** 1/17/2024 *Rig Data:* **Rig Type** MS **J:** 11.75 **SL:** SSMG: SSF: SPL: **LWL:** 27.5 **Ballast:** 1800
Displacement used for DW Rating: 4111 **Mast Material** ALUMN **E:** 10.75 *Asymmetric Spin?* No **Beam:** 9.33 **Engine** OB
Certified PHRF Data on file? **ISP:** 35.9 **SLE:** SLU: ASMG: ASF: **Draft:** 5.08 **Prop Type** None
Modifications on file:

Boat Name Flying Fish **Sail #** 197 **Max Headsail** 155 **I:** 36 *Symmetric Spin?* Yes **LOA:** 30 **Displacement:** 3600
Boat Type Olson 30 OB **Rating:** 99 **DW Rating:** 584 **Certificate Date** 1/16/2024 *Rig Data:* **Rig Type** MS **J:** 11.78 **SL:** SSMG: SSF: SPL: **LWL:** 27.5 **Ballast:** 1800
Displacement used for DW Rating: 4111 **Mast Material** ALUMN **E:** 10.75 *Asymmetric Spin?* No **Beam:** 9.33 **Engine** OB
Certified PHRF Data on file? **ISP:** 35.92 **SLE:** SLU: ASMG: ASF: **Draft:** 5.1 **Prop Type** None
Modifications on file:

Boat Name Joyride **Sail #** 41382 **Max Headsail** 135 **I:** 44.25 *Symmetric Spin?* Yes **LOA:** 34 **Displacement:** 8000
Boat Type Express 34 **Rating:** 99 **DW Rating:** 624 **Certificate Date** 3/12/2024 *Rig Data:* **Rig Type** MS **J:** 13 **SL:** SSMG: SSF: SPL: **LWL:** 28.33 **Ballast:** 3800
Displacement used for DW Rating: 9129 **Mast Material** ALUMN **E:** 12.83 *Asymmetric Spin?* No **Beam:** 10.33 **Engine** IB
Certified PHRF Data on file? **ISP:** 44.25 **SLE:** SLU: ASMG: ASF: **Draft:** 6.11 **Prop Type** FOLD
Modifications on file:

Boat Name Hedgehog **Sail #** 13 **Max Headsail** I: 34 *Symmetric Spin?* Yes **LOA:** 29.67 **Displacement:** 3600
Boat Type Olson 29 **Sail #** 13 **Max Headsail** J: 11 **SL: SSMG: SSF: SPL:** 36 21.15 21.15 11.75 **LWL:** 27.5 **Ballast:** 1950
Rating: 102 **DW Rating:** 575 **Certificate Date** 2/20/2024 **Rig Data:** **Rig Type** P: 32.5 *Asymmetric Spin?* NO **Beam:** 9.33 **Engine** OB
Displacement used for DW Rating: 3600 **Mast Material** E: 11.5 **ISP:** 36 **SLE: SLU: ASMG: ASF:** **Draft:** 5.58 **Prop Type** None
Certified PHRF Data on file? **JSP:** 11.75

Modifications on file:

Boat Name Maiden California **Sail #** 28219 **Max Headsail** I: 35.92 *Symmetric Spin?* Yes **LOA:** 30 **Displacement:** 3600
Boat Type Olson 30 OB **Sail #** 28219 **Max Headsail** J: 11.78 **SL: SSMG: SSF: SPL:** 36 21.16 21.16 11.75 **LWL:** 27.5 **Ballast:** 1800
Rating: 102 **DW Rating:** 583 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** P: 35.76 *Asymmetric Spin?* No **Beam:** 9.33 **Engine** OB
Displacement used for DW Rating: 4111 **Mast Material** E: 9.84 **ISP:** 35.9 **SLE: SLU: ASMG: ASF:** **Draft:** 5.08 **Prop Type** None
Certified PHRF Data on file? **JSP:** 11.67

Modifications on file: *New Rudder Noted, NCTR*

Boat Name Checkered Past **Sail #** 3 **Max Headsail** I: *Symmetric Spin?* No **LOA:** 38.83 **Displacement:** 12000
Boat Type Custom Wyliecat 39 **Sail #** 3 **Max Headsail** J: **SL: SSMG: SSF: SPL:** **LWL:** 32 **Ballast:** 6200
Rating: 102 **DW Rating:** 597 **Certificate Date** 1/16/2024 **Rig Data:** **Rig Type** P: 52 *Asymmetric Spin?* No **Beam:** 11.5 **Engine** IB
Displacement used for DW Rating: 12000 **Mast Material** E: 26.6 **ISP:** **SLE: SLU: ASMG: ASF:** **Draft:** 6.6 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:**

Modifications on file: *Boat has been modified for handicapped sailing*

Boat Name TESA **Sail #** 642 **Max Headsail** I: 53 *Symmetric Spin?* Yes **LOA:** 41.83 **Displacement:** 25500
Boat Type Catalina 42-1/2 **Sail #** 642 **Max Headsail** J: 16.41 **SL: SSMG: SSF: SPL:** **LWL:** 36 **Ballast:** 8300
Rating: 102 **DW Rating:** 597 **Certificate Date** 2/20/2024 **Rig Data:** **Rig Type** P: 46.75 **##### 28 ##### 16** *Asymmetric Spin?* Yes **Beam:** 13.83 **Engine** IB
Displacement used for DW Rating: 25500 **Mast Material** E: ##### **ISP:** 53 **SLE: SLU: ASMG: ASF:** **Draft:** 6.8 **Prop Type** FEATH
Certified PHRF Data on file? **JSP:** 23 **44.2 52 32 31**

Modifications on file: *Two electric main halyard winch*

Boat Name Flight Risk **Sail #** 650 **Max Headsail** 100 **I:** 26.67 *Symmetric Spin?* No **LOA:** 22.3 **Displacement:** 1692
Boat Type Thompson 650 **Rig Type** FS **J:** 8.86 **SL:** SSMG: SSF: SPL: **LWL:** 19.8 **Ballast:** 660
Rating: 102 **DW Rating:** 583 **Certificate Date** 2/20/2024 *Rig Data:* **E:** 10.4 *Asymmetric Spin?* Yes **Beam:** 8.16 **Engine** OB
Displacement used for DW Rating: 1692 **Mast Material** CARBON **ISP:** 28.25 **SLE:** SLU: ASMG: ASF: **Draft:** 5.9 **Prop Type** None
Certified PHRF Data on file? **JSP:** 14.86 33.6 37.79 19.5 20.58

Modifications on file: (mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)

Boat Name High Climber **Sail #** **Max Headsail** 170 **I:** 55.69 *Symmetric Spin?* No **LOA:** 39.16 **Displacement:** 19841
Boat Type Dufour A9000 **Rig Type** CTR **J:** 15.9 **SL:** SSMG: SSF: SPL: **LWL:** 31.5 **Ballast:** 9800
Rating: 105 **DW Rating:** 621 **Certificate Date** 3/26/2024 *Rig Data:* **E:** 15 *Asymmetric Spin?* No **Beam:** 12.25 **Engine** IB
Displacement used for DW Rating: 19841 **Mast Material** ALUMN **ISP:** **SLE:** SLU: ASMG: ASF: **Draft:** 6.75 **Prop Type** Feath
Certified PHRF Data on file? **JSP:** **Draft:** 6.75

Modifications on file: (Mtg 3/25/24, rating changed from 84 to 105 after review of race results)

Boat Name Grand Cru **Sail #** 38174 **Max Headsail** 106 **I:** 45.96 *Symmetric Spin?* No **LOA:** 37.73 **Displacement:** 15102
Boat Type Beneteau Oceanis 38.1 **Rig Type** FS **J:** 15.72 **SL:** SSMG: SSF: SPL: **LWL:** 35.17 **Ballast:** 3946
Rating: 105 **DW Rating:** 602 **Certificate Date** 3/26/2024 *Rig Data:* **E:** 13.81 *Asymmetric Spin?* Yes **Beam:** 13.09 **Engine** IB
Displacement used for DW Rating: 15102 **Mast Material** ALUMN **ISP:** 46.75 **SLE:** SLU: ASMG: ASF: **Draft:** 6.86 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 16.5 42.14 45.8 22.48 22.48

Modifications on file: (Mtg 3/25/24, -3 sec/mi for tweener sail, +3 sec/mi for in-mast furling mailsail)

Boat Name Rascal **Sail #** 28175 **Max Headsail** 150 **I:** 36 *Symmetric Spin?* Yes **LOA:** 30 **Displacement:** 4200
Boat Type Custom Wilderness 30 SX **Rig Type** MS **J:** 11 **SL:** SSMG: SSF: SPL: **LWL:** 26.5 **Ballast:** 1650
Rating: 105 **DW Rating:** 596 **Certificate Date** 1/18/2024 *Rig Data:* **E:** 11.5 *Asymmetric Spin?* No **Beam:** 8.75 **Engine** OB
Displacement used for DW Rating: **Mast Material** ALUMN **ISP:** 36 **SLE:** SLU: ASMG: ASF: **Draft:** 6 **Prop Type** None
Certified PHRF Data on file? **JSP:** **Draft:** 6

Modifications on file: SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 3" FRD-BLST 1800/1686, DRAFT 5/5.50 (5" FILLER TOP OF KEEL)2/15/96 MTG. (NOTE- SMW CANNOT EXCEED 19.8 mtg-5-17-2001)(Mtg 1/21/19, +3 sec/mi for 95% headsail)(1/20/23, added 150% headsail back, -3 sec/mi)

Boat Name Red Sky **Sail #** 28340 **Max Headsail** 150 **I:** 44 *Symmetric Spin?* Yes **LOA:** 33.88 **Displacement:** 10855
Boat Type Ericson 34 Olson SM **Rig Type** MS **J:** 12.95 **SL:** 42 **SSMG:** 23.4 **SSF:** 23 **SPL:** 12.95 **LWL:** 28 **Ballast:** 3500
Rating: 105 **DW Rating:** 636 **Certificate Date** 3/12/2024 *Rig Data:* **E:** 12.95 *Asymmetric Spin?* Yes **Beam:** 10.8 **Engine** IB
Displacement used for DW Rating: 10600 **Mast Material** ALUMN **ISP:** 44 **SLE:** 33.77 **SLU:** 41.5 **ASMG:** 17.91 **ASF:** 21.98 **Draft:** 6.08 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:** 12.95
Modifications on file: MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)

Boat Name L Attitude **Sail #** 3246 **Max Headsail** 154 **I:** 44.5 *Symmetric Spin?* Yes **LOA:** 34 **Displacement:** 10600
Boat Type Ericson 34 Olson SM **Rig Type** MS **J:** 13.25 **SL:** 44 **SSMG:** 23.6 **SSF:** 23.35 **SPL:** 13.25 **LWL:** 28 **Ballast:** 3650
Rating: 105 **DW Rating:** 636 **Certificate Date** 1/16/2024 *Rig Data:* **E:** 12.9 *Asymmetric Spin?* Yes **Beam:** 10.83 **Engine** IB
Displacement used for DW Rating: 10600 **Mast Material** ALUMN **ISP:** 44 **SLE:** 42.1 **SLU:** 47.2 **ASMG:** 23.8 **ASF:** 23.8 **Draft:** 6 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 13.25
Modifications on file:

Boat Name Carmelita **Sail #** 131 **Max Headsail** 125 **I:** 53 *Symmetric Spin?* Yes **LOA:** 41.83 **Displacement:** 22000
Boat Type Catalina 42-1/2 **Rig Type** MS **J:** 16.42 **SL:** 49 **SSMG:** 29.55 **SSF:** 29.55 **SPL:** 16.42 **LWL:** 36 **Ballast:** 8300
Rating: 105 **DW Rating:** 602 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 15.5 *Asymmetric Spin?* Yes **Beam:** 13.83 **Engine** IB
Displacement used for DW Rating: 25500 **Mast Material** ALUMN **ISP:** 53 **SLE:** 47.34 **SLU:** 56.75 **ASMG:** 29.69 **ASF:** 25.59 **Draft:** 6.66 **Prop Type** FEATH
Certified PHRF Data on file? **JSP:**
Modifications on file: Electric Winches

Boat Name Entropy **Sail #** 2208 **Max Headsail** 100 **I:** 28.83 *Symmetric Spin?* Yes **LOA:** 22 **Displacement:** 1600
Boat Type Rocket 22 **Rig Type** FS **J:** 9 **SL:** 34.42 **SSMG:** 20.1 **SSF:** 20.1 **SPL:** 15 **LWL:** 21.5 **Ballast:** 600
Rating: 105 **DW Rating:** 546 **Certificate Date** 1/23/2024 *Rig Data:* **E:** 12 *Asymmetric Spin?* Yes **Beam:** 8.48 **Engine** OB
Displacement used for DW Rating: 1600 **Mast Material** CARBON **ISP:** 34.5 **SLE:** 32.8 **SLU:** 40.34 **ASMG:** 20.65 **ASF:** 22.96 **Draft:** 5.67 **Prop Type** None
Certified PHRF Data on file? **JSP:** 15
Modifications on file:

Boat Name Zaff **Sail #** 56272
Boat Type J 92 **Max Headsail** 155
Rating: 105 **DW Rating:** 597 **Certificate Date** 2/13/2024 **Rig Data:**
 Displacement used for DW Rating: 5645 **Rig Type** FS
 Certified PHRF Data on file? **Mast Material** ALUMN
***Modifications on file:** (Mtg 2/26/18, -3 sec/mi for increased ISP and oversized main girths)(Mtg 5/21/18, +3 sec/mi for small asymmetric spinnaker)*

I: 37 **Symmetric Spin?** No **LOA:** 30 **Displacement:** 5500
J: 11.5 **SL:** SSMG: SSF: SPL: **LWL:** 25.8 **Ballast:** 2275
P: 37.75 **Beam:** 10 **Engine** IB
E: 13.25 **Asymmetric Spin?** Yes **Prop Type** Fold
ISP: 39 **SLE:** SLU: ASMG: ASF: **Draft:** 5.9
JSP: 17 38.6 45.8 28.9 29.5

Boat Name Zephyrus **Sail #** 45
Boat Type Beneteau First 30 **Max Headsail** 105
Rating: 105 **DW Rating:** 589 **Certificate Date** 1/16/2024 **Rig Data:**
 Displacement used for DW Rating: 8267 **Rig Type** FS
 Certified PHRF Data on file? **Mast Material** ALUMN
***Modifications on file:** High Aspect Rudders*

I: 41.66 **Symmetric Spin?** No **LOA:** 31.7 **Displacement:** 8267
J: 13.78 **SL:** SSMG: SSF: SPL: **LWL:** 27.5 **Ballast:** 2403
P: 40.2 **Beam:** 10.5 **Engine** IB
E: 14.25 **Asymmetric Spin?** Yes **Prop Type** Fold
ISP: 42.16 **SLE:** SLU: ASMG: ASF: **Draft:** 6.25
JSP: 15.7 40.5 45.6 23.8 25.98

Boat Name Revelry **Sail #** 703
Boat Type Catalina 42-1/2 **Max Headsail** 125
Rating: 105 **DW Rating:** 614 **Certificate Date** 1/17/2024 **Rig Data:**
 Displacement used for DW Rating: 25500 **Rig Type** MS
 Certified PHRF Data on file? **Mast Material** ALUMN
***Modifications on file:** ASYM SPIN NOTED NCTR.*

I: 53 **Symmetric Spin?** No **LOA:** 41.833 **Displacement:** 20500
J: ##### **SL:** SSMG: SSF: SPL: **LWL:** 36 **Ballast:** 8300
P: 46.75 **Beam:** 13.833 **Engine** IB
E: ##### **Asymmetric Spin?** Yes **Prop Type** FEATH
ISP: 53 **SLE:** SLU: ASMG: ASF: **Draft:** 6.83
JSP: ##### 47.4 52.7 26 27.5

Boat Name Imagination **Sail #** 38140
Boat Type Bavaria 40 **Max Headsail** 111
Rating: 108 **DW Rating:** 599 **Certificate Date** 3/7/2024 **Rig Data:**
 Displacement used for DW Rating: 17417 **Rig Type** FS
 Certified PHRF Data on file? **Mast Material** ALUMN
Modifications on file:

I: 47.25 **Symmetric Spin?** No **LOA:** 40.94 **Displacement:** 17417
J: 14.58 **SL:** SSMG: SSF: SPL: **LWL:** 35.93 **Ballast:** 6283
P: 44.46 46.97 26.2 26.2 14.58 **Beam:** 13.1 **Engine** IB
E: 15.58 **Asymmetric Spin?** Yes **Prop Type** Fold
ISP: 48 **SLE:** SLU: ASMG: ASF: **Draft:** 6.4
JSP: 44 48 22 20

Boat Name Humble Vandal **Sail #** 64999 **Max Headsail** 125 **I:** 37 *Symmetric Spin?* No **LOA:** 30 **Displacement:** 5500
Boat Type J 92 **Rating:** 108 **DW Rating:** 602 **Certificate Date** 1/17/2024 *Rig Data:* **Rig Type** FS **E:** 13.5 *Asymmetric Spin?* Yes **Beam:** 10 **Engine** IB
Displacement used for DW Rating: 5800 **Mast Material** ALUMN **ISP:** 38.5 **SLE:** 40.8 **SLU:** 45.4 **ASMG:** 25.1 **ASF:** 26.5 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 17 **SL:** SSMG: SSF: SPL: **LWL:** 26.5 **Draft:** 5.9

Modifications on file:

Boat Name Errant Belle **Sail #** 9 **Max Headsail** 105 **I:** 30 *Symmetric Spin?* No **LOA:** 25.26 **Displacement:** 2942
Boat Type Elliott 770 **Rating:** 108 **DW Rating:** 587 **Certificate Date** 1/16/2024 *Rig Data:* **Rig Type** MS **E:** 12.25 *Asymmetric Spin?* Yes **Beam:** 8.2 **Engine** OB
Displacement used for DW Rating: 2942 **Mast Material** ALUMN **ISP:** 30.6 **SLE:** 32.9 **SLU:** 38 **ASMG:** 19.23 **ASF:** 20.67 **Prop Type** None
Certified PHRF Data on file? **JSP:** 15.2 **SL:** SSMG: SSF: SPL: **LWL:** 25.26 **Draft:** 5.75

Modifications on file: Class Modified Rudder (Mtg 9/27/20, +3 sec/mi for 100 sqft smaller kite, custom rating changed from 105 to 108)

Boat Name Slipstream **Sail #** 850 **Max Headsail** 125 **I:** 53 *Symmetric Spin?* No **LOA:** 41.83 **Displacement:** 20500
Boat Type Catalina 42-1/2 **Rating:** 108 **DW Rating:** 615 **Certificate Date** 3/20/2024 *Rig Data:* **Rig Type** MS **E:** 15.45 *Asymmetric Spin?* No **Beam:** 13.83 **Engine** IB
Displacement used for DW Rating: 25500 **Mast Material** ALUMN **ISP:** 53 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type** Feath
Certified PHRF Data on file? **JSP:** 16.42 **SL:** SSMG: SSF: SPL: **LWL:** 36 **Draft:** 6.83

Modifications on file: In Mast Furling, +3 sec/mi

Boat Name Hijinks **Sail #** 90 **Max Headsail** 97 **I:** 37 *Symmetric Spin?* No **LOA:** 30 **Displacement:** 5500
Boat Type J 92 **Rating:** 108 **DW Rating:** 605 **Certificate Date** 2/21/2024 *Rig Data:* **Rig Type** FS **E:** 13.22 *Asymmetric Spin?* Yes **Beam:** 10 **Engine** IB
Displacement used for DW Rating: 5800 **Mast Material** ALUMN **ISP:** 38.5 **SLE:** 40.85 **SLU:** 45.4 **ASMG:** 23.55 **ASF:** 26.51 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 17 **SL:** SSMG: SSF: SPL: **LWL:** 26.5 **Draft:** 5.9

Modifications on file:

Boat Name Boomer **Sail #** 676 **Max Headsail** I: 23.19 *Symmetric Spin?* No **LOA:** 20 **Displacement:** 1105
Boat Type Melges 20 **J:** 7.05 **SL:** SSMG: SSF: SPL: **LWL:** 19.4 **Ballast:** 415
Rating: 111 **DW Rating:** 607 **Certificate Date** 1/17/2024 *Rig Data:* **Rig Type** P: 24.25 **E:** 9.84 *Asymmetric Spin?* Yes **Beam:** 7 **Engine** OB
Displacement used for DW Rating: 1105 **Mast Material** ISP: 27.2 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5 **Prop Type** None
Certified PHRF Data on file? **JSP:** 10.95 26.25 29.78 17.65 18.8

Modifications on file:

Boat Name Last Wasaaabi **Sail #** 5 **Max Headsail** I: 28.04 *Symmetric Spin?* No **LOA:** 24.38 **Displacement:** 2040
Boat Type Ultimate 24 ODR **J:** 7.82 **SL:** SSMG: SSF: SPL: **LWL:** 21.17 **Ballast:** 750
Rating: 111 **DW Rating:** 590 **Certificate Date** 3/21/2024 *Rig Data:* **Rig Type** P: 31 **E:** 11.5 *Asymmetric Spin?* Yes **Beam:** 8.48 **Engine** OB
Displacement used for DW Rating: 2040 **Mast Material** ISP: 30.08 **SLE:** SLU: ASMG: ASF: **Draft:** 5.52 **Prop Type** None
Certified PHRF Data on file? **JSP:** 14.5 30.8 36 21 22.2

Modifications on file:

Boat Name Surprise! **Sail #** 18 **Max Headsail** I: 43.5 *Symmetric Spin?* No **LOA:** 38.4 **Displacement:** 12400
Boat Type Alerion Express 38-1 **J:** 14 **SL:** SSMG: SSF: SPL: **LWL:** 30.1 **Ballast:** 4200
Rating: 111 **DW Rating:** 614 **Certificate Date** 1/19/2024 *Rig Data:* **Rig Type** P: 44.5 14 **E:** 15.8 *Asymmetric Spin?* Yes **Beam:** 10.8 **Engine** IB
Displacement used for DW Rating: 12586 **Mast Material** ISP: 45.8 **SLE:** SLU: ASMG: ASF: **Draft:** 5.8 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 14 38.6 49 26.6 25.5

Modifications on file: Power Winches. (mtg 9/24/18, Custom rating assigned. 114 As Sailed)(Mtg 6/24/19, removed mizzen, added a larger headsail with mid-girth 56% of LP. Change custom rating from 114 to 111)

Boat Name Spirit **Sail #** 63 **Max Headsail** I: 26.77 *Symmetric Spin?* No **LOA:** 22.75 **Displacement:** 1750
Boat Type J 70 ODR **J:** 7.68 **SL:** SSMG: SSF: SPL: **LWL:** 20.47 **Ballast:** 630
Rating: 114 **DW Rating:** 611 **Certificate Date** 1/24/2024 *Rig Data:* **Rig Type** P: 26.16 **E:** 9.44 *Asymmetric Spin?* Yes **Beam:** 7.38 **Engine** OB
Displacement used for DW Rating: 1750 **Mast Material** ISP: 30.15 **SLE:** SLU: ASMG: ASF: **Draft:** 4.92 **Prop Type** None
Certified PHRF Data on file? **JSP:** 13.5 28.87 35.43 18.24 18.7

Modifications on file:

Boat Name Sea Star **Sail #** 38022
Boat Type CAL 39-2/3
Rating: 114 **DW Rating:** 631 **Certificate Date** 1/16/2024 **Rig Data:**
 Displacement used for DW Rating: 17732
 Certified PHRF Data on file?

Max Headsail	I:	50	<i>Symmetric Spin?</i> Yes	LOA:	39	Displacement: 17000
	J:	16.7	SL: SSMG: SSF: SPL:	LWL:	32	Ballast: 7000
Rig Type	P:	44	48 30 29 16.7	Beam:	12	Engine IB
MS	E:	13.8	<i>Asymmetric Spin?</i> Yes	Draft:	6.7	Prop Type FEATH
Mast Material	ISP:	50	SLE: SLU: ASMG: ASF:			
ALUMN	JSP:		44 48 30 34			

Modifications on file: (Mtg 5/24/21, new rudder noted, NCTR)

Boat Name Ahi **Sail #** 30980
Boat Type Santana 35
Rating: 114 **DW Rating:** 639 **Certificate Date** 2/20/2024 **Rig Data:**
 Displacement used for DW Rating: 9277
 Certified PHRF Data on file?

Max Headsail	I:	39	<i>Symmetric Spin?</i> Yes	LOA:	35	Displacement: 8500
	J:	12.85	SL: SSMG: SSF: SPL:	LWL:	26.5	Ballast: 3300
Rig Type	P:	42	39 23.13 22.5 12.85	Beam:	11.92	Engine IB
FS	E:	14.25	<i>Asymmetric Spin?</i> No	Draft:	6.25	Prop Type Fold
Mast Material	ISP:	39	SLE: SLU: ASMG: ASF:			
ALUMN	JSP:					

Modifications on file: (Mtg 6/27/13, new rudder noted, NCTR)

Boat Name Duende **Sail #** 7954
Boat Type Cal 40
Rating: 114 **DW Rating:** 638 **Certificate Date** 1/18/2024 **Rig Data:**
 Displacement used for DW Rating: 15239
 Certified PHRF Data on file?

Max Headsail	I:	46	<i>Symmetric Spin?</i> Yes	LOA:	39.33	Displacement: 16000
	J:	15.2	SL: SSMG: SSF: SPL:	LWL:	30	Ballast: 6000
Rig Type	P:	40	46 27 27 15.2	Beam:	11	Engine IB
MS	E:	17.5	<i>Asymmetric Spin?</i> No	Draft:	5.5	Prop Type Fold
Mast Material	ISP:	46	SLE: SLU: ASMG: ASF:			
ALUMN	JSP:					

Modifications on file:

Boat Name MeepMeep **Sail #** 86
Boat Type J 80 ODR
Rating: 114 **DW Rating:** 617 **Certificate Date** 1/18/2024 **Rig Data:**
 Displacement used for DW Rating: 3223
 Certified PHRF Data on file?

Max Headsail	I:	31.5	<i>Symmetric Spin?</i> No	LOA:	26.25	Displacement: 3296
	J:	9.42	SL: SSMG: SSF: SPL:	LWL:	22	Ballast: 1400
Rig Type	P:	30		Beam:	8.2	Engine OB
MS	E:	#####	<i>Asymmetric Spin?</i> Yes	Draft:	4.75	Prop Type None
Mast Material	ISP:	33.25	SLE: SLU: ASMG: ASF:			
ALUMN	JSP:	15.67	32.5 40 22.9 24.2			

Modifications on file:

Boat Name Highlander **Sail #** 4590 **Max Headsail** 150 **I:** 46.2 *Symmetric Spin?* Yes **LOA:** 39.25 **Displacement:** 15000
Boat Type Cal 40 **Rig Type** MS **J:** 15.2 **SL:** SSMG: SSF: SPL: **LWL:** 30.25 **Ballast:** 6000
Rating: 114 **DW Rating:** 630 **Certificate Date** 2/21/2024 *Rig Data:* **P:** 39.5 46.5 27.3 27 15.17 **Beam:** 11 **Engine** IB
Displacement used for DW Rating: 14426 **E:** 17.5 *Asymmetric Spin?* No **Draft:** 5.58 **Prop Type** Feath
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 46.2 **SLE:** SLU: **ASMG:** ASF: **Prop Type** Feath
Modifications on file:

Boat Name Solstice **Sail #** 4 **Max Headsail** 155 **I:** 46.01 *Symmetric Spin?* YES **LOA:** 39.33 **Displacement:** 16000
Boat Type Cal 40 **Rig Type** MS **J:** 15.17 **SL:** SSMG: SSF: SPL: **LWL:** 30.3 **Ballast:** 6000
Rating: 114 **DW Rating:** 624 **Certificate Date** 1/17/2024 *Rig Data:* **P:** 40.25 46.01 27.3 27.3 15.17 **Beam:** 10.89 **Engine** IB
Displacement used for DW Rating: 16000 **E:** 17.5 *Asymmetric Spin?* No **Draft:** 5.583 **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 46 **SLE:** SLU: **ASMG:** ASF: **Prop Type** Fold
Modifications on file:

Boat Name Sweet Jane **Sail #** 3 **Max Headsail** 104 **I:** 33.5 *Symmetric Spin?* No **LOA:** 28 **Displacement:** 4250
Boat Type J 9 **Rig Type** FS **J:** 10 **SL:** SSMG: SSF: SPL: **LWL:** 25.4 **Ballast:** 2000
Rating: 117 **DW Rating:** 612 **Certificate Date** 3/7/2024 *Rig Data:* **P:** 34 *Asymmetric Spin?* Yes **Beam:** 8.55 **Engine** IB
Displacement used for DW Rating: 4250 **E:** 13.36 *Asymmetric Spin?* Yes **Draft:** 4.9 **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 35 **SLE:** SLU: **ASMG:** ASF: **Prop Type** Fold
Modifications on file:

Boat Name Aegea **Sail #** 164 **Max Headsail** 120 **I:** 49.75 *Symmetric Spin?* No **LOA:** 38.67 **Displacement:** 16900
Boat Type Sabre 38-2 **Rig Type** MS **J:** 14.5 **SL:** SSMG: SSF: SPL: **LWL:** 31.42 **Ballast:** 6600
Rating: 117 **DW Rating:** 623 **Certificate Date** 1/16/2024 *Rig Data:* **P:** 43.5 *Asymmetric Spin?* Yes **Beam:** 12.33 **Engine** IB
Displacement used for DW Rating: **E:** 15.06 *Asymmetric Spin?* Yes **Draft:** 6.5 **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 49.75 **SLE:** SLU: **ASMG:** ASF: **Prop Type** Fold
Modifications on file:

Boat Name Elan **Sail #** 46 **Max Headsail** I: 45.83 *Symmetric Spin?* No **LOA:** 37.8 **Displacement:** 14359
Boat Type Beneteau 37 **Rig Type** FS **J:** 15 **SL:** SSMG: SSF: SPL: **LWL:** 34.08 **Ballast:** 3901
Rating: 117 **DW Rating:** 604 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 12.83 *Asymmetric Spin?* Yes **Beam:** 12.83 **Engine** IB
Displacement used for DW Rating: 14359 **Mast Material** ALUMN **ISP:** 48 **SLE:** SLU: ASMG: ASF: **Draft:** 6.25 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 39.17 45.94 25.6 26.6
Modifications on file:

Boat Name Tramp Boat **Sail #** 18430 **Max Headsail** I: 37.75 *Symmetric Spin?* Yes **LOA:** 33.92 **Displacement:** 8176
Boat Type Farr 10/20 ODR **Rig Type** FS **J:** 11.67 **SL:** SSMG: SSF: SPL: **LWL:** 28.42 **Ballast:** 3100
Rating: 117 **DW Rating:** 615 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 15.42 *Asymmetric Spin?* No **Beam:** 10.5 **Engine** IB
Displacement used for DW Rating: 8176 **Mast Material** ALUMN **ISP:** 39.67 **SLE:** SLU: ASMG: ASF: **Draft:** 5.75 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:** 12.67
Modifications on file:

Boat Name Bella **Sail #** 45 **Max Headsail** I: 33.73 *Symmetric Spin?* NO **LOA:** 33 **Displacement:** 8000
Boat Type Alerion Express Sport 33 **Rig Type** FS **J:** 11.39 **SL:** SSMG: SSF: SPL: **LWL:** 26.3 **Ballast:** 3300
Rating: 120 **DW Rating:** 648 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 16 *Asymmetric Spin?* Yes **Beam:** 9.3 **Engine** IB
Displacement used for DW Rating: **Mast Material** CARBON **ISP:** 37.89 **SLE:** SLU: ASMG: ASF: **Draft:** 5 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 12.96 31.7 34.1 20.8 21.2
Modifications on file: Powered Winches

Boat Name Love Handles **Sail #** 296 **Max Headsail** I: 49.83 *Symmetric Spin?* No **LOA:** 38.17 **Displacement:** 17200
Boat Type Catalina 38 **Rig Type** MS **J:** 15.5 **SL:** SSMG: SSF: SPL: **LWL:** 30.25 **Ballast:** 6850
Rating: 120 **DW Rating:** 645 **Certificate Date** 2/21/2024 *Rig Data:* **E:** 11.5 *Asymmetric Spin?* Yes **Beam:** 11.83 **Engine** IB
Displacement used for DW Rating: 16813 **Mast Material** ALUMN **ISP:** 49.8 **SLE:** SLU: ASMG: ASF: **Draft:** 6.75 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 15.5 41.8 48.3 23 26.5
Modifications on file:

Boat Name Lucky Charms **Sail #** 30918 **Max Headsail** I: 34.5 *Symmetric Spin?* Yes **LOA:** 29.67 **Displacement:** 5300
Boat Type Kirby 30 **Sail #** 30918 **Max Headsail** 155 **J:** 10.6 **SL:** SSMG: SSF: SPL: **LWL:** 25.5 **Ballast:** 2300
Rating: 120 **DW Rating:** 632 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** P: 37.25 34.28 19.09 18.86 10.6 **Beam:** 10.5 **Engine** IB
Displacement used for DW Rating: 5300 **Mast Material** FS *Asymmetric Spin?* No **Draft:** 5.5 **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** ALUMN **JSP:** 10.6

Modifications on file:

Boat Name Rafiki **Sail #** 28858 **Max Headsail** I: 34.08 *Symmetric Spin?* Yes **LOA:** 31.67 **Displacement:** 4200
Boat Type Wilderness 30 SX FR IB **Sail #** 28858 **Max Headsail** 150 **J:** 11.75 **SL:** SSMG: SSF: SPL: **LWL:** 27.75 **Ballast:** 2150
Rating: 123 **DW Rating:** 585 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** P: 34.33 34.24 21.15 21.15 11.75 **Beam:** 8.67 **Engine** OB
Displacement used for DW Rating: 4200 **Mast Material** MS *Asymmetric Spin?* No **Draft:** 5 **Prop Type** None
Certified PHRF Data on file? **Mast Material** ALUMN **JSP:** 11.8

Modifications on file: (Mtg 1/22/23, -3 sec/mi for sugar scoop)

Boat Name Dazzler **Sail #** 38349 **Max Headsail** I: *Symmetric Spin?* No **LOA:** 30.5 **Displacement:** 5500
Boat Type Wyliecat 30 OB **Sail #** 38349 **Max Headsail** 0 **J:** **SL:** SSMG: SSF: SPL: **LWL:** 25 **Ballast:** 3050
Rating: 123 **DW Rating:** 647 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** P: 39 *Asymmetric Spin?* No **Beam:** 9.5 **Engine** OB
Displacement used for DW Rating: 5500 **Mast Material** CAT **E:** 20 **Draft:** 5.25 **Prop Type** None
Certified PHRF Data on file? **Mast Material** CARBON **JSP:**

Modifications on file: (Mtg 8/23/21, -3 sec/mi for square top mainsail)

Boat Name Calphornia **Sail #** 28498 **Max Headsail** I: 29.13 *Symmetric Spin?* Yes **LOA:** 28 **Displacement:** 3630
Boat Type Custom Schumacher 28 **Sail #** 28498 **Max Headsail** 155 **J:** 9.08 **SL:** SSMG: SSF: SPL: **LWL:** 24.79 **Ballast:** 1300
Rating: 123 **DW Rating:** 622 **Certificate Date** 3/26/2024 **Rig Data:** **Rig Type** P: 32.17 31.26 18.54 18.44 10.33 **Beam:** 8.5 **Engine** OB
Displacement used for DW Rating: 3794 **Mast Material** FS *Asymmetric Spin?* Yes **Draft:** 5 **Prop Type** None
Certified PHRF Data on file? **Mast Material** ALUMN **JSP:** 10.3 28.86 32.75 17.15 19.29

Modifications on file:

Boat Name Arcadia Sail # 3113
Boat Type Custom Nash 28.5 Max Headsail 120
Rating: 123 DW Rating: 596 Certificate Date 2/6/2024 **Rig Data:** FS
 Displacement used for DW Rating: 4327 I: 33 J: 10 P: 32.5
 Certified PHRF Data on file? E: 13
Modifications on file: *(Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)*
Symmetric Spin? No
SLE: SLU: ASMG: ASF: ##### 38.8 #####
LOA: 28.5 Displacement: 4327
LWL: 25.5 Ballast: 1200
Beam: 9 Engine IB
Draft: 6.5 Prop Type FOLD

Boat Name Flying Green Dragon Sail # 56636
Boat Type Tartan 3500 Max Headsail 100
Rating: 123 DW Rating: Certificate Date 2/21/2024 **Rig Data:** MS
 Displacement used for DW Rating: I: 47 J: 13.75 P: 41.4
 Certified PHRF Data on file? E: 14.4
Modifications on file: Symmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 35.17 Displacement: 12500
LWL: 30 Ballast: 4200
Beam: 11.75 Engine IB
Draft: 6.5 Prop Type Fixed 2

Boat Name Sapphire Sail # 0
Boat Type Alerion Express 33 Max Headsail 81
Rating: 123 DW Rating: 657 Certificate Date 1/17/2024 **Rig Data:** FS
 Displacement used for DW Rating: 8700 I: 33.73 J: 11.39 P: 38.17
 Certified PHRF Data on file? E: 16
Modifications on file: *Powered Main Halyard Winch* Symmetric Spin? No
SLE: SLU: ASMG: ASF: 30.1 36 18.7 20
LOA: 33 Displacement: 8700
LWL: 26.3 Ballast: 3300
Beam: 9.25 Engine IB
Draft: 5 Prop Type Fold

Boat Name JouJou Sail # 87324
Boat Type Capo 30 Max Headsail 120
Rating: 123 DW Rating: 658 Certificate Date 1/17/2024 **Rig Data:** MS
 Displacement used for DW Rating: 7200 I: 41.7 J: 12.75 P: 36
 Certified PHRF Data on file? E: 11.5
Modifications on file: *Roller Furler (Mtg 1/25/18, New Rudder Installed, NCTR)* Symmetric Spin? Yes
SLE: SLU: ASMG: ASF: 41.5 21.5 21 12
LOA: 30 Displacement: 7200
LWL: 25 Ballast: 3000
Beam: 10.33 Engine IB
Draft: 5.43 Prop Type Fold

Boat Name Nancy
Boat Type Wyliecat 30 OB
Rating: 123 DW Rating: 643 Certificate Date 1/16/2024
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Sail #
28890

Rig Data:

Max Headsail I:
Rig Type J:
CAT P: 39.66
Mast Material E: 19.75
CARBON ISP:
JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 5500
Ballast: 3050
Engine OB
Prop Type None

Modifications on file: (-3 sec/mi for square top main)

Boat Name Osprey
Boat Type Sabre 36
Rating: 126 DW Rating: 644 Certificate Date 3/7/2024
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
38128

Rig Data:

Max Headsail I: 47.1
125 J: 14.4
Rig Type P: 41.6
MS E: 13
Mast Material ISP: 47.1
ALUMN JSP: 14.4

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41.67 46 17.5 23

LOA: 36
LWL: 29.38
Beam: 11.25
Draft: 6.33

Displacement: 13200
Ballast: 5400
Engine IB
Prop Type Fold

Modifications on file:

Boat Name Stratocaster
Boat Type J 32
Rating: 126 DW Rating: 636 Certificate Date 1/18/2024
Displacement used for DW Rating: 10000
Certified PHRF Data on file?

Sail #
16

Rig Data:

Max Headsail I: 39.2
155 J: 11
Rig Type P: 38.5
FS E: 15.5
Mast Material ISP: 40.68
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39 20.4 19.75 11
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.38 44.92 23.95 23.95

LOA: 32.5
LWL: 28.67
Beam: 11
Draft: 5.75

Displacement: 10000
Ballast: 3840
Engine IB
Prop Type FOLD

Modifications on file:

Boat Name Jack
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 596 Certificate Date 2/6/2024
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Sail #
19

Rig Data:

Max Headsail I: 20.5
110 J: 6.6
Rig Type P: 23.75
FS E: 10
Mast Material ISP: 26.1
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
21.6 14 14 8.6
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 20
Beam: 5.58
Draft: 3.5

Displacement: 975
Ballast: 440
Engine OB
Prop Type None

Modifications on file:

Boat Name Blue Martini **Sail #** 41279 **Max Headsail** 155 **I:** 41.5 *Symmetric Spin?* Yes **LOA:** 29.91 **Displacement:** 7200
Boat Type Olson 911S **Rig Type** MS **J:** 12.33 **SL:** 42.97 **SSMG:** 22.14 **SSF:** 22.14 **SPL:** 12.33 **LWL:** 25 **Ballast:** 3200
Rating: 126 **DW Rating:** 652 **Certificate Date** 1/16/2024 *Rig Data:* **E:** 11.83 *Asymmetric Spin?* NO **Beam:** 10.33 **Engine** IB
Displacement used for DW Rating: 7200 **Mast Material** ALUMN **ISP:** 41.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 5.42 **Prop Type** Fold
Certified PHRF Data on file? **JSP:**

Modifications on file:

Boat Name Crinan II **Sail #** 15 **Max Headsail** **I:** *Symmetric Spin?* No **LOA:** 30.5 **Displacement:** 5500
Boat Type Wyliecat 30 IB **Rig Type** CATBOAT **J:** **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 25 **Ballast:** 3050
Rating: 126 **DW Rating:** 647 **Certificate Date** 2/20/2024 *Rig Data:* **E:** 20 *Asymmetric Spin?* No **Beam:** 9.5 **Engine** IB
Displacement used for DW Rating: 5500 **Mast Material** CARBON **ISP:** **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 5.25 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:**

Modifications on file: (Mtg 1/21/19, -3 sec/mi for square top mainsail)

Boat Name Go Go Little Bunny **Sail #** 35 **Max Headsail** 150 **I:** 20.75 *Symmetric Spin?* Yes **LOA:** 23.75 **Displacement:** 975
Boat Type Wylie Wabbit ODR W/Trap **Rig Type** FS **J:** 6.5 **SL:** 21.6 **SSMG:** 14 **SSF:** 14 **SPL:** 8.5 **LWL:** 20 **Ballast:** 440
Rating: 126 **DW Rating:** 594 **Certificate Date** 3/12/2024 *Rig Data:* **E:** 10 *Asymmetric Spin?* No **Beam:** 5.583 **Engine** OB
Displacement used for DW Rating: 975 **Mast Material** ALUMN **ISP:** 20.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 3.5 **Prop Type** None
Certified PHRF Data on file? **JSP:**

Modifications on file:

Boat Name Kwazy **Sail #** 26 **Max Headsail** 150 **I:** ##### *Symmetric Spin?* Yes **LOA:** 23.58 **Displacement:** 975
Boat Type Wylie Wabbit ODR W/Trap **Rig Type** FS **J:** 6.416 **SL:** 22 **SSMG:** 14 **SSF:** 14 **SPL:** 8.5 **LWL:** 20 **Ballast:** 440
Rating: 126 **DW Rating:** 595 **Certificate Date** 2/6/2024 *Rig Data:* **E:** 10 *Asymmetric Spin?* No **Beam:** 5.42 **Engine** NONE
Displacement used for DW Rating: 975 **Mast Material** ALUMN **ISP:** 20.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 3.41 **Prop Type** None
Certified PHRF Data on file? **JSP:**

Modifications on file:

Boat Name Uno **Sail #** 28632 **Max Headsail** I: 35.8 **Symmetric Spin?** No **LOA:** 30.5 **Displacement:** 5800
Boat Type Wyliecat 30 IB **J:** 5.5 **SL:** SSMG: SSF: SPL: **LWL:** 25 **Ballast:** 3000
Rating: 126 **DW Rating:** 651 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** P: 39.66 12 **Beam:** 9.5 **Engine** IB
Displacement used for DW Rating: 5800 **Mast Material** E: 19.75 **Asymmetric Spin?** No **Prop Type** FOLD
Certified PHRF Data on file? **CARBON** **ISP:** 35.8 **SLE:** SLU: ASMG: ASF: **Draft:** 5.25
32.8 37.02 18.7 19.68

Modifications on file: (mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 when asymmetric spinnaker flown on 12' pole)

Boat Name Mr McGregor **Sail #** 8426 **Max Headsail** I: 20.5 **Symmetric Spin?** Yes **LOA:** 23.75 **Displacement:** 975
Boat Type Wylie Wabbit ODR W/Trap **J:** 6.5 **SL:** SSMG: SSF: SPL: **LWL:** 20 **Ballast:** 440
Rating: 126 **DW Rating:** 605 **Certificate Date** 1/16/2024 **Rig Data:** **Rig Type** P: 23.75 22 13.9 13.7 8.5 **Beam:** 5.58 **Engine** OB
Displacement used for DW Rating: 975 **Mast Material** E: 10 **Asymmetric Spin?** No **Prop Type** None
Certified PHRF Data on file? **ALUMN** **ISP:** 20.5 **SLE:** SLU: ASMG: ASF: **Draft:** 3.5
JSP:

Modifications on file: INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.

Boat Name Wasta **Sail #** 15 **Max Headsail** I: 20.5 **Symmetric Spin?** Yes **LOA:** 23.75 **Displacement:** 975
Boat Type Wylie Wabbit **J:** 6.5 **SL:** SSMG: SSF: SPL: **LWL:** 20 **Ballast:** 440
Rating: 126 **DW Rating:** 594 **Certificate Date** 2/23/2024 **Rig Data:** **Rig Type** P: 23.75 22 13.9 13.7 8.5 **Beam:** 5.58 **Engine** OB
Displacement used for DW Rating: 975 **Mast Material** E: 10 **Asymmetric Spin?** No **Prop Type** None
Certified PHRF Data on file? **ALUMN** **ISP:** 20.5 **SLE:** SLU: ASMG: ASF: **Draft:** 3.5
JSP:

Modifications on file:

Boat Name Polecat **Sail #** 5 **Max Headsail** I: **Symmetric Spin?** No **LOA:** 30.5 **Displacement:** 5500
Boat Type Wyliecat 30 IB **J:** **SL:** SSMG: SSF: SPL: **LWL:** 25 **Ballast:** 3050
Rating: 126 **DW Rating:** 614 **Certificate Date** 1/18/2024 **Rig Data:** **Rig Type** P: 40 **Beam:** 9.416 **Engine** IB
Displacement used for DW Rating: 5965 **Mast Material** E: 20 **Asymmetric Spin?** No **Prop Type** FOLD
Certified PHRF Data on file? **CARBON** **ISP:** 29.5 **SLE:** SLU: ASMG: ASF: **Draft:** 5.25
29.3 32.8 18.4 21.6

Modifications on file: (Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)(11/7/22, -3 sec/mi for square top mainsail)

Boat Name Salty Cat **Sail #** 28259 **Max Headsail** I: *Symmetric Spin?* No **LOA:** 30.5 **Displacement:** 4800
Boat Type Wyliecat 30 IB **Rig Type** J: **SL:** SSMG: SSF: SPL: **LWL:** 25 **Ballast:** 2800
Rating: 126 **DW Rating:** 526 **Certificate Date** 1/17/2024 *Rig Data:* **P:** 29 *Asymmetric Spin?* No **Beam:** 9.5 **Engine** IB
Displacement used for DW Rating: 4800 **Mast Material** E: 20.7 **SLE:** SLU: **ASMG:** ASF: **Draft:** 5.25 **Prop Type** FOLD
Certified PHRF Data on file? **CARBON** **JSP:**

Modifications on file: INSTALLED IB ENGINE JAN 99 (Mtg 1/21/19, -3 sec/mi for square top mainsail)

Boat Name Tule Fog **Sail #** 18178 **Max Headsail** I: 29 *Symmetric Spin?* Yes **LOA:** 27.3 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** J: 9 **SL:** SSMG: SSF: SPL: **LWL:** 23.8 **Ballast:** 1100
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/23/2024 *Rig Data:* **P:** 29 29 17.7 17.7 9.83 **Beam:** 8.166 **Engine** OB
Displacement used for DW Rating: 2510 **Mast Material** E: 10 *Asymmetric Spin?* No **Draft:** 4.5 **Prop Type** None
Certified PHRF Data on file? **ALUMN** **ISP:** 28.5 **SLE:** SLU: **ASMG:** ASF: **JSP:**

Modifications on file:

Boat Name Freaks ona Leash **Sail #** 51 **Max Headsail** I: 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** J: 9 **SL:** SSMG: SSF: SPL: **LWL:** 23.75 **Ballast:** 1100
Rating: 129 **DW Rating:** 610 **Certificate Date** 1/23/2024 *Rig Data:* **P:** 28.5 ##### 17.75 17.75 9.833 **Beam:** 8.166 **Engine** OB
Displacement used for DW Rating: 2510 **Mast Material** E: ##### *Asymmetric Spin?* No **Draft:** 4.5 **Prop Type** None
Certified PHRF Data on file? **ALUMN** **ISP:** 28.5 **SLE:** SLU: **ASMG:** ASF: **JSP:**

Modifications on file:

Boat Name Light'n Up **Sail #** 3 **Max Headsail** I: 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** J: 9 **SL:** SSMG: SSF: SPL: **LWL:** 23.75 **Ballast:** 1100
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/17/2024 *Rig Data:* **P:** 28.5 29 17.75 17.75 9.833 **Beam:** 8.17 **Engine** OB
Displacement used for DW Rating: 2510 **Mast Material** E: ##### *Asymmetric Spin?* No **Draft:** 4.5 **Prop Type** None
Certified PHRF Data on file? **ALUMN** **ISP:** 28.5 **SLE:** SLU: **ASMG:** ASF: **JSP:**

Modifications on file:

Boat Name Lotta'tude **Sail #** 28716 **Max Headsail** 0 **I:** *Symmetric Spin?* No **LOA:** 30.5 **Displacement:** 5500
Boat Type Wyliecat 30 IB **Rig Type** CAT **J:** **SL:** SSMG: SSF: SPL: **LWL:** 25 **Ballast:** 3050
Rating: 129 **DW Rating:** 648 **Certificate Date** 1/19/2024 **Rig Data:** **E:** 20.5 *Asymmetric Spin?* No **Beam:** 9.42 **Engine** IB
Displacement used for DW Rating: 5500 **Mast Material** CARBON **ISP:** **SLE:** SLU: ASMG: ASF: **Draft:** 5.25 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:**

Modifications on file:

Boat Name Mirage **Sail #** 8477 **Max Headsail** 155 **I:** 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** FS **J:** 9 **SL:** SSMG: SSF: SPL: **LWL:** 23.75 **Ballast:** 1100
Rating: 129 **DW Rating:** 606 **Certificate Date** 1/17/2024 **Rig Data:** **P:** 28.5 28.8 17.5 17.9 9.833 *Asymmetric Spin?* No **Beam:** 8.17 **Engine** OB
Displacement used for DW Rating: 2510 **Mast Material** ALUMN **E:** ##### **SLE:** SLU: ASMG: ASF: **Draft:** 4.5 **Prop Type** None
Certified PHRF Data on file? **ISP:** 28.5 **JSP:**

Modifications on file:

Boat Name Hot Sheet **Sail #** 10 **Max Headsail** 155 **I:** 28.5 *Symmetric Spin?* YES **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** FS **J:** 9 **SL:** SSMG: SSF: SPL: **LWL:** 23.75 **Ballast:** 1100
Rating: 129 **DW Rating:** 608 **Certificate Date** 2/20/2024 **Rig Data:** **P:** 28.5 29 17.75 17.75 9.83 *Asymmetric Spin?* No **Beam:** 8.17 **Engine** OB
Displacement used for DW Rating: 2450 **Mast Material** ALUMN **E:** 10.42 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5 **Prop Type** None
Certified PHRF Data on file? **ISP:** 28.5 **JSP:**

Modifications on file:

Boat Name Hang 20 **Sail #** 48 **Max Headsail** 125 **I:** 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** FS **J:** 9 **SL:** SSMG: SSF: SPL: **LWL:** 23.8 **Ballast:** 1100
Rating: 129 **DW Rating:** 631 **Certificate Date** 1/17/2024 **Rig Data:** **P:** 28.5 28.5 17.7 17.7 9.83 *Asymmetric Spin?* Yes **Beam:** 8.17 **Engine** OB
Displacement used for DW Rating: 2939 **Mast Material** ALUMN **E:** 10.42 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5 **Prop Type** None
Certified PHRF Data on file? **ISP:** 28.5 **JSP:** 27.17 30.35 17 17.39

Modifications on file:

Boat Name Topgallant Sail # 18608
Boat Type Tartan 10
Rating: 129 DW Rating: 629 Certificate Date 2/27/2024 **Rig Data:**
 Displacement used for DW Rating: 7005
 Certified PHRF Data on file?
Modifications on file: (4/25/02 Installed Running Backstay)

Max Headsail	I: 35	<i>Symmetric Spin?</i> Yes	LOA: 33.16	Displacement: 6700
125	J: 11.75	SL: SSMG: SSF: SPL:	LWL: 27	Ballast: 3340
Rig Type	P: 40.25	35 21.6 20.3 12	Beam: 9.25	Engine IB
FS	E: 13.75	<i>Asymmetric Spin?</i> No	Draft: 5.83	Prop Type FOLD
Mast Material	ISP: 35	SLE: SLU: ASMG: ASF:		
ALUMN	JSP:			

Boat Name Dianne Sail # 0
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 2/6/2024 **Rig Data:**
 Displacement used for DW Rating: 2510
 Certified PHRF Data on file?
Modifications on file:

Max Headsail	I: 28.5	<i>Symmetric Spin?</i> Yes	LOA: 27.25	Displacement: 2450
155	J: 9	SL: SSMG: SSF: SPL:	LWL: 23.75	Ballast: 1100
Rig Type	P: 28.5	29 17.75 17.75 9.833	Beam: 8.17	Engine OB
FS	E: #####	<i>Asymmetric Spin?</i> No	Draft: 4.5	Prop Type None
Mast Material	ISP: 28.5	SLE: SLU: ASMG: ASF:		
ALUMN	JSP:			

Boat Name Abigail Morgan Sail # 18394
Boat Type Express 27 ODR
Rating: 129 DW Rating: 606 Certificate Date 2/13/2024 **Rig Data:**
 Displacement used for DW Rating: 2510
 Certified PHRF Data on file?
Modifications on file:

Max Headsail	I: 28.5	<i>Symmetric Spin?</i> Yes	LOA: 27.25	Displacement: 2450
150	J: 9	SL: SSMG: SSF: SPL:	LWL: 23.75	Ballast: 1100
Rig Type	P: 28.5	##### 17.75 17.4 9.833	Beam: 8.166	Engine OB
FS	E: #####	<i>Asymmetric Spin?</i> No	Draft: 4.5	Prop Type None
Mast Material	ISP: 28.5	SLE: SLU: ASMG: ASF:		
ALUMN	JSP:			

Boat Name Motorcycle Irene Sail # 28137
Boat Type Express 27
Rating: 129 DW Rating: 617 Certificate Date 2/13/2024 **Rig Data:**
 Displacement used for DW Rating: 2719
 Certified PHRF Data on file?
Modifications on file: New Rudder, NCTR

Max Headsail	I: 28.5	<i>Symmetric Spin?</i> Yes	LOA: 27.25	Displacement: 2450
155	J: 9	SL: SSMG: SSF: SPL:	LWL: 23.75	Ballast: 1100
Rig Type	P: 28.5	29 17.7 17.7 9.833	Beam: 8.17	Engine OB
FS	E: #####	<i>Asymmetric Spin?</i> Yes	Draft: 4.5	Prop Type None
Mast Material	ISP: 28.5	SLE: SLU: ASMG: ASF:		
ALUMN	JSP:	27.17 30.35 17.9 17.39		

Boat Name Under The Radar

Sail #

Max Headsail

I: 28.5

Symmetric Spin? Yes

LOA: 27.25

Displacement: 2450

Boat Type Express 27 ODR

40316

155

J: 9

SL: SSMG: SSF: SPL:

LWL: 23.75

Ballast: 1100

Rating: 129 DW Rating: 605

Certificate Date 1/17/2024

Rig Data:

Rig Type

P: 28.5

29 17.7 17.7 9.83

Beam: 8.17

Engine OB

Displacement used for DW Rating:

2510

FS

E: 10.42

Asymmetric Spin? No

Draft: 4.5

Prop Type None

Certified PHRF Data on file?

Mast Material

ALUMN

ISP: 28.5

SLE: SLU: ASMG: ASF:

0

Modifications on file:**Boat Name TBA**

Sail #

Max Headsail

I: 28.5

Symmetric Spin? Yes

LOA: 27.25

Displacement: 2450

Boat Type Express 27 ODR

8

155

J: 9

SL: SSMG: SSF: SPL:

LWL: 23.75

Ballast: 1100

Rating: 129 DW Rating: 605

Certificate Date 3/12/2024

Rig Data:

Rig Type

P: 28.5

29 17.75 17.75 9.833

Beam: 8.166

Engine OB

Displacement used for DW Rating:

2510

FS

E: #####

Asymmetric Spin? No

Draft: 4.5

Prop Type None

Certified PHRF Data on file?

Mast Material

ALUMN

ISP: 28.5

SLE: SLU: ASMG: ASF:

Modifications on file:**Boat Name Salty Hotel**

Sail #

Max Headsail

I: 28.5

Symmetric Spin? Yes

LOA: 27.25

Displacement: 2450

Boat Type Express 27 ODR

60

155

J: 9

SL: SSMG: SSF: SPL:

LWL: 23.75

Ballast: 1100

Rating: 129 DW Rating: 605

Certificate Date 1/19/2024

Rig Data:

Rig Type

P: 28.5

29 17.7 17.7 9.83

Beam: 8.17

Engine OB

Displacement used for DW Rating:

2510

FS

E: #####

Asymmetric Spin? Yes

Draft: 4.5

Prop Type None

Certified PHRF Data on file?

Mast Material

ALUMN

ISP: 28.5

SLE: SLU: ASMG: ASF:

27.17 30.35 17 17.39

Modifications on file:**Boat Name Wile E Coyote**

Sail #

Max Headsail

I: 28.5

Symmetric Spin? Yes

LOA: 27.25

Displacement: 2450

Boat Type Express 27 ODR

11

155

J: 9

SL: SSMG: SSF: SPL:

LWL: 23.75

Ballast: 1100

Rating: 129 DW Rating: 605

Certificate Date 1/17/2024

Rig Data:

Rig Type

P: 28.5

29 17.7 17.7 9.833

Beam: 8.17

Engine OB

Displacement used for DW Rating:

2510

FS

E: #####

Asymmetric Spin? No

Draft: 4.5

Prop Type None

Certified PHRF Data on file?

Mast Material

ALUMN

ISP: 28.5

SLE: SLU: ASMG: ASF:

Modifications on file:

Boat Name Young Betty **Sail #** 8448 **Max Headsail** 155 **I:** 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** FS **J:** 9 **SL:** 29 **SSMG:** 17.8 **SSF:** 17.8 **SPL:** 9.833 **LWL:** 23.75 **Ballast:** 1100
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/26/2024 *Rig Data:* **E:** ##### *Asymmetric Spin?* No **Beam:** 8.166 **Engine** OB
Displacement used for DW Rating: 2510 **Mast Material** ALUMN **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type** None
Certified PHRF Data on file? **JSP:** **Draft:** 4.5
Modifications on file: New Rudder, NCTR

Boat Name Shenanigans **Sail #** 67 **Max Headsail** 155 **I:** 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** FS **J:** 9 **SL:** 29 **SSMG:** 16 **SSF:** 16 **SPL:** 9.83 **LWL:** 23.75 **Ballast:** 1100
Rating: 129 **DW Rating:** 607 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 10.42 *Asymmetric Spin?* No **Beam:** 8.17 **Engine** OB
Displacement used for DW Rating: 2510 **Mast Material** ALUMN **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type** None
Certified PHRF Data on file? **JSP:** **Draft:** 4.5
Modifications on file:

Boat Name Current Affair **Sail #** 56 **Max Headsail** 155 **I:** 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** FS **J:** 9 **SL:** 29 **SSMG:** 17.75 **SSF:** 17.75 **SPL:** 9.83 **LWL:** 23.75 **Ballast:** 1100
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 10.42 *Asymmetric Spin?* No **Beam:** 8.17 **Engine** OB
Displacement used for DW Rating: 2510 **Mast Material** ALUMN **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type** None
Certified PHRF Data on file? **JSP:** **Draft:** 4.5
Modifications on file:

Boat Name Ergo **Sail #** 40428 **Max Headsail** 155 **I:** 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** FS **J:** 9 **SL:** 29 **SSMG:** 17.7 **SSF:** 17.7 **SPL:** 9.833 **LWL:** 23.75 **Ballast:** 1100
Rating: 129 **DW Rating:** 610 **Certificate Date** 1/17/2024 *Rig Data:* **E:** ##### *Asymmetric Spin?* No **Beam:** 8.075 **Engine** OB
Displacement used for DW Rating: 2510 **Mast Material** ALUMN **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type** None
Certified PHRF Data on file? **JSP:** **Draft:** 4.5 0
Modifications on file:

Boat Name Bombora **Sail #** 38047 **Max Headsail** I: 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** FS **J:** 9 **SL:** SSMG: SSF: SPL: 28.5 17.7 17.7 9.83 **LWL:** 23.8 **Ballast:** 1100
Rating: 129 **DW Rating:** 631 **Certificate Date** 3/7/2024 *Rig Data:* **E:** 10.42 *Asymmetric Spin?* No **Beam:** 8.17 **Engine** OB
Displacement used for DW Rating: 2977 **Mast Material** ALUMN **ISP:** 28.5 **SLE:** SLU: ASMG: ASF: 0 **Draft:** 4.5 **Prop Type** None
Certified PHRF Data on file? **JSP:**

Modifications on file:

Boat Name Peaches **Sail #** 18364 **Max Headsail** I: 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
Boat Type Express 27 ODR **Rig Type** FS **J:** 9 **SL:** SSMG: SSF: SPL: 29 17.75 17.75 9.833 **LWL:** 23.75 **Ballast:** 1100
Rating: 129 **DW Rating:** 605 **Certificate Date** 2/13/2024 *Rig Data:* **E:** ##### *Asymmetric Spin?* No **Beam:** 8.166 **Engine** OB
Displacement used for DW Rating: 2510 **Mast Material** ALUMN **ISP:** 28.5 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5 **Prop Type** None
Certified PHRF Data on file? **JSP:**

Modifications on file:

Boat Name Twelve Winded Sky **Sail #** 38405 **Max Headsail** I: 45.58 *Symmetric Spin?* No **LOA:** 34 **Displacement:** 11243
Boat Type Hanse 341/342 **Rig Type** FS **J:** 12.66 **SL:** SSMG: SSF: SPL: 43.44 13.66 **LWL:** 30.17 **Ballast:** 3660
Rating: 132 **DW Rating:** 622 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 14.42 *Asymmetric Spin?* Yes **Beam:** 11.08 **Engine** IB
Displacement used for DW Rating: 12794 **Mast Material** ALUMN **ISP:** **SLE:** SLU: ASMG: ASF: 46.26 50.52 24.93 20.77 **Draft:** 6.08 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:** 13.66

Modifications on file: (Mtg 1/18/07 -3 s/m for sprit)(Mtg 6/27/22, -3 sec/mi for oversized asymmetric, -3 sec/mi for articulation)

Boat Name The Floating Bear **Sail #** 503 **Max Headsail** I: 46 *Symmetric Spin?* No **LOA:** 34.8 **Displacement:** 13000
Boat Type Ericson 350 SD **Rig Type** MS **J:** 15 **SL:** SSMG: SSF: SPL: 39 **LWL:** 29 **Ballast:** 5200
Rating: 132 **DW Rating:** **Certificate Date** 1/23/2024 *Rig Data:* **E:** 12.83 *Asymmetric Spin?* No **Beam:** 11.3 **Engine** IB
Displacement used for DW Rating: 13000 **Mast Material** ALUMN **ISP:** 46 **SLE:** SLU: ASMG: ASF: **Draft:** 4.92 **Prop Type** Feath
Certified PHRF Data on file? **JSP:** 15

Modifications on file:

Boat Name Plus Sixteen **Sail #** 97707 **Max Headsail** 125 **I:** 41.5 *Symmetric Spin?* Yes **LOA:** 30 **Displacement:** 8500
Boat Type Ericson 911S Olson **Rig Type** MS **J:** 12.25 **SL:** SSMG: SSF: SPL: **LWL:** 25 **Ballast:** 3200
Rating: 135 **DW Rating:** 670 **Certificate Date** 1/16/2024 *Rig Data:* **P:** ##### 43.5 ##### ##### 12.25 **Beam:** 10.33 **Engine** IB
Displacement used for DW Rating: 8716 **Mast Material** ALUMN **E:** ##### *Asymmetric Spin?* Yes **Draft:** 5.42 **Prop Type** FEATH
Certified PHRF Data on file? **ISP:** 41.5 **SLE:** SLU: **ASMG:** ASF: **#####** ##### **#####** ##### **#####**

Modifications on file:

Boat Name Take Five More **Sail #** 38132 **Max Headsail** 95 **I:** 41.5 *Symmetric Spin?* YES **LOA:** 29.92 **Displacement:** 8100
Boat Type Ericson 911S Olson **Rig Type** MS **J:** 12.33 **SL:** SSMG: SSF: SPL: **LWL:** 25 **Ballast:** 3200
Rating: 135 **DW Rating:** 671 **Certificate Date** 3/7/2024 *Rig Data:* **P:** 35.5 42 21.6 20 12.25 **Beam:** 10.33 **Engine** IB
Displacement used for DW Rating: 8716 **Mast Material** ALUMN **E:** 11.92 *Asymmetric Spin?* No **Draft:** 5.4 **Prop Type** Fold
Certified PHRF Data on file? **ISP:** 41.5 **SLE:** SLU: **ASMG:** ASF: **#####** ##### **#####** ##### **#####**

Modifications on file:

Boat Name Rascal **Sail #** 8093 **Max Headsail** 120 **I:** 30.5 *Symmetric Spin?* Yes **LOA:** 29 **Displacement:** 5000
Boat Type Lidgard 29 **Rig Type** FS **J:** 10 **SL:** SSMG: SSF: SPL: **LWL:** 27.49 **Ballast:** 2200
Rating: 135 **DW Rating:** 610 **Certificate Date** 3/1/2024 *Rig Data:* **P:** 32.67 34.25 21.3 21.3 11.8 **Beam:** 9.5 **Engine** IB
Displacement used for DW Rating: 5000 **Mast Material** ALUMN **E:** 11.75 *Asymmetric Spin?* No **Draft:** 5.49 **Prop Type** Fold
Certified PHRF Data on file? **ISP:** 32 **SLE:** SLU: **ASMG:** ASF: **#####** ##### **#####** ##### **#####**

Modifications on file:

Boat Name Starbuck **Sail #** 8666 **Max Headsail** 125 **I:** 30 *Symmetric Spin?* Yes **LOA:** 31 **Displacement:** 4500
Boat Type Custom Black Soo 30 **Rig Type** MS **J:** 13 **SL:** SSMG: SSF: SPL: **LWL:** 27.5 **Ballast:** 1800
Rating: 138 **DW Rating:** 585 **Certificate Date** 1/17/2024 *Rig Data:* **P:** 25 31 22.1 23.2 13 **Beam:** 6.8 **Engine** OB
Displacement used for DW Rating: 4500 **Mast Material** ALUMN **E:** 11.73 *Asymmetric Spin?* Yes **Draft:** 6.4 **Prop Type** None
Certified PHRF Data on file? **ISP:** 30 **SLE:** SLU: **ASMG:** ASF: **#####** ##### **#####** ##### **#####**

Modifications on file: (Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +3 sec/mi for small headsail. As Sailed 144)(Mtg 8/26/19, added 21.6% oversized A-Sail, -9 sec/mi. As Sailed: 135)(1/12/21, reduced A-sail area by 2%, changed Asail penalty from -9 to -6 sec/mi. As sailed: 138)

Boat Name Hummingbird **Sail #** 296 **Max Headsail** 117 **I:** 21.52 *Symmetric Spin?* No **LOA:** 18.7 **Displacement:** 992
Boat Type Open 5.7 ODR **Rating:** 138 **DW Rating:** 606 **Certificate Date** 2/6/2024 *Rig Data:* **Rig Type** FS **J:** 7.3 **SL:** SSMG: SSF: SPL: **LWL:** 18.7 **Ballast:** 405
Displacement used for DW Rating: 992 **E:** 10.24 *Asymmetric Spin?* Yes **Beam:** 8.3 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 27.9 **SLE:** SLU: ASMG: ASF: **Draft:** 5.7 **Prop Type** None
20.6 25.8 17.5 17.5
Modifications on file:

Boat Name Pell Mell **Sail #** 28128 **Max Headsail** 153 **I:** 27.22 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2782
Boat Type Custom Sutter/Pt Bonita 27 **Rating:** 138 **DW Rating:** 607 **Certificate Date** 3/26/2024 *Rig Data:* **Rig Type** FS **J:** 8.87 **SL:** SSMG: SSF: SPL: **LWL:** 24 **Ballast:** 1000
Displacement used for DW Rating: 2908 **E:** 10.49 *Asymmetric Spin?* Yes **Beam:** 8.17 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 31.52 **SLE:** SLU: ASMG: ASF: **Draft:** 4.8 **Prop Type** None
27.85 33.36 18.5 17.74
Modifications on file: (Mtg 2/28/22, Carbon Rudder, Custom Rating Assigned of 138)

Boat Name Spirit **Sail #** 317 **Max Headsail** 117 **I:** 21.52 *Symmetric Spin?* No **LOA:** 18.7 **Displacement:** 992
Boat Type Open 5.7 ODR **Rating:** 138 **DW Rating:** 602 **Certificate Date** 2/23/2024 *Rig Data:* **Rig Type** FS **J:** 7.3 **SL:** SSMG: SSF: SPL: **LWL:** 18.7 **Ballast:** 405
Displacement used for DW Rating: 992 **E:** 10.24 *Asymmetric Spin?* Yes **Beam:** 8.3 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 27.9 **SLE:** SLU: ASMG: ASF: **Draft:** 5.7 **Prop Type** None
20.6 25.8 17.5 17.5
Modifications on file:

Boat Name Sonata **Sail #** 33685 **Max Headsail** 125 **I:** 31.1 *Symmetric Spin?* Yes **LOA:** 28.41 **Displacement:** 4550
Boat Type Laser 28 **Rating:** 138 **DW Rating:** 644 **Certificate Date** 1/18/2024 *Rig Data:* **Rig Type** FS **J:** 9.65 **SL:** SSMG: SSF: SPL: **LWL:** 23.62 **Ballast:** 1500
Displacement used for DW Rating: 4334 **E:** 12.96 *Asymmetric Spin?* No **Beam:** 9.48 **Engine** IB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 31.73 **SLE:** SLU: ASMG: ASF: **Draft:** 4.98 **Prop Type** FOLD
Modifications on file: (Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP)

Boat Name Moonshine **Sail #** 8398 **Max Headsail** 155 **I:** 27 *Symmetric Spin?* Yes **LOA:** 26 **Displacement:** 2600
Boat Type Custom DP 26 **Rig Type** MS **J:** 9 **SL:** 31 **SSMG:** 18 **SSF:** 17.5 **SPL:** 9.9 **LWL:** 24 **Ballast:** 800
Rating: 138 **DW Rating:** 607 **Certificate Date** 3/7/2024 *Rig Data:* **E:** 11 *Asymmetric Spin?* Yes **Beam:** 8.25 **Engine** OB
Displacement used for DW Rating: 2526 **Mast Material** CARBON FIB **ISP:** 31 **SLE:** 28 **SLU:** 33.8 **ASMG:** 18 **ASF:** 17.9 **Draft:** 4.83 **Prop Type** None
Certified PHRF Data on file? **JSP:** 28 33.8 18 17.9

Modifications on file: (Mtg 1/21/10, appealed rating, rating changed from 132 to 138)(Mtg 2/18/10, changed from masthead to fractional/smaller symmetric spinnaker +6/sec/mi, change custom rating from 138 to 144)(Mtg 2/28/22, -6 sec/mi for switching to masthead kite/increased ISP. Custom rating changed from 144 to 138)

Boat Name Vera Cruz **Sail #** 38133 **Max Headsail** 112 **I:** 43.71 *Symmetric Spin?* No **LOA:** 32.75 **Displacement:** 11738
Boat Type Jeanneau Sun Odyssey 349 **Rig Type** FS **J:** 12.37 **SL:** 42.27 **SSMG:** 46.45 **SSF:** 23.3 **SPL:** 26.78 **LWL:** 30.83 **Ballast:** 3483
Rating: 138 **DW Rating:** 652 **Certificate Date** 1/16/2024 *Rig Data:* **E:** 13.42 *Asymmetric Spin?* Yes **Beam:** 11.25 **Engine** IB
Displacement used for DW Rating: 11738 **Mast Material** ALUMN **ISP:** 44.8 **SLE:** 42.27 **SLU:** 46.45 **ASMG:** 23.3 **ASF:** 26.78 **Draft:** 6.5 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 14.88

Modifications on file: (Mtg 8/23/21, -3 sec/mi for square-top main)

Boat Name Free **Sail #** 3002 **Max Headsail** 155 **I:** 43.7 *Symmetric Spin?* No **LOA:** 30.5 **Displacement:** 6500
Boat Type S&S 30 **Rig Type** FS **J:** 9.5 **SL:** 37.5 **SSMG:** 43.2 **SSF:** 15.8 **SPL:** 16.7 **LWL:** 27.5 **Ballast:** 2400
Rating: 138 **DW Rating:** 631 **Certificate Date** 1/16/2024 *Rig Data:* **E:** 14 *Asymmetric Spin?* Yes **Beam:** 8.25 **Engine** IB
Displacement used for DW Rating: 6000 **Mast Material** ALUMN **ISP:** 43.58 **SLE:** 37.5 **SLU:** 43.2 **ASMG:** 15.8 **ASF:** 16.7 **Draft:** 5.5 **Prop Type** Fold
Certified PHRF Data on file? **JSP:** 9.5

Modifications on file: Powered winches (Mtg 1/23/23, -6 sec/mi for increased ISP & headsail)

Boat Name Altair **Sail #** 306 **Max Headsail** 117 **I:** 21.52 *Symmetric Spin?* No **LOA:** 18.7 **Displacement:** 992
Boat Type Open 5.7 ODR **Rig Type** FS **J:** 7.3 **SL:** 20.6 **SSMG:** 25.8 **SSF:** 17.5 **SPL:** 17.5 **LWL:** 18.7 **Ballast:** 405
Rating: 138 **DW Rating:** 602 **Certificate Date** 1/18/2024 *Rig Data:* **E:** 10.24 *Asymmetric Spin?* Yes **Beam:** 8.3 **Engine** OB
Displacement used for DW Rating: 992 **Mast Material** ALUMN **ISP:** 27.9 **SLE:** 20.6 **SLU:** 25.8 **ASMG:** 17.5 **ASF:** 17.5 **Draft:** 5.7 **Prop Type** None
Certified PHRF Data on file? **JSP:** 12.3

Modifications on file:

Boat Name MyEm **Sail #** 60128 **Max Headsail** I: 46 *Symmetric Spin?* No **LOA:** 34 **Displacement:** 11353
Boat Type Hanse 341/342 **Rig Type** J: 12.2 **SL:** SSMG: SSF: SPL: **LWL:** 29.2 **Ballast:** 3395
Rating: 141 **DW Rating:** 642 **Certificate Date** 1/16/2024 *Rig Data:* P: 42 **Beam:** 11.2 **Engine** IB
Displacement used for DW Rating: 12700 **Mast Material** FS *Asymmetric Spin?* No **Draft:** 5.9 **Prop Type** FOLD
Certified PHRF Data on file? **ISP:** SLE: SLU: ASMG: ASF: **JSP:**

Modifications on file:

Boat Name Carodon **Sail #** 1973 **Max Headsail** I: 53.25 *Symmetric Spin?* Yes **LOA:** 43 **Displacement:** 28000
Boat Type Custom IOR **Rig Type** J: 18.8 **SL:** SSMG: SSF: SPL: **LWL:** 38.2 **Ballast:** 12000
Rating: 141 **DW Rating:** 588 **Certificate Date** 3/1/2024 *Rig Data:* P: 49 54.8 36 35.8 20 **Beam:** 12.2 **Engine** IB
Displacement used for DW Rating: 0 **Mast Material** MS *Asymmetric Spin?* Yes **Draft:** 6.8 **Prop Type** Feath
Certified PHRF Data on file? **ISP:** SLE: SLU: ASMG: ASF: **JSP:** ALUMN

Modifications on file: (Mtg 4/24/14, custom rating assigned. Includes small headsail credit. As Sailed:141)

Boat Name Maya **Sail #** 67 **Max Headsail** I: 26.58 *Symmetric Spin?* Yes **LOA:** 23.75 **Displacement:** 2050
Boat Type Moore 24 **Rig Type** J: 9.75 **SL:** SSMG: SSF: SPL: **LWL:** 21.75 **Ballast:** 1025
Rating: 141 **DW Rating:** 615 **Certificate Date** 1/17/2024 *Rig Data:* P: 25 27 17.55 17.55 11.65 **Beam:** 7.16 **Engine** OB
Displacement used for DW Rating: 2050 **Mast Material** FS *Asymmetric Spin?* Yes **Draft:** 4.083 **Prop Type** None
Certified PHRF Data on file? **ISP:** 28.31 **SLE:** SLU: ASMG: ASF: 28.27 32.18 18.74 17.22 **JSP:** 11.65 **ALUMN**

Modifications on file: (Mtg 10/27/16, -6 sec/mi for OSP, -6 sec/mi for increased spinnaker area)

Boat Name Solana **Sail #** 21102 **Max Headsail** I: 32.58 *Symmetric Spin?* Yes **LOA:** 27 **Displacement:** 3000
Boat Type Santa Cruz 27 **Rig Type** J: 10.75 **SL:** SSMG: SSF: SPL: **LWL:** 24 **Ballast:** 1500
Rating: 141 **DW Rating:** 618 **Certificate Date** 2/20/2024 *Rig Data:* P: 28.25 32.15 19.45 19.45 10.81 **Beam:** 8 **Engine** OB
Displacement used for DW Rating: 3200 **Mast Material** MS *Asymmetric Spin?* No **Draft:** 4.5 **Prop Type** None
Certified PHRF Data on file? **ISP:** 32.58 **SLE:** SLU: ASMG: ASF: **JSP:** ALUMN

Modifications on file:

Boat Name Breakaway **Sail #** 180 **Max Headsail** 114 **I:** 26.08 *Symmetric Spin?* No **LOA:** 20.83 **Displacement:** 1350
Boat Type Ultimate 20 CM **Rig Type** FS **J:** 6.97 **SL:** SSMG: SSF: SPL: **LWL:** 18 **Ballast:** 450
Rating: 144 **DW Rating:** 631 **Certificate Date** 2/13/2024 *Rig Data:* **E:** 10.17 *Asymmetric Spin?* Yes **Beam:** 8.33 **Engine** OB
Displacement used for DW Rating: 1350 **Mast Material** CARBON **ISP:** 27.58 **SLE:** SLU: ASMG: ASF: **Draft:** 5 **Prop Type** Fixed 3
Certified PHRF Data on file? **JSP:** 12.79 ##### 30.42 17.7 #####

Modifications on file:

Boat Name UHOO! **Sail #** 62 **Max Headsail** 100 **I:** 22.8 *Symmetric Spin?* No **LOA:** 20.8 **Displacement:** 1100
Boat Type Ultimate 20 **Rig Type** FS **J:** 7 **SL:** SSMG: SSF: SPL: **LWL:** 18 **Ballast:** 450
Rating: 144 **DW Rating:** 609 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 10.33 *Asymmetric Spin?* Yes **Beam:** 8.166 **Engine** OB
Displacement used for DW Rating: 1350 **Mast Material** ALUMN **ISP:** 27.58 **SLE:** SLU: ASMG: ASF: **Draft:** 5 **Prop Type** None
Certified PHRF Data on file? **JSP:** 13 28.4 31.3 17.6 19.2

Modifications on file:

Boat Name Hard Drive **Sail #** 135 **Max Headsail** 110 **I:** 25.08 *Symmetric Spin?* No **LOA:** 20.83 **Displacement:** 1350
Boat Type Ultimate 20 **Rig Type** FS **J:** 6.97 **SL:** SSMG: SSF: SPL: **LWL:** 18 **Ballast:** 450
Rating: 144 **DW Rating:** 623 **Certificate Date** 1/17/2024 *Rig Data:* **E:** 10.25 *Asymmetric Spin?* Yes **Beam:** 8.33 **Engine** OB
Displacement used for DW Rating: 1350 **Mast Material** ALUMN **ISP:** 27.58 **SLE:** SLU: ASMG: ASF: **Draft:** 5 **Prop Type** None
Certified PHRF Data on file? **JSP:** 12.79 28.4 31.3 17.7 19.2

Modifications on file:

Boat Name Luna Sea **Sail #** 420 **Max Headsail** 135 **I:** 45 *Symmetric Spin?* Yes **LOA:** 36.08 **Displacement:** 18000
Boat Type Islander 36 ODR **Rig Type** MS **J:** 14.48 **SL:** SSMG: SSF: SPL: **LWL:** 28.25 **Ballast:** 5450
Rating: 144 **DW Rating:** 660 **Certificate Date** 1/23/2024 *Rig Data:* **E:** 12.75 *Asymmetric Spin?* No **Beam:** 11.17 **Engine** IB
Displacement used for DW Rating: 18325 **Mast Material** ALUMN **ISP:** 45 **SLE:** SLU: ASMG: ASF: **Draft:** 6.08 **Prop Type** Feath
Certified PHRF Data on file? **JSP:**

Modifications on file:

Boat Name Osprey **Sail #** 61302 **Max Headsail** 109 **I:** 43.6 **Symmetric Spin?** No **LOA:** 32.75 **Displacement:** 11795
Boat Type Jeanneau Sun Odyssey 349 **J:** 12.67 **SL:** SSMG: SSF: SPL: **LWL:** 30.84 **Ballast:** 3483
Rating: 147 **DW Rating:** 635 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** FS **P:** 40.68 **Asymmetric Spin?** No **Beam:** 11.29 **Engine** IB
Displacement used for DW Rating: 11795 **E:** 13.62 **SLE:** SLU: ASMG: ASF: **Draft:** 6.5 **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** ALUMN **JSP:**
Modifications on file: (1/13/20, +3 sec/mi for inmast furling mainsail, +3 secmi for MGM <50% of E)

Boat Name Nobody's Girl **Sail #** 84 **Max Headsail** 149 **I:** 26.25 **Symmetric Spin?** Yes **LOA:** 23.75 **Displacement:** 2130
Boat Type Moore 24 **J:** 9.75 **SL:** SSMG: SSF: SPL: 26.6 17.57 17.55 9.5 **LWL:** 21.75 **Ballast:** 1000
Rating: 147 **DW Rating:** 644 **Certificate Date** 3/26/2024 **Rig Data:** **Rig Type** FS **E:** 8.99 **Asymmetric Spin?** Yes **Beam:** 7.16 **Engine** OB
Displacement used for DW Rating: 2420 **Mast Material** ALUMN **ISP:** 26.25 **SLE:** SLU: ASMG: ASF: **Draft:** 4.083 **Prop Type** None
Certified PHRF Data on file? **JSP:** 9.75 25.86 30.91 17.4 17.08
Modifications on file: (Mtg 3/25/24, new mainsail has oversized girths but no change to overall MSA: NCTR. -3 sec/mi for oversized spinnaker)

Boat Name Sterling **Sail #** 1269 **Max Headsail** 130 **I:** 44 **Symmetric Spin?** No **LOA:** 35.66 **Displacement:** 11950
Boat Type Catalina 34 1&2 **J:** 13.5 **SL:** SSMG: SSF: SPL: **LWL:** 29.84 **Ballast:** 5000
Rating: 147 **DW Rating:** 639 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** MS **P:** 38.5 **Asymmetric Spin?** No **Beam:** 11.75 **Engine** IB
Displacement used for DW Rating: 13606 **E:** 12 **SLE:** SLU: ASMG: ASF: **Draft:** 5.56 **Prop Type** Fold
Certified PHRF Data on file? **Mast Material** ALUMN **JSP:**
Modifications on file:

Boat Name Vitamin Sea **Sail #** 271 **Max Headsail** 135 **I:** 44.75 **Symmetric Spin?** No **LOA:** 36.33 **Displacement:** 13500
Boat Type Catalina 36 **J:** 14.33 **SL:** SSMG: SSF: SPL: **LWL:** 30.25 **Ballast:** 6000
Rating: 147 **DW Rating:** 653 **Certificate Date** 3/7/2024 **Rig Data:** **Rig Type** MS **P:** 39 **Asymmetric Spin?** Yes **Beam:** 11.92 **Engine** IB
Displacement used for DW Rating: 15996 **E:** 12 **SLE:** SLU: ASMG: ASF: **Draft:** 5.83 **Prop Type** Fixed 3
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 44.75 **JSP:** 14.33 38.08 43.75 25.33 23.33
Modifications on file:

Boat Name Renaissance of Tahoe Vista **Sail #** 234 **Max Headsail** 150 **I:** 44.9 *Symmetric Spin?* Yes **LOA:** 36.08 **Displacement:** 13450
Boat Type Islander 36 **Rating:** 147 **DW Rating:** 665 **Certificate Date** 1/23/2024 *Rig Data:* **J:** 14.4 **SL:** 46 **SSMG:** 25 **SSF:** 24 **SPL:** 13.11 **LWL:** 28.25 **Ballast:** 5450
Displacement used for DW Rating: 18325 **Rig Type** MS **E:** 12.7 *Asymmetric Spin?* No **Beam:** 11.17 **Engine** IB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 44.9 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 6.08 **Prop Type** Fold
JSP: 14.4

Modifications on file:

Boat Name Crews Nest **Sail #** 1383 **Max Headsail** 130 **I:** 44 *Symmetric Spin?* Yes **LOA:** 35.67 **Displacement:** 11950
Boat Type Catalina 34 1&2 **Rating:** 147 **DW Rating:** 639 **Certificate Date** 1/18/2024 *Rig Data:* **J:** 13.5 **SL:** 42 **SSMG:** 24 **SSF:** 23.5 **SPL:** 13.5 **LWL:** 29.83 **Ballast:** 5000
Displacement used for DW Rating: 13606 **Rig Type** MS **E:** 12 *Asymmetric Spin?* No **Beam:** 11.75 **Engine** IB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 44 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 5.58 **Prop Type** FEATH
JSP: 13.5

Modifications on file:

Boat Name Suerte **Sail #** 117 **Max Headsail** 150 **I:** 26.25 *Symmetric Spin?* Yes **LOA:** 23.75 **Displacement:** 2050
Boat Type Moore 24 **Rating:** 150 **DW Rating:** 629 **Certificate Date** 2/23/2024 *Rig Data:* **J:** 9.75 **SL:** 27 **SSMG:** 17.55 **SSF:** 17.55 **SPL:** 9.75 **LWL:** 21.75 **Ballast:** 1025
Displacement used for DW Rating: 2050 **Rig Type** FS **E:** 9.5 *Asymmetric Spin?* No **Beam:** 7.16 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 26.25 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4.08 **Prop Type** None
JSP:

Modifications on file:

Boat Name Moorigami **Sail #** 77 **Max Headsail** 155 **I:** 26.25 *Symmetric Spin?* Yes **LOA:** 23.75 **Displacement:** 2050
Boat Type Moore 24 **Rating:** 150 **DW Rating:** 629 **Certificate Date** 1/17/2024 *Rig Data:* **J:** 9.75 **SL:** 27 **SSMG:** 17.55 **SSF:** 17.55 **SPL:** 9.75 **LWL:** 21.75 **Ballast:** 1025
Displacement used for DW Rating: 2050 **Rig Type** FS **E:** 9.5 *Asymmetric Spin?* Yes **Beam:** 7.16 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 26.25 **SLE:** 24.4 **SLU:** 28.2 **ASMG:** 17.3 **ASF:** 18 **Draft:** 4.083 **Prop Type** None
JSP:

Modifications on file:

Boat Name JR
Boat Type Moore 24
Rating: 150 DW Rating: 629
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
76
Certificate Date 2/20/2024
2050
Rig Data:

Max Headsail
155
Rig Type
FS
Mast Material
ALUMN

I: 26.25
J: 9.75
P: 25
E: 9.5
ISP: 26.25
JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.08

Displacement: 2050
Ballast: 1025
Engine OB
Prop Type None

Modifications on file:

Boat Name Topper II
Boat Type Moore 24
Rating: 150 DW Rating: 629
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
71
Certificate Date 1/17/2024
2050
Rig Data:

Max Headsail
150
Rig Type
FS
Mast Material
ALUMN

I: 26.25
J: 9.75
P: 25
E: 9.5
ISP: 26.25
JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine OB
Prop Type None

Modifications on file:

Boat Name Color Blind
Boat Type Moore 24
Rating: 150 DW Rating: 629
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
49
Certificate Date 1/18/2024
2050
Rig Data:

Max Headsail
150
Rig Type
FS
Mast Material
ALUMN

I: 26.25
J: 9.75
P: 25
E: 9.5
ISP: 26.25
JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine OB
Prop Type None

Modifications on file:

Boat Name Firefly
Boat Type Moore 24
Rating: 150 DW Rating: 629
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
64
Certificate Date 2/13/2024
2050
Rig Data:

Max Headsail
150
Rig Type
FS
Mast Material
ALUMN

I: 26.25
J: 9.75
P: 25
E: 9.5
ISP: 26.25
JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine OB
Prop Type None

Modifications on file:

Boat Name Wet Spot

Sail #

Max Headsail

I: 26.25

Symmetric Spin? Yes

LOA: 23.75

Displacement: 2050

Boat Type Moore 24

51

150

J: 9.75

SL: SSMG: SSF: SPL:

LWL: 21.75

Ballast: 1025

Rating: 150 DW Rating: 630

Certificate Date 2/13/2024

Rig Data:

Rig Type

P: 25

26.6 17.55 17.55 9.75

Beam: 7.16

Engine OB

Displacement used for DW Rating: 2050

FS

E: 9.5

Asymmetric Spin? No

Draft: 4.08

Prop Type None

Certified PHRF Data on file?

Mast Material

ISP: 26.25

SLE: SLU: ASMG: ASF:

Modifications on file:

JSP:

Boat Name Puffin

Sail #

Max Headsail

I: 26.25

Symmetric Spin? Yes

LOA: 23.75

Displacement: 2050

Boat Type Moore 24

62

150

J: 9.75

SL: SSMG: SSF: SPL:

LWL: 21.75

Ballast: 1025

Rating: 150 DW Rating: 639

Certificate Date 1/17/2024

Rig Data:

Rig Type

P: 25

27 17.55 17.55 9.75

Beam: 7.16

Engine OB

Displacement used for DW Rating: 2268

FS

E: 9.5

Asymmetric Spin? Yes

Draft: 4.083

Prop Type None

Certified PHRF Data on file?

Mast Material

ISP: 26.25

SLE: SLU: ASMG: ASF:

Modifications on file:

JSP:

Boat Name Fatuity

Sail #

Max Headsail

I: 26.25

Symmetric Spin? Yes

LOA: 23.75

Displacement: 2050

Boat Type Moore 24

48

150

J: 9.75

SL: SSMG: SSF: SPL:

LWL: 21.75

Ballast: 1025

Rating: 150 DW Rating: 629

Certificate Date 1/18/2024

Rig Data:

Rig Type

P: 25

27 17.55 17.55 9.75

Beam: 7.16

Engine OB

Displacement used for DW Rating: 2050

FS

E: 9.5

Asymmetric Spin? No

Draft: 4.083

Prop Type None

Certified PHRF Data on file?

Mast Material

ISP: 26.25

SLE: SLU: ASMG: ASF:

Modifications on file:

JSP:

Boat Name Slight Disorder

Sail #

Max Headsail

I: 26.25

Symmetric Spin? Yes

LOA: 23.75

Displacement: 2050

Boat Type Moore 24

98

150

J: 9.75

SL: SSMG: SSF: SPL:

LWL: 21.75

Ballast: 1025

Rating: 150 DW Rating: 632

Certificate Date 1/18/2024

Rig Data:

Rig Type

P: 25

26.6 17.5 17.5 9.8

Beam: 7.16

Engine OB

Displacement used for DW Rating: 2050

FS

E: 9.5

Asymmetric Spin? No

Draft: 4.083

Prop Type None

Certified PHRF Data on file?

Mast Material

ISP: 26.25

SLE: SLU: ASMG: ASF:

Modifications on file:

JSP: 9.75

Boat Name Mooretian **Sail #** 89 **Max Headsail** 150 **I:** 26.25 *Symmetric Spin?* Yes **LOA:** 23.75 **Displacement:** 2050
Boat Type Moore 24 **Rating:** 150 **DW Rating:** 630 **Certificate Date** 1/17/2024 *Rig Data:* **Rig Type** FS **J:** 9.75 *Symmetric Spin?* Yes **LOA:** 23.75 **Displacement:** 2050
Displacement used for DW Rating: 2050 **E:** 9.5 *Symmetric Spin?* No **LOA:** 23.75 **Displacement:** 2050
Certified PHRF Data on file? **Mast Material** ALUMN **JSP:** **LOA:** 23.75 **Displacement:** 2050
SLE: 26.25 **SLU:** **ASMG:** **ASF:** **LOA:** 23.75 **Displacement:** 2050
Beam: 7.16 **Prop Type:** None
Draft: 4.08

Modifications on file:

Boat Name Bear Grotto **Sail #** 2 **Max Headsail** 155 **I:** 28 *Symmetric Spin?* Yes **LOA:** 25.75 **Displacement:** 1950
Boat Type Custom Dogpatch 26 **Rating:** 150 **DW Rating:** 621 **Certificate Date** 1/17/2024 *Rig Data:* **Rig Type** SL **J:** 8.166 *Symmetric Spin?* Yes **LOA:** 25.75 **Displacement:** 1950
Displacement used for DW Rating: 1950 **E:** 11 *Symmetric Spin?* No **LOA:** 25.75 **Displacement:** 1950
Certified PHRF Data on file? **Mast Material** **JSP:** **LOA:** 25.75 **Displacement:** 1950
SLE: **SLU:** **ASMG:** **ASF:** **LOA:** 25.75 **Displacement:** 1950
Beam: 8 **Prop Type:** None
Draft: 4.67

Modifications on file: (Mtg 2/28/22, Custom rating of 150 assigned)

Boat Name Enamored **Sail #** 19 **Max Headsail** 150 **I:** 26.25 *Symmetric Spin?* YES **LOA:** 23.75 **Displacement:** 2050
Boat Type Moore 24 **Rating:** 150 **DW Rating:** 630 **Certificate Date** 1/23/2024 *Rig Data:* **Rig Type** FS **J:** 9.75 *Symmetric Spin?* YES **LOA:** 23.75 **Displacement:** 2050
Displacement used for DW Rating: 2050 **E:** 9.5 *Symmetric Spin?* No **LOA:** 23.75 **Displacement:** 2050
Certified PHRF Data on file? **Mast Material** ALUMN **JSP:** 9.75 **LOA:** 23.75 **Displacement:** 2050
SLE: 26.25 **SLU:** **ASMG:** **ASF:** **LOA:** 23.75 **Displacement:** 2050
Beam: 7.16 **Prop Type:** None
Draft: 4.08

Modifications on file:

Boat Name Music **Sail #** 56583 **Max Headsail** 120 **I:** 44 *Symmetric Spin?* No **LOA:** 35.66 **Displacement:** 11950
Boat Type Catalina 34 1&2 **Rating:** 150 **DW Rating:** 641 **Certificate Date** 1/18/2024 *Rig Data:* **Rig Type** MS **J:** 13.5 *Symmetric Spin?* No **LOA:** 35.66 **Displacement:** 11950
Displacement used for DW Rating: 13606 **E:** 12 *Symmetric Spin?* No **LOA:** 35.66 **Displacement:** 11950
Certified PHRF Data on file? **Mast Material** ALUMN **JSP:** **LOA:** 35.66 **Displacement:** 11950
SLE: **SLU:** **ASMG:** **ASF:** **LOA:** 35.66 **Displacement:** 11950
Beam: 11.75 **Prop Type:** FOLD
Draft: 5.56

Modifications on file:

Boat Name Neptunus **Sail #** 34471 **Max Headsail** 102 **I:** 43 *Symmetric Spin?* No **LOA:** 33.75 **Displacement:** 11300
Boat Type Hunter 340 **Rating:** 150 **DW Rating:** **Certificate Date** 1/19/2024 *Rig Data:* **Rig Type** MS **E:** 16 *Asymmetric Spin?* No **LWL:** 28.58 **Ballast:** 4100
Displacement used for DW Rating: **Mast Material** ALUMN **ISP:** 43 **SLE:** SLU: **ASMG:** ASF: **Beam:** 11.67 **Engine** IB
Certified PHRF Data on file? **JSP:** 11.5 **Draft:** 4.5 **Prop Type** Fixed 2
Modifications on file:

Boat Name Tango **Sail #** 1689 **Max Headsail** 120 **I:** 44 *Symmetric Spin?* No **LOA:** 35.67 **Displacement:** 11950
Boat Type Catalina 34 1&2 **Rating:** 150 **DW Rating:** 650 **Certificate Date** 1/17/2024 *Rig Data:* **Rig Type** MS **E:** 12 *Asymmetric Spin?* Yes **LWL:** 29.83 **Ballast:** 5000
Displacement used for DW Rating: 13606 **Mast Material** ALUMN **ISP:** **SLE:** SLU: **ASMG:** ASF: **Beam:** 11.75 **Engine** IB
Certified PHRF Data on file? **JSP:** 35 41 20 21 **Draft:** 5.58 **Prop Type** Feath
Modifications on file:

Boat Name Oxymoron **Sail #** 106 **Max Headsail** 150 **I:** 26.25 *Symmetric Spin?* Yes **LOA:** 23.75 **Displacement:** 2050
Boat Type Moore 24 **Rating:** 150 **DW Rating:** 633 **Certificate Date** 1/17/2024 *Rig Data:* **Rig Type** FS **E:** 9.5 *Asymmetric Spin?* No **LWL:** 21.75 **Ballast:** 1025
Displacement used for DW Rating: 2050 **Mast Material** ALUMN **ISP:** 26.2 **SLE:** SLU: **ASMG:** ASF: **Beam:** 7.16 **Engine** OB
Certified PHRF Data on file? **JSP:** **Draft:** 4.25 **Prop Type** None
Modifications on file:

Boat Name Ripple **Sail #** 8267 **Max Headsail** 150 **I:** 26.24 *Symmetric Spin?* YES **LOA:** 23.75 **Displacement:** 2050
Boat Type Moore 24 **Rating:** 150 **DW Rating:** 630 **Certificate Date** 1/16/2024 *Rig Data:* **Rig Type** FS **E:** 9.5 *Asymmetric Spin?* No **LWL:** 21.75 **Ballast:** 1025
Displacement used for DW Rating: 2050 **Mast Material** ALUMN **ISP:** 26.25 **SLE:** SLU: **ASMG:** ASF: **Beam:** 7.16 **Engine** OB
Certified PHRF Data on file? **JSP:** **Draft:** 4.083 **Prop Type** None
Modifications on file:

Boat Name Flying Circus

Sail #

Max Headsail

I: 26.25

Symmetric Spin? YES

LOA: 23.75

Displacement: 2050

Boat Type Moore 24

11

150

J: 9.75

SL: SSMG: SSF: SPL:

LWL: 21.75

Ballast: 1025

Rating: 150 DW Rating: 633

Certificate Date 2/6/2024

Rig Data:

Rig Type

P: 25

26.6 17.55 8.78 9.9

Beam: 7.16

Engine OB

Displacement used for DW Rating:

2050

FS

E: 9.5

Asymmetric Spin? NO

Draft: 4.083

Prop Type None

Certified PHRF Data on file?

Mast Material
ALUMN

ISP: 26.25
JSP:

SLE: SLU: ASMG: ASF:

Modifications on file:

Boat Name Bluebird

Sail #

Max Headsail

I: 26.25

Symmetric Spin? Yes

LOA: 23.75

Displacement: 2050

Boat Type Moore 24

137

150

J: 9.75

SL: SSMG: SSF: SPL:

LWL: 21.75

Ballast: 1025

Rating: 150 DW Rating: 629

Certificate Date 1/23/2024

Rig Data:

Rig Type

P: 25

27 17.55 17.55 9.75

Beam: 7.16

Engine OB

Displacement used for DW Rating:

2050

FS

E: 9.5

Asymmetric Spin? NO

Draft: 4.08

Prop Type None

Certified PHRF Data on file?

Mast Material
ALUMN

ISP: 26.25
JSP:

SLE: SLU: ASMG: ASF:

Modifications on file:

Boat Name Flying Colors

Sail #

Max Headsail

I: 26.25

Symmetric Spin? YES

LOA: 23.75

Displacement: 2050

Boat Type Moore 24

30

150

J: 9.75

SL: SSMG: SSF: SPL:

LWL: 21.75

Ballast: 1025

Rating: 150 DW Rating: 629

Certificate Date 1/22/2024

Rig Data:

Rig Type

P: 25

27 17.55 17.55 9.75

Beam: 7.16

Engine OB

Displacement used for DW Rating:

2050

FS

E: 9.5

Asymmetric Spin? No

Draft: 4.083

Prop Type None

Certified PHRF Data on file?

Mast Material
ALUMN

ISP: 26.25
JSP:

SLE: SLU: ASMG: ASF:

Modifications on file:

Boat Name The Flying Tiger

Sail #

Max Headsail

I: 26.25

Symmetric Spin? Yes

LOA: 23.75

Displacement: 2050

Boat Type Moore 24

155

150

J: 9.75

SL: SSMG: SSF: SPL:

LWL: 21.75

Ballast: 1025

Rating: 150 DW Rating: 630

Certificate Date 2/6/2024

Rig Data:

Rig Type

P: 25

26.6 17.55 17.55 9.75

Beam: 7.16

Engine OB

Displacement used for DW Rating:

2050

FS

E: 9.5

Asymmetric Spin? No

Draft: 4.08

Prop Type None

Certified PHRF Data on file?

Mast Material
ALUMN

ISP: 26.2
JSP:

SLE: SLU: ASMG: ASF:

Modifications on file:

Boat Name Accelerando **Sail #** 128 **Max Headsail** 120 **I:** 26.25 *Symmetric Spin?* Yes **LOA:** 23.75 **Displacement:** 2050
Boat Type Moore 24 **Rating:** 153 **DW Rating:** 645 **Certificate Date** 3/7/2024 *Rig Data:* **J:** 9.75 **SL:** 26.6 **SSMG:** 17.55 **SSF:** 17.3 **SPL:** 9.75 **LWL:** 21.75 **Ballast:** 1025
Displacement used for DW Rating: 2519 **Rig Type** FS *Asymmetric Spin?* Yes **Beam:** 7.16 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 26.25 **SLE:** 24.44 **SLU:** 28.2 **ASMG:** 17.55 **ASF:** 17.3 **Draft:** 4.08 **Prop Type** None
Modifications on file: High Aspect Rudder, NCTR

Boat Name Moore Fun **Sail #** 18884 **Max Headsail** 125 **I:** 26.25 *Symmetric Spin?* Yes **LOA:** 23.75 **Displacement:** 2050
Boat Type Moore 24 **Rating:** 153 **DW Rating:** 632 **Certificate Date** 2/20/2024 *Rig Data:* **J:** 9.75 **SL:** 27 **SSMG:** 17.55 **SSF:** 17.55 **SPL:** 9.75 **LWL:** 21.75 **Ballast:** 1025
Displacement used for DW Rating: 2050 **Rig Type** FS *Asymmetric Spin?* No **Beam:** 7.16 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 26.25 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4.083 **Prop Type** None
Modifications on file:

Boat Name Andiamo **Sail #** 2168 **Max Headsail** 115 **I:** 44.75 *Symmetric Spin?* No **LOA:** 36 **Displacement:** 14200
Boat Type Catalina 36-2 **Rating:** 153 **DW Rating:** 650 **Certificate Date** 1/17/2024 *Rig Data:* **J:** 14.33 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 30.25 **Ballast:** 6000
Displacement used for DW Rating: 14200 **Rig Type** MS *Asymmetric Spin?* Yes **Beam:** 11.9 **Engine** IB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** **SLE:** 37 **SLU:** 43 **ASMG:** 24 **ASF:** 29 **Draft:** 5.8 **Prop Type** Fixed 3
Modifications on file: In-Mast Furling Mainsail, +3 sec/mi

Boat Name Coquelicot **Sail #** 148 **Max Headsail** 125 **I:** 41.5 *Symmetric Spin?* Yes **LOA:** 33 **Displacement:** 10500
Boat Type Ranger 33 **Rating:** 153 **DW Rating:** 665 **Certificate Date** 1/16/2024 *Rig Data:* **J:** 13.87 **SL:** 45.51 **SSMG:** 24.9 **SSF:** 24.9 **SPL:** 13.87 **LWL:** 26.3 **Ballast:** 4500
Displacement used for DW Rating: 10315 **Rig Type** MS *Asymmetric Spin?* No **Beam:** 9.6 **Engine** IB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 43.75 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 5 **Prop Type** Feath
Modifications on file: Double Spreader rig, water supply 41 gallons, below v berth, 26 gallon bladder tank starboard, rudder 9 inches deeper, group 31 batteries, 15 hsp one cyl diesel replaced by 29 hsp Perkins 3 cylendar engine. (NCTR) (MTG 2-21-02)

Boat Name Rägeboge **Sail #** 4407 **Max Headsail** 133 **I:** 46 *Symmetric Spin?* NO **LOA:** 38 **Displacement:** 18740
Boat Type Hallberg Rassy 38 **Rating:** 156 **DW Rating:** 662 **Certificate Date** 1/17/2024 *Rig Data:* **Rig Type** MS **E:** 15.45 *Asymmetric Spin?* Yes **Beam:** 11.5 **Engine** IB
Displacement used for DW Rating: 23185 **Mast Material** ALUMN **ISP:** 46 **SLE:** 43.4 **SLU:** 46.4 **ASMG:** 25.4 **ASF:** 25.75 **Draft:** 5.75 **Prop Type** Fixed 3
Certified PHRF Data on file?

Modifications on file:

Boat Name Hamburger **Sail #** 1772 **Max Headsail** 110 **I:** 44 *Symmetric Spin?* No **LOA:** 34.5 **Displacement:** 11950
Boat Type Catalina 34 1&2 **Rating:** 156 **DW Rating:** 647 **Certificate Date** 1/18/2024 *Rig Data:* **Rig Type** MS **E:** 12 *Asymmetric Spin?* No **Beam:** 11.75 **Engine** IB
Displacement used for DW Rating: 13606 **Mast Material** ALUMN **ISP:** 44 **SLE:** 43.4 **SLU:** 46.4 **ASMG:** 25.4 **ASF:** 25.75 **Draft:** 5.58 **Prop Type** Fold
Certified PHRF Data on file?

Modifications on file: Roller Furler, In Mast Furling Mainsail +3 sec/mi, MGM<50% of E +3 sec/mi

Boat Name Sailor Dog **Sail #** 1798 **Max Headsail** 110 **I:** 44 *Symmetric Spin?* No **LOA:** 34.5 **Displacement:** 11950
Boat Type Catalina 34 1&2 **Rating:** 156 **DW Rating:** 652 **Certificate Date** 3/20/2024 *Rig Data:* **Rig Type** MS **E:** 12 *Asymmetric Spin?* Yes **Beam:** 11.7 **Engine** IB
Displacement used for DW Rating: 13606 **Mast Material** ALUMN **ISP:** 44 **SLE:** 38 **SLU:** 40.5 **ASMG:** 22.5 **ASF:** 20.5 **Draft:** 5.6 **Prop Type** Feath
Certified PHRF Data on file?

Modifications on file: In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi

Boat Name Santorini **Sail #** 38607 **Max Headsail** 105 **I:** 42.67 *Symmetric Spin?* No **LOA:** 32.83 **Displacement:** 9325
Boat Type Beneteau 323 SD **Rating:** 159 **DW Rating:** **Certificate Date** 1/23/2024 *Rig Data:* **Rig Type** MS **E:** 13.17 *Asymmetric Spin?* No **Beam:** 10.75 **Engine** IB
Displacement used for DW Rating: 0 **Mast Material** ALUMN **ISP:** **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4.25 **Prop Type** Fixed 3
Certified PHRF Data on file?

Modifications on file:

Boat Name O'Mar **Sail #** 28258 **Max Headsail** 155 **I:** 32 **Symmetric Spin?** Yes **LOA:** 25 **Displacement:** 2900
Boat Type Olson 25 **J:** 9.583 **SL:** SSMG: SSF: SPL: **LWL:** 21.25 **Ballast:** 1300
Rating: 159 **DW Rating:** 657 **Certificate Date** 2/13/2024 **Rig Data:** **Rig Type** MS **P:** 28 31 16.5 16.5 9.58 **Beam:** 9 **Engine** OB
Displacement used for DW Rating: 2900 **Mast Material** ALUMN **E:** 10 **Asymmetric Spin?** No **Prop Type** None
Certified PHRF Data on file? **ISP:** 32 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5
JSP:

Modifications on file:

Boat Name Citlali **Sail #** 18336 **Max Headsail** 155 **I:** 32 **Symmetric Spin?** Yes **LOA:** 25 **Displacement:** 3300
Boat Type Olson 25 **J:** 9.583 **SL:** SSMG: SSF: SPL: **LWL:** 21.25 **Ballast:** 1300
Rating: 159 **DW Rating:** 673 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** MS **P:** 28 32 17.28 17.24 9.583 **Beam:** 9 **Engine** OB
Displacement used for DW Rating: 3300 **Mast Material** ALUMN **E:** 10 **Asymmetric Spin?** No **Prop Type** None
Certified PHRF Data on file? **ISP:** 32 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5
JSP:

Modifications on file:

Boat Name Sea B **Sail #** 38984 **Max Headsail** 155 **I:** 32 **Symmetric Spin?** No **LOA:** 25 **Displacement:** 2900
Boat Type Olson 25 **J:** 9.583 **SL:** SSMG: SSF: SPL: **LWL:** 21.25 **Ballast:** 1300
Rating: 159 **DW Rating:** 661 **Certificate Date** 1/18/2024 **Rig Data:** **Rig Type** MS **P:** 28 **Asymmetric Spin?** No **Engine** OB
Displacement used for DW Rating: **Mast Material** ALUMN **E:** 10 **Prop Type** None
Certified PHRF Data on file? **ISP:** 32 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5
JSP: 9.58

Modifications on file: Roller Furler

Boat Name Falkor **Sail #** 87863 **Max Headsail** 130 **I:** 32 **Symmetric Spin?** Yes **LOA:** 25 **Displacement:** 3300
Boat Type Olson 25 **J:** 9.583 **SL:** SSMG: SSF: SPL: **LWL:** 21.25 **Ballast:** 1300
Rating: 159 **DW Rating:** 674 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** MS **P:** 28 31 17.28 17.28 9.583 **Beam:** 9 **Engine** OB
Displacement used for DW Rating: 3300 **Mast Material** ALUMN **E:** 10 **Asymmetric Spin?** No **Prop Type** None
Certified PHRF Data on file? **ISP:** 32 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5
JSP:

Modifications on file: Roller Furler

Boat Name Nikkicai **Sail #** 179 **Max Headsail** I: 43.58 *Symmetric Spin?* No **LOA:** 32.5 **Displacement:** 11300
Boat Type Catalina 320 **110** **J:** 12.33 **SL:** SSMG: SSF: SPL: **LWL:** 28 **Ballast:** 4000
Rating: 159 **DW Rating:** 677 **Certificate Date** 3/20/2024 **Rig Data:** **Rig Type** P: 37.5 **E:** 13.25 *Asymmetric Spin?* No **Beam:** 11.75 **Engine** IB
Displacement used for DW Rating: 12719 **Mast Material** ISP: **SLE:** SLU: ASMG: ASF: **Draft:** 6 **Prop Type** Feath
Certified PHRF Data on file? **ALUMN** **JSP:**

Modifications on file:

Boat Name Diana **Sail #** 190 **Max Headsail** I: 30 *Symmetric Spin?* No **LOA:** 28.2 **Displacement:** 5700
Boat Type ALERION EXPRESS 28 ODR **90** **J:** 9.75 **SL:** SSMG: SSF: SPL: **LWL:** 22.8 **Ballast:** 2200
Rating: 168 **DW Rating:** 701 **Certificate Date** 3/14/2024 **Rig Data:** **Rig Type** P: 33 **E:** 12.5 *Asymmetric Spin?* No **Beam:** 8.2 **Engine** IB
Displacement used for DW Rating: 5700 **Mast Material** ISP: **SLE:** SLU: ASMG: ASF: **Draft:** 4.5 **Prop Type** FOLD
Certified PHRF Data on file? **ALUMN** **JSP:**

Modifications on file:

Boat Name Zenaida **Sail #** 38079 **Max Headsail** I: 30 *Symmetric Spin?* Yes **LOA:** 28.25 **Displacement:** 5700
Boat Type ALERION EXPRESS 28 ODR **90** **J:** 9.75 **SL:** SSMG: SSF: SPL: **LWL:** 22.83 **Ballast:** 2200
Rating: 168 **DW Rating:** 695 **Certificate Date** 1/16/2024 **Rig Data:** **Rig Type** P: 33 29.96 17.55 15.77 9.75 **E:** 12.5 *Asymmetric Spin?* No **Beam:** 8.2 **Engine** IB
Displacement used for DW Rating: 5700 **Mast Material** ISP: **SLE:** SLU: ASMG: ASF: **Draft:** 4.5 **Prop Type** FOLD
Certified PHRF Data on file? **ALUMN** **JSP:**

Modifications on file:

Boat Name Sweet De **Sail #** 254 **Max Headsail** I: 30 *Symmetric Spin?* No **LOA:** 28.25 **Displacement:** 5700
Boat Type Alerion Express 28 **90** **J:** 9.75 **SL:** SSMG: SSF: SPL: **LWL:** 22.83 **Ballast:** 2200
Rating: 168 **DW Rating:** 703 **Certificate Date** 1/16/2024 **Rig Data:** **Rig Type** P: 33 **E:** 12.5 *Asymmetric Spin?* Yes **Beam:** 8.2 **Engine** IB
Displacement used for DW Rating: 5700 **Mast Material** ISP: 30 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5 **Prop Type** Fold
Certified PHRF Data on file? **ALUMN** **JSP:** 9.75 27.44 31.5 15.43 15.73

Modifications on file: (Mtg 2/24/20, +6 Sec/mi for class jib)

Boat Name **Allegro Non Troppo** Sail # 188 Max Headsail 90 I: 30 *Symmetric Spin?* Yes LOA: 28.25 Displacement: 5700
Boat Type Alerion Express 28 ODR 188 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rating: 168 DW Rating: 695 Certificate Date 1/17/2024 *Rig Data:* Rig Type FS P: 33 29.75 17.5 17.5 9.75 Beam: 8.2 Engine IB
Displacement used for DW Rating: 5700 Mast Material ALUMN E: 12.5 *Asymmetric Spin?* No Draft: 4.5 Prop Type Fold
Certified PHRF Data on file? ISP: 30 SLE: SLU: ASMG: ASF: 0
JSP: 9.75

Modifications on file:

Boat Name **Second Wind** Sail # 77010 Max Headsail 155 I: 30.75 *Symmetric Spin?* YES LOA: 24.58 Displacement: 2785
Boat Type Capri 25 77010 J: 9.83 SL: SSMG: SSF: SPL: LWL: 19.17 Ballast: 900
Rating: 168 DW Rating: 693 Certificate Date 1/17/2024 *Rig Data:* Rig Type MS P: 26.5 30.65 17.69 17.69 9.83 Beam: 9.17 Engine OB
Displacement used for DW Rating: 2785 Mast Material ALUMN E: 9.5 *Asymmetric Spin?* No Draft: 4.17 Prop Type None
Certified PHRF Data on file? ISP: 30.75 SLE: SLU: ASMG: ASF:
JSP:

Modifications on file:

Boat Name **Living Happy** Sail # 38818 Max Headsail 94 I: 40.35 *Symmetric Spin?* YES LOA: 32.25 Displacement: 7716
Boat Type Beneteau 311 38818 J: 11.35 SL: SSMG: SSF: SPL: LWL: 28.67 Ballast: 2425
Rating: 168 DW Rating: 624 Certificate Date 1/23/2024 *Rig Data:* Rig Type FS P: 36.61 38 20.4 20.4 11 Beam: 10.5 Engine IB
Displacement used for DW Rating: 7716 Mast Material ALUMN E: 13.19 *Asymmetric Spin?* Yes Draft: 4.67 Prop Type Fixed 2
Certified PHRF Data on file? ISP: 39 SLE: SLU: ASMG: ASF: 30.33 33.92 14.5 18.25
JSP: 11

Modifications on file: Roller Furler

Boat Name **Froglips** Sail # 2392 Max Headsail 150 I: 26.25 *Symmetric Spin?* Yes LOA: 24 Displacement: 3100
Boat Type J 24 ODR 2392 J: 9.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 965
Rating: 168 DW Rating: 694 Certificate Date 1/17/2024 *Rig Data:* Rig Type FS P: 28 26.5 17.13 17.03 9.5 Beam: 8.92 Engine OB
Displacement used for DW Rating: 2870 Mast Material ALUMN E: 9.75 *Asymmetric Spin?* No Draft: 4 Prop Type None
Certified PHRF Data on file? ISP: 26.25 SLE: SLU: ASMG: ASF:
JSP:

Modifications on file:

Boat Name Anna Lu **Sail #** 529 **Max Headsail** I: 28.75 *Symmetric Spin?* Yes **LOA:** 24.5 **Displacement:** 3000
Boat Type Merit 25 **Rating:** 168 **DW Rating:** 696 **Certificate Date** 1/16/2024 *Rig Data:* **J:** 9.66 **SL:** SSMG: SSF: SPL: 28.8 17.38 17.38 9.66 **LWL:** 20.5 **Ballast:** 1050
Displacement used for DW Rating: 3286 **Rig Type** FS *Asymmetric Spin?* No **Beam:** 8 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 28.75 **SLE:** SLU: ASMG: ASF: **Draft:** 3.98 **Prop Type** None
ISP: 28.75 **JSP:**

Modifications on file:

Boat Name Movin On Up **Sail #** 662 **Max Headsail** I: 26.25 *Symmetric Spin?* YES **LOA:** 24 **Displacement:** 3100
Boat Type J 24 ODR **Rating:** 168 **DW Rating:** 694 **Certificate Date** 2/20/2024 *Rig Data:* **J:** 9.5 **SL:** SSMG: SSF: SPL: 26.5 17 16.8 9.5 **LWL:** 20 **Ballast:** 965
Displacement used for DW Rating: 2870 **Rig Type** FS *Asymmetric Spin?* No **Beam:** 8.92 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 26.25 **SLE:** SLU: ASMG: ASF: **Draft:** 4 **Prop Type** None
ISP: 26.25 **JSP:**

Modifications on file:

Boat Name Chesapeake **Sail #** 18245 **Max Headsail** I: 28.75 *Symmetric Spin?* Yes **LOA:** 24.5 **Displacement:** 3000
Boat Type Merit 25 **Rating:** 168 **DW Rating:** 696 **Certificate Date** 1/16/2024 *Rig Data:* **J:** 9.66 **SL:** SSMG: SSF: SPL: 29 17 16.75 9.66 **LWL:** 20.5 **Ballast:** 1050
Displacement used for DW Rating: 3286 **Rig Type** FS *Asymmetric Spin?* No **Beam:** 8 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 28.75 **SLE:** SLU: ASMG: ASF: **Draft:** 4 **Prop Type** None
ISP: 28.75 **JSP:**

Modifications on file:

Boat Name Mirthmaker **Sail #** 1 **Max Headsail** I: 26.25 *Symmetric Spin?* YES **LOA:** 24 **Displacement:** 3100
Boat Type J 24 ODR **Rating:** 168 **DW Rating:** 694 **Certificate Date** 1/19/2024 *Rig Data:* **J:** 9.5 **SL:** SSMG: SSF: SPL: 26.5 17 16.8 9.5 **LWL:** 20 **Ballast:** 965
Displacement used for DW Rating: 2870 **Rig Type** FS *Asymmetric Spin?* No **Beam:** 8.916 **Engine** OB
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 26.25 **SLE:** SLU: ASMG: ASF: **Draft:** 4 **Prop Type** None
ISP: 26.25 **JSP:**

Modifications on file:

Boat Name Sobrante **Sail #** 143 **Max Headsail** 150 **I:** 42.75 *Symmetric Spin?* No **LOA:** 32.75 **Displacement:** 10200
Boat Type Catalina 309 WK **Rating:** 177 **DW Rating:** **Certificate Date** 1/23/2024 *Rig Data:* **Rig Type** FS **E:** 13.75 *Asymmetric Spin?* No **Beam:** 11.5 **Engine** IB
Displacement used for DW Rating: 0 **Mast Material** ALUMN **ISP:** *SLE:* *SLU:* *ASMG:* *ASF:* **Prop Type** Fold
Certified PHRF Data on file? **JSP:** **Draft:** 4.33

Modifications on file:

Boat Name Mutual Fun **Sail #** 38911 **Max Headsail** 100 **I:** 39.5 *Symmetric Spin?* Yes **LOA:** 30 **Displacement:** 8500
Boat Type Newport 30-2 **Rating:** 177 **DW Rating:** **Certificate Date** 2/13/2024 *Rig Data:* **Rig Type** MS **E:** 10.25 *Asymmetric Spin?* No **Beam:** 10.5 **Engine** IB
Displacement used for DW Rating: 8500 **Mast Material** ALUMN **ISP:** 39.5 *SLE:* *SLU:* *ASMG:* *ASF:* **Prop Type** FOLD
Certified PHRF Data on file? **JSP:** **Draft:** 4.75

Modifications on file:

Boat Name Galaxsea **Sail #** 28743 **Max Headsail** 104 **I:** 51 *Symmetric Spin?* Yes **LOA:** 43.6 **Displacement:** 34000
Boat Type Custom Nauticat 43.5 **Rating:** 180 **DW Rating:** 636 **Certificate Date** 1/16/2024 *Rig Data:* **Rig Type** KTCH **E:** 13.6 *Asymmetric Spin?* Yes **Beam:** 12.2 **Engine** IB
Displacement used for DW Rating: 35679 **Mast Material** ALUMN **ISP:** *SLE:* *SLU:* *ASMG:* *ASF:* **Prop Type** FEATH
Certified PHRF Data on file? **JSP:** 20.6 **Draft:** 5.9

Modifications on file: Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"

Boat Name Starkite **Sail #** 8427 **Max Headsail** 155 **I:** 41 *Symmetric Spin?* Yes **LOA:** 29.92 **Displacement:** 10200
Boat Type Catalina 30 **Rating:** 180 **DW Rating:** 688 **Certificate Date** 1/18/2024 *Rig Data:* **Rig Type** MS **E:** 11.5 *Asymmetric Spin?* No **Beam:** 10.83 **Engine** IB
Displacement used for DW Rating: 10200 **Mast Material** ALUMN **ISP:** 41 *SLE:* *SLU:* *ASMG:* *ASF:* **Prop Type** FOLD
Certified PHRF Data on file? **JSP:** **Draft:** 5.25

Modifications on file:

Boat Name Grace **Sail #** 11 **Max Headsail** 155 **I:** 23.9 **Symmetric Spin?** YES **LOA:** 27.17 **Displacement:** 4000
Boat Type H Boat **J:** 9.28 **SL:** SSMG: SSF: SPL: **LWL:** 20.67 **Ballast:** 4000
Rating: 186 **DW Rating:** 715 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** FS **P:** 28.54 **24 16 15.42 7.75** **Beam:** 7.15 **Engine** OB
Displacement used for DW Rating: 4000 **E:** 9.84 **Asymmetric Spin?** No **Draft:** 4.27 **Prop Type** None
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 23.95 **SLE:** SLU: ASMG: ASF: **Draft:** 4.27
JSP:

Modifications on file:

Boat Name Sweet Pea **Sail #** 195 **Max Headsail** 155 **I:** 38.5 **Symmetric Spin?** Yes **LOA:** 30 **Displacement:** 8600
Boat Type Islander 30-2 **J:** 12.58 **SL:** SSMG: SSF: SPL: **LWL:** 24.58 **Ballast:** 3500
Rating: 186 **DW Rating:** 684 **Certificate Date** 1/16/2024 **Rig Data:** **Rig Type** MS **P:** 32.5 **38.6 22.5 22.5 12.42** **Beam:** 10 **Engine** IB
Displacement used for DW Rating: 8600 **E:** 11.58 **Asymmetric Spin?** Yes **Draft:** 5 **Prop Type** FOLD
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 38.42 **SLE:** SLU: ASMG: ASF: **Draft:** 5
JSP: 31.68 35 22.64 17.69

Modifications on file: (Mtg 9/30/19, -6 sec/mi for genoa)(7/29/20, removed 185% genoa)

Boat Name Schocktail **Sail #** 77963 **Max Headsail** 150 **I:** 26.5 **Symmetric Spin?** Yes **LOA:** 24.58 **Displacement:** 2400
Boat Type Santana 525 **J:** 8.75 **SL:** SSMG: SSF: SPL: **LWL:** 18.5 **Ballast:** 950
Rating: 189 **DW Rating:** 693 **Certificate Date** 1/16/2024 **Rig Data:** **Rig Type** FS **P:** 29 **26 15.5 15.5 8.75** **Beam:** 9.33 **Engine** OB
Displacement used for DW Rating: 0 **E:** 10 **Asymmetric Spin?** No **Draft:** 4.25 **Prop Type** None
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 26.5 **SLE:** SLU: ASMG: ASF: **Draft:** 4.25
JSP:

Modifications on file:

Boat Name Loki **Sail #** 8108 **Max Headsail** 150 **I:** 26.5 **Symmetric Spin?** Yes **LOA:** 24.58 **Displacement:** 2400
Boat Type Santana 525 **J:** 8.75 **SL:** SSMG: SSF: SPL: **LWL:** 18.5 **Ballast:** 950
Rating: 189 **DW Rating:** 696 **Certificate Date** 1/23/2024 **Rig Data:** **Rig Type** FS **P:** 29 **24.7 15 15 8.75** **Beam:** 9.33 **Engine** OB
Displacement used for DW Rating: 0 **E:** 10 **Asymmetric Spin?** No **Draft:** 4.25 **Prop Type** None
Certified PHRF Data on file? **Mast Material** ALUMN **ISP:** 26.5 **SLE:** SLU: ASMG: ASF: **Draft:** 4.25
JSP:

Modifications on file:

Boat Name **Splash!** **Sail #** 3898 **Max Headsail** 150 **I:** 36 **Symmetric Spin?** Yes **LOA:** 26.58 **Displacement:** 6700
Boat Type CAL 27-2 IB **J:** 12 **SL:** SSMG: SSF: SPL: **LWL:** 22.08 **Ballast:** 3100
Rating: 207 **DW Rating:** 716 **Certificate Date** 1/19/2024 **Rig Data:** **Rig Type** MS **P:** ##### **E:** 10.25 **Asymmetric Spin?** No **Beam:** 9.33 **Engine** IB
Displacement used for DW Rating: 6700 **Mast Material** ALUMN **ISP:** 36 **SLE:** SLU: ASMG: ASF: **Draft:** 4.25 **Prop Type** Fixed 2
Certified PHRF Data on file? **JSP:**

Modifications on file:

Boat Name **Evenstar** **Sail #** 6404 **Max Headsail** 155 **I:** 27.54 **Symmetric Spin?** Yes **LOA:** 23.67 **Displacement:** 3400
Boat Type Ranger 23 **J:** 9.75 **SL:** SSMG: SSF: SPL: **LWL:** 20 **Ballast:** 1500
Rating: 216 **DW Rating:** 725 **Certificate Date** 1/16/2024 **Rig Data:** **Rig Type** MS **P:** 24 **E:** 9.2 **Asymmetric Spin?** No **Beam:** 7.92 **Engine** OB
Displacement used for DW Rating: 3400 **Mast Material** ALUMN **ISP:** 27.5 **SLE:** SLU: ASMG: ASF: **Draft:** 3.9 **Prop Type** None
Certified PHRF Data on file? **JSP:** 9.7

Modifications on file:

Boat Name **Picante** **Sail #** 1 **Max Headsail** 110 **I:** 33.8 **Symmetric Spin?** No **LOA:** 27.9 **Displacement:** 7000
Boat Type Islander Bahama 28 SM **J:** 11.75 **SL:** SSMG: SSF: SPL: **LWL:** 23 **Ballast:** 3000
Rating: 219 **DW Rating:** 622 **Certificate Date** 3/20/2024 **Rig Data:** **Rig Type** MS **P:** 28 **E:** 8.2 **Asymmetric Spin?** Yes **Beam:** 9.8 **Engine** IB
Displacement used for DW Rating: 7000 **Mast Material** ALUMN **ISP:** **SLE:** SLU: ASMG: ASF: **Draft:** 5.5 **Prop Type** Fixed 3
Certified PHRF Data on file? **JSP:** 11.75

Modifications on file:

Boat Name **Tortuga** **Sail #** 207 **Max Headsail** 110 **I:** 31.2 **Symmetric Spin?** No **LOA:** 32 **Displacement:** 19500
Boat Type Westsail 32 **J:** 18.4 **SL:** SSMG: SSF: SPL: **LWL:** 27.6 **Ballast:** 7000
Rating: 219 **DW Rating:** 691 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** CTR **P:** 39.7 **E:** 14.5 **Asymmetric Spin?** No **Beam:** 11 **Engine** IB
Displacement used for DW Rating: 19500 **Mast Material** ALUMN **ISP:** **SLE:** SLU: ASMG: ASF: **Draft:** 5 **Prop Type** FOLD
Certified PHRF Data on file? **JSP:**

Modifications on file:

Boat Name Sparky **Sail #** 1498 **Max Headsail** 145 **I:** 29 **Symmetric Spin?** Yes **LOA:** 25 **Displacement:** 4550
Boat Type Catalina 25 FK **J:** 10.5 **SL:** 28.66 **SSMG:** 16.5 **SSF:** 16.41 **SPL:** 10.5 **LWL:** 22.16 **Ballast:** 1900
Rating: 222 **DW Rating:** 714 **Certificate Date** 1/17/2024 **Rig Data:** **Rig Type** MS **E:** 9.58 **Asymmetric Spin?** Yes **Beam:** 8 **Engine** OB
Displacement used for DW Rating: 4550 **Mast Material** ALUMN **ISP:** 29 **SLE:** 25.5 **SLU:** 29.9 **ASMG:** 15.5 **ASF:** 17.9 **Draft:** 4 **Prop Type** None
Certified PHRF Data on file? **JSP:** 10.5

Modifications on file:

Boat Name Hula **Sail #** 88 **Max Headsail** 125 **I:** 44 **Symmetric Spin?** Yes **LOA:** 32 **Displacement:** 19500
Boat Type Westsail 32 MOD **J:** 18.3 **SL:** 45.1 **SSMG:** 29.8 **SSF:** 25.9 **SPL:** 18.3 **LWL:** 27.5 **Ballast:** 7000
Rating: 222 **DW Rating:** 681 **Certificate Date** 2/6/2024 **Rig Data:** **Rig Type** CTR **E:** 13.2 **Asymmetric Spin?** No **Beam:** 11 **Engine** IB
Displacement used for DW Rating: **Mast Material** ALUMN **ISP:** 44 **SLE:** 42.8 **SLU:** 46.4 **ASMG:** 26.7 **ASF:** 26.7 **Draft:** 5 **Prop Type** Feath
Certified PHRF Data on file? **JSP:** 18.3

Modifications on file: (Mtg 1/2020, +3 sec/mi for small "E")

Boat Name The Mighty Windsong **Sail #** 567 **Max Headsail** 155 **I:** 26 **Symmetric Spin?** Yes **LOA:** 25.75 **Displacement:** 5000
Boat Type International Folkboat OB **J:** 8.3 **SL:** 27.13 **SSMG:** 14.89 **SSF:** 4.92 **SPL:** 8.36 **LWL:** 19.75 **Ballast:** 2750
Rating: 228 **DW Rating:** 805 **Certificate Date** 1/18/2024 **Rig Data:** **Rig Type** MS **E:** 11.2 **Asymmetric Spin?** No **Beam:** 7.5 **Engine** OB
Displacement used for DW Rating: 10817 **Mast Material** ALUMN **ISP:** 26 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4 **Prop Type** None
Certified PHRF Data on file? **JSP:** 8.3

Modifications on file:

Boat Name Brandy **Sail #** 5160 **Max Headsail** 155 **I:** 26 **Symmetric Spin?** YES **LOA:** 22 **Displacement:** 2600
Boat Type Santana 22 **J:** 8.5 **SL:** 26 **SSMG:** 15.44 **SSF:** 15.44 **SPL:** 8.58 **LWL:** 18.67 **Ballast:** 1230
Rating: 234 **DW Rating:** 741 **Certificate Date** 2/20/2024 **Rig Data:** **Rig Type** MS **E:** 9.83 **Asymmetric Spin?** No **Beam:** 7.83 **Engine** OB
Displacement used for DW Rating: 2600 **Mast Material** ALUMN **ISP:** 26 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 3.5 **Prop Type** None
Certified PHRF Data on file? **JSP:** 8.58

Modifications on file:

Boat Name Recluse

Sail #

Max Headsail

I: 22

Symmetric Spin? Yes

LOA: 20

Displacement: 1950

Boat Type Cal 20

1715

115

J: 7.33

SL: SSMG: SSF: SPL:

LWL: 18

Ballast: 900

Rating: 273 DW Rating: 757

Certificate Date 3/12/2024

Rig Data:

Rig Type

P: 23

22 13.2 13.2 7.33

Beam: 7

Engine OB

Displacement used for DW Rating: 1950

FS

E: 10

Asymmetric Spin? No

Draft: 3.33

Prop Type None

Certified PHRF Data on file?

Mast Material

ISP: 22

SLE: SLU: ASMG: ASF:

ALUMN

JSP:

Modifications on file:

Boat Name Can O' Whoopass

Sail #

Max Headsail

I: 22

Symmetric Spin? Yes

LOA: 20

Displacement: 2000

Boat Type CAL 20

624

115

J: 7.33

SL: SSMG: SSF: SPL:

LWL: 18.1

Ballast: 900

Rating: 273 DW Rating: 743

Certificate Date 1/18/2024

Rig Data:

Rig Type

P: 23

22 13.2 13.2 7.33

Beam: 7

Engine OB

Displacement used for DW Rating: 1950

FS

E: 10

Asymmetric Spin? No

Draft: 3.33

Prop Type None

Certified PHRF Data on file?

Mast Material

ISP: 22

SLE: SLU: ASMG: ASF:

ALUMN

JSP: 7.33

Modifications on file: (mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)

Boat Name Lady Bug

Sail #

Max Headsail

I: 22

Symmetric Spin? Yes

LOA: 20

Displacement: 1950

Boat Type Cal 20

1541

115

J: 7.33

SL: SSMG: SSF: SPL:

LWL: 18.1

Ballast: 900

Rating: 273 DW Rating: 742

Certificate Date 1/16/2024

Rig Data:

Rig Type

P: 23

22 13.2 13.2 7.33

Beam: 7

Engine OB

Displacement used for DW Rating: 1950

FS

E: 10

Asymmetric Spin? No

Draft: 3.33

Prop Type None

Certified PHRF Data on file?

Mast Material

ISP: 22

SLE: SLU: ASMG: ASF:

ALUMN

JSP: 7.33

Modifications on file: