

NCPHRF - CURRENT FLEET ROSTER

This Roster lists the boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 1/23/2025

Boat Name Zephyrus **Sail #** 69011
Boat Type Riechel/Pugh Turbo 77
Rating: -99 **DW Rating:** 427 **Certificate Date** 1/10/2025
 Displacement used for DW Rating: 31947
 Certified PHRF Data on file?

Rig Data:

Max Headsail I: 85.37 **Symmetric Spin?** No **LOA:** 77.67 **Displacement:** 31939
 128 **J:** 35 **SL: SSMG: SSF: SPL:** **LWL:** 65.2 **Ballast:** 12300
Rig Type P: 87.34 35 **Beam:** 14.78 **Engine:** IB
 FS **E:** 30.5 **Asymmetric Spin?** Yes **Prop Type:** FOLD
Mast Material ISP: 94.94 **SLE: SLU: ASMG: ASF:** **Draft:** 14.12
 CARBON **JSP:** 35 88.35 103.41 56.66 56.1

Modifications on file: (mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from -129 to -99 after review of appeal)

Boat Name C cubed **Sail #** 38136
Boat Type Wyliecat 60
Rating: -81 **DW Rating:** 465 **Certificate Date** 1/7/2025
 Displacement used for DW Rating:
 Certified PHRF Data on file?

Rig Data:

Max Headsail I: **Symmetric Spin?** No **LOA:** 60 **Displacement:** 16480
J: **SL: SSMG: SSF: SPL:** **LWL:** 53.33 **Ballast:** 8841
Rig Type P: 68.5 **Beam:** 11.92 **Engine:** IB
 CAT **E:** 33.75 **Asymmetric Spin?** No **Prop Type:** Fixed_2
Mast Material ISP: **SLE: SLU: ASMG: ASF:** **Draft:** 11
 CARBON **JSP:**

Modifications on file: (mtg 11/30/21, Custom rating of -81 assigned)

Boat Name Astra **Sail #** 407
Boat Type Farr 400 ODR
Rating: -18 **DW Rating:** 480 **Certificate Date** 1/13/2025
 Displacement used for DW Rating: 8642
 Certified PHRF Data on file?

Rig Data:

Max Headsail I: 51.18 **Symmetric Spin?** No **LOA:** 38.71 **Displacement:** 8642
 100 **J:** 14.6 **SL: SSMG: SSF: SPL:** **LWL:** 36.42 **Ballast:** 4806
Rig Type P: 52.98 **Beam:** 11.22 **Engine:** IB
 FS **E:** 19.03 **Asymmetric Spin?** Yes **Prop Type:** Feath
Mast Material ISP: 58.53 **SLE: SLU: ASMG: ASF:** **Draft:** 9.51
 CARBON **JSP:** 22.38 55.38 66.4 38.46 37.5

Modifications on file:

Boat Name Rufless
Boat Type J 125
Rating: -12 DW Rating: 492 Certificate Date 1/6/2025
Displacement used for DW Rating: 9781
Certified PHRF Data on file?

Sail #
2125

Rig Data:

Max Headsail I: 49.16
145 J: 14.8
Rig Type P: 46.68
FS E: 17.95
Mast Material ISP: 52.26
CARBON JSP: 22.85

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
52.5 59.6 36.6 38.6

LOA: 41
LWL: 37
Beam: 10.6
Draft: 7.9

Displacement: 8350
Ballast: 4646
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Bodacious +
Boat Type 1D 48
Rating: -12 DW Rating: 505 Certificate Date 1/9/2025
Displacement used for DW Rating: 17334
Certified PHRF Data on file?

Sail #
48005

Rig Data:

Max Headsail I: 57.7
125 J: 16.7
Rig Type P: 61.3
FS E: 22.5
Mast Material ISP: 68.3
CARBON JSP: 16.7

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
66.7 33.1 32.6 16.7
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
65.7 67.7 30.1 30.1

LOA: 48.3
LWL: 40.2
Beam: 14.2
Draft: 10.1

Displacement: 19743
Ballast: 8818
Engine: IB
Prop Type: Fold

Modifications on file: Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11, switched to J length SPL, switched to smaller symmetric & asymeric spinnaker, +9 sec/mi, change custom rating from -24 to -15)(Mtg 9/22/11, removed asymmetrical spinnakers, +3 sec./mi. Change custom rating from -15 to -12)(1/24/13, New rudder noted, NCTR)(Mtg 8/28/14, -3 sec/mi for 10% increase in symmetrical spinnaker area)(5/28/20, switched to 125% headsail, +3 sec/mi. Change custom rating from -15 to -12)

Boat Name Arsenal
Boat Type J 125
Rating: -12 DW Rating: 477 Certificate Date 12/11/2024
Displacement used for DW Rating: 9694
Certified PHRF Data on file?

Sail #
52125

Rig Data:

Max Headsail I: 48.622
124 J: 20.105
Rig Type P: 46.75
FS E: 17.979
Mast Material ISP: 52
CARBON JSP: 23.4

Symmetric Spin? No
SL: SSMG: SSF: SPL:
23.4
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
52.133 60.04 38.386 39.37

LOA: 41
LWL: 37
Beam: 10.6
Draft: 7.9

Displacement: 9350
Ballast: 4646
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Changabang
Boat Type Open 40
Rating: 6 DW Rating: 485 Certificate Date 12/3/2024
Displacement used for DW Rating: 11858
Certified PHRF Data on file?

Sail #
31

Rig Data:

Max Headsail I: 50.7
88 J: 16.4
Rig Type P: 53.7
FS E: 20
Mast Material ISP: 56.2
CARBON JSP: 22.7

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
55.8 64.6 36.6 38.7

LOA: 40
LWL: 40
Beam: 14.4
Draft: 9.8

Displacement: 10350
Ballast: 4122
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 8/23/21, Custom rating assigned of 6, when water ballast is disabled, -3 when water ballast is enabled)

Boat Name Kahoots **Sail #** 87477
Boat Type Andrews 43
Rating: 18 **DW Rating:** 552 **Certificate Date** 12/3/2024
 Displacement used for DW Rating: 16804
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 154 I: 56.98 J: 16.5 P: 50.09 E: 17.78
 Rig Type MS
 Mast Material ALUMN
 Symmetric Spin? Yes
 Asymmetric Spin? Yes
 LOA: 43.48
 LWL: 36.7
 Beam: 12.87
 Draft: 8.86
 Displacement: 15251
 Ballast: 6581
 Engine: IB
 Prop Type: Fold

Modifications on file: (Mtg 1/21/19, custom rating assigned. As Sailed: 15)(Mtg 10/26/20, change custom rating from 15 to 21)(Mtg 1/24/22, added 26" sprit, -3 sec/mi. Change custom rating from 21 to 18)

Boat Name eXpresso **Sail #** 60874
Boat Type XP-44
Rating: 18 **DW Rating:** 545 **Certificate Date** 12/14/2024
 Displacement used for DW Rating: 21738
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 106 I: 59.46 J: 16.3 P: 57.74 E: 18.7
 Rig Type FS
 Mast Material CARBON
 Symmetric Spin? No
 Asymmetric Spin? Yes
 LOA: 43.6
 LWL: 39
 Beam: 13.35
 Draft: 8.86
 Displacement: 21738
 Ballast: 8488
 Engine: IB
 Prop Type: Fold

Modifications on file: Extended sprit, deep rudder, hydraulic backstay

Boat Name Acey Deucy **Sail #** 97659
Boat Type J 44
Rating: 21 **DW Rating:** 562 **Certificate Date** 12/9/2024
 Displacement used for DW Rating: 23350
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 155 I: 60.606 J: 17.08 P: 53.51 E: 19.41
 Rig Type MS
 Mast Material ALUMN
 Symmetric Spin? Yes
 Asymmetric Spin? Yes
 LOA: 44.83
 LWL: 38.58
 Beam: 13.67
 Draft: 8.14
 Displacement: 22770
 Ballast: 9000
 Engine: IB
 Prop Type: FOLD

Modifications on file: Electric Winches

Boat Name Mazu **Sail #** 50103
Boat Type J 130 DK CM
Rating: 21 **DW Rating:** 529 **Certificate Date** 12/9/2024
 Displacement used for DW Rating: 18000
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 155 I: 57 J: 16.5 P: 52.5 E: 18.5
 Rig Type FS
 Mast Material CARBON
 Symmetric Spin? No
 Asymmetric Spin? Yes
 LOA: 43.58
 LWL: 38.17
 Beam: 12.67
 Draft: 8.5
 Displacement: 17000
 Ballast: 6350
 Engine: IB
 Prop Type: Feath

Modifications on file:

Boat Name Saoirse **Sail #** 51597 **Max Headsail** 100 **I:** 55.5 **Symmetric Spin?** No **LOA:** 41 **Displacement:** 15270
Boat Type Tripp 41 **J:** 15.9 **SL:** SSMG: SSF: SPL: **LWL:** 37.1 **Ballast:** 5300
Rating: 24 **DW Rating:** 537 **Certificate Date** 1/14/2025 **Rig Data:** **Rig Type** FS **P:** 56.6 **Asymmetric Spin?** Yes **Beam:** 12.5 **Engine:** IB
Displacement used for DW Rating: **Mast Material** CARBON **ISP:** 58.25 **SLE:** SLU: ASMG: ASF: **Draft:** 8.7 **Prop Type:** Fold
Certified PHRF Data on file? **JSP:** 20.9 57.776 64.534 30.676 36.385
Modifications on file: (Mtg 11/29/21, Custom Rating of 12 assigned)(1/24/22, -3 sec/mi for tweener sail. Change custom rating from 12 to 9)(04/25/22, removed tweener sail, rating changed from 9 back to 12)(Mtg 1/14/25, custom rating changed from 12 to 24 after boat review)

Boat Name Nuckelavee **Sail #** 208 **Max Headsail** 105 **I:** 40.86 **Symmetric Spin?** No **LOA:** 31.76 **Displacement:** 3988
Boat Type Melges 32 ODR **J:** 10.7 **SL:** SSMG: SSF: SPL: **LWL:** 28.5 **Ballast:** 1600
Rating: 27 **DW Rating:** 494 **Certificate Date** 12/14/2024 **Rig Data:** **Rig Type** FS **P:** 44.05 **Asymmetric Spin?** Yes **Beam:** 9.83 **Engine:** OB
Displacement used for DW Rating: 3988 **Mast Material** CARBON **ISP:** 48.3 **SLE:** SLU: ASMG: ASF: **Draft:** 7 **Prop Type:** None
Certified PHRF Data on file? **JSP:** 18.7 46.9 55.75 31.3 31.8
Modifications on file: (mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)(Mtg 5/21/18, +6 sec/mi for short ISP)(8/15/19, Boat returned to stock ODR configuration)

Boat Name Kuai **Sail #** 7676 **Max Headsail** 105 **I:** 40.86 **Symmetric Spin?** No **LOA:** 31.84 **Displacement:** 4200
Boat Type Melges 32 MOD **J:** 10.7 **SL:** SSMG: SSF: SPL: **LWL:** 28.5 **Ballast:** 1600
Rating: 27 **DW Rating:** 497 **Certificate Date** 12/18/2024 **Rig Data:** **Rig Type** FS **P:** 44.05 **Asymmetric Spin?** Yes **Beam:** 9.83 **Engine:** OB
Displacement used for DW Rating: 3828 **Mast Material** CARBON **ISP:** 48.3 **SLE:** SLU: ASMG: ASF: **Draft:** 7 **Prop Type:** None
Certified PHRF Data on file? **JSP:** 18.7 46.9 55.75 31.31 31.82
Modifications on file: (Mtg 4/29/19, Class OB switched out, 50# lead brick added)

Boat Name Wildcard **Sail #** 37005 **Max Headsail** 107 **I:** 47.1 **Symmetric Spin?** No **LOA:** 37 **Displacement:** 8662
Boat Type Santa Cruz 37 **J:** 13.4 **SL:** SSMG: SSF: SPL: **LWL:** 34.75 **Ballast:** 3730
Rating: 27 **DW Rating:** 521 **Certificate Date** 1/6/2025 **Rig Data:** **Rig Type** FS **P:** 47 **Asymmetric Spin?** Yes **Beam:** 10.64 **Engine:** IB
Displacement used for DW Rating: 9339 **Mast Material** CARBON **ISP:** 52.17 **SLE:** SLU: ASMG: ASF: **Draft:** 7.5 **Prop Type:** FOLD
Certified PHRF Data on file? **JSP:** 19 50.85 59.7 33.3 33.3
Modifications on file: (Mtg 1/26/16, new keel box & rudder noted, NCTR)

Boat Name Defiant	Sail #	Max Headsail	I:	57	<i>Symmetric Spin?</i> Yes	LOA:	43	Displacement:	18000
Boat Type J 133 CM MOD	54574	145	J:	17.25	SL: SSMG: SSF: SPL:	LWL:	37.83	Ballast:	7250
Rating: 30	DW Rating: 557	Certificate Date 12/3/2024	Rig Data:	Rig Type	P:	54	59 33.5 32.75 18.17	Beam:	12.75
Displacement used for DW Rating:	20000			FS	E:	18.6	<i>Asymmetric Spin?</i> Yes	Draft:	7.5
Certified PHRF Data on file?	<input type="checkbox"/>			Mast Material	ISP:	60.4	SLE: SLU: ASMG: ASF:	Prop Type:	Fold
				CARBON	JSP:	18.17	57.2 62.9 32.1 34.5		

Modifications on file: (mtg 11/30/23, +6 sec/mi for small spinnaker, +6 sec/mi for no sprit, -3 sec/mi for articulation, -3 sec/mi for 145% headsail)

Boat Name Swift Ness	Sail #	Max Headsail	I:	48.37	<i>Symmetric Spin?</i> No	LOA:	36.5	Displacement:	9300
Boat Type J 111	101	105	J:	13.85	SL: SSMG: SSF: SPL:	LWL:	32.7	Ballast:	3500
Rating: 36	DW Rating: 547	Certificate Date 1/13/2025	Rig Data:	Rig Type	P:	45.17		Beam:	10.8
Displacement used for DW Rating:	9300			FS	E:	14.5	<i>Asymmetric Spin?</i> Yes	Draft:	7.2
Certified PHRF Data on file?	<input type="checkbox"/>			Mast Material	ISP:	51.4	SLE: SLU: ASMG: ASF:	Prop Type:	Fold
				CARBON	JSP:	20.08	46.88 59.05 31.8 31.8		

Modifications on file:

Boat Name Festina Lente	Sail #	Max Headsail	I:	64.14	<i>Symmetric Spin?</i> No	LOA:	48.72	Displacement:	36000
Boat Type Hanse 505	17	104	J:	19.19	SL: SSMG: SSF: SPL:	LWL:	44.42	Ballast:	8818
Rating: 42	DW Rating: 544	Certificate Date 12/12/2024	Rig Data:	Rig Type	P:	57.74	18.8	Beam:	15.58
Displacement used for DW Rating:				FS	E:	19.69	<i>Asymmetric Spin?</i> Yes	Draft:	7.87
Certified PHRF Data on file?	<input type="checkbox"/>			Mast Material	ISP:	64.3	SLE: SLU: ASMG: ASF:	Prop Type:	Fold
				ALUMN	JSP:	21.69	61.35 68.24 33.3 36.25		

Modifications on file: Inner Forestay Added, NCTR (Mtg 6/24/24, added SPL, -3 sec/mi for articulation)

Boat Name Free	Sail #	Max Headsail	I:	64.96	<i>Symmetric Spin?</i> No	LOA:	46.09	Displacement:	39000
Boat Type Swan 461	46117	105	J:	16.76	SL: SSMG: SSF: SPL:	LWL:	40.29	Ballast:	12400
Rating: 42	DW Rating: 569	Certificate Date 12/22/2024	Rig Data:	Rig Type	P:	59.05		Beam:	14.01
Displacement used for DW Rating:	33693			MS	E:	19.35	<i>Asymmetric Spin?</i> Yes	Draft:	7.55
Certified PHRF Data on file?	<input checked="" type="checkbox"/>			Mast Material	ISP:	66.6	SLE: SLU: ASMG: ASF:	Prop Type:	Fold
				CARBON	JSP:	20.07	64.63 74.47 36.09 33.04		

Modifications on file: (Mtg 4/25/18, Custom Rating of 45 assigned)(Mtg 4/24/23, -3 sec/mi for Code 0)

Boat Name Chance
Boat Type J 120 ALUM
Rating: 45 DW Rating: 550 Certificate Date 12/22/2024
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 50.5 J: 14.5 P: 46.3
Rig Type FS E: 17.8
Mast Material ALUMN ISP: 52 JSP: 21.5
Symmetric Spin? No
Asymmetric Spin? Yes
LOA: 40 LWL: 35 Beam: 12 Draft: 7
Displacement: 13900 Ballast: 6000 Engine: IB Prop Type: FOLD

Boat Name Shake & Bake
Boat Type Farr X2
Rating: 45 DW Rating: 554 Certificate Date 1/1/2025
Displacement used for DW Rating: 5924
Certified PHRF Data on file?

Modifications on file: (Mtg 11/27/23, -9 sec/mi for water ballast. Boat rates 45 when water ballast is enabled, 54 when water ballast is disabled)

Rig Data:
Max Headsail 105 I: 38.88 J: 14.11 P: 40.03
Rig Type FS E: 13.45
Mast Material CARBON ISP: 43.96 JSP: 18.37
Symmetric Spin? No
Asymmetric Spin? Yes
LOA: 30.18 LWL: 28.61 Beam: 10.33 Draft: 6.89
Displacement: 5401 Ballast: 1973 Engine: IB Prop Type: Fold

Boat Name Jamani
Boat Type J 120 ALUM
Rating: 45 DW Rating: 543 Certificate Date 12/4/2024
Displacement used for DW Rating: 14799
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 50.5 J: 14.5 P: 46.5
Rig Type FS E: 17.8
Mast Material ALUMN ISP: 52 JSP: 21.5
Symmetric Spin? No
Asymmetric Spin? Yes
LOA: 40 LWL: 35 Beam: 12 Draft: 7
Displacement: 13900 Ballast: 6000 Engine: IB Prop Type: FOLD

Boat Name Peregrine
Boat Type J 120 Carbon
Rating: 45 DW Rating: 557 Certificate Date 1/13/2025
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 150 I: 50.5 J: 14.5 P: 46.5
Rig Type FS E: 17.8
Mast Material CARBON ISP: 52 JSP: 52.5
Symmetric Spin? No
Asymmetric Spin? Yes
LOA: 40 LWL: 35 Beam: 12 Draft: 7
Displacement: 13900 Ballast: 6000 Engine: IB Prop Type: Fold

Boat Name Quiver **Sail #** 28669
Boat Type Custom Nelson Marek 36
Rating: 45 **DW Rating:** 550 **Certificate Date** 1/14/2025
 Displacement used for DW Rating: 7300
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 105 I: 43.85 J: 12.5 P: 45.75
 Rig Type FS E: 16.47
 Mast Material CARBON ISP: 51.9 JSP: 14.57
 SLE: 47.57 SLU: 57.4 ASMG: 28.34 ASF: 26.24

Symmetric Spin? Yes
Asymmetric Spin? Yes

LOA: 35.6
 LWL: 29.32
 Beam: 10.3
 Draft: 7.6

Displacement: 7725
 Ballast: 3255
 Engine: IB
 Prop Type: FOLD

Modifications on file: (mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)

Boat Name Jubilant **Sail #** 3958
Boat Type J 112e GP
Rating: 48 **DW Rating:** 582 **Certificate Date** 12/13/2024
 Displacement used for DW Rating: 12339
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 105 I: 49.02 J: 14.01 P: 45.6
 Rig Type FS E: 15.35
 Mast Material CARBON ISP: 52.36 JSP: 20.11
 SLE: 50.52 SLU: 54.99 ASMG: 33.3 ASF: 32.217

Symmetric Spin? No
Asymmetric Spin? Yes

LOA: 36
 LWL: 31.73
 Beam: 11.81
 Draft: 7.28

Displacement: 11814
 Ballast: 4195
 Engine: IB
 Prop Type: Fold

Modifications on file: (Mtg 4/29/24, -3 sec/mi for increased spinnaker area)

Boat Name Kira **Sail #** 38104
Boat Type Aerodyne 38 SD
Rating: 48 **DW Rating:** 534 **Certificate Date** 12/16/2024
 Displacement used for DW Rating: 11850
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 105 I: 50.82 J: 14.5 P: 51.75
 Rig Type FS E: 16.5
 Mast Material ALUMN ISP: 57.25 JSP: 20.83
 SLE: 58.5 SLU: 65.5 ASMG: 40 ASF: 39.5

Symmetric Spin? No
Asymmetric Spin? Yes

LOA: 37.66
 LWL: 34.21
 Beam: 13
 Draft: 6

Displacement: 11850
 Ballast: 4150
 Engine: IB
 Prop Type: Fixed_2

Modifications on file: Power Winches

Boat Name Lucky Duck **Sail #** 38904
Boat Type J 90 Mod
Rating: 48 **DW Rating:** 530 **Certificate Date** 12/3/2024
 Displacement used for DW Rating: 3400
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 155 I: 35.4 J: 10.5 P: 35.8
 Rig Type FR E: 14.5
 Mast Material CARBON ISP: 40 JSP: 18
 SLE: 39.7 SLU: 49.8 ASMG: 28.1 ASF: 28.8

Symmetric Spin? No
Asymmetric Spin? Yes

LOA: 30
 LWL: 27
 Beam: 8.5
 Draft: 6.5

Displacement: 3400
 Ballast: 1865
 Engine: OB
 Prop Type: FOLD

Modifications on file: (Rudder changes noted, NCTR 1/13/03)(Added battery and kelp cutter 3-05)

Boat Name Sapphire
Boat Type Synergy 1000
Rating: 48 DW Rating: 537 Certificate Date 1/6/2025
Displacement used for DW Rating: 5027
Certified PHRF Data on file?

Sail #
38008

Rig Data:

Max Headsail I: 40.8
125 J: 12
Rig Type P: 42
FS E: 15.5
Mast Material ISP: 45.75
CARBON JSP: 16.4

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.2 52 28.8 28

LOA: 32.83
LWL: 29.17
Beam: 9.75
Draft: 7

Displacement: 4400
Ballast: 1850
Engine: IB
Prop Type: FOLD

Modifications on file: (Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)

Boat Name Alchera
Boat Type J 120 Mod
Rating: 51 DW Rating: 559 Certificate Date 12/16/2024
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Sail #
28870

Rig Data:

Max Headsail I: 50.5
125 J: 14.5
Rig Type P: 46.5
FS E: 17.57
Mast Material ISP: 52
CARBON JSP: 21.55

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.99 57.96 30.6 34

LOA: 40
LWL: 35
Beam: 12
Draft: 7

Displacement: 13900
Ballast: 6000
Engine: IB
Prop Type: FOLD

Modifications on file: Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +3 sec/mi for small spinnaker, + 3 sec/mi for small headsail)

Boat Name Loon
Boat Type Saffier SE37
Rating: 54 DW Rating: 567 Certificate Date 1/14/2025
Displacement used for DW Rating: 10582
Certified PHRF Data on file?

Sail #
8

Rig Data:

Max Headsail I: 45.29
86 J: 14.21
Rig Type P: 42.65
FS E: 16.4
Mast Material ISP: 47.25
CARBON JSP: 18.54

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.28 49.05 14.5 14.14

LOA: 39.37
LWL: 32.8
Beam: 11.32
Draft: 6.89

Displacement: 10582
Ballast: 4520
Engine: IB
Prop Type: Fold

Modifications on file: Harken Rewind Electronic Winches

Boat Name Q
Boat Type Custom Schumacher 40
Rating: 54 DW Rating: 564 Certificate Date 12/14/2024
Displacement used for DW Rating: 10166
Certified PHRF Data on file?

Sail #
28901

Rig Data:

Max Headsail I: 47
105 J: 14.67
Rig Type P: 47.5
FS E: 18.35
Mast Material ISP: 47
CARBON JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
46.8 26.41 26.41 14.67
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 40
LWL: 31.5
Beam: 11
Draft: 7.6

Displacement: 10166
Ballast: 4528
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Frequent Flyer	Sail # 52	Max Headsail 104	I: 38.2	Symmetric Spin? Yes	LOA: 30.9	Displacement: 4561
Boat Type Mumm/Farr 30			J: 10.9	SL: SSMG: SSF: SPL:	LWL: 27.6	Ballast: 1997
Rating: 54 DW Rating: 552 Certificate Date 1/7/2025		Rig Type FS	P: 40.5	44.58 25.25 24.67 13.58	Beam: 10.1	Engine: IB
Displacement used for DW Rating: 4561		Mast Material CARBON	E: 14.6	Asymmetric Spin? Yes	Draft: 6.9	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 44.9	SLE: SLU: ASMG: ASF:		
			JSP: 13.58	41.33 46.92 23.67 25.25		

Modifications on file:

Boat Name Rocketship	Sail # 0	Max Headsail 175	I: 58.4	Symmetric Spin? Yes	LOA: 46.08	Displacement: 25794
Boat Type Hanse 458			J: 18.04	SL: SSMG: SSF: SPL:	LWL: 40	Ballast: 7495
Rating: 54 DW Rating: Certificate Date 12/10/2024		Rig Type MS	P: 54.95	Asymmetric Spin? No	Beam: 14.33	Engine: IB
Displacement used for DW Rating: 25794		Mast Material ALUMN	E: 19.52	SLE: SLU: ASMG: ASF:	Draft: 7.33	Prop Type: Fixed_3
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 62.664			
			JSP:			

Modifications on file: (Mtg 12/9/24, -6 sec/mi for tweener headsail)

Boat Name Liberte	Sail # 0	Max Headsail 109	I: 58.14	Symmetric Spin? No	LOA: 44.75	Displacement: 23356
Boat Type Beneteau Oceanis 46.1 SM			J: 18.7	SL: SSMG: SSF: SPL:	LWL: 43.42	Ballast: 6028
Rating: 54 DW Rating: Certificate Date 12/18/2024		Rig Type FS	P: 54.36	Asymmetric Spin? No	Beam: 14.75	Engine: IB
Displacement used for DW Rating: 23356		Mast Material ALUMN	E: 18.47	SLE: SLU: ASMG: ASF:	Draft: 7.75	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 58.17			
			JSP: 21.67			

Modifications on file: (Mtg 5/20/24, +3 sec/mi for in-mast furling mainsail, -3 sec/mi for electric sheeting winches)

Boat Name Orca	Sail # 50090	Max Headsail 125	I: 35.6	Symmetric Spin? No	LOA: 30	Displacement: 3400
Boat Type J 90 M0D			J: 10.5	SL: SSMG: SSF: SPL:	LWL: 27	Ballast: 1595
Rating: 54 DW Rating: 536 Certificate Date 12/16/2024		Rig Type FR	P: 38.85	Asymmetric Spin? Yes	Beam: 8.5	Engine: OB
Displacement used for DW Rating:		Mast Material CARBON	E: 14.5	SLE: SLU: ASMG: ASF:	Draft: 6.5	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 43.1			
			JSP: 18	40.1 47 22.95 26.25		

Modifications on file: (Mtg 4/28/11, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB, -3 sec/mi)(1/24/13, new rudder noted, NCTR)(Mtg 10/26/17, +3 sec/mi for smaller mainsail, +3 sec/mi for smaller asymmetrical)

Boat Name Mr Chocolate
Boat Type Saffier SE37
Rating: 54 DW Rating: 588 Certificate Date 12/5/2024
Displacement used for DW Rating: 10582
Certified PHRF Data on file?

Sail #
6

Rig Data:

Max Headsail I: 42.65
108 J: 14.44
Rig Type P: 42.7
FS E: 16.4
Mast Material ISP: 45.28
CARBON JSP: 14.21

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41.8 52.94 26.41 27

LOA: 36.1
LWL: 32
Beam: 11.4
Draft: 6.89

Displacement: 10582
Ballast: 4520
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Ferox
Boat Type Pogo 36
Rating: 57 DW Rating: 518 Certificate Date 1/7/2025
Displacement used for DW Rating: 7937
Certified PHRF Data on file?

Sail #
6

Rig Data:

Max Headsail I: 46.62
110 J: 17.12
Rig Type P: 45.53
MS E: 14.1
Mast Material ISP: 50.6
ALUMN JSP: 21.65

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
48.49 56.88 27.78 31.12

LOA: 36.63
LWL: 35.32
Beam: 13.12
Draft: 9

Displacement: 7937
Ballast: 2403
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Ventana
Boat Type Beneteau Oceanis 46.1 SM
Rating: 57 DW Rating: 535 Certificate Date 12/22/2024
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
38130

Rig Data:

Max Headsail I: 58.17
105 J: 18.67
Rig Type P: 54.33
FS E: 18.5
Mast Material ISP: 58.17
ALUMN JSP: 21.67

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
57.68 64.17 30.18 34.25

LOA: 44.75
LWL: 43.42
Beam: 14.75
Draft: 7.75

Displacement: 23356
Ballast: 6028
Engine: IB
Prop Type: Fold

Modifications on file: Powered Winches. (1/13/20, +3 secmi for in-mast furling mainsail)

Boat Name Outsider
Boat Type Azzura 310
Rating: 57 DW Rating: 540 Certificate Date 1/6/2025
Displacement used for DW Rating: 4748
Certified PHRF Data on file?

Sail #
1000

Rig Data:

Max Headsail I: 35.35
110 J: 11.55
Rig Type P: 38.75
FS E: 13.25
Mast Material ISP: 43.33
CARBON JSP: 21.57

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.7 47.01 32.7 30.1

LOA: 30.75
LWL: 27.4
Beam: 10
Draft: 7.2

Displacement: 4850
Ballast: 2100
Engine: OB
Prop Type: Fixed_3

Modifications on file: 6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with outboard. Boat weighed with calibrated scale on 8/9/06 (Mtg 8/17/06 - +3 s/m for small headsail; -3 s/m for outboard)(Mtg 3/19/09, LWL changed noted, NCTR, boat now meets Sportboat classification)

Boat Name Quiver
Boat Type Santa Cruz 40
Rating: 57 DW Rating: 537 Certificate Date 1/6/2025
Displacement used for DW Rating: 10500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 52 Symmetric Spin? YES LOA: 40 Displacement: 10500
135 J: 16 SL: SSMG: SSF: SPL: LWL: 36 Ballast: 5500
Rig Type P: 45.5 51.59 28.8 28.6 16 Beam: 12 Engine: IB
MS E: 14 Asymmetric Spin? No
Mast Material ISP: 52 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 16 Draft: 7

Boat Name Jet Stream
Boat Type Custom JS 9000
Rating: 60 DW Rating: 544 Certificate Date 1/9/2025
Displacement used for DW Rating: 2425
Certified PHRF Data on file?

Modifications on file: (Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 63)(7/27/17, New mainsail, change rating from 63 to 60)

Rig Data:
Max Headsail I: 27.08 Symmetric Spin? No LOA: 29.9 Displacement: 2425
87 J: 9.5 SL: SSMG: SSF: SPL: LWL: 27.9 Ballast: 1543
Rig Type P: 30.84 Beam: 5.7 Engine: OB
FS E: 10.171 Asymmetric Spin? Yes
Mast Material ISP: 30.25 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 15.5 30.1 35.8 20.1 21.8 Draft: 6.8

Boat Name Invictus
Boat Type Jeanneau Sunfast 3600
Rating: 60 DW Rating: 580 Certificate Date 12/13/2024
Displacement used for DW Rating: 10362
Certified PHRF Data on file?

Modifications on file: (Mtg 11/30/17, -3 sec/mi for oversized asymmetric spinnaker)(mtg 1/25/21, removed Asymmetric Spinnaker, added smaller symmetric spinnaker on a shorter pole. +3 sec/mi for smaller spinnaker area, +3 sec/mi for shorter spl, -3 sec/mi for articulation)(Mtg 1/24/22, -3 sec/mi for increased spinnaker area)

Rig Data:
Max Headsail I: 46.58 Symmetric Spin? Yes LOA: 35.42 Displacement: 10362
105 J: 13.83 SL: SSMG: SSF: SPL: LWL: 31.25 Ballast: 4850
Rig Type P: 44.25 47.9 29.85 29.85 16.32 Beam: 11.67 Engine: IB
FS E: 15.08 Asymmetric Spin? No
Mast Material ISP: 48 SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: 13.83 48.85 55.12 32.55 31.99 Draft: 7

Boat Name Take Five
Boat Type Cape Fear 38 R
Rating: 60 DW Rating: 572 Certificate Date 1/14/2025
Displacement used for DW Rating: 12400
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 50 Symmetric Spin? No LOA: 37.75 Displacement: 12400
104 J: 13.75 SL: SSMG: SSF: SPL: LWL: 34 Ballast: 5075
Rig Type P: 48 Beam: 11 Engine: IB
FS E: 17.2 Asymmetric Spin? Yes
Mast Material ISP: 54 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 16 39 49 24 29 Draft: 7.2

Boat Name Soliton
Boat Type Synergy 1000
Rating: 60 DW Rating: 555 Certificate Date 12/3/2024
Displacement used for DW Rating: 4900
Certified PHRF Data on file?

Sail #
60412

Rig Data:

Max Headsail I: 40.75
125 J: 16.3
Rig Type P: 41.86
FS E: 15.33
Mast Material ISP: 40.8
CARBON JSP: 16.3

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.89 44.29 21.72 26.15

LOA: 32.83
LWL: 29.17
Beam: 9.75
Draft: 7

Displacement: 4800
Ballast: 2188
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 1/24/22, +3 sec/mi for switching to IB Sail Drive, +9 sec/mi for smaller spinnaker area, +3 sec/mi for shorter ISP/Switch to FS)

Boat Name Sama
Boat Type Dehler 38
Rating: 63 DW Rating: 602 Certificate Date 12/22/2024
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
38137

Rig Data:

Max Headsail I: 49.54
105 J: 14.3
Rig Type P: 47.57
FS E: 17.06
Mast Material ISP: 49.86
ALUMN JSP: 14.3

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
47.7 53 26.5 25.5

LOA: 37.07
LWL: 34.12
Beam: 12.3
Draft: 6.56

Displacement: 15652
Ballast: 4960
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Greyhound
Boat Type Viper 830
Rating: 63 DW Rating: 549 Certificate Date 1/21/2025
Displacement used for DW Rating: 2500
Certified PHRF Data on file?

Sail #
50951

Rig Data:

Max Headsail I: 35.7
105 J: 10.1
Rig Type P: 35.7
MS E: 13.3
Mast Material ISP: 37.75
CARBON JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
33.75 44 22 23

LOA: 27.7
LWL: 25
Beam: 8.5
Draft: 7.16

Displacement: 2500
Ballast: 1543
Engine: OB
Prop Type: None

Modifications on file: Roller Furler

Boat Name Raven
Boat Type C&C 115 ODR
Rating: 63 DW Rating: 580 Certificate Date 1/9/2025
Displacement used for DW Rating: 13152
Certified PHRF Data on file?

Sail #
38108

Rig Data:

Max Headsail I: 52.17
106 J: 14.5
Rig Type P: 49.33
FS E: 16.33
Mast Material ISP: 52.17
CARBON JSP: 14.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
51.78 28.4 28.4 15.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
47.3 53.3 22.5 24.7

LOA: 37.75
LWL: 33
Beam: 11.92
Draft: 6.67

Displacement: 11800
Ballast: 4200
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Jeannette	Sail #	Max Headsail	I:	47.2	<i>Symmetric Spin?</i> Yes	LOA:	39.5	Displacement:	11918
Boat Type Custom Frers 40 IOR 1 Tonner	40646	100	J:	13.7	SL: SSMG: SSF: SPL:	LWL:	33	Ballast:	6000
Rating: 63 DW Rating: 572 Certificate Date 12/17/2024		Rig Type	P:	51.48	46.69 24.66 24.66 13.7	Beam:	12.6	Engine:	IB
Displacement used for DW Rating: 11918		FS	E:	18.76	<i>Asymmetric Spin?</i> No	Draft:	8.1	Prop Type:	FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	13.7	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:						

Modifications on file: (mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)

Boat Name Sun Dragon	Sail #	Max Headsail	I:	40.91	<i>Symmetric Spin?</i> No	LOA:	32.78	Displacement:	7716
Boat Type Jeanneau Sun Fast 3300	33070	100	J:	13.78	SL: SSMG: SSF: SPL:	LWL:	29.16	Ballast:	3086
Rating: 63 DW Rating: 584 Certificate Date 12/14/2024		Rig Type	P:	39.39		Beam:	11.18	Engine:	IB
Displacement used for DW Rating: 7716		FS	E:	14.59	<i>Asymmetric Spin?</i> Yes	Draft:	6.41	Prop Type:	Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	44.23	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	17.55	45.37 50.31 28.81 30.54				

Modifications on file:

Boat Name About Time	Sail #	Max Headsail	I:	53.84	<i>Symmetric Spin?</i> Yes	LOA:	41	Displacement:	16314
Boat Type X-412	40041	100	J:	16.01	SL: SSMG: SSF: SPL:	LWL:	34.2	Ballast:	7716
Rating: 66 DW Rating: 579 Certificate Date 12/10/2024		Rig Type	P:	47.24	53.36 28.82 28.82 16	Beam:	12.7	Engine:	IB
Displacement used for DW Rating: 16314		MS	E:	15.41	<i>Asymmetric Spin?</i> Yes	Draft:	6.9	Prop Type:	FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	53.84	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:		49.6 53.8 25.4 26.9				

Modifications on file: Electric Main Halyard winch, roller furler

Boat Name 'io	Sail #	Max Headsail	I:	28.83	<i>Symmetric Spin?</i> No	LOA:	27.73	Displacement:	2500
Boat Type Antrim 27 C	38124	125	J:	8.17	SL: SSMG: SSF: SPL:	LWL:	23.75	Ballast:	1225
Rating: 66 DW Rating: 543 Certificate Date 12/3/2024		Rig Type	P:	33.75		Beam:	9.25	Engine:	OB
Displacement used for DW Rating: 2518		FS	E:	13.8	<i>Asymmetric Spin?</i> Yes	Draft:	6	Prop Type:	None
Certified PHRF Data on file? <input checked="" type="checkbox"/>		Mast Material	ISP:	36.98	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	15.22	35.26 42.35 23.19 22.86				

Modifications on file: Carbon Hull & Deck. (Mtg 1/20/20, -3 sec/mi for carbon mods)(Mtg 10/26/20, change penalty for carbon mods from -3 sec/mi to -9 sec/mi)(Mtg 5/23/22, new smaller mainsail, +3 sec/mi)(1/11/23, switching back to larger mainsail, remove +3 sec/mi credit)(3/22/24, back to smaller main sail, +3 sec/mi credit)(Mtg 4/29/24, -3 sec/mi for spinnaker area increase)

Boat Name Quixote
Boat Type Elan 40 DK
Rating: 66 DW Rating: 590 Certificate Date 1/14/2025
Displacement used for DW Rating: 15873
Certified PHRF Data on file?

Sail #
61504

Rig Data:

Max Headsail I: 50.03
120 J: 14.27
Rig Type P: 49
MS E: 17.7
Mast Material ISP: 54
ALUMN JSP: 15.55

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
49.7 26.3 23.9 14.27
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
48 53.8 20.9 23

LOA: 39.01
LWL: 33.6
Beam: 12.4
Draft: 8

Displacement: 15873
Ballast: 5621
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg , -3 sec/mi for masthead kite)

Boat Name Sir Edmund
Boat Type Custom Covey Island 49
Rating: 69 DW Rating: 567 Certificate Date 1/21/2025
Displacement used for DW Rating: 28116
Certified PHRF Data on file?

Sail #
52549

Rig Data:

Max Headsail I: 51.16
155 J: 15.91
Rig Type P: 46.69
MS E: 12.78
Mast Material ISP: 51.11
CARBON JSP: 18.04

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
51.84 28.48 31.04 18.04
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
51.84 51.25 28.48 29.4

LOA: 48.75
LWL: 42.51
Beam: 13.16
Draft: 9.19

Displacement: 28000
Ballast: 13000
Engine: IB
Prop Type: Feath

Modifications on file: (Mtg 4/29/23, Custom Rating of 72 assigned)(1/21/25, switched from 120 to 155 headsail, changed custom rating from 72 to 69)

Boat Name Lightspeed
Boat Type Custom Wylie 39
Rating: 69 DW Rating: 606 Certificate Date 1/14/2025
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
52839

Rig Data:

Max Headsail I: 48
100 J: 14.5
Rig Type P: 46.5
MS E: 15
Mast Material ISP: 51.83
ALUMN JSP: 14.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48.2 25.7 25.7 14.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
49.11 53.576 28.14 26.7

LOA: 39.25
LWL: 31.67
Beam: 11.42
Draft: 6.75

Displacement: 15300
Ballast: 5100
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 1/17/08 +3sec/mi for fixed prop, as sailed 72)(mtg 3/18/10, change custom rating from 72 to 84)(Mtg 2/23/12, -3 sec/mi for folding prop, as sailed 81)(Mtg 11/4/24, -3 sec/mi for >MSA, -6 sec/mi for >ASA, -3 sec/mi for >ISP, -3sec/mi for carbon mast, +3 sec/mi for small headsail. Change custom rating from 81 to 69)

Boat Name Lindo
Boat Type J 109 ODR w/108^ m
Rating: 72 DW Rating: 596 Certificate Date 12/4/2024
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Sail #
195

Rig Data:

Max Headsail I: 46.5
110 J: 13.3
Rig Type P: 43.3
FS E: 15.5
Mast Material ISP: 49
ALUMN JSP: 18.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
43.3
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.63 56.33 27.2 27.75

LOA: 35.25
LWL: 30.5
Beam: 11.5
Draft: 7

Displacement: 10900
Ballast: 3900
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Elan
Boat Type Express 37
Rating: 72 DW Rating: 591 Certificate Date 1/10/2025
Displacement used for DW Rating: 10539
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.75
155 J: 14.33
Rig Type P: 42
MS E: 13.75
Mast Material ISP: 48.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.79 25.79 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.083 Displacement: 11000
LWL: 30.833 Ballast: 4500
Beam: 11.57 Engine: IB
Draft: 7.25 Prop Type: FOLD

Boat Name Spindrift V
Boat Type Express 37
Rating: 72 DW Rating: 592 Certificate Date 1/7/2025
Displacement used for DW Rating: 11158
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.75
150 J: 14.33
Rig Type P: 42
MS E: 13.75
Mast Material ISP: 48.75
ALUMN JSP: 14.33

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.7 25.7 14.33
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.28 50.2 26.25 24.1

LOA: 37.08 Displacement: 11000
LWL: 30.83 Ballast: 4500
Beam: 11.57 Engine: IB
Draft: 7.25 Prop Type: FOLD

Boat Name La Viajera
Boat Type J 109 ODR w/108^ m
Rating: 72 DW Rating: 598 Certificate Date 12/10/2024
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46.5
105 J: 13.3
Rig Type P: 43.25
FS E: 15.5
Mast Material ISP: 49.6
ALUMN JSP: 18.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.63 56.33 27.2 27.75

LOA: 35.25 Displacement: 10900
LWL: 30.5 Ballast: 3900
Beam: 11.5 Engine: IB
Draft: 7 Prop Type: Fold

Boat Name Punk Dolphin
Boat Type Custom Wylie 38
Rating: 72 DW Rating: 596 Certificate Date 1/3/2025
Displacement used for DW Rating: 11495
Certified PHRF Data on file?

Modifications on file: (3/3/20, added 125% headsail, +3 sec/mi, change custom rating from 72 to 75)(1/3/25, switching back to 150% headsail, change custom rating from 75 to 72)

Rig Data:

Max Headsail I: 48
150 J: 14.33
Rig Type P: 43
MS E: 14
Mast Material ISP: 48
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.8 25 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38 Displacement: 14400
LWL: 31 Ballast: 5000
Beam: 11.6 Engine: IB
Draft: 6.75 Prop Type: FOLD

Boat Name Zephyr
Boat Type J 109 ODR w/108^ m
Rating: 72 DW Rating: 599 Certificate Date 1/13/2025
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46.5
105 J: 13.3
Rig Type P: 43.25
FS E: 15.5
Mast Material ISP: 49
ALUMN JSP: 18.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.63 56.33 27.2 27.75

LOA: 35.25
LWL: 30.5
Beam: 11.5
Draft: 7

Displacement: 10900
Ballast: 3900
Engine: IB
Prop Type: FOLD

Boat Name White Rose
Boat Type Sabre 426
Rating: 72 DW Rating: 601 Certificate Date 12/3/2024
Displacement used for DW Rating: 24000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 56.5
110 J: 16.6
Rig Type P: 49.5
MS E: 17.5
Mast Material ISP: 56.5
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
51.24 58.73 32.28 29.85

LOA: 42.5
LWL: 36
Beam: 13.42
Draft: 6.88

Displacement: 24000
Ballast: 8400
Engine: IB
Prop Type: Fold

Boat Name Reverie
Boat Type J 109 ODR w/108^ m
Rating: 72 DW Rating: 603 Certificate Date 12/5/2024
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46.5
105 J: 13.3
Rig Type P: 43.25
FS E: 15.5
Mast Material ISP: 49.6
ALUMN JSP: 18.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.63 56.33 27.2 27.75

LOA: 32.25
LWL: 30.5
Beam: 11.5
Draft: 7

Displacement: 10900
Ballast: 3900
Engine: IB
Prop Type: Fold

Boat Name Lion
Boat Type Express 37
Rating: 72 DW Rating: 586 Certificate Date 1/10/2025
Displacement used for DW Rating: 10207
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.9
150 J: 14.33
Rig Type P: 42
MS E: 13.9
Mast Material ISP: 48.9
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.79 25.79 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.33
LWL: 30.83
Beam: 11.5
Draft: 7.25

Displacement: 11000
Ballast: 4500
Engine: IB
Prop Type: Fold

Boat Name Wind Dancer **Sail #**
29
Boat Type J 99
Rating: 72 DW Rating: 599 **Certificate Date** 12/4/2024
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 43.47 *Symmetric Spin?* No
102 J: 12.56 SL: SSMG: SSF: SPL:
Rig Type P: 41.8
FS E: 14.3 *Asymmetric Spin?* Yes
Mast Material ISP: 47.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: 16.73 45.2 53.5 27.85 26

LOA: 32.6 Displacement: 8415
LWL: 28.6 Ballast: 3480
Beam: 11.18 Engine: IB
Draft: 6.54 Prop Type: Fold

Boat Name Latency **Sail #**
108
Boat Type J 99
Rating: 72 DW Rating: 592 **Certificate Date** 12/13/2024
Displacement used for DW Rating: 8788
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42.894 *Symmetric Spin?* No
100 J: 12.598 SL: SSMG: SSF: SPL:
Rig Type P: 41.798
FS E: 14.288 *Asymmetric Spin?* Yes
Mast Material ISP: 47.405 SLE: SLU: ASMG: ASF:
ALUMN JSP: 16.781 45.932 53.97 29.823 26.706

LOA: 32.6 Displacement: 8415
LWL: 28.6 Ballast: 3350
Beam: 11.18 Engine: IB
Draft: 6.54 Prop Type: Fold

Boat Name Mymble **Sail #**
57141
Boat Type J 99
Rating: 72 DW Rating: 530 **Certificate Date** 12/2/2024
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Modifications on file: (Mtg 3/25/24, -3 sec/mi for tweener sail)(12/2/24, tweener sail removed +3 sec/mi)

Rig Data:

Max Headsail I: 43.37 *Symmetric Spin?* No
105 J: 12.56 SL: SSMG: SSF: SPL:
Rig Type P: 41.8
FS E: 14.3 *Asymmetric Spin?* Yes
Mast Material ISP: 47.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: 16.73 41.83 43.79 27.44 26.37

LOA: 32.6 Displacement: 8415
LWL: 28.6 Ballast: 3350
Beam: 11.18 Engine: IB
Draft: 6.54 Prop Type: Fold

Boat Name Tangoroa **Sail #**
311
Boat Type J 109 ODR w/108^ m
Rating: 72 DW Rating: 603 **Certificate Date** 12/14/2024
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46.5 *Symmetric Spin?* No
105 J: 13.3 SL: SSMG: SSF: SPL:
Rig Type P: 43.25
FS E: 15.5 *Asymmetric Spin?* Yes
Mast Material ISP: 49 SLE: SLU: ASMG: ASF:
ALUMN JSP: 18.8 45.63 56.33 27.2 27.75

LOA: 32.25 Displacement: 10900
LWL: 30.5 Ballast: 3900
Beam: 11.5 Engine: IB
Draft: 7 Prop Type: Fold

Boat Name Phat Jack **Sail #** 18257
Boat Type Express 37
Rating: 72 DW Rating: 587 **Certificate Date** 1/7/2025
Displacement used for DW Rating: 10207
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.75
150 J: 14.33
Rig Type P: 42
MS E: 13.75
Mast Material ISP: 48.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.7 25.7 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 37.08 Displacement: 11000
LWL: 30.83 Ballast: 4500
Beam: 11.57 Engine: IB
Draft: 7.25 Prop Type: FEATH

Boat Name PICO **Sail #** 131
Boat Type J 99
Rating: 72 DW Rating: 602 **Certificate Date** 1/10/2025
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 43.37
105 J: 12.56
Rig Type P: 41.8
FS E: 14.3
Mast Material ISP: 47.25
ALUMN JSP: 16.73

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
44.62 52.25 26.24 25.79

LOA: 32.6 Displacement: 8415
LWL: 28.6 Ballast: 3417
Beam: 11.18 Engine: IB
Draft: 6.54 Prop Type: Fold

Boat Name Tivoli **Sail #** 46612
Boat Type Beneteau 42S7 First DK SM
Rating: 72 DW Rating: 585 **Certificate Date** 1/13/2025
Displacement used for DW Rating: 18220
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 50.89
125 J: 14.27
Rig Type P: 47.41
FS E: 17.22
Mast Material ISP: 50.89
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
50.21 25.6 25 14.27
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 42.6 Displacement: 18220
LWL: 35.9 Ballast: 6283
Beam: 13.6 Engine: IB
Draft: 7.7 Prop Type: FOLD

Boat Name Oaxaca 2 **Sail #** 52
Boat Type J 40
Rating: 72 DW Rating: 587 **Certificate Date** 1/14/2025
Displacement used for DW Rating: 17564
Certified PHRF Data on file?

Modifications on file: (Mtg 1/14/25, -3 sec/mi for oversized spinnaker)

Rig Data:

Max Headsail I: 50
135 J: 14.67
Rig Type P: 44.25
MS E: 18
Mast Material ISP: 50
ALUMN JSP: 14.67

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
50 28.13 28.13 15.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 40.35 Displacement: 17564
LWL: 35.48 Ballast: 6500
Beam: 12.067 Engine: IB
Draft: 6.47 Prop Type: Fold

Boat Name Willow **Sail #** 38300
Boat Type Wauquiez 40s Centurion
Rating: 72 **DW Rating:** 579 **Certificate Date** 12/3/2024
 Displacement used for DW Rating: 18960
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 110 I: 51.5 J: 14.17 P: 49.21
 Rig Type FS E: 19.3
 Mast Material ALUMN ISP: 51.5 JSP: 46.75
 Symmetric Spin? No
 Asymmetric Spin? Yes

LOA: 41.17 Displacement: 18960
 LWL: 36.4 Ballast: 6085
 Beam: 12.66 Engine: IB
 Draft: 7.75 Prop Type: FEATH

Modifications on file: (mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)(1 powered cabin top Halyard winch, NCTR)(Electric backstay adjuster, NCTR)(1/3/23, +3 sec/mi for non-articulation)

Boat Name Tivoli **Sail #** 50045
Boat Type Beneteau Oceanis 50
Rating: 75 **DW Rating:** 538 **Certificate Date** 1/7/2025
 Displacement used for DW Rating: 26988
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 110 I: 60.82 J: 18.43 P: 55.77
 Rig Type FS E: 18.73
 Mast Material ALUMN ISP: 60 JSP: 18.43
 Symmetric Spin? No
 Asymmetric Spin? Yes

LOA: 49.5 Displacement: 26988
 LWL: 43.67 Ballast: 9477
 Beam: 14.75 Engine: IB
 Draft: 5.75 Prop Type: Fold

Modifications on file: (Mtg 1/23/23, +3 sec/mi for in-mast furling mainsail)(Mtg 5/20/24, -3 sec/mi for oversized asymmetric)

Boat Name Raven **Sail #** 38073
Boat Type Beneteau First 35
Rating: 75 **DW Rating:** 600 **Certificate Date** 1/9/2025
 Displacement used for DW Rating: 12125
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 108 I: 47.24 J: 13.12 P: 45.93
 Rig Type FS E: 14.75
 Mast Material ALUMN ISP: 51.48 JSP: 51.48
 Symmetric Spin? Yes
 Asymmetric Spin? No

LOA: 36.32 Displacement: 12125
 LWL: 30.6 Ballast: 3681
 Beam: 12.76 Engine: IB
 Draft: 7.25 Prop Type: Fold

Modifications on file:

Boat Name Cascade **Sail #** 13
Boat Type Antrim 27 CM ODR
Rating: 75 **DW Rating:** 561 **Certificate Date** 1/6/2025
 Displacement used for DW Rating: 2931
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 116 I: 28.69 J: 8.17 P: 33.75
 Rig Type FS E: 14
 Mast Material CARBON ISP: 37.25 JSP: 15
 Symmetric Spin? No
 Asymmetric Spin? Yes

LOA: 27.73 Displacement: 2900
 LWL: 23.75 Ballast: 1050
 Beam: 9.25 Engine: OB
 Draft: 6 Prop Type: None

Modifications on file:

Boat Name Basic Instinct	Sail # 8123	Max Headsail 125	I: 41	Symmetric Spin? No	LOA: 34.42	Displacement: 10220
Boat Type Custom Elliott 10.50			J: 12.5	SL: SSMG: SSF: SPL:	LWL: 31.83	Ballast: 3000
Rating: 75 DW Rating: 580 Certificate Date 12/6/2024		Rig Type FS	P: 44.2	45.6 27 27 15	Beam: 12.08	Engine: IB
Displacement used for DW Rating: 10220		Mast Material ALUMN	E: 17.5	Asymmetric Spin? Yes	Draft: 7	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 45.6	SLE: SLU: ASMG: ASF:		
			JSP: 15	41.25 49 27.35 27		

Modifications on file: (mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from -6 sec/mi to -3 sec/mi, change rating from 63 to 66)(10/26/09, removed Asymmetric Spinnaker, change rating from 66 to 69)(Mtg 10/27/16, +3 sec/mi for non articulating sprit/no spl)(05/02/19, added spl back, remove +3 sec/mi credit)(Mtg 5/20/19, +3 sec/mi for 10% reduction in MSA)

Boat Name Bullet	Sail # 40311	Max Headsail 125	I: 48.75	Symmetric Spin? Yes	LOA: 37.08	Displacement: 11000
Boat Type Express 37			J: 14.33	SL: SSMG: SSF: SPL:	LWL: 30.83	Ballast: 4600
Rating: 75 DW Rating: 591 Certificate Date 12/9/2024		Rig Type MS	P: 42	48 25.79 25.79 14.33	Beam: 11.57	Engine: IB
Displacement used for DW Rating: 10659		Mast Material ALUMN	E: 13.75	Asymmetric Spin? No	Draft: 7.25	Prop Type: FOLD
Certified PHRF Data on file? <input checked="" type="checkbox"/>			ISP: 48.75	SLE: SLU: ASMG: ASF:		
			JSP:			

Modifications on file: Roller Furler

Boat Name Mirthmaker	Sail # 18250	Max Headsail 90	I: 44.22	Symmetric Spin? Yes	LOA: 34.7	Displacement: 9810
Boat Type A 35			J: 12.99	SL: SSMG: SSF: SPL:	LWL: 30.47	Ballast: 4367
Rating: 75 DW Rating: 588 Certificate Date 12/13/2024		Rig Type FS	P: 44.94	51.67 26.2 24.38 14.99	Beam: 11.6	Engine: IB
Displacement used for DW Rating: 10514		Mast Material CARBON	E: 14.66	Asymmetric Spin? Yes	Draft: 6.88	Prop Type: Fold
Certified PHRF Data on file? <input checked="" type="checkbox"/>			ISP: 51.06	SLE: SLU: ASMG: ASF:		
			JSP: 14.99	49.02 53.31 21.03 26.28		

Modifications on file: (Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 69 after appeal)

Boat Name Abracadabra	Sail # 28927	Max Headsail 116	I: 28.69	Symmetric Spin? No	LOA: 27.73	Displacement: 2900
Boat Type Antrim 27 CM ODR			J: 8.17	SL: SSMG: SSF: SPL:	LWL: 23.75	Ballast: 1050
Rating: 75 DW Rating: 568 Certificate Date 1/7/2025		Rig Type FS	P: 33.75		Beam: 9.25	Engine: OB
Displacement used for DW Rating: 2900		Mast Material CARBON	E: 14	Asymmetric Spin? Yes	Draft: 6	Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 37.25	SLE: SLU: ASMG: ASF:		
			JSP: 15	38 44.2 20.1 25.1		

Modifications on file: BOWSPRINT IS ARTICULATING

Boat Name Timber Wolf	Sail #	Max Headsail	I:	43.91	<i>Symmetric Spin?</i> Yes	LOA:	38.32	Displacement: 12000
Boat Type Farr 38-1 C&B Marine	67519	155	J:	13.36	SL: SSMG: SSF: SPL:	LWL:	30.9	Ballast: 4100
Rating: 75 DW Rating: 593 Certificate Date 1/7/2025		Rig Type	P:	44.83	48 26.4 26.4 14.67	Beam:	11.97	Engine: IB
Displacement used for DW Rating: 12000		FS	E:	17.91	<i>Asymmetric Spin?</i> No	Draft:	6.39	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	47.9	SLE: SLU: ASMG: ASF:			
		ALUMN	JSP:					

Modifications on file: (REDUCED MGM, ADDED 6" TO RUDDER LENGTH -NOTED NCTR-2/15/01)(-3 sec/mi for oversized spinnaker)

Boat Name Godot 2.0	Sail #	Max Headsail	I:	40.6	<i>Symmetric Spin?</i> No	LOA:	34.5	Displacement: 7750
Boat Type J 105 ODR w/ 5'BS	28905	95	J:	13.5	SL: SSMG: SSF: SPL:	LWL:	29.5	Ballast: 3400
Rating: 78 DW Rating: 592 Certificate Date 1/13/2025		Rig Type	P:	41.5		Beam:	11	Engine: IB
Displacement used for DW Rating: 8472		FS	E:	14.6	<i>Asymmetric Spin?</i> Yes	Draft:	6.5	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	42.1	SLE: SLU: ASMG: ASF:			
		ALUMN	JSP:	19.07	38.55 49.54 26.8 23.29			

Modifications on file:

Boat Name Chinook	Sail #	Max Headsail	I:	40.6	<i>Symmetric Spin?</i> No	LOA:	34.5	Displacement: 7750
Boat Type J 105 ODR w/ 5'BS	639	100	J:	13.5	SL: SSMG: SSF: SPL:	LWL:	29.5	Ballast: 3400
Rating: 78 DW Rating: 593 Certificate Date 1/13/2025		Rig Type	P:	41.5		Beam:	11	Engine: IB
Displacement used for DW Rating: 8472		FS	E:	14.5	<i>Asymmetric Spin?</i> Yes	Draft:	6.5	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	42.1	SLE: SLU: ASMG: ASF:			
		ALUMN	JSP:	19.07	39.8 49.05 24.6 26			

Modifications on file:

Boat Name CruzSea Baby	Sail #	Max Headsail	I:	43.2	<i>Symmetric Spin?</i> No	LOA:	32.75	Displacement: 9715
Boat Type Beneteau First 10R ODR	52878	155	J:	12.07	SL: SSMG: SSF: SPL:	LWL:	28.7	Ballast: 3528
Rating: 78 DW Rating: 612 Certificate Date 12/12/2024		Rig Type	P:	42.25		Beam:	11	Engine: IB
Displacement used for DW Rating: 9908		FS	E:	14.73	<i>Asymmetric Spin?</i> Yes	Draft:	6.55	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	46.41	SLE: SLU: ASMG: ASF:			
		CARBON	JSP:	16.5	48.03 52.16 27.95 28.93			

Modifications on file: (Rudder Modifications noted)

Boat Name Outcast
Boat Type Farr 38
Rating: 78 DW Rating: 597 Certificate Date 12/13/2024
Displacement used for DW Rating: 11939
Certified PHRF Data on file?

Sail #
4823

Rig Data:

Max Headsail I: 43.67
150 J: 13.67
Rig Type P: 44.9
FS E: 17.9
Mast Material ISP: 46.2
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
44.13 26.07 24.6 14.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 6.4

LOA: 38.25
LWL: 31.17
Beam: 12
Draft: 6.4

Displacement: 10600
Ballast: 4100
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Bald Eagle
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 Certificate Date 12/12/2024
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Sail #
347

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.6 49 26.4 25.5

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Energy
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 582 Certificate Date 1/7/2025
Displacement used for DW Rating: 8823
Certified PHRF Data on file?

Sail #
46060

Rig Data:

Max Headsail I: 40.6
155 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.6 48.7 24.2 25.1

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Modifications on file: (7/9/24, -6 sec/mi for oversized spinnaker)(Switching back to class configuration, remove -6 sec/mi penalty)

Boat Name Advantage 3
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 Certificate Date 1/7/2025
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Sail #
84

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.6 49 26.4 25.5

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Peregrine **Sail #** 497
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 593 **Certificate Date** 12/10/2024
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.5 24.6 25.5

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Boat Name Twelve Bar Blues **Sail #** 87
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 **Certificate Date** 12/14/2024
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.01 48.69 25.79 27.89

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: Fold

Boat Name Chao Pescao **Sail #** 382
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 593 **Certificate Date** 12/17/2024
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.5 24.6 26

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Boat Name Natelos **Sail #** 8620
Boat Type Wasa 55
Rating: 78 DW Rating: 568 **Certificate Date** 1/13/2025
Displacement used for DW Rating: 13823
Certified PHRF Data on file?

Modifications on file: (Mtg 12/3/18, Custom Rating Assigned, 78 as Sailed)

Rig Data:

Max Headsail I: 41.83
137 J: 13.19
Rig Type P: 45.6
FS E: 15.78
Mast Material ISP: 41.9
ALUMN JSP: 15.79

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
45 26 28 15.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
36.2 40 22.7 21.1

LOA: 44.29
LWL: 35.1
Beam: 8.25
Draft: 6.62

Displacement: 13823
Ballast: 6393
Engine: IB
Prop Type: Fold

Boat Name Resolute
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 593 Certificate Date 1/21/2025
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
105 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.5 24.6 26

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Boat Name Ravenette
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 1/9/2025
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 38.67
104 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Fold

Boat Name Bonaparte
Boat Type Beneteau Farr First 36.7
Rating: 81 DW Rating: 614 Certificate Date 1/9/2025
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46.4
155 J: 13.1
Rig Type P: 45.4
FS E: 15.6
Mast Material ISP: 46.4
ALUMN JSP: 13.1

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45.8 23.5 23.5 13.1
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36
LWL: 30.3
Beam: 11.4
Draft: 7.2

Displacement: 12495
Ballast: 4034
Engine: IB
Prop Type: Fold

Boat Name Speedwell
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 12/17/2024
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 38.67
105 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Feath

Boat Name Circe
Boat Type Freedom 40/40
Rating: 81 DW Rating: 604 Certificate Date 1/6/2025
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
20

Rig Data:

Max Headsail I: 47.74
151 J: 12.89
Rig Type P: 51.28
FS E: 18.85
Mast Material ISP: 48.24
CARBON JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
46.92 27.72 27.72 14.17
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 6.9

LOA: 40.4
LWL: 35.1
Beam: 13.5
Draft: 6.9

Displacement: 23213
Ballast: 9700
Engine: IB
Prop Type: Feath

Modifications on file: (Mtg 1/20/20, - 3 sec/mi for OSP, -6 sec/mi for oversized spinnaker area)

Boat Name Butcher
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 12/9/2024
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Sail #
32

Rig Data:

Max Headsail I: 38.67
104 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Rum Tum Tugger
Boat Type Beneteau First 10R ODR MOD
Rating: 81 DW Rating: 619 Certificate Date 1/14/2025
Displacement used for DW Rating: 10868
Certified PHRF Data on file?

Sail #
39

Rig Data:

Max Headsail I: 43.2
130 J: 12.07
Rig Type P: 42.25
FS E: 14.73
Mast Material ISP: 46.41
CARBON JSP: 16.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.78 51.08 27.72 27.56

LOA: 32.75
LWL: 28.7
Beam: 11
Draft: 6.55

Displacement: 9715
Ballast: 3528
Engine: IB
Prop Type: FOLD

Modifications on file: (mtg 9/23/10, +3 sec/mi for non-class smaller kite)

Boat Name Eight Ball
Boat Type J 100 MOD
Rating: 81 DW Rating: 589 Certificate Date 12/6/2024
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Sail #
8

Rig Data:

Max Headsail I: 38.5
95 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 43
CARBON JSP: 15.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40 48.39 22.58 22.56

LOA: 32
LWL: 29
Beam: 9.25
Draft: 5.75

Displacement: 7250
Ballast: 2450
Engine: IB
Prop Type: Fold

Modifications on file: (Boat does not comply with RRS 52)(Mtg 8/24/20, -6 sec/mi for powered captive winches)(Mtg 1/24/22, -6 sec/mi for increased I & J, +3 sec/mi for reduced spinnaker area)(8/3/22, switched back to class I & J, +6 sec/mi)

Boat Name Hera
Boat Type Beneteau Farr First 36.7
Rating: 81 DW Rating: 612 Certificate Date 1/7/2025
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Sail #
28372

Rig Data:

Max Headsail I: 46.4
150 J: 13.1
Rig Type P: 45.4
FS E: 15.6
Mast Material ISP: 46.4
ALUMN JSP: 13.1

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45.8 23.01 22.1 13.1
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36
LWL: 30.3
Beam: 11.6
Draft: 7.2

Displacement: 12495
Ballast: 3748
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Split Water
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 1/21/2025
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
78

Rig Data:

Max Headsail I: 38.67
104 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Kavanha
Boat Type Jeanneau Sun Fast 3200
Rating: 81 DW Rating: 604 Certificate Date 1/10/2025
Displacement used for DW Rating: 7455
Certified PHRF Data on file?

Sail #
7932

Rig Data:

Max Headsail I: 41.92
110 J: 12.63
Rig Type P: 38.67
FS E: 13.58
Mast Material ISP: 43.77
ALUMN JSP: 13.61

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
44.91 24.08 23.59 13.58
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41 41 24.5 24.5

LOA: 32.1
LWL: 28
Beam: 11.5
Draft: 6.2

Displacement: 7496
Ballast: 2866
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Mintaka 4
Boat Type Farr 38
Rating: 81 DW Rating: 589 Certificate Date 12/3/2024
Displacement used for DW Rating: 11939
Certified PHRF Data on file?

Sail #
18441

Rig Data:

Max Headsail I: 43.67
125 J: 13.67
Rig Type P: 44.9
FS E: 17.9
Mast Material ISP: 46.2
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44.13 26.07 24.6 14.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.25
LWL: 31.17
Beam: 12
Draft: 6.33

Displacement: 11850
Ballast: 4100
Engine: IB
Prop Type: FOLD

Modifications on file: (2002-removed dinette stbrd, add bench seat w/55 gal fuel tank, original was 12.5. Rudder replaced 12" longer, 4" narrower. Changes noted mtg 1/17/02, NCTR)(removed short pole, changed spinnakers, 1/13/04).(Mtg 1/24/13, new stem fitting, NCTR)

Boat Name Lonestar	Sail #	Max Headsail	I:	43.2	<i>Symmetric Spin?</i> No	LOA:	32.75	Displacement:	9715
Boat Type Beneteau First 10R ODR MOD	40	155	J:	12.07	SL: SSMG: SSF: SPL:	LWL:	28.7	Ballast:	3528
Rating: 81 DW Rating: 607 Certificate Date 12/3/2024		Rig Type	P:	42.25		Beam:	11	Engine:	IB
Displacement used for DW Rating: 9908		FS	E:	14.73	<i>Asymmetric Spin?</i> Yes	Draft:	6.55	Prop Type:	FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	46.41	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	16.5	45.8 52.9 26.4 25.5				

Modifications on file: (Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)(powered winch on cabin top)

Boat Name Inconceivable	Sail #	Max Headsail	I:	38.67	<i>Symmetric Spin?</i> No	LOA:	29.19	Displacement:	4990
Boat Type J 88	9	104	J:	11.28	SL: SSMG: SSF: SPL:	LWL:	26.84	Ballast:	1840
Rating: 81 DW Rating: 563 Certificate Date 1/21/2025		Rig Type	P:	36.82		Beam:	9.5	Engine:	IB
Displacement used for DW Rating:		FS	E:	12	<i>Asymmetric Spin?</i> Yes	Draft:	6.5	Prop Type:	Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	46	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	18.05	40.84 47.83 27.32 29				

Modifications on file:

Boat Name Windsome	Sail #	Max Headsail	I:	38.5	<i>Symmetric Spin?</i> No	LOA:	32.8	Displacement:	6500
Boat Type J 100 ODR	140	84	J:	11.5	SL: SSMG: SSF: SPL:	LWL:	29	Ballast:	2450
Rating: 81 DW Rating: 584 Certificate Date 1/9/2025		Rig Type	P:	38		Beam:	9.25	Engine:	IB
Displacement used for DW Rating: 7000		FS	E:	13.5	<i>Asymmetric Spin?</i> Yes	Draft:	5.75	Prop Type:	Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	43	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	15.9	42.82 49.41 26.9 26.81				

Modifications on file: (Mtg 2/28/22, -3 sec/mi for increased spinnaker area)

Boat Name Thirsty	Sail #	Max Headsail	I:	41.5	<i>Symmetric Spin?</i> Yes	LOA:	31.8	Displacement:	9072
Boat Type Beneteau First 30 R	60477	107	J:	13.71	SL: SSMG: SSF: SPL:	LWL:	28	Ballast:	2850
Rating: 84 DW Rating: 586 Certificate Date 1/6/2025		Rig Type	P:	40.5	44.39 23.88 22.64 15.5	Beam:	10.6	Engine:	IB
Displacement used for DW Rating: 9072		MS	E:	14.4	<i>Asymmetric Spin?</i> Yes	Draft:	6.4	Prop Type:	Fold
Certified PHRF Data on file? <input checked="" type="checkbox"/>		Mast Material	ISP:	43.96	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	15.5	49.14 44.19 22.64 20.34				

Modifications on file: (Mtg 5/26/16, -3sec/mi for lengthened LWL, -3 sec/mi for inscreased spinnaker area, -3 sec/mi for increased mainsail area)

Boat Name Ilaria	Sail # 3	Max Headsail I: 44.28	Symmetric Spin? No	LOA: 40.5	Displacement: 16000
Boat Type Alerion Express 41		83 J: 13.51	SL: SSMG: SSF: SPL:	LWL: 30.5	Ballast: 6000
Rating: 84 DW Rating: Certificate Date 12/4/2024		Rig Type P: 48.59		Beam: 11.5	Engine: IB
Displacement used for DW Rating: 16000		FS E: 18.39	Asymmetric Spin? No	Draft: 6.17	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material ISP:	SLE: SLU: ASMG: ASF:		
		CARBON JSP:			

Modifications on file: (Mtg 5/24/21, Custom rating of 84 assigned, Includes -3 sec/mi penalty for electric winches, manually eased)

Boat Name Muninn	Sail # 61802	Max Headsail I: 46.42	Symmetric Spin? No	LOA: 36	Displacement: 12495
Boat Type Beneteau Farr First 36.7		101 J: 13.1	SL: SSMG: SSF: SPL:	LWL: 30.3	Ballast: 4034
Rating: 84 DW Rating: 620 Certificate Date 1/10/2025		Rig Type P: 45.44		Beam: 11.4	Engine: IB
Displacement used for DW Rating: 12150		FS E: 15.58	Asymmetric Spin? Yes	Draft: 7.2	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material ISP: 46.59	SLE: SLU: ASMG: ASF:		
		ALUMN JSP: 13.04	48.1 49.3 22 23.2		

Modifications on file:

Boat Name Wowla	Sail # 14	Max Headsail I: 38.5	Symmetric Spin? No	LOA: 32.8	Displacement: 6500
Boat Type J 100 ODR		100 J: 11.5	SL: SSMG: SSF: SPL:	LWL: 29	Ballast: 2500
Rating: 84 DW Rating: 599 Certificate Date 1/9/2025		Rig Type P: 38	0 0	Beam: 9.3	Engine: IB
Displacement used for DW Rating: 7000		FS E: 13.5	Asymmetric Spin? Yes	Draft: 5.8	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material ISP: 43	SLE: SLU: ASMG: ASF:		
		CARBON JSP: 12	42 47.1 23.4 22.3		

Modifications on file: powered winch for mainsail hoist

Boat Name Bella	Sail # 21	Max Headsail I: 40.68	Symmetric Spin? No	LOA: 43.9	Displacement: 11188
Boat Type Eagle 44 SD		105 J: 13.81	SL: SSMG: SSF: SPL:	LWL: 29.1	Ballast: 4188
Rating: 84 DW Rating: 601 Certificate Date 1/21/2025		Rig Type P: 46.4		Beam: 9.1	Engine: IB
Displacement used for DW Rating: 11188		FS E: 15.3	Asymmetric Spin? No	Draft: 4.5	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material ISP: 41	SLE: SLU: ASMG: ASF:		
		CARBON JSP:			

Modifications on file: (Mtg 5/20/24, -3 sec/mi for electric reel mainsheet winch)

Boat Name Committed
Boat Type Melges 24
Rating: 84 DW Rating: 568 Certificate Date 12/2/2024
Displacement used for DW Rating: 1783
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.85 *Symmetric Spin?* No LOA: 24 Displacement: 1750
110 J: 7.98 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 625
Rig Type P: 28.75 7.95
FS E: 12.416 *Asymmetric Spin?* Yes Beam: 8.166 Engine: OB
Mast Material ISP: 31.85 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 12 32.9 38 19.23 20.67 Draft: 5.25

Boat Name Northern Bear
Boat Type J 100 ODR
Rating: 84 DW Rating: 581 Certificate Date 12/17/2024
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file: Hoyt Boom, NCTR

Rig Data:

Max Headsail I: 38.5 *Symmetric Spin?* No LOA: 32.8 Displacement: 6500
84 J: 11.5 SL: SSMG: SSF: SPL: LWL: 29 Ballast: 2450
Rig Type P: 38
FS E: 13.5 *Asymmetric Spin?* No Beam: 9.25 Engine: IB
Mast Material ISP: 43 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 12.7 38.35 49.41 24.3 25.02 Draft: 5.75

Boat Name Takeoff
Boat Type Melges 24
Rating: 84 DW Rating: 581 Certificate Date 12/3/2024
Displacement used for DW Rating: 1783
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.85 *Symmetric Spin?* No LOA: 24 Displacement: 1750
100 J: 7.95 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 650
Rig Type P: 28.75
FS E: 12.416 *Asymmetric Spin?* Yes Beam: 8.166 Engine: OB
Mast Material ISP: 31.85 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 12 32.9 38 19.23 20.67 Draft: 5.25

Boat Name Lanakila
Boat Type Beneteau First 27
Rating: 87 DW Rating: 592 Certificate Date 1/9/2025
Displacement used for DW Rating: 3902
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 31.2 *Symmetric Spin?* No LOA: 26.25 Displacement: 3902
90 J: 12.2 SL: SSMG: SSF: SPL: LWL: 25.9 Ballast: 1345
Rig Type P: 33.2
FS E: 11.4 *Asymmetric Spin?* Yes Beam: 8.3 Engine: ib
Mast Material ISP: 35.8 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 17.5 35.2 43 21.95 23.4 Draft: 5.7

Boat Name Story Maker
Boat Type Tartan 101
Rating: 87 DW Rating: 588 Certificate Date 12/14/2024
Displacement used for DW Rating: 8600
Certified PHRF Data on file?

Sail #
7090

Rig Data:

Max Headsail I: 47.6
105 J: 12.5
Rig Type P: 45.24
FS E: 14.83
Mast Material ISP: 50.12
CARBON JSP: 16.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.6 55.3 29.1 28.8

LOA: 33
LWL: 29.1
Beam: 10.9
Draft: 6.5

Displacement: 8600
Ballast: 3250
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Akyaa
Boat Type Hobie 33 ODR
Rating: 87 DW Rating: 543 Certificate Date 12/10/2024
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Sail #
163

Rig Data:

Max Headsail I: 33.6
105 J: 12.4
Rig Type P: 35.3
MS E: 12.5
Mast Material ISP: 36.5
ALUMN JSP: 16.2

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 23 23 13.12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37
LWL: 30.83
Beam: 8
Draft: 5.5

Displacement: 4260
Ballast: 1800
Engine: OB
Prop Type: None

Modifications on file: (mtg 8/19/10, -3 sec/mi for sprit)

Boat Name Tess
Boat Type C&C 110
Rating: 87 DW Rating: Certificate Date 1/7/2025
Displacement used for DW Rating: 13531
Certified PHRF Data on file?

Sail #
38110

Rig Data:

Max Headsail I: 51
135 J: 14
Rig Type P: 45
MS E: 15.5
Mast Material ISP: 51
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.36
LWL: 31.5
Beam: 12
Draft: 6.5

Displacement: 10900
Ballast: 4200
Engine: IB
Prop Type: Feath

Modifications on file: carbon mast noted (standard on C & C 110) NCTR PHRF Mtg 3/16/06;

Boat Name National Biscuit
Boat Type Custom Schumacher 35
Rating: 87 DW Rating: 607 Certificate Date 12/10/2024
Displacement used for DW Rating: 8700
Certified PHRF Data on file?

Sail #
8573

Rig Data:

Max Headsail I: 41.9
100 J: 12.43
Rig Type P: 44.43
MS E: 14
Mast Material ISP: 41.9
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.52 22.37 22.37 12.43
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 35.416
LWL: 29
Beam: 11.25
Draft: 6.416

Displacement: 8700
Ballast: 3850
Engine: IB
Prop Type: FOLD

Modifications on file: (Mtg 12/9/24, +3 sec/mi for shortened "E", change custom rating from 84 to 87)

Boat Name Wolfpack
Boat Type Donovan 30
Rating: 87 DW Rating: 575 Certificate Date 12/17/2024
Displacement used for DW Rating: 3470
Certified PHRF Data on file?

Sail #
3001

Rig Data:

Max Headsail I: 38.5
150 J: 11.6
Rig Type P: 34
MS E: 10.66
Mast Material ISP:
ALUMN JSP: 11.6

Symmetric Spin? No
SL: SSMG: SSF: SPL:
11.6
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
37 41.25 19.4 20.65

LOA: 30
LWL: 25
Beam: 10.75
Draft: 5.67

Displacement: 3300
Ballast: 1330
Engine: OB
Prop Type: None

Modifications on file: (Mtg 6/26/14, New Rudder, NCTR)(Mtg 1/26/16, +3 sec/mi for smaller "E")

Boat Name Another Girl
Boat Type Alerion Express 38-2
Rating: 90 DW Rating: 613 Certificate Date 1/22/2025
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
20

Rig Data:

Max Headsail I: 42.98
90 J: 12.99
Rig Type P: 47.5
MS E: 18.25
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.3
LWL: 30.1
Beam: 10.3
Draft: 5.92

Displacement: 13000
Ballast: 5000
Engine: IB
Prop Type: Feath

Modifications on file: (mtg 4/28/11, Custom rating of 90 assigned. Custom rating includes penalty for powered sheet winches)

Boat Name Swell Patrol
Boat Type Soverel 33-2
Rating: 90 DW Rating: 571 Certificate Date 1/7/2025
Displacement used for DW Rating: 6500
Certified PHRF Data on file?

Sail #
46924

Rig Data:

Max Headsail I: 42.5
155 J: 12.75
Rig Type P: 41
MS E: 13
Mast Material ISP: 42.5
ALUMN JSP: 18.8

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
42.5 22.95 22.95 12.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33
LWL: 30.42
Beam: 11
Draft: 5.83

Displacement: 5800
Ballast: 2800
Engine: OB
Prop Type: None

Modifications on file: (mtg 8/28/23, -6 sec/mi for OB motor)

Boat Name Foehn
Boat Type C&C 40-2
Rating: 93 DW Rating: Certificate Date 1/14/2025
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Sail #
18929

Rig Data:

Max Headsail I:
0 J:
Rig Type P:
E:
Mast Material ISP:
JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
0 0
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
0

LOA:
LWL:
Beam:
Draft:

Displacement:
Ballast:
Engine:
Prop Type: None

Modifications on file:

Boat Name Stella Blue **Sail #** 386
Boat Type Sabre 386 DK
Rating: 93 DW Rating: Certificate Date 1/22/2025
Displacement used for DW Rating: 19438
Certified PHRF Data on file?

Rig Data:
Max Headsail I: 51.83 *Symmetric Spin?* No
120 J: 15 SL: SSMG: SSF: SPL:
Rig Type P: 45.33
MS E: 16.5 *Asymmetric Spin?* No
Mast Material ISP: 51.83 SLE: SLU: ASMG: ASF:
ALUMN JSP: 15

LOA: 38.58 Displacement: 16500
LWL: 32.5 Ballast: 6490
Beam: 12.66 Engine: IB
Draft: 6.83 Prop Type: Fold

Modifications on file:

Boat Name Gavilan **Sail #** 28439
Boat Type Custom Wylie 39
Rating: 93 DW Rating: 613 Certificate Date 12/9/2024
Displacement used for DW Rating: 17900
Certified PHRF Data on file?

Rig Data:
Max Headsail I: 49 *Symmetric Spin?* Yes
122 J: 14.5 SL: SSMG: SSF: SPL:
Rig Type P: 43 48.64 26.6 26.6 14.5
MS E: 15.5 *Asymmetric Spin?* Yes
Mast Material ISP: 49 SLE: SLU: ASMG: ASF:
ALUMN JSP: 47.08 48.39 18.47 24.6

LOA: 41.5 Displacement: 17900
LWL: 31.75 Ballast: 5920
Beam: 11.5 Engine: IB
Draft: 6.77 Prop Type: FEATH

Modifications on file: (mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)

Boat Name Rhapsody **Sail #** 88
Boat Type Sabre Spirit
Rating: 93 DW Rating: 609 Certificate Date 12/18/2024
Displacement used for DW Rating: 9600
Certified PHRF Data on file?

Rig Data:
Max Headsail I: 45.5 *Symmetric Spin?* No
104 J: 12.87 SL: SSMG: SSF: SPL:
Rig Type P: 45.5
MS E: 16.55 *Asymmetric Spin?* Yes
Mast Material ISP: 49.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: 12.87 49.2 55.92 21.24 21.12

LOA: 36.67 Displacement: 9600
LWL: 28.33 Ballast: 4000
Beam: 10.42 Engine: IB
Draft: 6.75 Prop Type: Fold

Modifications on file: Halyard winches. (Mtg 1/24/22, -3 sec/mi for keel shoe, -3 sec/mi for increased ISP, +3 sec/mi for non-articulation)

Boat Name Serenade **Sail #**
Boat Type Sabre Spirit
Rating: 93 DW Rating: 613 Certificate Date 12/6/2024
Displacement used for DW Rating: 10500
Certified PHRF Data on file?

Rig Data:
Max Headsail I: 45.5 *Symmetric Spin?* Yes
108 J: 12.87 SL: SSMG: SSF: SPL:
Rig Type P: 45.5 44.92 23.17 22.24 12.87
FS E: 16.55 *Asymmetric Spin?* No
Mast Material ISP: 45.5 SLE: SLU: ASMG: ASF:
CARBON JSP: 12.87 45.2 53.6 23.9 23

LOA: 36.67 Displacement: 10500
LWL: 28.33 Ballast: 3740
Beam: 10.42 Engine: IB
Draft: 6.58 Prop Type: Fold

Modifications on file: (Mtg 3/30/20, -3 sec/mi for keel modification: added shoe)

Boat Name Katester
Boat Type Sabre Spirit
Rating: 93 DW Rating: 621 Certificate Date 1/6/2025
Displacement used for DW Rating: 9600
Certified PHRF Data on file?

Sail #
227

Rig Data:

Max Headsail I: 45.5
90 J: 12.87
Rig Type P: 45.5
FS E: 16.55
Mast Material ISP: 51.2
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 36.67
LWL: 28.33
Beam: 10.42
Draft: 6.58

Displacement: 9600
Ballast: 4000
Engine: IB
Prop Type: Fold

Modifications on file: (Electric Winches)(1/20/23, -3 secmi for keel modification: added shoe)

Boat Name Special Edition
Boat Type Custom Wilderness 30
Rating: 93 DW Rating: 573 Certificate Date 12/17/2024
Displacement used for DW Rating: 4600
Certified PHRF Data on file?

Sail #
8258

Rig Data:

Max Headsail I: 39.083
150 J: 11.75
Rig Type P: 34.333
FS E: 11.5
Mast Material ISP: 39.083
CARBON JSP: 14.083

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39 25.4 24.5 #####
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 29.75
LWL: 27.75
Beam: 8.75
Draft: 6

Displacement: 4600
Ballast: 1800
Engine: OB
Prop Type: FOLD

Modifications on file: Added Masthead Halyards for spin/Jips, replaced inboard with Outboard open Transom (12/17/92) Mtg-. 1/18/90 RTNG 102.) (1998 rtg =96) (New Inboard = +3; Foretriangle is 11.75 = +6, jib=150%, Carbon Mast= -3; Keel = -6 mgt 3/8/05)(3/15/16, now has Outboard Motor, -3 sec/mi)

Boat Name Flexi-Flyer
Boat Type Soverel 33-2
Rating: 96 DW Rating: 593 Certificate Date 12/3/2024
Displacement used for DW Rating: 6463
Certified PHRF Data on file?

Sail #
18282

Rig Data:

Max Headsail I: 42.5
155 J: 12.8
Rig Type P: 41
MS E: 13
Mast Material ISP: 42.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
42.06 22.7 21.58 12.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 33
LWL: 30.5
Beam: 11
Draft: 5.85

Displacement: 5800
Ballast: 2800
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Freedom
Boat Type Worth 40
Rating: 96 DW Rating: 604 Certificate Date 12/2/2024
Displacement used for DW Rating: 21000
Certified PHRF Data on file?

Sail #
18230

Rig Data:

Max Headsail I: 54
155 J: 16
Rig Type P: 47
MS E: 14
Mast Material ISP:
ALUMN JSP: 16

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
52 28.8 28.8 16
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 40
LWL: 34.25
Beam: 12.5
Draft: 7.25

Displacement: 21000
Ballast: 7800
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Cassiopeia
Boat Type Hanse 371
Rating: 96 DW Rating: 605 Certificate Date 1/10/2025
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 49.4
140 J: 14.1
Rig Type P: 46.4
F E: 15.2
Mast Material ISP: 49.33
ALUMN JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
43.5 50.1 24 25.35

LOA: 36.91
LWL: 32.32
Beam: 11.78
Draft: 6.5

Displacement: 13117
Ballast: 4949
Engine: IB
Prop Type: Fold

Boat Name Velocette
Boat Type Grand Soleil 39 TM
Rating: 96 DW Rating: 610 Certificate Date 1/10/2025
Displacement used for DW Rating: 18300
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 51.67
140 J: 15.75
Rig Type P: 46.75
MS E: 13.94
Mast Material ISP: 51.67
OTHER JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
51.36 28.35 28.35 15.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 39.31
LWL: 32.3
Beam: 12.34
Draft: 6.3

Displacement: 18300
Ballast: 7496
Engine: IB
Prop Type: FOLD

Boat Name Good And Plenty
Boat Type Soverel 33-2
Rating: 96 DW Rating: 574 Certificate Date 12/13/2024
Displacement used for DW Rating: 6500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42.5
155 J: 12.75
Rig Type P: 41
MS E: 13
Mast Material ISP: 41
ALUMN JSP: 12.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
42.5 22.95 22.95 12.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33
LWL: 30.5
Beam: 11
Draft: 5.85

Displacement: 5800
Ballast: 2800
Engine: IB
Prop Type: FOLD

Boat Name Dorit
Boat Type Beneteau Oceanis 38.1P
Rating: 96 DW Rating: 582 Certificate Date 1/14/2025
Displacement used for DW Rating: 15500
Certified PHRF Data on file?

Modifications on file: Main Halyward Winch

Rig Data:

Max Headsail I: 47.5
105 J: 15.72
Rig Type P: 47.44
FS E: 13.81
Mast Material ISP: 49.25
ALUMN JSP: 15.85

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.01 54.66 32.28 29.53

LOA: 37.73
LWL: 35.17
Beam: 13.09
Draft: 6.82

Displacement: 15500
Ballast: 3946
Engine: IB
Prop Type: Fold

Boat Name Dark Horse
Boat Type Olson 30 OB
Rating: 99 DW Rating: 584 Certificate Date 1/9/2025
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Sail #
101

Rig Data:

Max Headsail I: 36
155 J: 11.75
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.16 21.16 11.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32.18 36.45 17.45 19.97

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.08

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Modifications on file: (Mtg 4/25/18, New Rudder, NCTR)

Boat Name Placebo
Boat Type Soverel 33-2
Rating: 99 DW Rating: 573 Certificate Date 1/7/2025
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Sail #
115

Rig Data:

Max Headsail I: 42.5
100 J: 12.75
Rig Type P: 45.5
FS E: 13
Mast Material ISP: 42.5
ALUMN JSP: 14.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
42.5 25.1 25.1 14
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.99 46.88 22.05 22.28

LOA: 29.92
LWL: 30.5
Beam: 11
Draft: 5.85

Displacement: 5800
Ballast: 2800
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 5/23/22, +3 sec/mi for no articulation, -3 sec/mi for sprit)

Boat Name Joyride
Boat Type Express 34
Rating: 99 DW Rating: 624 Certificate Date 1/7/2025
Displacement used for DW Rating: 9129
Certified PHRF Data on file?

Sail #
41382

Rig Data:

Max Headsail I: 44.25
135 J: 13
Rig Type P: 38.5
MS E: 12.83
Mast Material ISP: 44.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44 23.4 23.4 13
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 34
LWL: 28.33
Beam: 10.33
Draft: 6.11

Displacement: 8000
Ballast: 3800
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Red Cloud
Boat Type Farr 36
Rating: 99 DW Rating: 634 Certificate Date 1/14/2025
Displacement used for DW Rating: 9739
Certified PHRF Data on file?

Sail #
99

Rig Data:

Max Headsail I: 38.3
113 J: 12.6
Rig Type P: 41
FS E: 16.75
Mast Material ISP: 38.3
ALUMN JSP: 12.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
38.2 21.1 21.1 12.16
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36
LWL: 31.33
Beam: 11.92
Draft: 6.16

Displacement: 10430
Ballast: 3950
Engine: IB
Prop Type: Fold

Modifications on file: (550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)(2/20/20, removing masthead kite, reverting to stock Farr 36)(Mtg 4/29/24, engine moved aft, NCTR)

Boat Name Ala Moana
Boat Type Beneteau First 30
Rating: 99 DW Rating: 616 Certificate Date 12/3/2024
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
104

Rig Data:

Max Headsail I: 41.66
105 J: 13.78
Rig Type P: 40.3
FS E: 14.25
Mast Material ISP: 42.16
ALUMN JSP: 15.78

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
43.7 48.6 26.9 28.82

LOA: 31.7
LWL: 27.6
Beam: 10.5
Draft: 6.25

Displacement: 8267
Ballast: 2403
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Dragonsong
Boat Type Olson 30 OB
Rating: 99 DW Rating: 583 Certificate Date 12/13/2024
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Sail #
87014

Rig Data:

Max Headsail I: 36
155 J: 11.75
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.15 21.15 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.08

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Friendship
Boat Type Hanse 388
Rating: 99 DW Rating: 608 Certificate Date 1/21/2025
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Sail #

Rig Data:

Max Headsail I: 48.11
105 J: 14.2
Rig Type P: 45.11
FS E: 16.9
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.42
LWL: 34.01
Beam: 12.82
Draft: 6.75

Displacement: 18232
Ballast: 8100
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Foolish Muse
Boat Type Olson 30 OB
Rating: 99 DW Rating: 585 Certificate Date 1/13/2025
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Sail #
8234

Rig Data:

Max Headsail I: 36
149 J: 11.75
Rig Type P: 29.9
MS E: 10.75
Mast Material ISP: 36
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35.92 21.3 19.4 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.08

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Flying Fish
Boat Type Olson 30 OB
Rating: 99 DW Rating: 584 Certificate Date 12/5/2024
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Sail #
197

Rig Data:

Max Headsail I: 36
155 J: 11.78
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.92
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35.6 21 20.2 11.6
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.1

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Zeus
Boat Type Swan 391
Rating: 99 DW Rating: Certificate Date 1/9/2025
Displacement used for DW Rating: 20000
Certified PHRF Data on file?

Sail #
39136

Rig Data:

Max Headsail I: 53.5
125 J: 16.25
Rig Type P: 47.25
MS E: 14
Mast Material ISP: 53.5
ALUMN JSP: 16.25

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 39.99
LWL: 33.1
Beam: 2.47
Draft: 7.4

Displacement: 20000
Ballast: 6800
Engine: IB
Prop Type: Feath

Modifications on file:

Boat Name Wysiwyg
Boat Type Olson 30 OB
Rating: 99 DW Rating: 583 Certificate Date 12/5/2024
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Sail #
28132

Rig Data:

Max Headsail I: 36
155 J: 11.75
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.16 21.16 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.083

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Lilith
Boat Type Custom Wyliecat 39
Rating: 102 DW Rating: 598 Certificate Date 1/6/2025
Displacement used for DW Rating: 12000
Certified PHRF Data on file?

Sail #
7

Rig Data:

Max Headsail I:
J:
Rig Type P: 50.75
CAT E: 26.5
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.83
LWL: 32
Beam: 11.83
Draft: 6.67

Displacement: 12000
Ballast: 6200
Engine: IB
Prop Type: FOLD

Modifications on file: HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/5/93

Boat Name Ondine **Sail #** 38388
Boat Type Hanse 388
Rating: 102 DW Rating: Certificate Date 12/17/2024
Displacement used for DW Rating: 19092
Certified PHRF Data on file?
Modifications on file: +3 sec/mi for in-mast furling mainsail

Rig Data:
Max Headsail I: 48.88 *Symmetric Spin?* No LOA: 37.42 Displacement: 19092
95 J: 14.14 SL: SSMG: SSF: SPL: LWL: 34.08 Ballast: 6128
Rig Type P: 46.92
FS E: 16.73 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Beam: 12.83 Prop Type: Fold
ALUMN JSP: Draft: 6.75

Boat Name Werewolf **Sail #** 109
Boat Type Olson 30 OB
Rating: 102 DW Rating: 584 Certificate Date 1/21/2025
Displacement used for DW Rating: 4111
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 36 *Symmetric Spin?* Yes LOA: 30 Displacement: 3600
125 J: 11.75 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1800
Rig Type P: 31.5 36 21.16 21.16 11.75
MS E: 10.75 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 35.9 SLE: SLU: ASMG: ASF: Beam: 9.33 Prop Type: None
ALUMN JSP: 11.67 Draft: 5.08

Boat Name Warpath **Sail #** 198
Boat Type Olson 30 OB
Rating: 102 DW Rating: 585 Certificate Date 1/22/2025
Displacement used for DW Rating: 4111
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 36 *Symmetric Spin?* Yes LOA: 30 Displacement: 3600
125 J: 11.75 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1800
Rig Type P: 31.5 36 11.75
MS E: 10.75 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 35.9 SLE: SLU: ASMG: ASF: Beam: 9.33 Prop Type: None
ALUMN JSP: 11.67 Draft: 5.08

Boat Name Wilmer E. **Sail #** 67588
Boat Type Olson 30 OB
Rating: 102 DW Rating: 583 Certificate Date 12/5/2024
Displacement used for DW Rating: 4111
Certified PHRF Data on file?
Modifications on file: CLASS LEGAL ELLIPTICAL RUDDER:

Rig Data:
Max Headsail I: 36 *Symmetric Spin?* Yes LOA: 30 Displacement: 3600
120 J: 11.75 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1800
Rig Type P: 31.5 34.5 21 21 11.75
MS E: 10.75 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 35.9 SLE: SLU: ASMG: ASF: Beam: 9.333 Prop Type: None
ALUMN JSP: 11.67 Draft: 5.083

Boat Name Checkered Past
Boat Type Custom Wyliecat 39
Rating: 102 DW Rating: 597 Certificate Date 12/9/2024
Displacement used for DW Rating: 12000
Certified PHRF Data on file?

Sail #
3

Rig Data:

Max Headsail I:
125 J:
Rig Type P: 52
CAT E: 26.6
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.83
LWL: 32
Beam: 11.5
Draft: 6.6

Displacement: 12000
Ballast: 6200
Engine: IB
Prop Type: FOLD

Modifications on file: Boat has been modified for handicapped sailing

Boat Name Hedgehog
Boat Type Olson 29
Rating: 102 DW Rating: 575 Certificate Date 12/14/2024
Displacement used for DW Rating: 3600
Certified PHRF Data on file?

Sail #
13

Rig Data:

Max Headsail I: 34
125 J: 11
Rig Type P: 32.5
FS E: 11.5
Mast Material ISP: 36
ALUMN JSP: 11.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.15 21.15 11.75
Asymmetric Spin? NO
SLE: SLU: ASMG: ASF:

LOA: 29.67
LWL: 27.5
Beam: 9.33
Draft: 5.58

Displacement: 3600
Ballast: 1950
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Carmelita
Boat Type Catalina 42-1/2
Rating: 105 DW Rating: 602 Certificate Date 1/6/2025
Displacement used for DW Rating: 25500
Certified PHRF Data on file?

Sail #
131

Rig Data:

Max Headsail I: 53
125 J: 16.42
Rig Type P: 46.75
MS E: 15.5
Mast Material ISP: 53
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
49 29.55 29.55 16.42
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
47.34 56.75 29.69 25.59

LOA: 41.83
LWL: 36
Beam: 13.83
Draft: 6.66

Displacement: 22000
Ballast: 8300
Engine: IB
Prop Type: FEATH

Modifications on file: Electric Winches

Boat Name L Attitude
Boat Type Ericson 34 Olson SM
Rating: 105 DW Rating: 636 Certificate Date 1/7/2025
Displacement used for DW Rating: 10600
Certified PHRF Data on file?

Sail #
3246

Rig Data:

Max Headsail I: 44.5
154 J: 13.25
Rig Type P: 38.84
MS E: 12.9
Mast Material ISP: 44
ALUMN JSP: 13.25

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44 23.6 23.35 13.25
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.1 47.2 23.8 23.8

LOA: 34
LWL: 28
Beam: 10.83
Draft: 6

Displacement: 10600
Ballast: 3650
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name RAD
Boat Type Beneteau First 30
Rating: 105 DW Rating: 626 Certificate Date 12/10/2024
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
7406

Rig Data:

Max Headsail I: 41.6
100 J: 13.7
Rig Type P: 40.3
FS E: 14.3
Mast Material ISP: 42.6
ALUMN JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.29 46.62 23.77 23.98

LOA: 31.7
LWL: 27.6
Beam: 10.5
Draft: 6.3

Displacement: 8400
Ballast: 2400
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Grand Cru
Boat Type Beneteau Oceanis 38.1
Rating: 105 DW Rating: 602 Certificate Date 1/9/2025
Displacement used for DW Rating: 15102
Certified PHRF Data on file?

Sail #
38174

Rig Data:

Max Headsail I: 45.96
106 J: 15.72
Rig Type P: 43.47
FS E: 13.81
Mast Material ISP: 46.75
ALUMN JSP: 16.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.14 45.8 22.48 22.48

LOA: 37.73
LWL: 35.17
Beam: 13.09
Draft: 6.86

Displacement: 15102
Ballast: 3946
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 3/25/24, -3 sec/mi for tweener sail, +3 sec/mi for in-mast furling mailsail)

Boat Name Red Sky
Boat Type Ericson 34 Olson SM
Rating: 105 DW Rating: 636 Certificate Date 1/17/2025
Displacement used for DW Rating: 10600
Certified PHRF Data on file?

Sail #
28340

Rig Data:

Max Headsail I: 44
150 J: 12.95
Rig Type P: 38.7
MS E: 12.95
Mast Material ISP: 44
ALUMN JSP: 12.95

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
42 23.4 23 12.95
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
33.77 41.5 17.91 21.98

LOA: 33.88
LWL: 28
Beam: 10.8
Draft: 6.08

Displacement: 10855
Ballast: 3500
Engine: IB
Prop Type: FOLD

Modifications on file: MTG 12/11/97(RUDDER REPLACED 8" DEEPER ADN 3" NARROWER.)

Boat Name Rascal
Boat Type Custom Wilderness 30 SX
Rating: 105 DW Rating: 596 Certificate Date 12/3/2024
Displacement used for DW Rating: 4200
Certified PHRF Data on file?

Sail #
28175

Rig Data:

Max Headsail I: 36
150 J: 11
Rig Type P: 32
MS E: 11.5
Mast Material ISP: 36
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35.76 19.8 19.8 11
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 26.5
Beam: 8.75
Draft: 6

Displacement: 4200
Ballast: 1650
Engine: OB
Prop Type: None

Modifications on file: SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 3" FRD-BLST 1800/1686, DRAFT 5/5.50 (5" FILLER TOP OF KEEL) 2/15/96 MTG. (NOTE- SMW CANNOT EXCEED 19.8 mtg-5-17-2001)(Mtg 1/21/19, +3 sec/mi for 95% headsail, change custom rating to 108)(1/20/23, added 150% headsail back, -3 sec/mi, custom rating back to 105)

Boat Name Zephyros **Sail #** 45
Boat Type Beneteau First 30
Rating: 105 DW Rating: 589 **Certificate Date** 12/9/2024
Displacement used for DW Rating: 8267
Certified PHRF Data on file?

Modifications on file: High Aspect Rudders

Rig Data:

Max Headsail I: 41.66
105 J: 13.78
Rig Type P: 40.2
FS E: 14.25
Mast Material ISP: 42.16
ALUMN JSP: 15.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.5 45.6 23.8 25.98

LOA: 31.7
LWL: 27.5
Beam: 10.5
Draft: 6.25

Displacement: 8267
Ballast: 2403
Engine: IB
Prop Type: Fold

Boat Name Gig **Sail #** 18112
Boat Type Humboldt 30 IB
Rating: 108 DW Rating: 608 **Certificate Date** 1/9/2025
Displacement used for DW Rating: 5400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 37.5
149 J: 11.5
Rig Type P: 41.5
FS E: 13.75
Mast Material ISP: 37.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
37 20.7 20.2 11.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 26.66
Beam: 10.5
Draft: 5.75

Displacement: 5400
Ballast: 2222
Engine: IB
Prop Type: FOLD

Boat Name Errant Belle **Sail #** 9
Boat Type Elliott 770
Rating: 108 DW Rating: 587 **Certificate Date** 12/16/2024
Displacement used for DW Rating: 2942
Certified PHRF Data on file?

Modifications on file: Class Modified Rudder (Mtg 9/27/20, +3 sec/mi for 100 sqft smaller kite, custom rating changed from 105 to 108)

Rig Data:

Max Headsail I: 30
105 J: 8.83
Rig Type P: 30.7
MS E: 12.25
Mast Material ISP: 30.6
ALUMN JSP: 15.2

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32.9 38 19.23 20.67

LOA: 25.26
LWL: 25.26
Beam: 8.2
Draft: 5.75

Displacement: 2942
Ballast: 771
Engine: OB
Prop Type: None

Boat Name Lorelei **Sail #** 278
Boat Type Catalina 400
Rating: 108 DW Rating: 612 **Certificate Date** 12/10/2024
Displacement used for DW Rating: 23508
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 52.67
150 J: 15.5
Rig Type P: 47
MS E: 17
Mast Material ISP: 52.67
ALUMN JSP: 15.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50 52 28 29

LOA: 40.5
LWL: 36.5
Beam: 13.5
Draft: 6.92

Displacement: 19700
Ballast: 7200
Engine: IB
Prop Type: Fixed_3

Boat Name Sweet Grapes
Boat Type Ericson 36 Holland
Rating: 108 DW Rating: 629
Certificate Date 1/7/2025
Displacement used for DW Rating: 13219
Certified PHRF Data on file?

Sail #
19

Rig Data:

Max Headsail I: 47.75
147 J: 14.5
Rig Type P: 42
MS E: 12
Mast Material ISP: 47.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
47 25.83 24.83 14.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 6.25

LOA: 35.58
LWL: 29
Beam: 11.83
Draft: 6.25
Displacement: 11600
Ballast: 5230
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Hijinks
Boat Type J 92
Rating: 108 DW Rating: 605
Certificate Date 12/9/2024
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Sail #
90

Rig Data:

Max Headsail I: 37
97 J: 11.5
Rig Type P: 37.66
FS E: 13.22
Mast Material ISP: 38.5
ALUMN JSP: 17

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.85 45.4 23.55 26.51

LOA: 30
LWL: 26.5
Beam: 10
Draft: 5.9
Displacement: 5500
Ballast: 2275
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Humble Vandal
Boat Type J 92
Rating: 108 DW Rating: 602
Certificate Date 12/9/2024
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Sail #
64999

Rig Data:

Max Headsail I: 37
100 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 38.5
ALUMN JSP: 17

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.8 45.4 25.1 26.5

LOA: 30
LWL: 26.5
Beam: 10
Draft: 5.9
Displacement: 5500
Ballast: 2275
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Max
Boat Type Ultimate 24 ODR
Rating: 108 DW Rating: 591
Certificate Date 12/12/2024
Displacement used for DW Rating: 2040
Certified PHRF Data on file?

Sail #
2

Rig Data:

Max Headsail I: 28.04
110 J: 7.82
Rig Type P: 31
FS E: 11.35
Mast Material ISP: 30.8
CARBON JSP: 14.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.8 35.5 21.3 21.3

LOA: 24.38
LWL: 21.17
Beam: 8.48
Draft: 5.52
Displacement: 2040
Ballast: 750
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Relentless
Boat Type J 92
Rating: 108 DW Rating: 591 Certificate Date 1/9/2025
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 37 Symmetric Spin? No LOA: 30 Displacement: 5500
105 J: 11.5 SL: SSMG: SSF: SPL: LWL: 26.5 Ballast: 2275
Rig Type P: 38
FS E: 13.5 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 38.5 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 17.5 40.6 45.2 25.4 26.4 Draft: 5.9

Boat Name Drama
Boat Type Beneteau 440 Oceanis
Rating: 111 DW Rating: 599 Certificate Date 1/10/2025
Displacement used for DW Rating: 22610
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 53.15 Symmetric Spin? No LOA: 44.83 Displacement: 20500
100 J: 15.09 SL: SSMG: SSF: SPL: LWL: 38 Ballast: 7055
Rig Type P: 47.05
MS E: 17.06 Asymmetric Spin? No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fixed_3
ALUMN JSP: Draft: 5.75

Boat Name Music
Boat Type Hunter 37 Legend WK
Rating: 111 DW Rating: 619 Certificate Date 1/13/2025
Displacement used for DW Rating: 14900
Certified PHRF Data on file?

Modifications on file: (mtg 5/22/08 +3 sec/mi for 110% headsail, +3 sec/mi for 2-blade fixed prop, -9sec/mi for oversized luff & girths on spinnaker)

Rig Data:
Max Headsail I: 48 Symmetric Spin? Yes LOA: 37.6 Displacement: 14900
110 J: 13.6 SL: SSMG: SSF: SPL: LWL: 31.4 Ballast: 6000
Rig Type P: 48.72 49.5 25.5 24.8 13
FS E: 15.35 Asymmetric Spin? No Engine: IB
Mast Material ISP: 48 SLE: SLU: ASMG: ASF: Prop Type: Fixed_2
ALUMN JSP: Draft: 5

Boat Name MINIMAX
Boat Type Melges 20
Rating: 111 DW Rating: 607 Certificate Date 1/21/2025
Displacement used for DW Rating: 1105
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 23.19 Symmetric Spin? NO LOA: 20 Displacement: 1105
110 J: 7.05 SL: SSMG: SSF: SPL: LWL: 19.4 Ballast: 415
Rig Type P: 24.25
FS E: 9.84 Asymmetric Spin? Yes Engine: OB
Mast Material ISP: 27.2 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 10.95 26.25 29.78 17.65 18.8 Draft: 4.5

Boat Name Surprise!	Sail #	Max Headsail	I:	43.5	<i>Symmetric Spin?</i> No	LOA:	38.4	Displacement:	12400
Boat Type Alerion Express 38-1	18	148	J:	14	SL: SSMG: SSF: SPL:	LWL:	30.1	Ballast:	4200
Rating: 111 DW Rating: 614 Certificate Date 12/13/2024		Rig Type	P:	44.5	14.5	Beam:	10.8	Engine:	IB
Displacement used for DW Rating: 12586		FS	E:	15.8	<i>Asymmetric Spin?</i> Yes	Draft:	5.8	Prop Type:	Fold
Certified PHRF Data on file? <input checked="" type="checkbox"/>		Mast Material	ISP:	45.8	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:	14	38.6 49 26.6 25.5				

Modifications on file: Power Winches. (mtg 9/24/18, Custom rating assigned. 114 As Sailed)(Mtg 6/24/19, removed mizzen, added a larger headsail with mid-girth 56% of LP. Change custom rating from 114 to 111)

Boat Name Rooster	Sail #	Max Headsail	I:	23.19	<i>Symmetric Spin?</i> No	LOA:	20	Displacement:	1105
Boat Type Melges 20	225	110	J:	7.05	SL: SSMG: SSF: SPL:	LWL:	19.4	Ballast:	415
Rating: 111 DW Rating: 607 Certificate Date 12/17/2024		Rig Type	P:	24.25		Beam:	7	Engine:	OB
Displacement used for DW Rating: 1105		FS	E:	9.84	<i>Asymmetric Spin?</i> Yes	Draft:	4.5	Prop Type:	None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	27.2	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	10.95	26.25 29.78 17.65 18.8				

Modifications on file:

Boat Name FUGU	Sail #	Max Headsail	I:	46	<i>Symmetric Spin?</i> YES	LOA:	39.33	Displacement:	15000
Boat Type Cal 40	8545	155	J:	15.17	SL: SSMG: SSF: SPL:	LWL:	30	Ballast:	6000
Rating: 114 DW Rating: 633 Certificate Date 1/9/2025		Rig Type	P:	40	41 19.75 23 15.17	Beam:	11	Engine:	IB
Displacement used for DW Rating: 16000		MS	E:	17.5	<i>Asymmetric Spin?</i> Yes	Draft:	5.58	Prop Type:	Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	46	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:	15.17	41 45 21.5 25				

Modifications on file:

Boat Name Son of a Son	Sail #	Max Headsail	I:	26.77	<i>Symmetric Spin?</i> NO	LOA:	22.75	Displacement:	1750
Boat Type J 70 ODR	586	100	J:	7.68	SL: SSMG: SSF: SPL:	LWL:	20.47	Ballast:	630
Rating: 114 DW Rating: 613 Certificate Date 12/3/2024		Rig Type	P:	26.16		Beam:	7.38	Engine:	OB
Displacement used for DW Rating: 1750		FS	E:	9.44	<i>Asymmetric Spin?</i> Yes	Draft:	4.92	Prop Type:	None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	30.15	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	13.5	28.87 35.43 18.24 18.7				

Modifications on file:

Boat Name Duende
Boat Type Cal 40
Rating: 114 DW Rating: 638 Certificate Date 12/4/2024
Displacement used for DW Rating: 15239
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46 Symmetric Spin? Yes LOA: 39.33 Displacement: 16000
155 J: 15.2 SL: SSMG: SSF: SPL: LWL: 30 Ballast: 6000
Rig Type P: 40 46 27 27 15.2
MS E: 17.5 Asymmetric Spin? No Engine: IB
Mast Material ISP: 46 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 5.5

Boat Name Infinity
Boat Type RS 21
Rating: 114 DW Rating: 634 Certificate Date 1/22/2025
Displacement used for DW Rating: 1455
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 24.11 Symmetric Spin? No LOA: 20.98 Displacement: 1455
92 J: 7.64 SL: SSMG: SSF: SPL: LWL: 18.67 Ballast: 731
Rig Type P: 25.59
MS E: 9.94 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 28.68 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 11.43 27.5 33.46 17.55 17.71 Draft: 4.4

Boat Name Highlander
Boat Type Cal 40
Rating: 114 DW Rating: 631 Certificate Date 12/17/2024
Displacement used for DW Rating: 14426
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46.2 Symmetric Spin? Yes LOA: 39.25 Displacement: 15000
150 J: 15.2 SL: SSMG: SSF: SPL: LWL: 30.25 Ballast: 6000
Rig Type P: 39.5 46.5 27.3 27 15.17
MS E: 17.5 Asymmetric Spin? No Engine: IB
Mast Material ISP: 46.2 SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: Draft: 5.58

Boat Name StFYC J80-1
Boat Type J 80 ODR
Rating: 114 DW Rating: 605 Certificate Date 1/17/2025
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 31.5 Symmetric Spin? NO LOA: 26.25 Displacement: 2900
100 J: 9.415 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 1400
Rig Type P: 30
MS E: 12.42 Asymmetric Spin? Yes Engine: OB
Mast Material ISP: 33.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 15.67 32 39.16 23.16 25.16 Draft: 4.75

Boat Name Kangaroo Jockey **Sail #**
29
Boat Type J 70 ODR
Rating: 114 DW Rating: 598 **Certificate Date** 1/6/2025
Displacement used for DW Rating: 1750
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 26.77 *Symmetric Spin?* No
100 J: 7.68 SL: SSMG: SSF: SPL:
Rig Type P: 26.16
FS E: 9.44 *Asymmetric Spin?* Yes
Mast Material ISP: 30.15 SLE: SLU: ASMG: ASF:
CARBON JSP: 13.5 28.87 35.43 18.24 18.7

LOA: 22.78 **Displacement:** 1750
LWL: 20.47 **Ballast:** 630
Beam: 7.38 **Engine:** OB
Draft: 4.92 **Prop Type:** None

Boat Name Shaman **Sail #**
5166
Boat Type CAL 40
Rating: 114 DW Rating: 624 **Certificate Date** 12/9/2024
Displacement used for DW Rating: 16000
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 46 *Symmetric Spin?* Yes
155 J: 15.17 SL: SSMG: SSF: SPL:
Rig Type P: 40 45.7 27.1 26.4 15.1
MS E: 17.5 *Asymmetric Spin?* No
Mast Material ISP: 46 SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 5.5

LOA: 39.5 **Displacement:** 15500
LWL: 30.3 **Ballast:** 6000
Beam: 11 **Engine:** IB
Draft: 5.5 **Prop Type:** FEATH

Boat Name Solstice **Sail #**
4
Boat Type Cal 40
Rating: 114 DW Rating: 627 **Certificate Date** 12/5/2024
Displacement used for DW Rating: 16500
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 46.01 *Symmetric Spin?* YES
130 J: 15.17 SL: SSMG: SSF: SPL:
Rig Type P: 40.25 46.01 27.3 27.3 15.17
MS E: 17.5 *Asymmetric Spin?* No
Mast Material ISP: 46 SLE: SLU: ASMG: ASF:
ALUMN JSP: 15 Draft: 5.583

LOA: 39.33 **Displacement:** 16500
LWL: 30.3 **Ballast:** 6000
Beam: 10.89 **Engine:** IB
Draft: 5.583 **Prop Type:** Fold

Boat Name Green Buffalo **Sail #**
8538
Boat Type CAL 40
Rating: 114 DW Rating: 634 **Certificate Date** 12/10/2024
Displacement used for DW Rating: 15148
Certified PHRF Data on file?
Modifications on file: Schumacher designed rudder - same as original

Rig Data:

Max Headsail I: 46.7 *Symmetric Spin?* Yes
155 J: 15.2 SL: SSMG: SSF: SPL:
Rig Type P: 39.8 46.01 27.3 27.3 15.2
MS E: 17.6 *Asymmetric Spin?* No
Mast Material ISP: 46.7 SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 5.8

LOA: 39.3 **Displacement:** 15148
LWL: 30 **Ballast:** 6000
Beam: 10.9 **Engine:** IB
Draft: 5.8 **Prop Type:** FEATH

Boat Name Allons-Y
Boat Type J 70 ODR
Rating: 114 DW Rating: 611 Certificate Date 1/9/2025
Displacement used for DW Rating: 1750
Certified PHRF Data on file?

Sail #
346

Rig Data:

Max Headsail I: 26.77
100 J: 7.68
Rig Type P: 26.16
FS E: 9.44
Mast Material ISP: 30.15
CARBON JSP: 13.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.87 35.43 18.24 18.7

LOA: 22.75
LWL: 20.47
Beam: 7.38
Draft: 4.92

Displacement: 1750
Ballast: 630
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Aegea
Boat Type Sabre 38-2
Rating: 117 DW Rating: 623 Certificate Date 12/14/2024
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
164

Rig Data:

Max Headsail I: 49.75
120 J: 14.5
Rig Type P: 43.5
MS E: 15.06
Mast Material ISP: 49.75
ALUMN JSP: 14.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 38.67
LWL: 31.42
Beam: 12.33
Draft: 6.5

Displacement: 16900
Ballast: 6600
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Praxis
Boat Type J 9
Rating: 117 DW Rating: 620 Certificate Date 12/22/2024
Displacement used for DW Rating: 4250
Certified PHRF Data on file?

Sail #
15

Rig Data:

Max Headsail I: 33.5
104 J: 10
Rig Type P: 34
FS E: 13.36
Mast Material ISP: 35
ALUMN JSP: 12.43

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28
LWL: 25.4
Beam: 8.6
Draft: 4.9

Displacement: 4250
Ballast: 1950
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Tramp Boat
Boat Type Farr 10/20 ODR
Rating: 117 DW Rating: 615 Certificate Date 1/7/2025
Displacement used for DW Rating: 8176
Certified PHRF Data on file?

Sail #
18430

Rig Data:

Max Headsail I: 37.75
150 J: 11.67
Rig Type P: 39.5
FS E: 15.42
Mast Material ISP: 39.67
ALUMN JSP: 12.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.7 20.34 20.34 12.82
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.92
LWL: 28.42
Beam: 10.5
Draft: 5.75

Displacement: 8176
Ballast: 3100
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name lolani **Sail #** 38048
Boat Type Hughes 48
Rating: 120 **DW Rating:** 600 **Certificate Date** 12/16/2024
Displacement used for DW Rating: 32000
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 54.3 *Symmetric Spin?* Yes LOA: 48 Displacement: 32000
135 J: 18.2 SL: SSMG: SSF: SPL: LWL: 35.1 Ballast: 14300
Rig Type P: 48.2 40.32 32.76 32.76 18.2
YAWL E: 19 *Asymmetric Spin?* Yes Beam: 11.1 Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: FEATH
ALUMN JSP: 20.2 48.6 54 32.76 32.76 Draft: 6

Boat Name Lucky Charms **Sail #** 30918
Boat Type Kirby 30
Rating: 120 **DW Rating:** 632 **Certificate Date** 12/3/2024
Displacement used for DW Rating: 5300
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 34.5 *Symmetric Spin?* Yes LOA: 29.67 Displacement: 5300
155 J: 10.6 SL: SSMG: SSF: SPL: LWL: 25.5 Ballast: 2300
Rig Type P: 37.25 34.28 19.09 18.86 10.6
FS E: 13.5 *Asymmetric Spin?* No Beam: 10.5 Engine: IB
Mast Material ISP: 34.5 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 10.6 Draft: 5.5

Boat Name Chomp! **Sail #** 905
Boat Type Etchells 22 ODR
Rating: 120 **DW Rating:** 646 **Certificate Date** 1/23/2025
Displacement used for DW Rating: 0
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 26.66 *Symmetric Spin?* YES LOA: 30.5 Displacement: 3337
90 J: 8.22 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 2105
Rig Type P: 32.49 27 14.4 14.4 8.22
FS E: 11.57 *Asymmetric Spin?* No Beam: 6.83 Engine: OB
Mast Material ISP: 26.66 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Westerly **Sail #** 4205
Boat Type Morgan 36 4/6
Rating: 120 **DW Rating:** 631 **Certificate Date** 12/11/2024
Displacement used for DW Rating: 11900
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 47.5 *Symmetric Spin?* No LOA: 36 Displacement: 11900
95 J: 13.58 SL: SSMG: SSF: SPL: LWL: 29.4 Ballast: 5000
Rig Type P: 41.83
MS E: 12.58 *Asymmetric Spin?* Yes Beam: 11.8 Engine: IB
Mast Material ISP: 47.5 SLE: SLU: ASMG: ASF: Prop Type: Fixed_2
ALUMN JSP: Draft: 6.6

Boat Name Harp	Sail #	Max Headsail	I:	50.7	<i>Symmetric Spin?</i> Yes	LOA:	38.17	Displacement:	19489
Boat Type Catalina 38	18003	125	J:	15.43	SL: SSMG: SSF: SPL:	LWL:	30.25	Ballast:	6850
Rating: 120 DW Rating: 631 Certificate Date 12/5/2024		Rig Type	P:	44	49.2 27.3 27.5 15.42	Beam:	11.83	Engine:	IB
Displacement used for DW Rating: 16813		MS	E:	11.5	<i>Asymmetric Spin?</i> No	Draft:	6.79	Prop Type:	FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	50.9	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:	15.43					
Modifications on file: DEC 93 - 7X19 STND RIG/ W/ROD RIG & SHRTN UPR SPREADERS 2 IN. NO CHNG RTNG (MTG 1/27/94)									

Boat Name Alacrity	Sail #	Max Headsail	I:	47	<i>Symmetric Spin?</i> No	LOA:	35.17	Displacement:	11400
Boat Type Tartan 3500	3500	115	J:	13.75	SL: SSMG: SSF: SPL:	LWL:	30	Ballast:	4500
Rating: 120 DW Rating: Certificate Date 1/21/2025		Rig Type	P:	41.3		Beam:	11.75	Engine:	IB
Displacement used for DW Rating: 11400		MS	E:	14.3	<i>Asymmetric Spin?</i> No	Draft:	6.5	Prop Type:	Feath
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:		SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:						
Modifications on file:									

Boat Name La Dolce Vita	Sail #	Max Headsail	I:	39.2	<i>Symmetric Spin?</i> No	LOA:	32.4	Displacement:	10000
Boat Type J 32	64	155	J:	11	SL: SSMG: SSF: SPL:	LWL:	29	Ballast:	3840
Rating: 120 DW Rating: 641 Certificate Date 12/10/2024		Rig Type	P:	38.5		Beam:	11	Engine:	IB
Displacement used for DW Rating:		FS	E:	15.5	<i>Asymmetric Spin?</i> Yes	Draft:	6	Prop Type:	Feath
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	40.5	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:	13	39.5 43 19.7 19.7				
Modifications on file: (Mtg 8/22/13, -6 sec/mi for sprit)									

Boat Name Dulcinea	Sail #	Max Headsail	I:	49.83	<i>Symmetric Spin?</i> Yes	LOA:	38.17	Displacement:	15900
Boat Type Catalina 38	88	135	J:	15.5	SL: SSMG: SSF: SPL:	LWL:	30.25	Ballast:	6850
Rating: 120 DW Rating: 635 Certificate Date 12/9/2024		Rig Type	P:	44	49.84 27.9 27.9 15	Beam:	11.83	Engine:	IB
Displacement used for DW Rating: 16813		MS	E:	11.5	<i>Asymmetric Spin?</i> No	Draft:	6.75	Prop Type:	Fixed_2
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	49.8	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:	15.5					
Modifications on file:									

Boat Name Bella **Sail #** 45
Boat Type Alerion Express Sport 33
Rating: 120 **DW Rating:** 648 **Certificate Date** 12/3/2024
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file: Powered Winches

Rig Data:
Max Headsail 100
Rig Type FS
Mast Material CARBON
I: 33.73
J: 11.39
P: 38.17
E: 16
ISP: 37.89
JSP: 12.96
Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
31.7 34.1 20.8 21.2
LOA: 33
LWL: 26.3
Beam: 9.3
Draft: 5
Displacement: 8000
Ballast: 3300
Engine: IB
Prop Type: Fold

Boat Name Rafiki **Sail #** 28858
Boat Type Wilderness 30 SX FR IB
Rating: 123 **DW Rating:** 585 **Certificate Date** 1/6/2025
Displacement used for DW Rating: 4200
Certified PHRF Data on file?
Modifications on file: (Mtg 1/22/23, -3 sec/mi for sugar scoop)

Rig Data:
Max Headsail 150
Rig Type MS
Mast Material ALUMN
I: 34.08
J: 11.75
P: 34.33
E: 11.5
ISP: 34.1
JSP: 11.8
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
34.24 21.15 21.15 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 5
LOA: 31.67
LWL: 27.75
Beam: 8.67
Draft: 5
Displacement: 4200
Ballast: 2150
Engine: OB
Prop Type: None

Boat Name L20 **Sail #** 18721
Boat Type J 29 7/8 OB
Rating: 123 **DW Rating:** 652 **Certificate Date** 1/9/2025
Displacement used for DW Rating: 6244
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail 150
Rig Type FS
Mast Material ALUMN
I: 35
J: 11.5
P: 38.8
E: 13
ISP: 35
JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35 20 20 12.2
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 5.6
LOA: 29.5
LWL: 25
Beam: 11
Draft: 5.6
Displacement: 6000
Ballast: 2100
Engine: OB
Prop Type: None

Boat Name Nancy **Sail #** 28890
Boat Type Wyliecat 30 OB
Rating: 123 **DW Rating:** 643 **Certificate Date** 12/3/2024
Displacement used for DW Rating: 5500
Certified PHRF Data on file?
Modifications on file: (-3 sec/mi for square top main)

Rig Data:
Max Headsail
Rig Type CAT
Mast Material CARBON
I:
J:
P: 39.66
E: 19.75
ISP:
JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 5.25
LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25
Displacement: 5500
Ballast: 3050
Engine: OB
Prop Type: None

Boat Name Dazzler **Sail #** 38349
Boat Type Wyliecat 30 OB
Rating: 123 **DW Rating:** 647 **Certificate Date** 12/2/2024
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Modifications on file: (Mtg 8/23/21, -3 sec/mi for square top mainsail)

Rig Data:

Max Headsail I: 0
J: 39
Rig Type P: CAT
E: 20
Mast Material ISP: CARBON
JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 5500
Ballast: 3050
Engine: OB
Prop Type: None

Boat Name Sapphire **Sail #** 0
Boat Type Alerion Express 33
Rating: 123 **DW Rating:** 657 **Certificate Date** 1/9/2025
Displacement used for DW Rating: 8700
Certified PHRF Data on file?

Modifications on file: Powered Main Halyard Winch

Rig Data:

Max Headsail I: 81
J: 11.39
Rig Type P: FS
E: 16
Mast Material ISP: CARBON
JSP: 12.96

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
30.1 36 18.7 20

LOA: 33
LWL: 26.3
Beam: 9.25
Draft: 5

Displacement: 8700
Ballast: 3300
Engine: IB
Prop Type: Fold

Boat Name JouJou **Sail #** 87324
Boat Type Capo 30
Rating: 123 **DW Rating:** 658 **Certificate Date** 12/14/2024
Displacement used for DW Rating: 7200
Certified PHRF Data on file?

Modifications on file: Roller Furler (Mtg 1/25/18, New Rudder Installed, NCTR)

Rig Data:

Max Headsail I: 120
J: 12.75
Rig Type P: MS
E: 11.5
Mast Material ISP: ALUMN
JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.5 21.5 21 12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 25
Beam: 10.33
Draft: 5.43

Displacement: 7200
Ballast: 3000
Engine: IB
Prop Type: Fold

Boat Name Calphurnia **Sail #** 28498
Boat Type Custom Schumacher 28
Rating: 123 **DW Rating:** 622 **Certificate Date** 12/9/2024
Displacement used for DW Rating: 3794
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 155
J: 9.08
Rig Type P: FS
E: 11.92
Mast Material ISP: ALUMN
JSP: 10.3

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31.26 18.54 18.44 10.33
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.86 32.75 17.15 19.29

LOA: 28
LWL: 24.79
Beam: 8.5
Draft: 5

Displacement: 3630
Ballast: 1300
Engine: OB
Prop Type: None

Boat Name Arcadia
Boat Type Custom Nash 28.5
Rating: 123 DW Rating: 596 Certificate Date 12/18/2024
Displacement used for DW Rating: 4327
Certified PHRF Data on file?

Sail #
3113

Rig Data:

Max Headsail I: 33
120 J: 10
Rig Type P: 32.5
FS E: 13
Mast Material ISP: 34
ALUMN JSP: 11

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
34.908 38.8 24.606 24.606

LOA: 28.5
LWL: 25.5
Beam: 9
Draft: 6.5

Displacement: 4327
Ballast: 1200
Engine: IB
Prop Type: FOLD

Modifications on file: (Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)
3

Boat Name Heart of Gold
Boat Type Olson 911S
Rating: 126 DW Rating: 658 Certificate Date 1/13/2025
Displacement used for DW Rating: 7500
Certified PHRF Data on file?

Sail #
41327

Rig Data:

Max Headsail I: 41.5
125 J: 12.33
Rig Type P: 35.5
MS E: 11.83
Mast Material ISP: 41.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.1 22.19 22.19 12.16
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.9
LWL: 25
Beam: 10.3
Draft: 5.5

Displacement: 7200
Ballast: 3200
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Jack
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 596 Certificate Date 1/7/2025
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Sail #
19

Rig Data:

Max Headsail I: 20.5
110 J: 6.6
Rig Type P: 23.75
FS E: 10
Mast Material ISP: 26.1
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
21.6 14 14 8.6
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 20
Beam: 5.58
Draft: 3.5

Displacement: 975
Ballast: 440
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Osprey
Boat Type Sabre 36
Rating: 126 DW Rating: 644 Certificate Date 12/17/2024
Displacement used for DW Rating: 13200
Certified PHRF Data on file?

Sail #
38128

Rig Data:

Max Headsail I: 47.1
125 J: 14.4
Rig Type P: 41.6
MS E: 13
Mast Material ISP: 47.1
ALUMN JSP: 14.4

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41.67 46 17.5 23

LOA: 36
LWL: 29.38
Beam: 11.25
Draft: 6.33

Displacement: 13200
Ballast: 5400
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Mr McGregor
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 605 Certificate Date 12/9/2024
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Sail #
8426

Rig Data:

Max Headsail I: 20.5
150 J: 6.5
Rig Type P: 23.75
FS E: 10
Mast Material ISP: 20.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
22 13.9 13.7 8.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 20
Beam: 5.58
Draft: 3.5

Displacement: 975
Ballast: 440
Engine: OB
Prop Type: None

Modifications on file: INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.

Boat Name Uno
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 651 Certificate Date 1/10/2025
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Sail #
28632

Rig Data:

Max Headsail I: 35.8
J: 5.5
Rig Type P: 39.66
CAT E: 19.75
Mast Material ISP: 35.8
CARBON JSP: 12

Symmetric Spin? No
SL: SSMG: SSF: SPL:
12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
32.8 37.02 18.7 19.68

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 5800
Ballast: 3000
Engine: IB
Prop Type: FOLD

Modifications on file: (mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 when asymmetric spinnaker flown on 12' pole)

Boat Name Mystic
Boat Type J 27
Rating: 126 DW Rating: Certificate Date 1/7/2025
Displacement used for DW Rating: 3800
Certified PHRF Data on file?

Sail #
8577

Rig Data:

Max Headsail I: 30
155 J: 10.5
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 10.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.5
LWL: 23
Beam: 8.5
Draft: 4.9

Displacement: 3800
Ballast: 1530
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Stratocaster
Boat Type J 32
Rating: 126 DW Rating: 636 Certificate Date 1/6/2025
Displacement used for DW Rating: 10000
Certified PHRF Data on file?

Sail #
16

Rig Data:

Max Headsail I: 39.2
155 J: 11
Rig Type P: 38.5
FS E: 15.5
Mast Material ISP: 40.68
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39 20.4 19.75 11
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.38 44.92 23.95 23.95

LOA: 32.5
LWL: 28.67
Beam: 11
Draft: 5.75

Displacement: 10000
Ballast: 3840
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Polecat
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 614 Certificate Date 12/10/2024
Displacement used for DW Rating: 5965
Certified PHRF Data on file?

Sail #
5

Rig Data:

Max Headsail I: Symmetric Spin? No
J: SL: SSMG: SSF: SPL:
Rig Type P: 40
CAT E: 20 Asymmetric Spin? No
Mast Material ISP: 29.5 SLE: SLU: ASMG: ASF:
CARBON JSP: 12 29.3 32.8 18.4 21.6

LOA: 30.5 Displacement: 5500
LWL: 25 Ballast: 3050
Beam: 9.416 Engine: IB
Draft: 5.25 Prop Type: FOLD

Modifications on file: (Articulating Sprint and Pole added for asym spinniker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)(11/7/22, -3 sec/mi for square top mainsail)

Boat Name Blue Martini
Boat Type Olson 911S
Rating: 126 DW Rating: 652 Certificate Date 1/6/2025
Displacement used for DW Rating: 7200
Certified PHRF Data on file?

Sail #
41279

Rig Data:

Max Headsail I: 41.5 Symmetric Spin? Yes
155 J: 12.33 SL: SSMG: SSF: SPL:
Rig Type P: 35.5 42.97 22.14 22.14 12.33
MS E: 11.83 Asymmetric Spin? NO
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 29.91 Displacement: 7200
LWL: 25 Ballast: 3200
Beam: 10.33 Engine: IB
Draft: 5.42 Prop Type: Fold

Modifications on file:

Boat Name Crinan II
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 647 Certificate Date 1/7/2025
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Sail #
15

Rig Data:

Max Headsail I: Symmetric Spin? No
J: SL: SSMG: SSF: SPL:
Rig Type P: 39
CATBOAT E: 20 Asymmetric Spin? No
Mast Material ISP: SLE: SLU: ASMG: ASF:
CARBON JSP:

LOA: 30.5 Displacement: 5500
LWL: 25 Ballast: 3050
Beam: 9.5 Engine: IB
Draft: 5.25 Prop Type: FOLD

Modifications on file: (Mtg 1/21/19, -3 sec/mi for square top mainsail)

Boat Name Kwazy
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 595 Certificate Date 1/6/2025
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Sail #
26

Rig Data:

Max Headsail I: 20.416 Symmetric Spin? Yes
150 J: 6.416 SL: SSMG: SSF: SPL:
Rig Type P: 23 22 14 14 8.5
FS E: 10 Asymmetric Spin? No
Mast Material ISP: 20.5 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 23.58 Displacement: 975
LWL: 20 Ballast: 440
Beam: 5.42 Engine: NONE
Draft: 3.41 Prop Type: None

Modifications on file:

Boat Name Holy Hand Grenade **Sail #**
40
Boat Type Wylie Wabbit ODR W/Trap
Rating: 129 DW Rating: 591 **Certificate Date** 1/21/2025
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Modifications on file: Hiking straps and single trapeze

Rig Data:

Max Headsail	I:	20.75	<i>Symmetric Spin?</i>	YES	LOA:	23.75	Displacement:	975
105	J:	6.5	SL:	SSMG:	SSF:	SPL:	Ballast:	440
Rig Type	P:	23.75	21.5	14	14	8.5	LWL:	20
FS	E:	10	<i>Asymmetric Spin?</i>			No	Beam:	5.58
Mast Material	ISP:	20.5	SLE:	SLU:	ASMG:	ASF:	Draft:	3.5
ALUMN	JSP:							Prop Type: None

Boat Name Moonlight **Sail #**
28059
Boat Type Express 27 ODR
Rating: 129 DW Rating: 604 **Certificate Date** 1/17/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450
155	J:	9	SL:	SSMG:	SSF:	SPL:	Ballast:	1100
Rig Type	P:	28.5	29	16.5	17.6	9.833	LWL:	23.75
FS	E:	10.416	<i>Asymmetric Spin?</i>			No	Beam:	8.17
Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:							Prop Type: None

Boat Name Light'n Up **Sail #**
3
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 **Certificate Date** 12/22/2024
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450
150	J:	9	SL:	SSMG:	SSF:	SPL:	Ballast:	1100
Rig Type	P:	28.5	29	17.75	17.75	9.833	LWL:	23.75
FS	E:	10.416	<i>Asymmetric Spin?</i>			No	Beam:	8.17
Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:							Prop Type: None

Boat Name MIA **Sail #**
70
Boat Type Express 27 ODR
Rating: 129 DW Rating: 608 **Certificate Date** 1/7/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450
155	J:	9	SL:	SSMG:	SSF:	SPL:	Ballast:	1100
Rig Type	P:	28.5	29	17.7	17.5	9.83	LWL:	23.75
FS	E:	10.42	<i>Asymmetric Spin?</i>			No	Beam:	8.17
Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:							Prop Type: None

Boat Name Dianne
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/9/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.75 17.75 9.833
FS E: 10.416 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Blue Thing
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/9/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.75 17.75 9.833
FS E: 10.416 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Archimedes
Boat Type Express 27 ODR
Rating: 129 DW Rating: 611 Certificate Date 1/6/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 ##### 17.6 9.833
FS E: 10.416 *Asymmetric Spin?* No Engine: NONE
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Mirage
Boat Type Express 27 ODR
Rating: 129 DW Rating: 606 Certificate Date 12/22/2024
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 28.8 17.5 17.9 9.833
FS E: 10.416 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Bandicoot
Boat Type Wyliecat 30 IB
Rating: 129 DW Rating: 647 Certificate Date 1/9/2025
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Sail #
11

Rig Data:

Max Headsail I: 0
J: 0
Rig Type P: 39.75
CATBOAT E: 20.5
Mast Material ISP: 29
CARBON JSP: 10

Symmetric Spin? No
SL: SSMG: SSF: SPL:
29 17.75 17.75 10
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
25 31.5 22.5 18.8

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 5500
Ballast: 3050
Engine: IB
Prop Type: FEATH

Modifications on file: (mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)

Boat Name Peaches
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/6/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
18364

Rig Data:

Max Headsail I: 28.5
J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.166
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Wile E Coyote
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 12/16/2024
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
11

Rig Data:

Max Headsail I: 28.5
J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Fired Up!
Boat Type Express 27 ODR
Rating: 129 DW Rating: 627 Certificate Date 12/3/2024
Displacement used for DW Rating: 2740
Certified PHRF Data on file?

Sail #
14

Rig Data:

Max Headsail I: 28.5
J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.55 17.55 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.166
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Get Happy!!
Boat Type Express 27 ODR
Rating: 129 DW Rating: 610 Certificate Date 1/13/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
1

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.166
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Hot Sheet
Boat Type Express 27 ODR
Rating: 129 DW Rating: 608 Certificate Date 1/6/2025
Displacement used for DW Rating: 2450
Certified PHRF Data on file?

Sail #
10

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Lone Star
Boat Type Express 27 ODR
Rating: 129 DW Rating: 606 Certificate Date 1/13/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
61

Rig Data:

Max Headsail I: 28.5
150 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
28.5 17.75 17.75 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Salty Hotel
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/7/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
60

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.83
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.17 30.35 17 17.39

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Current Affair
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 12/16/2024
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
56

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Bombora
Boat Type Express 27 ODR
Rating: 129 DW Rating: 632 Certificate Date 12/4/2024
Displacement used for DW Rating: 2977
Certified PHRF Data on file?

Sail #
38047

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.5 17.7 17.7 9.83
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
26.97 31 14.67 16.73

LOA: 27.25
LWL: 23.8
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Akumu
Boat Type B-25
Rating: 129 DW Rating: 597 Certificate Date 12/9/2024
Displacement used for DW Rating: 2000
Certified PHRF Data on file?

Sail #
44

Rig Data:

Max Headsail I: 28
155 J: 8.5
Rig Type P: 28
MS E: 11
Mast Material ISP: 32
ALUMN JSP: 10.83

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
37.66 17.1 16.75 9.83
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.75 33.58 18.66 19.5

LOA: 25
LWL: 21.25
Beam: 8.33
Draft: 5

Displacement: 2000
Ballast: 800
Engine: OB
Prop Type: None

Modifications on file: (Mtg 11/29/21, -6 sec/mi for sprit, -6 sec/mi for spinnaker area)

Boat Name Ergo
Boat Type Express 27 ODR
Rating: 129 DW Rating: 610 Certificate Date 1/14/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
40428

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
0

LOA: 27.25
LWL: 23.75
Beam: 8.075
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Tule Fog
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/9/2025
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 29
155 J: 9
Rig Type P: 29
FS E: 10
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.3 Displacement: 2450
LWL: 23.8 Ballast: 1100
Beam: 8.166 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Amaranth
Boat Type Beneteau 345
Rating: 132 DW Rating: 655 Certificate Date 1/21/2025
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44.22
120 J: 12.9
Rig Type P: 38.7
MS E: 12.1
Mast Material ISP: 44.22
ALUMN JSP: 12.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
0 0
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
21.04 21.92 18 23.83

LOA: 34.5 Displacement: 10141
LWL: 29.17 Ballast: 4600
Beam: 11.42 Engine: IB
Draft: 6.3 Prop Type: Feath

Boat Name Fancy
Boat Type Ericson 33
Rating: 132 DW Rating: 656 Certificate Date 12/9/2024
Displacement used for DW Rating: 11300
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 39.833
100 J: 12.75
Rig Type P: 43.25
FS E: 14.083
Mast Material ISP: 39.8
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.5 21.2 21.5 12.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.583 Displacement: 9500
LWL: 26.833 Ballast: 3950
Beam: 11.166 Engine: IB
Draft: 5.916 Prop Type: FEATH

Boat Name Madame Blue
Boat Type Pretorian 35
Rating: 132 DW Rating: Certificate Date 12/20/2024
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: Roller Furler

Rig Data:

Max Headsail I: 48.75
135 J: 14.75
Rig Type P: 42.5
MS E: 12
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 35.43 Displacement: 13000
LWL: 30.33 Ballast: 6613
Beam: 11.81 Engine: IB
Draft: 6 Prop Type: Feath

Boat Name Hygge
Boat Type BB-10
Rating: 135 DW Rating: 640 Certificate Date 1/10/2025
Displacement used for DW Rating: 4956
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	30.1	<i>Symmetric Spin?</i>	YES	LOA:	32.67	Displacement:	4956	
110	J:	9.82	SL:	SSMG: SSF: SPL:	LWL:	23.92	Ballast:	2700	
Rig Type	P:	36.09	32.25	17.7 17.7 9	Beam:	7.55	Engine:	IB	
FS	E:	11.65	<i>Asymmetric Spin?</i> Yes			Draft:	4.8	Prop Type:	Fold
Mast Material	ISP:	30.33	SLE:	SLU: ASMG: ASF:					
ALUMN	JSP:	9	28.17	31.5 14.42 17					

Boat Name Plus Sixteen
Boat Type Ericson 911S Olson
Rating: 135 DW Rating: 670 Certificate Date 12/16/2024
Displacement used for DW Rating: 8716
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	41.5	<i>Symmetric Spin?</i>	Yes	LOA:	30	Displacement:	8500	
125	J:	12.25	SL:	SSMG: SSF: SPL:	LWL:	25	Ballast:	3200	
Rig Type	P:	35.761	43.5	##### 12.25	Beam:	10.33	Engine:	IB	
MS	E:	11.811	<i>Asymmetric Spin?</i> Yes			Draft:	5.42	Prop Type:	FEATH
Mast Material	ISP:	41.5	SLE:	SLU: ASMG: ASF:					
ALUMN	JSP:	12.33	35.761	41.995 21.702 20.932					

Boat Name Dancer
Boat Type Tiffany Jayne 34
Rating: 135 DW Rating: 647 Certificate Date 1/10/2025
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	34.75	<i>Symmetric Spin?</i>	Yes	LOA:	34	Displacement:	7000	
95	J:	11.416	SL:	SSMG: SSF: SPL:	LWL:	25	Ballast:	3010	
Rig Type	P:	36.583	34.75	19.92 19.92 #####	Beam:	8	Engine:	IB	
FS	E:	14.166	<i>Asymmetric Spin?</i> No			Draft:	5.5	Prop Type:	FOLD
Mast Material	ISP:	34.75	SLE:	SLU: ASMG: ASF:					
ALUMN	JSP:								

Boat Name Miss Mayhem
Boat Type J 30 OSP
Rating: 135 DW Rating: 661 Certificate Date 1/22/2025
Displacement used for DW Rating: 6900
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	34.19	<i>Symmetric Spin?</i>	YES	LOA:	29.83	Displacement:	6700	
155	J:	11.5	SL:	SSMG: SSF: SPL:	LWL:	25	Ballast:	2100	
Rig Type	P:	38	33.58	20.58 21.25 12.5	Beam:	11.25	Engine:	IB	
FS	E:	13	<i>Asymmetric Spin?</i> No			Draft:	5.25	Prop Type:	Fold
Mast Material	ISP:	34.08	SLE:	SLU: ASMG: ASF:					
ALUMN	JSP:								

Boat Name Take Five More
Boat Type Ericson 911S Olson
Rating: 135 DW Rating: 671 Certificate Date 12/6/2024
Displacement used for DW Rating: 8716
Certified PHRF Data on file?

Sail #
38132

Rig Data:

Max Headsail I: 41.5
95 J: 12.33
Rig Type P: 35.5
MS E: 11.92
Mast Material ISP: 41.5
ALUMN JSP: 12.33

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
42 21.6 20 12.25
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.92
LWL: 25
Beam: 10.33
Draft: 5.4

Displacement: 8100
Ballast: 3200
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Parisian
Boat Type Ericson 35-3
Rating: 135 DW Rating: Certificate Date 1/23/2025
Displacement used for DW Rating: 13000
Certified PHRF Data on file?

Sail #
171

Rig Data:

Max Headsail I: 46
110 J: 15.83
Rig Type P: 39
MS E: 12
Mast Material ISP: 46
ALUMN JSP: 15.83

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 35.5
LWL: 28.833
Beam: 11.33
Draft: 6.166

Displacement: 13000
Ballast: 5200
Engine: IB
Prop Type: Fixed_3

Modifications on file:

Boat Name The Rooster
Boat Type Open 5.7 ODR
Rating: 138 DW Rating: 603 Certificate Date 1/10/2025
Displacement used for DW Rating: 992
Certified PHRF Data on file?

Sail #
298

Rig Data:

Max Headsail I: 21.52
117 J: 7.3
Rig Type P: 25.33
FS E: 10.24
Mast Material ISP: 27.9
ALUMN JSP: 12.3

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
20.6 25.8 17.9 17.6

LOA: 18.7
LWL: 18.7
Beam: 8.3
Draft: 5.7

Displacement: 992
Ballast: 405
Engine: NONE
Prop Type: None

Modifications on file:

Boat Name Free
Boat Type S&S 30
Rating: 138 DW Rating: 631 Certificate Date 12/6/2024
Displacement used for DW Rating: 6000
Certified PHRF Data on file?

Sail #
3002

Rig Data:

Max Headsail I: 43.7
155 J: 9.5
Rig Type P: 40
FS E: 14
Mast Material ISP: 43.58
ALUMN JSP: 9.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
37.5 43.2 15.8 16.7

LOA: 30.5
LWL: 27.5
Beam: 8.25
Draft: 5.5

Displacement: 6500
Ballast: 2400
Engine: IB
Prop Type: Fold

Modifications on file: Powered winches (Mtg 1/23/23, -6 sec/mi for increased ISP & headsail)

Boat Name Big Air **Sail #** 189
Boat Type Open 5.7 ODR
Rating: 138 **DW Rating:** 600 **Certificate Date** 12/17/2024
Displacement used for DW Rating: 992
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 21.52 *Symmetric Spin?* No LOA: 18.75 Displacement: 992
117 J: 7.3 SL: SSMG: SSF: SPL: LWL: 18.7 Ballast: 405
Rig Type P: 25.33
FS E: 10.24 *Asymmetric Spin?* Yes Engine: OB
Mast Material ISP: 27.9 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 12.3 20.64 25.82 17.9 17.6 Draft: 5.74

Boat Name Altair **Sail #** 306
Boat Type Open 5.7 ODR
Rating: 138 **DW Rating:** 602 **Certificate Date** 12/12/2024
Displacement used for DW Rating: 992
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 21.52 *Symmetric Spin?* No LOA: 18.7 Displacement: 992
117 J: 7.3 SL: SSMG: SSF: SPL: LWL: 18.7 Ballast: 405
Rig Type P: 25.33
FS E: 10.24 *Asymmetric Spin?* Yes Engine: OB
Mast Material ISP: 27.9 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 12.3 20.6 25.8 17.5 17.5 Draft: 5.7

Boat Name Vera Cruz **Sail #** 38133
Boat Type Jeanneau Sun Odyssey 349
Rating: 138 **DW Rating:** 652 **Certificate Date** 12/3/2024
Displacement used for DW Rating: 11738
Certified PHRF Data on file?
Modifications on file: (Mtg 8/23/21, -3 sec/mi for square-top main)

Rig Data:
Max Headsail I: 43.71 *Symmetric Spin?* No LOA: 32.75 Displacement: 11738
112 J: 12.37 SL: SSMG: SSF: SPL: LWL: 30.83 Ballast: 3483
Rig Type P: 40.19
FS E: 13.42 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 44.8 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 14.88 42.27 46.45 23.3 26.78 Draft: 6.5

Boat Name Spirit **Sail #** 317
Boat Type Open 5.7 ODR
Rating: 138 **DW Rating:** 602 **Certificate Date** 1/9/2025
Displacement used for DW Rating: 992
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 21.52 *Symmetric Spin?* No LOA: 18.7 Displacement: 992
117 J: 7.3 SL: SSMG: SSF: SPL: LWL: 18.7 Ballast: 405
Rig Type P: 25.33
FS E: 10.24 *Asymmetric Spin?* Yes Engine: OB
Mast Material ISP: 27.9 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 12.3 20.6 25.8 17.5 17.5 Draft: 5.7

Boat Name Curie
Boat Type Beneteau 32S5
Rating: 138 DW Rating: 657 Certificate Date 1/21/2025
Displacement used for DW Rating: 9260
Certified PHRF Data on file?

Sail #
52868

Rig Data:

Max Headsail I: 38.39
150 J: 9.68
Rig Type P: 38.88
FS E: 13.78
Mast Material ISP: 38.39
ALUMN JSP: 9.68

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.98 17.3 17.3 9.6
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
32.75 35.75 18.4 17.3

LOA: 32.6
LWL: 27.83
Beam: 10.83
Draft: 6

Displacement: 9260
Ballast: 2980
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Starbuck
Boat Type Custom Black Soo 30
Rating: 138 DW Rating: 585 Certificate Date 12/3/2024
Displacement used for DW Rating: 4500
Certified PHRF Data on file?

Sail #
8666

Rig Data:

Max Headsail I: 30
125 J: 13
Rig Type P: 25
MS E: 11.73
Mast Material ISP: 30
ALUMN JSP: 13

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31 22.1 23.2 13
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
36.1 41.8 22.15 23.9

LOA: 31
LWL: 27.5
Beam: 6.8
Draft: 6.4

Displacement: 4500
Ballast: 1800
Engine: OB
Prop Type: None

Modifications on file: (Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +3 sec/mi for small headsail. As Sailed 144)(Mtg 8/26/19, added 21.6% oversized A-Sail, -9 sec/mi. As Sailed: 135)(1/12/21, reduced A-sail area by 2%, changed Asail penalty from -9 to -6 sec/mi. As sailed: 138)

Boat Name Sonata
Boat Type Laser 28
Rating: 138 DW Rating: 644 Certificate Date 1/10/2025
Displacement used for DW Rating: 4334
Certified PHRF Data on file?

Sail #
33685

Rig Data:

Max Headsail I: 31.1
125 J: 9.65
Rig Type P: 33.14
FS E: 12.96
Mast Material ISP: 31.73
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31.78 19.1 19.1 10.61
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.41
LWL: 23.62
Beam: 9.48
Draft: 4.98

Displacement: 4550
Ballast: 1500
Engine: IB
Prop Type: FOLD

Modifications on file: (Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP)

Boat Name Solana
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 618 Certificate Date 12/10/2024
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Sail #
21102

Rig Data:

Max Headsail I: 32.58
150 J: 10.75
Rig Type P: 28.25
MS E: 8.58
Mast Material ISP: 32.58
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.15 19.45 19.45 10.81
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3000
Ballast: 1500
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Pacifico **Sail #** 23
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 618 **Certificate Date** 1/9/2025
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 32.583
155 J: 10.75
Rig Type P: 28.25
MS E: 8.583
Mast Material ISP: 32.583
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.74 19.4 19.4 10.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3000
Ballast: 1500
Engine: OB
Prop Type: None

Boat Name Hanalei **Sail #** 8111
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 620 **Certificate Date** 1/10/2025
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 32.583
155 J: 10.75
Rig Type P: 28.25
MS E: 8.583
Mast Material ISP: 32.583
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32 19.3 19.3 10.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3200
Ballast: 1500
Engine: OB
Prop Type: None

Boat Name Lickety Split **Sail #** 76
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 619 **Certificate Date** 1/6/2025
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 32.58
152 J: 10.75
Rig Type P: 28.25
MS E: 8.58
Mast Material ISP: 32.58
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.75 19.4 19.4 10.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3000
Ballast: 1600
Engine: OB
Prop Type: None

Boat Name Wilder **Sail #** 59333
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 624 **Certificate Date** 1/1/2025
Displacement used for DW Rating: 3440
Certified PHRF Data on file?

Modifications on file: Elliptical Rudder

Rig Data:

Max Headsail I: 32.7
155 J: 10.9
Rig Type P: 28.2
MS E: 8.7
Mast Material ISP: 32.58
ALUMN JSP: 10.9

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.8 19.6 17.59 10.9
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32.38 34.28 18.99 18.01

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3300
Ballast: 1600
Engine: OB
Prop Type: None

Boat Name Surf Rat **Sail #** 57131
Boat Type Santa Cruz 27
Rating: 141 **DW Rating:** 618 **Certificate Date** 1/13/2025
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	32.583	<i>Symmetric Spin?</i>	YES	LOA:	27	Displacement:	3000
150	J:	10.75	SL:	SSMG:	SSF:	SPL:	Ballast:	1500
Rig Type	P:	28.25	32.74	19.4	19.4	10.75	LWL:	24
MS	E:	8.58	<i>Asymmetric Spin?</i>			No	Beam:	8
Mast Material	ISP:	32.58	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:						Prop Type:	None

Boat Name Windspeed **Sail #** 39963
Boat Type J 30
Rating: 141 **DW Rating:** 664 **Certificate Date** 1/6/2025
Displacement used for DW Rating: 6900
Certified PHRF Data on file?

Modifications on file: +6 sec/mi for J length pole (mtg 11/16/01)

Rig Data:

Max Headsail	I:	34.19	<i>Symmetric Spin?</i>	Yes	LOA:	29.83	Displacement:	6700
155	J:	11.5	SL:	SSMG:	SSF:	SPL:	Ballast:	2100
Rig Type	P:	37.5	33.6	20.7	20.7	11.5	LWL:	25
FS	E:	12.5	<i>Asymmetric Spin?</i>			No	Beam:	11.18
Mast Material	ISP:	34.2	SLE:	SLU:	ASMG:	ASF:	Draft:	5.25
ALUMN	JSP:						Prop Type:	FOLD

Boat Name Luna Sea **Sail #** 420
Boat Type Islander 36 ODR
Rating: 144 **DW Rating:** 660 **Certificate Date** 12/17/2024
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	45	<i>Symmetric Spin?</i>	Yes	LOA:	36.08	Displacement:	18000
135	J:	14.48	SL:	SSMG:	SSF:	SPL:	Ballast:	5450
Rig Type	P:	39.25	45	27	27	15	LWL:	28.25
MS	E:	12.75	<i>Asymmetric Spin?</i>			No	Beam:	11.17
Mast Material	ISP:	45	SLE:	SLU:	ASMG:	ASF:	Draft:	6.08
ALUMN	JSP:						Prop Type:	Feath

Boat Name Peabody **Sail #** 22
Boat Type Ultimate 20
Rating: 144 **DW Rating:** 622 **Certificate Date** 1/7/2025
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	25.08	<i>Symmetric Spin?</i>	No	LOA:	20.94	Displacement:	1350
110	J:	6.97	SL:	SSMG:	SSF:	SPL:	Ballast:	450
Rig Type	P:	27.5	<i>Asymmetric Spin?</i>			Yes	Beam:	8.33
FS	E:	10.25	SLE:	SLU:	ASMG:	ASF:	Draft:	5.03
Mast Material	ISP:	27.58	28.4	31.3	17.7	19.2	Prop Type:	None
ALUMN	JSP:	12.79						

Boat Name Breakaway
Boat Type Ultimate 20 CM
Rating: 144 DW Rating: 631 Certificate Date 1/6/2025
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Sail #
180

Rig Data:

Max Headsail I: 26.08
114 J: 6.97
Rig Type P: 27.33
FS E: 10.17
Mast Material ISP: 27.58
CARBON JSP: 12.79

Symmetric Spin? No
SL: SSMG: SSF: SPL:
0 0
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.417 30.42 17.7 19.167

LOA: 20.83 Displacement: 1350
LWL: 18 Ballast: 450
Beam: 8.33 Engine: OB
Draft: 5 Prop Type: Fixed_3

Modifications on file:

Boat Name Crazy Rhythm
Boat Type Santa Cruz 27
Rating: 144 DW Rating: 618 Certificate Date 1/22/2025
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Sail #
18771

Rig Data:

Max Headsail I: 32.58
125 J: 10.75
Rig Type P: 28.166
MS E: 8.583
Mast Material ISP: 32.58
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.74 19.4 19.4 10.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27 Displacement: 3200
LWL: 24 Ballast: 1600
Beam: 8 Engine: OB
Draft: 4.5 Prop Type: None

Modifications on file: (Outboard Removed)

Boat Name Ad Lib
Boat Type Aphrodite 101
Rating: 144 DW Rating: 650 Certificate Date 12/9/2024
Displacement used for DW Rating: 7490
Certified PHRF Data on file?

Sail #
8161

Rig Data:

Max Headsail I: 36.83
100 J: 11.81
Rig Type P: 39.33
FS E: 11.48
Mast Material ISP: 32.23
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35.6 21.3 19.6 11.9
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 32.75 Displacement: 6160
LWL: 26.33 Ballast: 3527
Beam: 7.92 Engine: IB
Draft: 5.42 Prop Type: FOLD

Modifications on file:

Boat Name Cassiopeia
Boat Type Islander 36 ODR
Rating: 144 DW Rating: 660 Certificate Date 1/7/2025
Displacement used for DW Rating: 14168
Certified PHRF Data on file?

Sail #
6763

Rig Data:

Max Headsail I: 45
150 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45.34 27 27 15
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.08 Displacement: 13947
LWL: 28.25 Ballast: 5450
Beam: 11.17 Engine: IB
Draft: 6 Prop Type: FOLD

Modifications on file: (mtg 2/18/10, - 6 sec/mi for 10% OSP)(8/2/11, boat returned to ODR Configuration)

Boat Name Windcatcher
Boat Type Islander 36 ODR
Rating: 144 DW Rating: 663 Certificate Date 12/16/2024
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 110
Rig Type MS
Mast Material ALUMN
I: 45
J: 14.48
P: 39.25
E: 12.75
ISP: 45
JSP: 14.48
Symmetric Spin? Yes
SL: 45.25 SSMG: 27 SSF: 25 SPL: 15
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 36.08
LWL: 28.25
Beam: 11.17
Draft: 6.08
Displacement: 13450
Ballast: 5450
Engine: IB
Prop Type: Fixed_2

Boat Name Crews Nest
Boat Type Catalina 34 1&2
Rating: 147 DW Rating: 639 Certificate Date 12/9/2024
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 130
Rig Type MS
Mast Material ALUMN
I: 44
J: 13.5
P: 38.5
E: 12
ISP: 44
JSP: 13.5
Symmetric Spin? Yes
SL: 42 SSMG: 24 SSF: 23.5 SPL: 13.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 35.67
LWL: 29.83
Beam: 11.75
Draft: 5.58
Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: FEATH

Boat Name Surprise
Boat Type Catalina 34 1&2
Rating: 147 DW Rating: Certificate Date 1/17/2025
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file: Roller Furling Jib

Rig Data:
Max Headsail 135
Rig Type MS
Mast Material ALUMN
I: 44
J: 13.5
P: 38.5
E: 12
ISP: JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 34.5
LWL: 29.83
Beam: 11.75
Draft: 5.58
Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: FOLD

Boat Name JR
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/6/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155
Rig Type FS
Mast Material ALUMN
I: 26.25
J: 9.75
P: 25
E: 9.5
ISP: 26.25
JSP:
Symmetric Spin? Yes
SL: 27 SSMG: 17.55 SSF: 17.55 SPL: 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.08
Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Moorigami **Sail #** 77
Boat Type Moore 24
Rating: 150 **DW Rating:** 629 **Certificate Date** 12/3/2024
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes
155 J: 9.75 SL: SSMG: SSF: SPL:
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* Yes
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: 24.4 28.2 17.3 18

LOA: 23.75 **Displacement:** 2050
LWL: 21.75 **Ballast:** 1025
Beam: 7.16 **Engine:** OB
Draft: 4.083 **Prop Type:** None

Boat Name Orca **Sail #** 85
Boat Type Moore 24
Rating: 150 **DW Rating:** 631 **Certificate Date** 12/17/2024
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes
150 J: 9.75 SL: SSMG: SSF: SPL:
Rig Type P: 25 26 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 23.75 **Displacement:** 2050
LWL: 21.75 **Ballast:** 1025
Beam: 7.16 **Engine:** OB
Draft: 4.083 **Prop Type:** None

Boat Name Fatuity **Sail #** 48
Boat Type Moore 24
Rating: 150 **DW Rating:** 629 **Certificate Date** 1/6/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes
150 J: 9.75 SL: SSMG: SSF: SPL:
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 23.75 **Displacement:** 2050
LWL: 21.75 **Ballast:** 1025
Beam: 7.16 **Engine:** OB
Draft: 4.083 **Prop Type:** None

Boat Name Color Blind **Sail #** 49
Boat Type Moore 24
Rating: 150 **DW Rating:** 629 **Certificate Date** 1/6/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes
150 J: 9.75 SL: SSMG: SSF: SPL:
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 23.75 **Displacement:** 2050
LWL: 21.75 **Ballast:** 1025
Beam: 7.16 **Engine:** OB
Draft: 4.083 **Prop Type:** None

Boat Name Nobody's Girl	Sail # 84	Max Headsail 149	I: 26.25	<i>Symmetric Spin?</i> Yes	LOA: 23.75	Displacement: 2130
Boat Type Moore 24			J: 9.75	SL: SSMG: SSF: SPL:	LWL: 21.75	Ballast: 1000
Rating: 150	DW Rating: 647	Certificate Date 12/18/2024	Rig Type FS	26.6 17.55 17.55 9.5	Beam: 7.16	Engine: OB
Displacement used for DW Rating: 2420			Mast Material ALUMN	<i>Asymmetric Spin?</i> No	Draft: 4.083	Prop Type: None
Certified PHRF Data on file? <input checked="" type="checkbox"/>			ISP: 26.25	SLE: SLU: ASMG: ASF:		
			JSP: 9.75			

Modifications on file: (Mtg 3/25/24, new mainsail has oversized girths but no change to overall MSA: NCTR. -3 sec/mi for oversized spinnaker)(12/18/24, returned to stock Moore 24 configuration)

Boat Name Puffin	Sail # 62	Max Headsail 150	I: 26.25	<i>Symmetric Spin?</i> Yes	LOA: 23.75	Displacement: 2050
Boat Type Moore 24			J: 9.75	SL: SSMG: SSF: SPL:	LWL: 21.75	Ballast: 1025
Rating: 150	DW Rating: 639	Certificate Date 1/9/2025	Rig Type FS	27 17.55 17.55 9.75	Beam: 7.16	Engine: OB
Displacement used for DW Rating: 2268			Mast Material ALUMN	<i>Asymmetric Spin?</i> Yes	Draft: 4.083	Prop Type: None
Certified PHRF Data on file? <input checked="" type="checkbox"/>			ISP: 26.25	SLE: SLU: ASMG: ASF:		
			JSP:	24.2 29 17.4 17.6		

Modifications on file:

Boat Name Oxymoron	Sail # 106	Max Headsail 150	I: 26.25	<i>Symmetric Spin?</i> Yes	LOA: 23.75	Displacement: 2050
Boat Type Moore 24			J: 9.75	SL: SSMG: SSF: SPL:	LWL: 21.75	Ballast: 1025
Rating: 150	DW Rating: 633	Certificate Date 12/16/2024	Rig Type FS	26.6 17.55 17.55 9.75	Beam: 7.16	Engine: OB
Displacement used for DW Rating: 2050			Mast Material ALUMN	<i>Asymmetric Spin?</i> No	Draft: 4.25	Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 26.2	SLE: SLU: ASMG: ASF:		
			JSP:			

Modifications on file:

Boat Name Suerte	Sail # 117	Max Headsail 150	I: 26.25	<i>Symmetric Spin?</i> Yes	LOA: 23.75	Displacement: 2050
Boat Type Moore 24			J: 9.75	SL: SSMG: SSF: SPL:	LWL: 21.75	Ballast: 1025
Rating: 150	DW Rating: 629	Certificate Date 1/21/2025	Rig Type FS	27 17.55 17.55 9.75	Beam: 7.16	Engine: OB
Displacement used for DW Rating: 2050			Mast Material ALUMN	<i>Asymmetric Spin?</i> No	Draft: 4.08	Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 26.25	SLE: SLU: ASMG: ASF:		
			JSP:			

Modifications on file:

Boat Name Flying Circus
Boat Type Moore 24
Rating: 150 DW Rating: 633 Certificate Date 1/6/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 Symmetric Spin? YES LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.6 17.55 8.78 9.9
FS E: 9.5 Asymmetric Spin? NO Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.083

Boat Name Enamored
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/9/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 Symmetric Spin? YES LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.6 17.5 17.5 9.75
FS E: 9.5 Asymmetric Spin? No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 9.75 Draft: 4.08

Boat Name Mooretician
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/7/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 Symmetric Spin? Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.6 17.55 17.55 9.75
FS E: 9.5 Asymmetric Spin? No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.08

Boat Name Flying Colors
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 12/18/2024
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 Symmetric Spin? YES LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 Asymmetric Spin? No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.083

Boat Name Ripple
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 12/17/2024
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.24 *Symmetric Spin?* YES LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.6 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.083

Boat Name Safety Third
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/6/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* YES LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.083

Boat Name Bear Grotto
Boat Type Custom Dogpatch 26
Rating: 150 DW Rating: 621 Certificate Date 12/4/2024
Displacement used for DW Rating: 1950
Certified PHRF Data on file?

Modifications on file: (Mtg 2/28/22, Custom rating of 150 assigned)

Rig Data:

Max Headsail I: 28 *Symmetric Spin?* Yes LOA: 25.75 Displacement: 1950
155 J: 8.166 SL: SSMG: SSF: SPL: LWL: 21.5 Ballast: 760
Rig Type P: 24.916 27.7 17.18 17.18 10
SL E: 11 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.67

Boat Name Bluebird
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/21/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* NO Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.08

Boat Name Liquid Asset
Boat Type Ranger 33
Rating: 150 DW Rating: 658 Certificate Date 1/22/2025
Displacement used for DW Rating: 10289
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.5
150 J: 13.7
Rig Type P: 35
MS E: 13.75
Mast Material ISP: 41.5
ALUMN JSP: 13.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.5 24.6 24.6 13.7
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.17
LWL: 26.25
Beam: 9.58
Draft: 5.17

Displacement: 10500
Ballast: 4500
Engine: IB
Prop Type: Fold

Boat Name WooHoo
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/7/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.8
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name The Flying Tiger
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/7/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.2
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.08

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Ruby
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/14/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.5 17.5 17.1 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.9
LWL: 21.9
Beam: 7.2
Draft: 4.1

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Touch Of Grey
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/17/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Wet Spot
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/7/2025
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.08

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Andiamo
Boat Type Catalina 36-2
Rating: 153 DW Rating: 650 Certificate Date 1/7/2025
Displacement used for DW Rating: 14200
Certified PHRF Data on file?

Modifications on file: In-Mast Furling Mainsail, +3 sec/mi

Rig Data:

Max Headsail I: 44.75
115 J: 14.33
Rig Type P: 39
MS E: 13
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
37 43 24 29

LOA: 36
LWL: 30.25
Beam: 11.9
Draft: 5.8

Displacement: 14200
Ballast: 6000
Engine: IB
Prop Type: Fixed_3

Boat Name Ohana
Boat Type Catalina 34 1&2
Rating: 153 DW Rating: 647 Certificate Date 1/6/2025
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44
135 J: 13.5
Rig Type P: 38.5
MS E: 11.75
Mast Material ISP: 44
ALUMN JSP: 13.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 34.5
LWL: 29.83
Beam: 11.75
Draft: 5.58

Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Fixed_3

Boat Name Pelagic **Sail #**
0
Boat Type Beneteau 310 SD
Rating: 156 DW Rating: 620 **Certificate Date** 1/22/2025
Displacement used for DW Rating: 7054
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 37.04 *Symmetric Spin?* Yes LOA: 31 Displacement: 7054
100 J: 10.83 SL: SSMG: SSF: SPL: LWL: 28.66 Ballast: 2400
Rig Type P: 36.8 36.3 21 20.7 11.8
FS E: 12.25 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 37.1 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 4.25

Boat Name La Paloma **Sail #**
164
Boat Type IOD ODR
Rating: 156 DW Rating: 712 **Certificate Date** 1/21/2025
Displacement used for DW Rating: 7100
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 29.25 *Symmetric Spin?* Yes LOA: 33.42 Displacement: 7100
100 J: 8.33 SL: SSMG: SSF: SPL: LWL: 21.42 Ballast: 4100
Rig Type P: 38.83 30 15 15 8.416
MS E: 16.25 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: None
WOOD JSP: Draft: 5.333

Boat Name Sailor Dog **Sail #**
1798
Boat Type Catalina 34 1&2
Rating: 156 DW Rating: 652 **Certificate Date** 1/9/2025
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file: In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi

Rig Data:

Max Headsail I: 44 *Symmetric Spin?* No LOA: 34.5 Displacement: 11950
110 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.8 Ballast: 5000
Rig Type P: 38.5
MS E: 12 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 44 SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: 13.5 38 40.5 22.5 20.5 Draft: 5.6

Boat Name O'Mar **Sail #**
28258
Boat Type Olson 25
Rating: 159 DW Rating: 657 **Certificate Date** 1/9/2025
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 32 *Symmetric Spin?* Yes LOA: 25 Displacement: 2900
155 J: 9.583 SL: SSMG: SSF: SPL: LWL: 21.25 Ballast: 1300
Rig Type P: 28 31 16.5 16.5 9.58
MS E: 10 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 32 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Sketch
Boat Type Olson 25
Rating: 159 DW Rating: 673 Certificate Date 12/17/2024
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Sail #
76

Rig Data:

Max Headsail 155
Rig Type MS
Mast Material ALUMN
I: 32
J: 9.583
P: 28
E: 10
ISP: 32
JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
32 17.25 17 9.583
Asymmetric Spin? NO
SLE: SLU: ASMG: ASF:
JSP:

LOA: 25
LWL: 21.25
Beam: 9
Draft: 4.5

Displacement: 3300
Ballast: 1300
Engine: ob
Prop Type: None

Modifications on file:

Boat Name Sea B
Boat Type Olson 25
Rating: 159 DW Rating: 661 Certificate Date 12/3/2024
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Sail #
38984

Rig Data:

Max Headsail 155
Rig Type MS
Mast Material ALUMN
I: 32
J: 9.583
P: 28
E: 10
ISP: 32
JSP: 9.58

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25
LWL: 21.25
Beam: 9
Draft: 4.5

Displacement: 2900
Ballast: 1300
Engine: OB
Prop Type: None

Modifications on file: Roller Furler

Boat Name Santorini
Boat Type Beneteau 323 SD
Rating: 159 DW Rating: Certificate Date 12/17/2024
Displacement used for DW Rating: 9235
Certified PHRF Data on file?

Sail #
38607

Rig Data:

Max Headsail 105
Rig Type MS
Mast Material ALUMN
I: 42.67
J: 11.06
P: 38.91
E: 13.17
ISP:
JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 32.83
LWL: 29.17
Beam: 10.75
Draft: 4.25

Displacement: 9325
Ballast: 2414
Engine: IB
Prop Type: Fixed_3

Modifications on file:

Boat Name Citlali
Boat Type Olson 25
Rating: 159 DW Rating: 673 Certificate Date 12/6/2024
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Sail #
18336

Rig Data:

Max Headsail 155
Rig Type MS
Mast Material ALUMN
I: 32
J: 9.583
P: 28
E: 10
ISP: 32
JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32 17.28 17.24 9.583
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25
LWL: 21.25
Beam: 9
Draft: 4.5

Displacement: 3300
Ballast: 1300
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Rumour
Boat Type Ericson 32-3
Rating: 159 DW Rating: 663 Certificate Date 12/18/2024
Displacement used for DW Rating: 9800
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42
150 J: 13.75
Rig Type P: 36
MS E: 11.5
Mast Material ISP: 42
ALUMN JSP: 13.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.83 22.7 22 13.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 32.5 Displacement: 9800
LWL: 25.83 Ballast: 4200
Beam: 10.83 Engine: IB
Draft: 6 Prop Type: Fixed_2

Boat Name Clean Sweep
Boat Type Olson 25
Rating: 159 DW Rating: 675 Certificate Date 1/7/2025
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 32
155 J: 9.583
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31.73 17.24 16.55 9.583
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25 Displacement: 3300
LWL: 21.25 Ballast: 1300
Beam: 9 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Falkor
Boat Type Olson 25
Rating: 159 DW Rating: 674 Certificate Date 1/6/2025
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Modifications on file: Roller Furler

Rig Data:

Max Headsail I: 32
130 J: 9.583
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31 17.28 17.28 9.583
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25 Displacement: 3300
LWL: 21.25 Ballast: 1300
Beam: 9 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Shadowfax
Boat Type Olson 25
Rating: 159 DW Rating: 675 Certificate Date 12/3/2024
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 32
155 J: 9.6
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31.7 17.25 17.25 9.583
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25 Displacement: 3300
LWL: 21.25 Ballast: 1300
Beam: 9 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Boogie Woogie **Sail #** 8262
Boat Type Ranger 33 MOD
Rating: 159 **DW Rating:** 662 **Certificate Date** 12/9/2024
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file: Roller Furler. (Mtg 4/29/191, +9 sec/mi for short "E")

Rig Data:
Max Headsail I: 41.5 *Symmetric Spin?* Yes LOA: 33.17 Displacement: 10500
150 J: 13.87 SL: SSMG: SSF: SPL: LWL: 26.25 Ballast: 4800
Rig Type P: 35 41.5 24.97 24.97 13.87
MS E: 11 *Asymmetric Spin?* No Beam: 9.58 Engine: IB
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 5.17

Boat Name El Gavilan **Sail #** 6116
Boat Type Hawkfarm 28 ODR
Rating: 162 **DW Rating:** 675 **Certificate Date** 1/23/2025
Displacement used for DW Rating: 5700
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 33 *Symmetric Spin?* Yes LOA: 28 Displacement: 5700
155 J: 11 SL: SSMG: SSF: SPL: LWL: 23.5 Ballast: 2700
Rig Type P: 36 33 20.7 20.7 11.5
FS E: 10.5 *Asymmetric Spin?* No Beam: 9.75 Engine: IB
Mast Material ISP: 33.25 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 11.5 Draft: 5.17

Boat Name Venture **Sail #** 543
Boat Type C&C 33
Rating: 165 **DW Rating:** 653 **Certificate Date** 12/14/2024
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file: Powered Halyard Winch (1/3/23, +3 sec/mi for in-mast furling mainsail, +3 sec/mi for mgm <50% of E)

Rig Data:
Max Headsail I: 43 *Symmetric Spin?* No LOA: 32.75 Displacement: 9800
100 J: 14 SL: SSMG: SSF: SPL: LWL: 26.42 Ballast: 4075
Rig Type P: 37.25 14
MS E: 10.75 *Asymmetric Spin?* Yes Beam: 10.5 Engine: IB
Mast Material ISP: 43 SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: 36 40.2 24.2 24.2 Draft: 5.5

Boat Name Fog Dog **Sail #** 224
Boat Type Catalina 320
Rating: 165 **DW Rating:** Certificate Date 1/21/2025
Displacement used for DW Rating: 12719
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 43.58 *Symmetric Spin?* No LOA: 32.5 Displacement: 11300
105 J: 12.33 SL: SSMG: SSF: SPL: LWL: 28 Ballast: 4000
Rig Type P: 38
MS E: 13.25 *Asymmetric Spin?* No Beam: 11.75 Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fixed_3
ALUMN JSP: Draft: 6

Boat Name Bada Bing **Sail #**
135
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: **Certificate Date** 1/17/2025
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
 J: 9.75
 P: 33
Rig Type E: 12.5
 ISP: 30
Mast Material JSP: 9.75
 ALUMN

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Dream **Sail #**
222
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 706 **Certificate Date** 1/6/2025
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
 J: 9.75
 P: 33
Rig Type E: 12.5
 ISP:
Mast Material JSP:
 ALUMN

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.25
LWL: 22.83
Beam: 8.17
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: FOLD

Boat Name Zenaida **Sail #**
38079
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 695 **Certificate Date** 12/3/2024
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
 J: 9.75
 P: 33
Rig Type E: 12.5
 ISP:
Mast Material JSP:
 ALUMN

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29.96 17.55 15.77 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: FOLD

Boat Name Diana **Sail #**
190
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 701 **Certificate Date** 12/16/2024
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
 J: 9.75
 P: 33
Rig Type E: 12.5
 ISP:
Mast Material JSP:
 ALUMN

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.2
LWL: 22.8
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: FOLD

Boat Name Water Rat
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 Certificate Date 1/9/2025
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.5
Rig Type P: 28
FS E: 9.75
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.5 17 16.8 9.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 24
LWL: 20
Beam: 8.916
Draft: 4

Displacement: 3100
Ballast: 950
Engine: OB
Prop Type: None

Boat Name Flying Machine
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 707 Certificate Date 1/17/2025
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.8
Rig Type P: 33
FS E: 13
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 28.2
LWL: 22.8
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: FOLD

Boat Name Tunesy
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 695 Certificate Date 1/17/2025
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: Called re YC. Is applying to RICHMONDYC 3-22/05.

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29.75 17.55 17.24 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 28.25
LWL: 22.833
Beam: 8.17
Draft: 4.5

Displacement: 5700
Ballast: 2000
Engine: IB
Prop Type: FOLD

Boat Name Fulvia
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 705 Certificate Date 1/6/2025
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Chance
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 705 Certificate Date 1/21/2025
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Chesapeake III
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 705 Certificate Date 12/16/2024
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Old #6
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 Certificate Date 1/6/2025
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.5
Rig Type P: 28
FS E: 9.75
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
26.5 17 16.8 9.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 24
LWL: 20
Beam: 8.92
Draft: 4

Displacement: 3100
Ballast: 950
Engine: OB
Prop Type: None

Boat Name Sweet De
Boat Type Alerion Express 28
Rating: 168 DW Rating: 703 Certificate Date 12/12/2024
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file: (Mtg 2/24/20, +6 Sec/mi for class jib)

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.44 31.5 15.43 15.73

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Jewel
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 695 Certificate Date 1/10/2025
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
255

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
30 17 17.6 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Allegro Non Troppo
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 695 Certificate Date 12/4/2024
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Sail #
188

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29.75 17.5 17.5 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
0

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Bewitched
Boat Type Merit 25
Rating: 168 DW Rating: 695 Certificate Date 1/13/2025
Displacement used for DW Rating: 3286
Certified PHRF Data on file?

Sail #
8177

Rig Data:

Max Headsail I: 28.75
155 J: 9.66
Rig Type P: 28
FS E: 9.75
Mast Material ISP: 28.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.39 17.39 9.66
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 24.5
LWL: 20.5
Beam: 8
Draft: 4

Displacement: 3000
Ballast: 1050
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Frances
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 706 Certificate Date 12/3/2024
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Sail #
435

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.2
LWL: 22.8
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Anna Lu **Sail #** 529
Boat Type Merit 25
Rating: 168 DW Rating: 696 **Certificate Date** 12/14/2024
Displacement used for DW Rating: 3286
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.75 *Symmetric Spin?* Yes LOA: 24.5 Displacement: 3000
150 J: 9.66 SL: SSMG: SSF: SPL: LWL: 20.5 Ballast: 1050
Rig Type P: 28 28.8 17.38 17.38 9.66
FS E: 9.75 *Asymmetric Spin?* No Beam: 8 Engine: OB
Mast Material ISP: 28.75 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 3.98

Boat Name Skipjack **Sail #** 428
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 705 **Certificate Date** 1/6/2025
Displacement used for DW Rating: 5640
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30 *Symmetric Spin?* No LOA: 28.25 Displacement: 5640
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33
FS E: 12.5 *Asymmetric Spin?* Yes Beam: 8.2 Engine: IB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 9.8 24.02 28.54 14.73 17.16 Draft: 4.5

Boat Name Dream Catcher **Sail #** 481
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 **Certificate Date** 1/6/2025
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 24 Displacement: 3100
150 J: 9.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 950
Rig Type P: 28 26.5 17 16.8 9.5
FS E: 9.75 *Asymmetric Spin?* No Beam: 8.92 Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4

Boat Name Resilience **Sail #** 136
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 696 **Certificate Date** 12/22/2024
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30 *Symmetric Spin?* YES LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33 29.96 16.73 16.73 9.55
FS E: 12.5 *Asymmetric Spin?* No Beam: 8.2 Engine: IB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 9.75 Draft: 4.5

Boat Name Froglips
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 Certificate Date 12/3/2024
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 24 Displacement: 3100
150 J: 9.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 965
Rig Type P: 28 26.5 17.13 17.03 9.5 Beam: 8.92 Engine: OB
FS E: 9.75 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 4

Boat Name Althea
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 711 Certificate Date 12/12/2024
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30 *Symmetric Spin?* No LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33 Beam: 8.2 Engine: IB
FS E: 12.5 *Asymmetric Spin?* Yes Prop Type: Fold
Mast Material ISP: 30 SLE: SLU: ASMG: ASF:
ALUMN JSP: 9.75 24.7 29.5 10.5 13.5 Draft: 4.5

Boat Name Eos
Boat Type Cal 34-2
Rating: 171 DW Rating: 664 Certificate Date 12/16/2024
Displacement used for DW Rating: 9500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.25 *Symmetric Spin?* No LOA: 33.25 Displacement: 9500
130 J: 13.75 SL: SSMG: SSF: SPL: LWL: 26 Ballast: 3750
Rig Type P: 35.5 Beam: 10 Engine: IB
MS E: 11 *Asymmetric Spin?* No Prop Type: Feath
Mast Material ISP: 41.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: 13.75 Draft: 5

Boat Name Siento El Viento
Boat Type C&C 29
Rating: 174 DW Rating: 699 Certificate Date 12/13/2024
Displacement used for DW Rating: 9200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 39.5 *Symmetric Spin?* Yes LOA: 29.5 Displacement: 7500
155 J: 12.8 SL: SSMG: SSF: SPL: LWL: 23.6 Ballast: 2700
Rig Type P: 33.5 39 22 22 12.8 Beam: 10.5 Engine: IB
MS E: 10.1 *Asymmetric Spin?* No Prop Type: Fold
Mast Material ISP: SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 5.25

Boat Name Neja
Boat Type Dasher 32
Rating: 174 DW Rating: 672 Certificate Date 12/17/2024
Displacement used for DW Rating: 11323
Certified PHRF Data on file?

Sail #
7325

Rig Data:

Max Headsail I: 38.01
155 J: 12.59
Rig Type P: 33.22
MS E: 14.6
Mast Material ISP: 38.01
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
37.78 21.94 21.94 12.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 31.75
LWL: 26.75
Beam: 8.9
Draft: 5.75

Displacement: 11323
Ballast: 3600
Engine: IB
Prop Type: Fold

Modifications on file: 500 pounds less lead in keel than the Dasher Easom Boat Works built

Boat Name Zeehond
Boat Type Newport 30-2
Rating: 174 DW Rating: 677 Certificate Date 1/1/2025
Displacement used for DW Rating: 8500
Certified PHRF Data on file?

Sail #
707

Rig Data:

Max Headsail I: 39.5
150 J: 12.125
Rig Type P: 34
MS E: 10.25
Mast Material ISP: 39.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.25 21.78 21.75 #####
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 25
Beam: 10.5
Draft: 4.75

Displacement: 8500
Ballast: 2600
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Soleil de la Mer
Boat Type Saffier SE 26
Rating: 174 DW Rating: 656 Certificate Date 1/13/2025
Displacement used for DW Rating: 4000
Certified PHRF Data on file?

Sail #
0

Rig Data:

Max Headsail I: 31.8
80 J: 9.8
Rig Type P: 33.2
FS E: 9.25
Mast Material ISP:
ALUMN JSP: 9.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.8 31.5 17.1 19.5

LOA: 26
LWL: 24.2
Beam: 8
Draft: 3.4

Displacement: 4000
Ballast: 1900
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Gypsy Lady
Boat Type CAL 34-1
Rating: 174 DW Rating: 678 Certificate Date 12/9/2024
Displacement used for DW Rating: 10213
Certified PHRF Data on file?

Sail #
7507

Rig Data:

Max Headsail I: 39
155 J: 13.75
Rig Type P: 33.5
MS E: 14
Mast Material ISP: 39
ALUMN JSP: 13.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.29 24.75 24.75 13.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.3
LWL: 26
Beam: 10
Draft: 5

Displacement: 10000
Ballast: 3750
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Jacqueline **Sail #** 3
Boat Type Freedom 30 SD
Rating: 174 **DW Rating:** 688 **Certificate Date** 12/22/2024
Displacement used for DW Rating: 7660
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 28.4 *Symmetric Spin?* Yes LOA: 30 Displacement: 7660
J: 9.8 SL: SSMG: SSF: SPL: LWL: 25.42 Ballast: 3150
Rig Type P: 35.2 31.4 14 16.7 9 Beam: 10.8 Engine: IB
CAT E: 13.9 *Asymmetric Spin?* No
Mast Material ISP: SLE: SLU: ASMG: ASF: Draft: 4.5 Prop Type: Fixed_2
CARBON JSP:

Boat Name Equanimity **Sail #**
Boat Type Crealock 37
Rating: 177 **DW Rating:** 669 **Certificate Date** 1/7/2025
Displacement used for DW Rating: 17706
Certified PHRF Data on file?
Modifications on file: (Mtg 4/29/24, +3 sec/mi for shortened "E")

Rig Data:
Max Headsail I: 44 *Symmetric Spin?* No LOA: 36.92 Displacement: 16000
117 J: 15.8 SL: SSMG: SSF: SPL: LWL: 27.75 Ballast: 6000
Rig Type P: 37
MS E: 12.2 *Asymmetric Spin?* Yes Beam: 10.83 Engine: IB
Mast Material ISP: 44 SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: 15.8 41 45 23 27 Draft: 5.33

Boat Name Roja **Sail #** 1
Boat Type Columbia 5.5 M ODR
Rating: 177 **DW Rating:** 632 **Certificate Date** 1/21/2025
Displacement used for DW Rating: 0
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 29.125 *Symmetric Spin?* YES LOA: 32.416 Displacement: 4500
95 J: 8.25 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 2800
Rig Type P: 34 29.15 14 14 8.25 Beam: 6.25 Engine: OB
FS E: 11.416 *Asymmetric Spin?* No
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 8.5 Draft: 4.33

Boat Name Sobrante **Sail #** 143
Boat Type Catalina 309 WK
Rating: 177 **DW Rating:** **Certificate Date** 12/17/2024
Displacement used for DW Rating: 10200
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 42.75 *Symmetric Spin?* No LOA: 32.75 Displacement: 10200
150 J: 12 SL: SSMG: SSF: SPL: LWL: 26.5 Ballast: 4400
Rig Type P: 38.75
FS E: 13.75 *Asymmetric Spin?* No Beam: 11.5 Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 4.33

Boat Name Serenity
Boat Type Cal 34-1
Rating: 177 DW Rating: 670 Certificate Date 1/9/2025
Displacement used for DW Rating: 10213
Certified PHRF Data on file?

Sail #
6679

Rig Data:

Max Headsail I: 39
130 J: 13.75
Rig Type P: 33.5
MS E: 14
Mast Material ISP: 39
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 33.3
LWL: 26
Beam: 10
Draft: 5

Displacement: 9500
Ballast: 3750
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Mutual Fun
Boat Type Newport 30-2
Rating: 177 DW Rating: Certificate Date 1/9/2025
Displacement used for DW Rating: 8500
Certified PHRF Data on file?

Sail #
38911

Rig Data:

Max Headsail I: 39.5
100 J: 12.1
Rig Type P: 34
MS E: 10.25
Mast Material ISP: 39.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 30
LWL: 25
Beam: 10.5
Draft: 4.75

Displacement: 8500
Ballast: 2500
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Galaxsea
Boat Type Custom Nauticat 43.5
Rating: 180 DW Rating: 636 Certificate Date 1/21/2025
Displacement used for DW Rating: 35679
Certified PHRF Data on file?

Sail #
28743

Rig Data:

Max Headsail I: 51
104 J: 20
Rig Type P: 45
KTCH E: 13.6
Mast Material ISP:
ALUMN JSP: 20.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
50.98 33.43 35.6 20
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50 52 25.6 29.2

LOA: 43.6
LWL: 37.7
Beam: 12.2
Draft: 5.9

Displacement: 34000
Ballast: 11000
Engine: IB
Prop Type: FEATH

Modifications on file: Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"

Boat Name Grace
Boat Type H Boat
Rating: 186 DW Rating: 715 Certificate Date 12/9/2024
Displacement used for DW Rating: 4000
Certified PHRF Data on file?

Sail #
11

Rig Data:

Max Headsail I: 23.9
155 J: 9.28
Rig Type P: 28.54
FS E: 9.84
Mast Material ISP: 23.95
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
24 16 15.42 7.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 27.17
LWL: 20.67
Beam: 7.15
Draft: 4.27

Displacement: 4000
Ballast: 4000
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Sweet Pea **Sail #** 195
Boat Type Islander 30-2
Rating: 186 **DW Rating:** 684 **Certificate Date** 12/3/2024
Displacement used for DW Rating: 8600
Certified PHRF Data on file?

Modifications on file: (Mtg 9/30/19, -6 sec/mi for genoa)(7/29/20, removed 185% genoa)

Rig Data:

Max Headsail I: 38.5 *Symmetric Spin?* Yes
155 J: 12.58 SL: SSMG: SSF: SPL:
Rig Type P: 32.5 38.6 22.5 22.5 12.42
MS E: 11.58 *Asymmetric Spin?* Yes
Mast Material ISP: 38.42 SLE: SLU: ASMG: ASF:
ALUMN JSP: 31.68 35 22.64 17.69

LOA: 30 **Displacement:** 8600
LWL: 24.58 **Ballast:** 3500
Beam: 10 **Engine:** IB
Draft: 5 **Prop Type:** FOLD

Boat Name Loki **Sail #** 8108
Boat Type Santana 525
Rating: 189 **DW Rating:** 696 **Certificate Date** 1/7/2025
Displacement used for DW Rating: 2400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.5 *Symmetric Spin?* Yes
150 J: 8.75 SL: SSMG: SSF: SPL:
Rig Type P: 29 24.7 15 15 8.75
FS E: 10 *Asymmetric Spin?* No
Mast Material ISP: 26.5 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 24.58 **Displacement:** 2400
LWL: 18.5 **Ballast:** 950
Beam: 9.33 **Engine:** OB
Draft: 4.25 **Prop Type:** None

Boat Name Some Assembly Required **Sail #** 183
Boat Type Holder 20
Rating: 192 **DW Rating:** 655 **Certificate Date** 1/9/2025
Displacement used for DW Rating: 1160
Certified PHRF Data on file?

Modifications on file: (Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)

Rig Data:

Max Headsail I: 22.6 *Symmetric Spin?* Yes
155 J: 7.25 SL: SSMG: SSF: SPL:
Rig Type P: 24.04 22.54 12.92 11.88 7.25
FS E: 9.33 *Asymmetric Spin?* No
Mast Material ISP: 22.6 SLE: SLU: ASMG: ASF:
ALUMN JSP: 13.05

LOA: 20.33 **Displacement:** 1160
LWL: 18.42 **Ballast:** 335
Beam: 7.83 **Engine:** OB
Draft: 3.58 **Prop Type:** None

Boat Name Relaxy 3 **Sail #** 3217
Boat Type Islander 30-2
Rating: 195 **DW Rating:** **Certificate Date** 12/9/2024
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 38.5 *Symmetric Spin?* No
100 J: 12.58 SL: SSMG: SSF: SPL:
Rig Type P: 32.5
MS E: 12.5 *Asymmetric Spin?* No
Mast Material ISP: 38.416 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 30 **Displacement:** 8600
LWL: 24.58 **Ballast:** 3500
Beam: 10 **Engine:** IB
Draft: 5 **Prop Type:** Fixed_3

Boat Name Obsession
Boat Type Harbor 20
Rating: 198 DW Rating: 715 Certificate Date 1/6/2025
Displacement used for DW Rating: 1800
Certified PHRF Data on file?

Sail #
299

Rig Data:

Max Headsail I: 25.75
95 J: 7
Rig Type P: 26
FS E: 10
Mast Material ISP: 26.38
ALUMN JSP: 8.16

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29.4 14.2 13 8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 20
LWL: 17.2
Beam: 7
Draft: 3.5

Displacement: 1800
Ballast: 900
Engine: OB
Prop Type: None

Modifications on file: (Mth 5/25/17, -3 sec/mi for OSP)(Mtg 10/24/22, -9 sec/mi for oversized spinnaker area)

Boat Name Northern Star
Boat Type Luders 33
Rating: 201 DW Rating: 706 Certificate Date 1/7/2025
Displacement used for DW Rating: 13600
Certified PHRF Data on file?

Sail #
71

Rig Data:

Max Headsail I: 40
124 J: 13
Rig Type P: 34.84
MS E: 14.37
Mast Material ISP: 40
ALUMN JSP: 13

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
37.78 40.35 19.36 20.18

LOA: 33
LWL: 24
Beam: 10
Draft: 5

Displacement: 13600
Ballast: 4500
Engine: IB
Prop Type: Fixed_3

Modifications on file:

Boat Name Cuckoo
Boat Type Bird ODR
Rating: 204 DW Rating: 710 Certificate Date 12/4/2024
Displacement used for DW Rating: 8900
Certified PHRF Data on file?

Sail #
16

Rig Data:

Max Headsail I: 20.25
155 J: 9.5
Rig Type P: 32
MS E: 20.5
Mast Material ISP: 20.25
WOOD JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.083
LWL: 24.25
Beam: 7.666
Draft: 5.25

Displacement: 8900
Ballast: 5000
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Chloe
Boat Type Rhodes Swiftsure 33
Rating: 204 DW Rating: 693 Certificate Date 1/10/2025
Displacement used for DW Rating: 11500
Certified PHRF Data on file?

Sail #
37

Rig Data:

Max Headsail I: 39
89 J: 13
Rig Type P: 33.8
MS E: 14.7
Mast Material ISP: 39
ALUMN JSP: 13

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39 23.4 23.4 13
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.08
LWL: 22.92
Beam: 10
Draft: 6.58

Displacement: 11500
Ballast: 3400
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Starlight
Boat Type Catalina 27 TM IB
Rating: 207 DW Rating:
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
61801
Certificate Date 12/11/2024
6850

Modifications on file:

Rig Data:

Max Headsail I: 36
110 J: 12.2
Rig Type P: 29.66
MS E: 9.66
Mast Material ISP: 34.4
ALUMN JSP: 11.25

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 26.83
LWL: 21.75
Beam: 8.83
Draft: 4.416

Displacement: 6850
Ballast: 2700
Engine: IB
Prop Type: Fixed_2

Boat Name Splash!
Boat Type CAL 27-2 IB
Rating: 207 DW Rating: 716
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
3898
Certificate Date 1/9/2025
6700

Modifications on file:

Rig Data:

Max Headsail I: 36
150 J: 12
Rig Type P: 30.833
MS E: 10.25
Mast Material ISP: 36
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35.33 21.6 21.6 12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 26.58
LWL: 22.08
Beam: 9.33
Draft: 4.25

Displacement: 6700
Ballast: 3100
Engine: IB
Prop Type: Fixed_2

Boat Name Surprise!
Boat Type Ranger 23 TM
Rating: 210 DW Rating:
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
499
Certificate Date 1/6/2025

Modifications on file:

Rig Data:

Max Headsail I: 30
155 J: 9.75
Rig Type P: 25.75
MH E: 9.17
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23
LWL: 20
Beam: 7.92
Draft: 3.75

Displacement: 3400
Ballast: 1500
Engine: OB
Prop Type: None

Boat Name Will O The Wind
Boat Type Hunter 27 IB
Rating: 210 DW Rating:
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
27
Certificate Date 1/7/2025
0

Modifications on file:

Rig Data:

Max Headsail I: 37.55
125 J: 10.85
Rig Type P: 31.9
MS E: 9.4
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.1
LWL: 22
Beam: 9.25
Draft: 4.25

Displacement: 7000
Ballast: 3000
Engine: IB
Prop Type: Fixed_2

Boat Name Yippeel!
Boat Type Ranger 23
Rating: 216 DW Rating: 730 Certificate Date 1/21/2025
Displacement used for DW Rating: 3400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.5
150 J: 9.7
Rig Type P: 24
MS E: 9.17
Mast Material ISP: 27.5
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
27.6 17.4 17.4 9.7
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23
LWL: 20
Beam: 7.9
Draft: 3.75

Displacement: 3400
Ballast: 1500
Engine: OB
Prop Type: None

Boat Name Evenstar
Boat Type Ranger 23
Rating: 216 DW Rating: 725 Certificate Date 12/5/2024
Displacement used for DW Rating: 3400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.54
155 J: 9.75
Rig Type P: 24
MS E: 9.2
Mast Material ISP: 27.5
ALUMN JSP: 9.7

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27.7 17.46 17.46 9.7
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.67
LWL: 20
Beam: 7.92
Draft: 3.9

Displacement: 3400
Ballast: 1500
Engine: OB
Prop Type: None

Boat Name Tortuga
Boat Type Westsail 32
Rating: 219 DW Rating: 691 Certificate Date 12/14/2024
Displacement used for DW Rating: 19500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 31.2
110 J: 18.4
Rig Type P: 39.7
CTR E: 14.5
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 32
LWL: 27.6
Beam: 11
Draft: 5

Displacement: 19500
Ballast: 7000
Engine: IB
Prop Type: FOLD

Boat Name Sparky
Boat Type Catalina 25 FK
Rating: 222 DW Rating: 714 Certificate Date 12/9/2024
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 29
145 J: 10.5
Rig Type P: 24.66
MS E: 9.58
Mast Material ISP: 29
ALUMN JSP: 10.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.66 16.5 16.41 10.5
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
25.5 29.9 15.5 17.9

LOA: 25
LWL: 22.16
Beam: 8
Draft: 4

Displacement: 4550
Ballast: 1900
Engine: OB
Prop Type: None

Boat Name The Mighty Windsong **Sail #**
567
Boat Type International Folkboat OB
Rating: 228 DW Rating: 805 **Certificate Date** 1/10/2025
Displacement used for DW Rating: 10817
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26
155 J: 8.3
Rig Type P: 28.8
MS E: 11.2
Mast Material ISP: 26
ALUMN JSP: 8.3

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27.13 14.89 14.92 8.36
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25.75
LWL: 19.75
Beam: 7.5
Draft: 4

Displacement: 5000
Ballast: 2750
Engine: OB
Prop Type: None

Boat Name Pelican **Sail #**
20304
Boat Type Cape Dory 27
Rating: 234 DW Rating: **Certificate Date** 1/10/2025
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 34.42
110 J: 11
Rig Type P: 29.75
MS E: 11.25
Mast Material ISP: 34.42
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.08
LWL: 20
Beam: 8.5
Draft: 4

Displacement: 7500
Ballast: 3000
Engine: IB
Prop Type: Fixed_2

Boat Name High and Dry **Sail #**
114
Boat Type Santana 22
Rating: 234 DW Rating: 741 **Certificate Date** 1/7/2025
Displacement used for DW Rating: 2600
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26
150 J: 8.5
Rig Type P: 21.75
MS E: 9.83
Mast Material ISP: 26
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26 15.44 15.44 8.58
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 22
LWL: 18.67
Beam: 7.83
Draft: 3.5

Displacement: 2600
Ballast: 1230
Engine: OB
Prop Type: None

Boat Name Rhapsody **Sail #**
6285
Boat Type Santana 22 ODR
Rating: 237 DW Rating: 752 **Certificate Date** 12/18/2024
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26
115 J: 8.5
Rig Type P: 21.75
MS E: 9.83
Mast Material ISP: 26
ALUMN JSP: 8.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
26 15.44 15.44 8.58
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 22
LWL: 18.67
Beam: 7.83
Draft: 3.5

Displacement: 2600
Ballast: 1230
Engine: OB
Prop Type: None

Boat Name Byte Size
Boat Type Santana 22
Rating: 237 DW Rating: 741 Certificate Date 1/9/2025
Displacement used for DW Rating: 2600
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 90 I: 26 J: 8.5
Rig Type MS P: 21.75 E: 9.833
Mast Material ALUMN ISP: 26 JSP: 8.5
Symmetric Spin? Yes
SL: SSMG: SSF: SPL: 26 15.44 15.44 8.583
Asymmetric Spin? No
LOA: 22 Displacement: 2600
LWL: 18.67 Ballast: 1230
Beam: 7.83 Engine: OB
Draft: 3.5 Prop Type: None

Boat Name Irish Rose
Boat Type Westsail 28
Rating: 246 DW Rating: 725 Certificate Date 12/3/2024
Displacement used for DW Rating: 13500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 145 I: 35.5 J: 17.3
Rig Type MS P: 31.5 E: 12.3
Mast Material ALUMN ISP: JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
LOA: 28.3 Displacement: 13500
LWL: 23.5 Ballast: 4200
Beam: 9.6 Engine: IB
Draft: 4.3 Prop Type: Fixed_3

Boat Name Super Booty II
Boat Type Columbia 22
Rating: 267 DW Rating: Certificate Date 1/21/2025
Displacement used for DW Rating: 2200
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 100 I: 26.58 J: 8.38
Rig Type MS P: 23.5 E: 10.25
Mast Material ALUMN ISP: JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
LOA: 22 Displacement: 2200
LWL: 21.5 Ballast: 1100
Beam: 7.75 Engine: OB
Draft: 3.17 Prop Type: None

Boat Name Black Feathers
Boat Type Cal 20
Rating: 273 DW Rating: 743 Certificate Date 12/9/2024
Displacement used for DW Rating: 1950
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 110 I: 21.75 J: 7.333
Rig Type FS P: 23 E: 9.833
Mast Material ALUMN ISP: 22 JSP: 7.33
Symmetric Spin? Yes
SL: SSMG: SSF: SPL: 22 13.19 13.19 7.333
Asymmetric Spin? No
LOA: 20 Displacement: 1950
LWL: 18.083 Ballast: 900
Beam: 7 Engine: OB
Draft: 3.333 Prop Type: None

Boat Name Blue Pearl
Boat Type Newport 20
Rating: 273 DW Rating: Certificate Date 1/6/2025
Displacement used for DW Rating: 2800
Certified PHRF Data on file?

Sail #
707

Rig Data:

Max Headsail I: 25
120 J: 8.33
Rig Type P: 21.2
MS E: 8.8
Mast Material ISP: 25
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 20
LWL: 18
Beam: 7.5
Draft: 3.5

Displacement: 2800
Ballast: 990
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Slainte
Boat Type Cal 20
Rating: 273 DW Rating: 743 Certificate Date 1/7/2025
Displacement used for DW Rating: 1950
Certified PHRF Data on file?

Sail #
1510

Rig Data:

Max Headsail I: 22
115 J: 7.33
Rig Type P: 23
FS E: 9.833
Mast Material ISP: 22
ALUMN JSP: 7.33

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
22 13.2 13.2 7.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
0

LOA: 20
LWL: 18.08
Beam: 7
Draft: 3.33

Displacement: 1950
Ballast: 900
Engine: OB
Prop Type: None

Modifications on file: