

NCPHRF - CURRENT FLEET ROSTER

This Roster lists the boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: **4/29/2025**

Boat Name Abigail Morgan	Sail # 18394	Max Headsail 150	I: 28.5	Symmetric Spin? Yes	LOA: 27.25	Displacement: 2450
Boat Type Express 27 ODR		Rig Type FS	J: 9	SL: SSMG: SSF: SPL:	LWL: 23.75	Ballast: 1100
Rating: 129	DW Rating: 606	Certificate Date 1/31/2025	P: 28.5	##### 17.75 17.4 9.833		
Displacement used for DW Rating: 2510		Rig Data:	E: 10.416	Asymmetric Spin? No	Beam: 8.166	Engine: OB
Certified PHRF Data on file? ☐		Mast Material ALUMN	ISP: 28.5	SLE: SLU: ASMG: ASF:	Draft: 4.5	Prop Type: None
Modifications on file:						

Boat Name	About Time	Sail #	Max Headsail	I:	53.84	Symmetric Spin?	Yes	LOA:	41	Displacement:	16314			
Boat Type	X-412	40041	100	J:	16.01	SL:	SSMG:	SSF:	SPL:	LWL:	34.2	Ballast:	7716	
Rating:	66	DW Rating:	579	Certificate Date	12/10/2024	Rig Type	P:	47.24	53.36	28.82	28.82	16	Engine:	IB
Displacement used for DW Rating:			16314	MS	E:	15.41	Asymmetric Spin?	Yes	Beam:	12.7				
Certified PHRF Data on file?			☐	Mast Material	ISP:	53.84	SLE:	SLU:	ASMG:	ASF:	Draft:	6.9	Prop Type:	FOLD
			ALUMN	JSP:		49.6	53.8	25.4	26.9					
Modifications on file: Electric Main Halyard winch, roller furler														

Boat Name Abracadabra	Sail # 28927	Rig Data:	Max Headsail I: 28.69	Symmetric Spin? No	LOA: 27.73	Displacement: 2900		
Boat Type Antrim 27 CM ODR			116	J: 8.17	SL: SSMG: SSF: SPL:	LWL: 23.75	Ballast: 1050	
Rating: 75	DW Rating: 568		Certificate Date 1/7/2025	Rig Type P: 33.75				
				FS	E: 14	Asymmetric Spin? Yes	Beam: 9.25	Engine: OB
Displacement used for DW Rating: 2900				Mast Material ISP: 37.25	SLE: SLU: ASMG: ASF:			Prop Type: None
Certified PHRF Data on file? ☐				CARBON	JSP: 15	38 44.2 20.1 25.1	Draft: 6	
Modifications on file: BOWSPRINT IS ARTICULATING								

Boat Name Acey Deucy				Sail #	Rig Data:	Max Headsail	I:	60.606	Symmetric Spin? Yes	LOA:	44.83	Displacement: 22770
Boat Type J 44				97659		155	J:	17.08	SL: SSMG: SSF: SPL:	LWL:	38.58	Ballast: 9000
Rating: 21 DW Rating: 562 Certificate Date 12/9/2024						Rig Type	P:	53.51	59.8 30.8 30.8 #####			Engine: IB
Displacement used for DW Rating: 23350						MS	E:	19.41	Asymmetric Spin? Yes	Beam:	13.67	Prop Type: FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	60.416	SLE: SLU: ASMG: ASF:	Draft:	8.14	
Modifications on file: Electric Winches					ALUMN	JSP:		55.9 63.8 27.8 27				
Boat Name Ad Lib				Sail #	Rig Data:	Max Headsail	I:	36.83	Symmetric Spin? Yes	LOA:	32.75	Displacement: 6160
Boat Type Aphrodite 101				8161		100	J:	11.81	SL: SSMG: SSF: SPL:	LWL:	26.33	Ballast: 3527
Rating: 144 DW Rating: 650 Certificate Date 12/9/2024						Rig Type	P:	39.33	35.6 21.3 19.6 11.9			Engine: IB
Displacement used for DW Rating: 7490						FS	E:	11.48	Asymmetric Spin? No	Beam:	7.92	Prop Type: FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	32.23	SLE: SLU: ASMG: ASF:	Draft:	5.42	
Modifications on file:					ALUMN	JSP:						
Boat Name Advantage 3				Sail #	Rig Data:	Max Headsail	I:	40.6	Symmetric Spin? No	LOA:	34.5	Displacement: 7750
Boat Type J 105 ODR w/ 5'BS				84		100	J:	13.5	SL: SSMG: SSF: SPL:	LWL:	29.5	Ballast: 3400
Rating: 78 DW Rating: 592 Certificate Date 1/7/2025						Rig Type	P:	41.5				Engine: IB
Displacement used for DW Rating: 8472						FS	E:	14.5	Asymmetric Spin? Yes	Beam:	11	Prop Type: FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	42.1	SLE: SLU: ASMG: ASF:	Draft:	6.5	
Modifications on file:					ALUMN	JSP:	19.07	38.6 49 26.4 25.5				
Boat Name Advantage 41				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin? Yes	LOA:	23.75	Displacement: 2050
Boat Type Moore 24				41		150	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	21.75	Ballast: 1025
Rating: 150 DW Rating: 629 Certificate Date 3/23/2025						Rig Type	P:	25	27 17.55 17.55 9.75			Engine: OB
Displacement used for DW Rating: 2050						FS	E:	9.5	Asymmetric Spin? No	Beam:	7.16	Prop Type: None
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:	Draft:	4.083	
Modifications on file:					ALUMN	JSP:						

Boat Name Aegea		Sail #	Rig Data:	Max Headsail	I: 49.75	Symmetric Spin? No	LOA: 38.67	Displacement: 16900
Boat Type Sabre 38-2		164		120	J: 14.5	SL: SSMG: SSF: SPL:	LWL: 31.42	Ballast: 6600
Rating: 117 DW Rating: 623 Certificate Date 12/14/2024				Rig Type	P: 43.5			Engine: IB
Displacement used for DW Rating:				MS	E: 15.06	Asymmetric Spin? Yes	Beam: 12.33	
Certified PHRF Data on file? ☐				Mast Material	ISP: 49.75	SLE: SLU: ASMG: ASF:	Draft: 6.5	Prop Type: Fold
Modifications on file:				ALUMN	JSP: 14.5			
Boat Name Ahi		Sail #	Rig Data:	Max Headsail	I: 39	Symmetric Spin? Yes	LOA: 35	Displacement: 8500
Boat Type Santana 35		30980		155	J: 12.85	SL: SSMG: SSF: SPL:	LWL: 26.5	Ballast: 3300
Rating: 114 DW Rating: 639 Certificate Date 3/12/2025				Rig Type	P: 42	39 23.13 22.5 12.85		Engine: IB
Displacement used for DW Rating:		9277		FS	E: 14.25	Asymmetric Spin? No	Beam: 11.92	
Certified PHRF Data on file? ☐				Mast Material	ISP: 39	SLE: SLU: ASMG: ASF:	Draft: 6.25	Prop Type: Fold
Modifications on file:		(Mtg 6/27/13, new rudder noted, NCTR)		ALUMN	JSP:			
Boat Name Akumu		Sail #	Rig Data:	Max Headsail	I: 28	Symmetric Spin? YES	LOA: 25	Displacement: 2000
Boat Type B-25		44		155	J: 8.5	SL: SSMG: SSF: SPL:	LWL: 21.25	Ballast: 800
Rating: 129 DW Rating: 597 Certificate Date 12/9/2024				Rig Type	P: 28	37.66 17.1 16.75 9.83		Engine: OB
Displacement used for DW Rating:		2000		MS	E: 11	Asymmetric Spin? Yes	Beam: 8.33	
Certified PHRF Data on file? ☐				Mast Material	ISP: 32	SLE: SLU: ASMG: ASF:	Draft: 5	Prop Type: None
Modifications on file:		(Mtg 11/29/21, -6 sec/mi for sprit, -6 sec/mi for spinnaker area)		ALUMN	JSP: 10.83	28.75 33.58 18.66 19.5		
Boat Name Akyaa		Sail #	Rig Data:	Max Headsail	I: 33.6	Symmetric Spin? Yes	LOA: 37	Displacement: 4260
Boat Type Hobie 33 ODR		163		105	J: 12.4	SL: SSMG: SSF: SPL:	LWL: 30.83	Ballast: 1800
Rating: 87 DW Rating: 543 Certificate Date 12/10/2024				Rig Type	P: 35.3	36 23 23 13.12		Engine: OB
Displacement used for DW Rating:		4550		MS	E: 12.5	Asymmetric Spin? No	Beam: 8	
Certified PHRF Data on file? ☐				Mast Material	ISP: 36.5	SLE: SLU: ASMG: ASF:	Draft: 5.5	Prop Type: None
Modifications on file:		(mtg 8/19/10, -3 sec/mi for sprit)		ALUMN	JSP: 16.2			

Boat Name Ala Moana				Sail #		Rig Data:	Max Headsail		I:	41.66	Symmetric Spin? No		LOA:	31.7	Displacement: 8267		
Boat Type Beneteau First 30				104			105		J:	13.78	SL: SSMG: SSF: SPL:		LWL:	27.6	Ballast: 2403		
Rating: 99 DW Rating: 616 Certificate Date 12/3/2024							Rig Type		P:	40.3			Beam:	10.5	Engine: IB		
Displacement used for DW Rating:							FS		E:	14.25	Asymmetric Spin? Yes						
Certified PHRF Data on file? ☐							Mast Material		ISP:	42.16	SLE: SLU: ASMG: ASF:				Prop Type: Fold		
							ALUMN		JSP:	15.78	43.7 48.6 26.9 28.82		Draft:	6.25			
Modifications on file:																	
Boat Name Alacrity				Sail #		Rig Data:	Max Headsail		I:	47	Symmetric Spin? No		LOA:	35.17	Displacement: 11400		
Boat Type Tartan 3500				3500			115		J:	13.75	SL: SSMG: SSF: SPL:		LWL:	30	Ballast: 4500		
Rating: 120 DW Rating:				Certificate Date 1/21/2025			Rig Type		P:	41.3			Beam:	11.75	Engine: IB		
Displacement used for DW Rating:				11400			MS		E:	14.3	Asymmetric Spin? No						
Certified PHRF Data on file? ☐							Mast Material		ISP:		SLE: SLU: ASMG: ASF:				Prop Type: Feath		
							ALUMN		JSP:				Draft:	6.5			
Modifications on file:																	
Boat Name Alchera				Sail #		Rig Data:	Max Headsail		I:	50.5	Symmetric Spin? No		LOA:	40	Displacement: 13900		
Boat Type J 120 Mod				28870			125		J:	14.5	SL: SSMG: SSF: SPL:		LWL:	35	Ballast: 6000		
Rating: 51 DW Rating: 559 Certificate Date 12/16/2024							Rig Type		P:	46.5			Beam:	12	Engine: IB		
Displacement used for DW Rating:				15000			FS		E:	17.57	Asymmetric Spin? Yes						
Certified PHRF Data on file? ☐							Mast Material		ISP:	52	SLE: SLU: ASMG: ASF:				Prop Type: FOLD		
							CARBON		JSP:	21.55	49.99 57.96 30.6 34		Draft:	7			
Modifications on file: Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +3 sec/mi for small spinnaker, + 3 sec/mi for small headsail)																	
Boat Name Allegro Non Troppo				Sail #		Rig Data:	Max Headsail		I:	30	Symmetric Spin? Yes		LOA:	28.25	Displacement: 5700		
Boat Type Alerion Express 28 ODR				188			90		J:	9.75	SL: SSMG: SSF: SPL:		LWL:	22.83	Ballast: 2200		
Rating: 168 DW Rating: 695 Certificate Date 12/4/2024							Rig Type		P:	33	29.75 17.5 17.5 9.75		Beam:	8.2	Engine: IB		
Displacement used for DW Rating:				5700			FS		E:	12.5	Asymmetric Spin? No						
Certified PHRF Data on file? ☐							Mast Material		ISP:	30	SLE: SLU: ASMG: ASF:				Prop Type: Fold		
							ALUMN		JSP:	9.75			Draft:	4.5			
Modifications on file:																	

Boat Name Amaranth				Sail #	Rig Data:	Max Headsail	I:	44.22	Symmetric Spin?	No	LOA:	34.5	Displacement:	10141			
Boat Type Beneteau 345				38118		120	J:	12.9	SL:	SSMG:	SSF:	SPL:	LWL:	29.17	Ballast:	4600	
Rating: 132 DW Rating: 655 Certificate Date 1/21/2025						Rig Type	P:	38.7		0	0		Beam:	11.42	Engine:	IB	
Displacement used for DW Rating: 0						MS	E:	12.1	Asymmetric Spin?		Yes		Draft:	6.3	Prop Type:	Feath	
Certified PHRF Data on file? ☐						Mast Material	ISP:	44.22	SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:	12.9	21.04	21.92	18	23.83						
Modifications on file:																	
Boat Name Andiamo				Sail #	Rig Data:	Max Headsail	I:	44.75	Symmetric Spin?	No	LOA:	36	Displacement:	14200			
Boat Type Catalina 36-2				2168		115	J:	14.33	SL:	SSMG:	SSF:	SPL:	LWL:	30.25	Ballast:	6000	
Rating: 153 DW Rating: 650 Certificate Date 1/7/2025						Rig Type	P:	39					Beam:	11.9	Engine:	IB	
Displacement used for DW Rating: 14200						MS	E:	13	Asymmetric Spin?		Yes		Draft:	5.8	Prop Type:	Fixed_3	
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:		37	43	24	29						
Modifications on file: In-Mast Furling Mainsail, +3 sec/mi																	
Boat Name Andiamo				Sail #	Rig Data:	Max Headsail	I:	30	Symmetric Spin?	No	LOA:	28.25	Displacement:	5700			
Boat Type Alerion Express 28 ODR				97		90	J:	9.75	SL:	SSMG:	SSF:	SPL:	LWL:	22.83	Ballast:	2200	
Rating: 168 DW Rating: 695 Certificate Date 4/28/2025						Rig Type	P:	33					Beam:	8.2	Engine:	IB	
Displacement used for DW Rating: 5700						FS	E:	12.5	Asymmetric Spin?		No		Draft:	4.5	Prop Type:	Fold	
Certified PHRF Data on file? ☐						Mast Material	ISP:	30	SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:	9.75										
Modifications on file:																	
Boat Name Anemone				Sail #	Rig Data:	Max Headsail	I:	26	Symmetric Spin?	Yes	LOA:	22	Displacement:	2600			
Boat Type Santana 22				5080		155	J:	8.5	SL:	SSMG:	SSF:	SPL:	LWL:	18.666	Ballast:	1230	
Rating: 234 DW Rating: 741 Certificate Date 4/28/2025						Rig Type	P:	21.75		26	15.44	15.44	8.583	Beam:	7.833	Engine:	OB
Displacement used for DW Rating:						MS	E:	9.833	Asymmetric Spin?		No		Draft:	3.5	Prop Type:	None	
Certified PHRF Data on file? ☐						Mast Material	ISP:	26	SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:											
Modifications on file:																	

Boat Name Anna Lu				Sail #		Max Headsail	I:	28.75	Symmetric Spin? Yes	LOA:	24.5	Displacement: 3000		
Boat Type Merit 25				529		150	J:	9.66	SL: SSMG: SSF: SPL:	LWL:	20.5	Ballast: 1050		
Rating:	168	DW Rating:	696	Certificate Date	12/14/2024	Rig Data:	Rig Type	P:	28	28.8	17.38	17.38	9.66	Engine: OB
Displacement used for DW Rating:				3286	FS		E:	9.75	Asymmetric Spin? No			Beam:	8	Prop Type: None
Certified PHRF Data on file?				☐	Mast Material		ISP:	28.75	SLE:	SLU:	ASMG:	ASF:		
					ALUMN		JSP:					Draft:	3.98	
Modifications on file:														

Boat Name Another Girl				Sail #		Max Headsail	I:	42.98	Symmetric Spin? No	LOA:	38.3	Displacement: 13000		
Boat Type Alerion Express 38-2				20		90	J:	12.99	SL: SSMG: SSF: SPL:	LWL:	30.1	Ballast: 5000		
Rating:	90	DW Rating:	613	Certificate Date	1/22/2025	Rig Data:	Rig Type	P:	47.5					Engine: IB
Displacement used for DW Rating:					MS		E:	18.25	Asymmetric Spin? No			Beam:	10.3	Prop Type: Feath
Certified PHRF Data on file?				☐	Mast Material		ISP:		SLE:	SLU:	ASMG:	ASF:		
					CARBON		JSP:					Draft:	5.92	
Modifications on file: (mtg 4/28/11, Custom rating of 90 assigned. Custom rating includes penalty for powered sheet winches)														

Boat Name Antares				Sail #		Max Headsail	I:	38.5	Symmetric Spin? Yes	LOA:	30	Displacement: 8600		
Boat Type Islander 30-2				6237		155	J:	12.58	SL: SSMG: SSF: SPL:	LWL:	24.58	Ballast: 3600		
Rating:	186	DW Rating:	684	Certificate Date	4/11/2025	Rig Data:	Rig Type	P:	32.5	38	22.7	22.92	#####	Engine: IB
Displacement used for DW Rating:					MS		E:	11.58	Asymmetric Spin? No			Beam:	10	Prop Type: FOLD
Certified PHRF Data on file?				☐	Mast Material		ISP:	38.416	SLE:	SLU:	ASMG:	ASF:		
					ALUMN		JSP:					Draft:	5	
Modifications on file:														

Boat Name Arcadia				Sail #		Max Headsail	I:	33	Symmetric Spin? No	LOA:	28.5	Displacement: 4327		
Boat Type Custom Nash 28.5				3113		120	J:	10	SL: SSMG: SSF: SPL:	LWL:	25.5	Ballast: 1200		
Rating:	123	DW Rating:	596	Certificate Date	12/18/2024	Rig Data:	Rig Type	P:	32.5					Engine: IB
Displacement used for DW Rating:				4327	FS		E:	13	Asymmetric Spin? Yes			Beam:	9	Prop Type: FOLD
Certified PHRF Data on file?				☐	Mast Material		ISP:	34	SLE:	SLU:	ASMG:	ASF:		
					ALUMN		JSP:	11	34.908	38.8	24.606	24.606	Draft:	
Modifications on file: (Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)														

3

Boat Name Azulla	Sail # 28908	Rig Data:	Max Headsail 105	I: 48.89	Symmetric Spin? Yes	LOA: 39.04	Displacement: 17600
Boat Type Elan 40 DK			Rig Type FS	J: 14.21	SL: SSMG: SSF: SPL: 49.43 25.57 24.6 14.15	LWL: 34.07	Ballast: 5621
Rating: 69	DW Rating: 592		Mast Material ALUMN	P: 48.82	Asymmetric Spin? No	Beam: 12.55	Engine: IB
Displacement used for DW Rating:				E: 17.23		Draft: 7.87	Prop Type: FOLD
Certified PHRF Data on file? ☐				ISP: 50.05	SLE: SLU: ASMG: ASF:		
				JSP: 14.21			
Modifications on file: (Formerly Tupelo Honey)							

Boat Name Azure	Sail # 72	Rig Data:	Max Headsail 150	I: 46	Symmetric Spin? Yes	LOA: 39.333	Displacement: 15500
Boat Type CAL 40			Rig Type MS	J: 15.17	SL: SSMG: SSF: SPL:	LWL: 30.5	Ballast: 6000
Rating: 114	DW Rating: 635		Mast Material ALUMN	P: 40	46.5 27.3 27 15.17	Beam: 11	Engine: IB
Displacement used for DW Rating: 15680				E: 17.5	Asymmetric Spin? No		
Certified PHRF Data on file? ☒				ISP: 46	SLE: SLU: ASMG: ASF:	Draft: 5.5	Prop Type: FEATH
				JSP:			
Modifications on file:							

Boat Name Bada Bing	Sail # 135	Rig Data:	Max Headsail 90	I: 30	Symmetric Spin? NO	LOA: 28.25	Displacement: 5700
Boat Type Alerion Express 28 ODR			Rig Type FS	J: 9.75	SL: SSMG: SSF: SPL:	LWL: 22.83	Ballast: 2200
Rating: 168 DW Rating:	Certificate Date 1/17/2025		Mast Material ALUMN	P: 33	Asymmetric Spin? No	Beam: 8.2	Engine: IB
Displacement used for DW Rating: 5700				E: 12.5			
Certified PHRF Data on file? ☐				ISP: 30	SLE: SLU: ASMG: ASF:	Draft: 4.5	Prop Type: Fold
				JSP: 9.75			
Modifications on file:							

Boat Name Bald Eagle		Sail # 347	Rig Data:	Max Headsail 100	I: 40.6	Symmetric Spin? No	LOA: 34.5	Displacement: 7750	
Boat Type J 105 ODR w/ 5'BS				Rig Type FS	J: 13.5	SL: SSMG: SSF: SPL:	LWL: 29.5	Ballast: 3400	
Rating: 78	DW Rating: 592	Certificate Date 12/12/2024		Mast Material ALUMN	P: 41.5	Asymmetric Spin? Yes	Beam: 11	Engine: IB	
Displacement used for DW Rating: 8472					E: 14.5				
Certified PHRF Data on file? ☐					ISP: 42.1	SLE: 38.6	SLU: 49	ASMG: 26.4	ASF: 25.5
					JSP: 19.07			Draft: 6.5	Prop Type: FOLD
Modifications on file:									

Boat Name Bandicoot	Sail # 11	Rig Data:	Max Headsail I: 0	Symmetric Spin? No					LOA: 30.5	Displacement: 5500
Boat Type Wyliecat 30 IB			J: 0	SL: SSMG: SSF: SPL:					LWL: 25	Ballast: 3050
Rating: 126 DW Rating: 647 Certificate Date 3/23/2025			Rig Type P: 39.75	29 17.75 17.75 10						
Displacement used for DW Rating: 5500			CATBOAT E: 20.5	Asymmetric Spin? No					Beam: 9.5	Engine: IB
Certified PHRF Data on file? ☐			Mast Material ISP: 29	SLE: SLU: ASMG: ASF:						Prop Type: FEATH
			CARBON JSP: 10	25 31.5 22.5 18.8					Draft: 5.25	
Modifications on file: (mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)((mtg 3/24/25, -3 sec/mi penalty for oversized main)										

Boat Name Barcanova				Sail # 3200	Rig Data:	Max Headsail I: 41.92	Symmetric Spin? YES				LOA: 33.1	Displacement: 7496	
Boat Type Jeanneau Sun Fast 3200						110	J: 12.63	SL: SSMG: SSF: SPL:				LWL: 28	Ballast: 2866
Rating: 81 DW Rating: 599 Certificate Date 3/12/2025						Rig Type P: 38.67	44.91 24.08 23.39 13.63						
						FS	E: 13.8	Asymmetric Spin? Yes				Beam: 11.5	Engine: IB
Displacement used for DW Rating: 7455						Mast Material ISP: 43.77	SLE: SLU: ASMG: ASF:						
Certified PHRF Data on file? ☐						ALUMN	JSP: 13.61	39.55 44.95 24.52 24.45				Draft: 6.2	Prop Type: Fold
Modifications on file:													

Boat Name Basic Instinct	Sail # 8123	Max Headsail 125	I: 41	Symmetric Spin? No	LOA: 34.42	Displacement: 10220
Boat Type Custom Elliott 10.50			J: 12.5	SL: SSMG: SSF: SPL:	LWL: 31.83	Ballast: 3000
Rating: 75	DW Rating: 580	Certificate Date 12/6/2024	Rig Type FS	45.6 27 27 15		
			E: 17.5	Asymmetric Spin? Yes	Beam: 12.08	Engine: IB
Displacement used for DW Rating: 10220			Mast Material ALUMN	ISP: 45.6	SLE: SLU: ASMG: ASF:	Prop Type: FOLD
Certified PHRF Data on file? ☐			JSP: 15	41.25 49 27.35 27	Draft: 7	
Modifications on file: (mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from -6 sec/mi to -3 sec/mi, change rating from 63 to 66)(10/26/09, removed Asymmetric Spinnaker, change rating from 66 to 69)(Mtg 10/27/16, +3 sec/mi for non articulating sprit/no spl)(05/02/19, added spl back, remove +3 sec/mi credit)(Mtg 5/20/19, +3 sec/mi for 10% reduction in MSA)						

Boat Name Bear Grotto				Sail #	Rig Data:	Max Headsail	I: 28	Symmetric Spin? Yes				LOA: 25.75	Displacement: 1950
Boat Type Custom Dogpatch 26				2		155	J: 8.166	SL: SSMG: SSF: SPL:				LWL: 21.5	Ballast: 760
Rating: 150 DW Rating: 621 Certificate Date 12/4/2024						Rig Type	P: 24.916	27.7	17.18	17.18	10		
Displacement used for DW Rating: 1950						SL	E: 11	Asymmetric Spin? No				Beam: 8	Engine: OB
Certified PHRF Data on file? ☐						Mast Material	ISP:	SLE: SLU: ASMG: ASF:				Draft: 4.67	Prop Type: None
							JSP:						
Modifications on file: (Mtg 2/28/22, Custom rating of 150 assigned)													

Boat Name Bella	Sail # 21	Max Headsail 105	I: 40.68	Symmetric Spin? No	LOA: 43.9	Displacement: 11188
Boat Type Eagle 44 SD			J: 13.81	SL: SSMG: SSF: SPL:	LWL: 29.1	Ballast: 4188
Rating: 84 DW Rating: 601 Certificate Date 1/21/2025	Rig Data:	Rig Type FS	P: 46.4	Asymmetric Spin? No	Beam: 9.1	Engine: IB
Displacement used for DW Rating: 11188		Mast Material CARBON	E: 15.3	SLE: SLU: ASMG: ASF:	Draft: 4.5	Prop Type: Fold
Certified PHRF Data on file? ☐			ISP: 41			
Modifications on file: (Mtg 5/20/24, -3 sec/mi for electric reel mainsheet winch)						

Boat Name Bella	Sail # 45	Max Headsail 100	I: 33.73	Symmetric Spin? NO	LOA: 33	Displacement: 8000
Boat Type Alerion Express Sport 33			J: 11.39	SL: SSMG: SSF: SPL:	LWL: 26.3	Ballast: 3300
Rating: 120 DW Rating: 648 Certificate Date 12/3/2024	Rig Data:	Rig Type FS	P: 38.17	Asymmetric Spin? Yes	Beam: 9.3	Engine: IB
Displacement used for DW Rating:		Mast Material CARBON	E: 16	SLE: SLU: ASMG: ASF:	Draft: 5	Prop Type: Fold
Certified PHRF Data on file? ☐			ISP: 37.89	31.7 34.1 20.8 21.2		
Modifications on file: Powered Winches						

Boat Name Bewitched	Sail # 8177	Max Headsail 155	I: 28.75	Symmetric Spin? Yes	LOA: 24.5	Displacement: 3000
Boat Type Merit 25			J: 9.66	SL: SSMG: SSF: SPL:	LWL: 20.5	Ballast: 1050
Rating: 168 DW Rating: 695 Certificate Date 1/13/2025	Rig Data:	Rig Type FS	P: 28	29 17.39 17.39 9.66	Beam: 8	Engine: OB
Displacement used for DW Rating: 3286		Mast Material ALUMN	E: 9.75	Asymmetric Spin? No	Draft: 4	Prop Type: None
Certified PHRF Data on file? ☐			ISP: 28.75	SLE: SLU: ASMG: ASF:		
Modifications on file:						

Boat Name Big Air	Sail # 189	Max Headsail 117	I: 21.52	Symmetric Spin? No	LOA: 18.75	Displacement: 992
Boat Type Open 5.7 ODR			J: 7.3	SL: SSMG: SSF: SPL:	LWL: 18.7	Ballast: 405
Rating: 138 DW Rating: 600 Certificate Date 12/17/2024	Rig Data:	Rig Type FS	P: 25.33	Asymmetric Spin? Yes	Beam: 8.3	Engine: OB
Displacement used for DW Rating: 992		Mast Material ALUMN	E: 10.24	SLE: SLU: ASMG: ASF:	Draft: 5.74	Prop Type: None
Certified PHRF Data on file? ☐			ISP: 27.9	20.64 25.82 17.9 17.6		
Modifications on file:						

Boat Name Black Feathers				Sail #	Rig Data:	Max Headsail	I:	21.75	Symmetric Spin? Yes	LOA:	20	Displacement: 1950
Boat Type Cal 20				14		110	J:	7.333	SL: SSMG: SSF: SPL:	LWL:	18.083	Ballast: 900
Rating: 273 DW Rating: 743				Certificate Date 12/9/2024		Rig Type	P:	23	22 13.19 13.19 7.333	Beam:	7	Engine: OB
Displacement used for DW Rating:				1950		FS	E:	9.833	Asymmetric Spin? No	Draft:	3.333	Prop Type: None
Certified PHRF Data on file? ☐						Mast Material	ISP:	22	SLE: SLU: ASMG: ASF:			
Certified PHRF Data on file? ☐					ALUMN	JSP:	7.33					
Modifications on file:												
Boat Name Blackhawk				Sail #	Rig Data:	Max Headsail	I:	40.6	Symmetric Spin? No	LOA:	34.5	Displacement: 7750
Boat Type J 105 ODR w/ 5'BS				40		100	J:	13.5	SL: SSMG: SSF: SPL:	LWL:	29.5	Ballast: 3400
Rating: 78 DW Rating: 595				Certificate Date 4/29/2025		Rig Type	P:	41.5		Beam:	11	Engine: IB
Displacement used for DW Rating:				8472		FS	E:	14.5	Asymmetric Spin? Yes	Draft:	6.5	Prop Type: FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	42.1	SLE: SLU: ASMG: ASF:			
Certified PHRF Data on file? ☐					ALUMN	JSP:	19.07	38.71 48.88 23.26 25				
Modifications on file:												
Boat Name Blue Martini				Sail #	Rig Data:	Max Headsail	I:	41.5	Symmetric Spin? Yes	LOA:	29.91	Displacement: 7200
Boat Type Olson 911S				41279		155	J:	12.33	SL: SSMG: SSF: SPL:	LWL:	25	Ballast: 3200
Rating: 126 DW Rating: 652				Certificate Date 1/6/2025		Rig Type	P:	35.5	42.97 22.14 22.14 12.33	Beam:	10.33	Engine: IB
Displacement used for DW Rating:				7200		MS	E:	11.83	Asymmetric Spin? NO	Draft:	5.42	Prop Type: Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	41.5	SLE: SLU: ASMG: ASF:			
Certified PHRF Data on file? ☐					ALUMN	JSP:						
Modifications on file:												
Boat Name Blue Pearl				Sail #	Rig Data:	Max Headsail	I:	25	Symmetric Spin? No	LOA:	20	Displacement: 2800
Boat Type Newport 20				707		120	J:	8.33	SL: SSMG: SSF: SPL:	LWL:	18	Ballast: 990
Rating: 273 DW Rating:				Certificate Date 1/6/2025		Rig Type	P:	21.2		Beam:	7.5	Engine: OB
Displacement used for DW Rating:				2800		MS	E:	8.8	Asymmetric Spin? No	Draft:	3.5	Prop Type: None
Certified PHRF Data on file? ☐						Mast Material	ISP:	25	SLE: SLU: ASMG: ASF:			
Certified PHRF Data on file? ☐					ALUMN	JSP:						
Modifications on file:												

Boat Name Bonaparte	Sail # 38054	Rig Data:	Max Headsail 155	I: 46.4	Symmetric Spin? Yes	LOA: 36	Displacement: 12495
Boat Type Beneteau Farr First 36.7			Rig Type FS	J: 13.1	SL: SSMG: SSF: SPL: 45.8 23.5 23.5 13.1	LWL: 30.3	Ballast: 4034
Rating: 81 DW Rating: 614 Certificate Date 1/9/2025			Mast Material ALUMN	P: 45.4	Asymmetric Spin? No	Beam: 11.4	Engine: IB
Displacement used for DW Rating: 12150				E: 15.6		Draft: 7.2	Prop Type: Fold
Certified PHRF Data on file? ☐				ISP: 46.4	SLE: SLU: ASMG: ASF:		
Modifications on file:				JSP: 13.1			

Boat Name Boogie Woogie	Sail # 8262	Rig Data:	Max Headsail 150	I: 41.5	Symmetric Spin? Yes	LOA: 33.17	Displacement: 10500
Boat Type Ranger 33 MOD			Rig Type MS	J: 13.87	SL: SSMG: SSF: SPL: 41.5 24.97 24.97 13.87	LWL: 26.25	Ballast: 4800
Rating: 159 DW Rating: 662 Certificate Date 12/9/2024			Mast Material ALUMN	P: 35	Asymmetric Spin? No	Beam: 9.58	Engine: IB
Displacement used for DW Rating:				E: 11		Draft: 5.17	Prop Type: FOLD
Certified PHRF Data on file? ☐				ISP: 41.5	SLE: SLU: ASMG: ASF:		
Modifications on file: Roller Furler. (Mtg 4/29/191, +9 sec/mi for short "E")				JSP:			

Boat Name Breakaway	Sail # 180	Rig Data:	Max Headsail 114	I: 26.08	Symmetric Spin? No	LOA: 20.83	Displacement: 1350
Boat Type Ultimate 20 CM			Rig Type FS	J: 6.97	SL: SSMG: SSF: SPL: 0 0	LWL: 18	Ballast: 450
Rating: 144 DW Rating: 631 Certificate Date 1/6/2025			Mast Material CARBON	P: 27.33	Asymmetric Spin? Yes	Beam: 8.33	Engine: OB
Displacement used for DW Rating: 1350				E: 10.17		Draft: 5	Prop Type: Fixed_3
Certified PHRF Data on file? ☐				ISP: 27.58	SLE: SLU: ASMG: ASF: 28.417 30.42 17.7 19.167		
Modifications on file:				JSP: 12.79			

Boat Name Bullet	Sail # 40311	Rig Data:	Max Headsail 125	I: 48.75	Symmetric Spin? Yes	LOA: 37.08	Displacement: 11000
Boat Type Express 37			Rig Type MS	J: 14.33	SL: SSMG: SSF: SPL: 48 25.79 25.79 14.33	LWL: 30.83	Ballast: 4600
Rating: 75 DW Rating: 591 Certificate Date 12/9/2024			Mast Material ALUMN	P: 42	Asymmetric Spin? No	Beam: 11.57	Engine: IB
Displacement used for DW Rating: 10659				E: 13.75		Draft: 7.25	Prop Type: FOLD
Certified PHRF Data on file? ☒				ISP: 48.75	SLE: SLU: ASMG: ASF:		
Modifications on file: Roller Furler				JSP:			

Boat Name Butcher				Sail #	Rig Data:	Max Headsail	I:	38.67	Symmetric Spin? No				LOA:	29.19	Displacement:	4990
Boat Type J 88				32		104	J:	11.28	SL: SSMG: SSF: SPL:				LWL:	26.84	Ballast:	1840
Rating: 81 DW Rating: 575 Certificate Date 12/9/2024						Rig Type	P:	36.82					Beam:	9.5	Engine:	IB
Displacement used for DW Rating: 4990						FS	E:	12	Asymmetric Spin? Yes				Draft:	6.5	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	46	SLE: SLU: ASMG: ASF: 40.84 47.83 27.32 29							
Modifications on file:						CARBON	JSP:	18.05								
Boat Name Byte Size				Sail #	Rig Data:	Max Headsail	I:	26	Symmetric Spin? Yes				LOA:	22	Displacement:	2600
Boat Type Santana 22				801		90	J:	8.5	SL: SSMG: SSF: SPL: 26 15.44 15.44 8.583				LWL:	18.67	Ballast:	1230
Rating: 237 DW Rating: 741 Certificate Date 1/9/2025						Rig Type	P:	21.75	Asymmetric Spin? No				Beam:	7.83	Engine:	OB
Displacement used for DW Rating: 2600						MS	E:	9.833	SLE: SLU: ASMG: ASF:				Draft:	3.5	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	26								
Modifications on file:						ALUMN	JSP:	8.5								
Boat Name C cubed				Sail #	Rig Data:	Max Headsail	I:		Symmetric Spin? No				LOA:	60	Displacement:	16480
Boat Type Wyliecat 60				38136			J:		SL: SSMG: SSF: SPL:				LWL:	53.33	Ballast:	8841
Rating: -81 DW Rating: 465 Certificate Date 1/7/2025						Rig Type	P:	68.5	Asymmetric Spin? No				Beam:	11.92	Engine:	IB
Displacement used for DW Rating:						CAT	E:	33.75	SLE: SLU: ASMG: ASF:				Draft:	11	Prop Type:	Fixed_2
Certified PHRF Data on file? ☐						Mast Material	ISP:									
Modifications on file: (mtg 11/30/21, Custom rating of -81 assigned)						CARBON	JSP:									
Boat Name Calphurnia				Sail #	Rig Data:	Max Headsail	I:	29.13	Symmetric Spin? Yes				LOA:	28	Displacement:	3630
Boat Type Custom Schumacher 28				28498		155	J:	9.08	SL: SSMG: SSF: SPL: 31.26 18.54 18.44 10.33				LWL:	24.79	Ballast:	1300
Rating: 123 DW Rating: 622 Certificate Date 12/9/2024						Rig Type	P:	32.17	Asymmetric Spin? Yes				Beam:	8.5	Engine:	OB
Displacement used for DW Rating: 3794						FS	E:	11.92	SLE: SLU: ASMG: ASF: 28.86 32.75 17.15 19.29				Draft:	5	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	31.25								
Modifications on file:						ALUMN	JSP:	10.3								

Boat Name Chao Pescao	Sail # 382	Max Headsail 100	I: 40.6	Symmetric Spin? No	LOA: 34.5	Displacement: 7750
Boat Type J 105 ODR w/ 5'BS		Rig Type FS	J: 13.5	SL: SSMG: SSF: SPL:	LWL: 29.5	Ballast: 3400
Rating: 78 DW Rating: 593 Certificate Date 12/17/2024			P: 41.5	Asymmetric Spin? Yes	Beam: 11	Engine: IB
Displacement used for DW Rating: 8472		Mast Material ALUMN	E: 14.5	SLE: SLU: ASMG: ASF:	Draft: 6.5	Prop Type: FOLD
Certified PHRF Data on file? ☐			ISP: 42.1	39.8 49.5 24.6 26		
Modifications on file:						

Boat Name Checkered Past	Sail # 3	Max Headsail	I:	Symmetric Spin? No	LOA: 38.83	Displacement: 12000
Boat Type Custom Wyliecat 39		Rig Type CAT	J: 52	SL: SSMG: SSF: SPL:	LWL: 32	Ballast: 6200
Rating: 102 DW Rating: 597 Certificate Date 12/9/2024			E: 26.6	Asymmetric Spin? No	Beam: 11.5	Engine: IB
Displacement used for DW Rating: 12000		Mast Material CARBON	ISP:	SLE: SLU: ASMG: ASF:	Draft: 6.6	Prop Type: FOLD
Certified PHRF Data on file? ☐			JSP:			
Modifications on file: Boat has been modified for handicapped sailing						

Boat Name Chesapeake III	Sail # 142	Max Headsail 90	I: 30	Symmetric Spin? No	LOA: 28.25	Displacement: 5700
Boat Type Alerion Express 28 ODR		Rig Type FS	J: 9.75	SL: SSMG: SSF: SPL:	LWL: 22.83	Ballast: 2200
Rating: 168 DW Rating: 705 Certificate Date 12/16/2024			P: 33	Asymmetric Spin? No	Beam: 8.2	Engine: IB
Displacement used for DW Rating: 5700		Mast Material ALUMN	E: 12.5	SLE: SLU: ASMG: ASF:	Draft: 4.5	Prop Type: Fold
Certified PHRF Data on file? ☐			ISP: 30			
			JSP: 9.75			
Modifications on file:						

Boat Name Chinook	Sail # 639	Max Headsail 100	I: 40.6	Symmetric Spin? No	LOA: 34.5	Displacement: 7750
Boat Type J 105 ODR w/ 5'BS		Rig Type FS	J: 13.5	SL: SSMG: SSF: SPL:	LWL: 29.5	Ballast: 3400
Rating: 78 DW Rating: 593 Certificate Date 1/13/2025			P: 41.5	Asymmetric Spin? Yes	Beam: 11	Engine: IB
Displacement used for DW Rating: 8472		Mast Material ALUMN	E: 14.5	SLE: SLU: ASMG: ASF:	Draft: 6.5	Prop Type: FOLD
Certified PHRF Data on file? ☐			ISP: 42.1	39.8 49.05 24.6 26		
			JSP: 19.07			
Modifications on file:						

Boat Name Clean Sweep				Sail #	Rig Data:	Max Headsail	I:	32	Symmetric Spin? Yes	LOA:	25	Displacement: 3300	
Boat Type Olson 25				28609		155	J:	9.583	SL: SSMG: SSF: SPL:	LWL:	21.25	Ballast: 1300	
Rating: 159 DW Rating: 675				Certificate Date 1/7/2025		Rig Type	P:	28	31.73 17.24 16.55 9.583	Beam:	9	Engine: OB	
Displacement used for DW Rating:				3300		MS	E:	10	Asymmetric Spin? No	Draft:	4.5	Prop Type: None	
Certified PHRF Data on file?				☐		Mast Material	ISP:	32	SLE: SLU: ASMG: ASF:				
Certified PHRF Data on file?				☐		ALUMN	JSP:						
Modifications on file:													
Boat Name Color Blind				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin? Yes	LOA:	23.75	Displacement: 2050	
Boat Type Moore 24				49		150	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	21.75	Ballast: 1025	
Rating: 150 DW Rating: 629				Certificate Date 1/6/2025		Rig Type	P:	25	27 17.55 17.55 9.75	Beam:	7.16	Engine: OB	
Displacement used for DW Rating:				2050		FS	E:	9.5	Asymmetric Spin? No	Draft:	4.083	Prop Type: None	
Certified PHRF Data on file?				☐		Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:				
Certified PHRF Data on file?				☐		ALUMN	JSP:						
Modifications on file:													
Boat Name Committed				Sail #	Rig Data:	Max Headsail	I:	27.85	Symmetric Spin? No	LOA:	24	Displacement: 1750	
Boat Type Melges 24				658		110	J:	7.98	SL: SSMG: SSF: SPL:	LWL:	22	Ballast: 625	
Rating: 84 DW Rating: 568				Certificate Date 12/2/2024		Rig Type	P:	28.75		7.95	Beam:	8.166	Engine: OB
Displacement used for DW Rating:				1783		FS	E:	12.416	Asymmetric Spin? Yes	Draft:	5.25	Prop Type: None	
Certified PHRF Data on file?				☐		Mast Material	ISP:	31.85	SLE: SLU: ASMG: ASF:				
Certified PHRF Data on file?				☐		CARBON	JSP:	12	32.9 38 19.23 20.67				
Modifications on file:													
Boat Name Corinna				Sail #	Rig Data:	Max Headsail	I:	41	Symmetric Spin? No	LOA:	36	Displacement: 14400	
Boat Type Allied Princess 36				#####		120	J:	12.6	SL: SSMG: SSF: SPL:	LWL:	27.5	Ballast: 5000	
Rating: 213 DW Rating: 670				Certificate Date 3/25/2025		Rig Type	P:	36		Beam:	11	Engine: IB	
Displacement used for DW Rating:				14400		KTCH	E:	14	Asymmetric Spin? No	Draft:	4.5	Prop Type: Fixed_3	
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE: SLU: ASMG: ASF:				
Certified PHRF Data on file?				☐		ALUMN	JSP:						
Modifications on file:													

Boat Name Crazy Rhythm				Sail #	Rig Data:	Max Headsail	I:	32.58	Symmetric Spin? Yes	LOA:	27	Displacement: 3200
Boat Type Santa Cruz 27				18771		125	J:	10.75	SL: SSMG: SSF: SPL:	LWL:	24	Ballast: 1600
Rating: 144 DW Rating: 618 Certificate Date 1/22/2025						Rig Type	P:	28.166	32.74 19.4 19.4 10.75			Engine: OB
Displacement used for DW Rating: 3200						MS	E:	8.583	Asymmetric Spin? No	Beam:	8	Prop Type: None
Certified PHRF Data on file? ☐						Mast Material	ISP:	32.58	SLE: SLU: ASMG: ASF:	Draft:	4.5	
Modifications on file: (Outboard Removed)					ALUMN	JSP:						
Boat Name Crews Nest				Sail #	Rig Data:	Max Headsail	I:	44	Symmetric Spin? Yes	LOA:	35.67	Displacement: 11950
Boat Type Catalina 34 1&2				1383		130	J:	13.5	SL: SSMG: SSF: SPL:	LWL:	29.83	Ballast: 5000
Rating: 147 DW Rating: 639 Certificate Date 12/9/2024						Rig Type	P:	38.5	42 24 23.5 13.5			Engine: IB
Displacement used for DW Rating: 13606						MS	E:	12	Asymmetric Spin? No	Beam:	11.75	Prop Type: FEATH
Certified PHRF Data on file? ☐						Mast Material	ISP:	44	SLE: SLU: ASMG: ASF:	Draft:	5.58	
Modifications on file:					ALUMN	JSP:	13.5					
Boat Name Crinan II				Sail #	Rig Data:	Max Headsail	I:		Symmetric Spin? No	LOA:	30.5	Displacement: 5500
Boat Type Wyliecat 30 IB				15			J:		SL: SSMG: SSF: SPL:	LWL:	25	Ballast: 3050
Rating: 126 DW Rating: 647 Certificate Date 1/7/2025						Rig Type	P:	39				Engine: IB
Displacement used for DW Rating: 5500						CATBOAT	E:	20	Asymmetric Spin? No	Beam:	9.5	Prop Type: FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE: SLU: ASMG: ASF:	Draft:	5.25	
Modifications on file: (Mtg 1/21/19, -3 sec/mi for square top mainsail)					CARBON	JSP:						
Boat Name CruzSea Baby				Sail #	Rig Data:	Max Headsail	I:	43.2	Symmetric Spin? No	LOA:	32.75	Displacement: 9715
Boat Type Beneteau First 10R ODR				52878		155	J:	12.07	SL: SSMG: SSF: SPL:	LWL:	28.7	Ballast: 3528
Rating: 78 DW Rating: 612 Certificate Date 12/12/2024						Rig Type	P:	42.25				Engine: IB
Displacement used for DW Rating: 9908						FS	E:	14.73	Asymmetric Spin? Yes	Beam:	11	Prop Type: Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	46.41	SLE: SLU: ASMG: ASF:	Draft:	6.55	
Modifications on file: (Rudder Modifications noted)					CARBON	JSP:	16.5	48.03 52.16 27.95 28.93				

Boat Name Cuckoo				Sail #	Rig Data:	Max Headsail	I:	20.25	Symmetric Spin? No	LOA:	30.083	Displacement: 8900
Boat Type Bird ODR				16		155	J:	9.5	SL: SSMG: SSF: SPL:	LWL:	24.25	Ballast: 5000
Rating: 204 DW Rating: 710				Certificate Date 12/4/2024		Rig Type	P:	32				Engine: OB
Displacement used for DW Rating:				8900		MS	E:	20.5	Asymmetric Spin? No	Beam:	7.666	Prop Type: None
Certified PHRF Data on file?				☐		Mast Material	ISP:	20.25	SLE: SLU: ASMG: ASF:	Draft:	5.25	
Modifications on file:						WOOD	JSP:					
Boat Name Curie				Sail #	Rig Data:	Max Headsail	I:	38.39	Symmetric Spin? Yes	LOA:	32.6	Displacement: 9260
Boat Type Beneteau 32S5				52868		150	J:	9.68	SL: SSMG: SSF: SPL:	LWL:	27.83	Ballast: 2980
Rating: 138 DW Rating: 657				Certificate Date 1/21/2025		Rig Type	P:	38.88	39.98 17.3 17.3 9.6			Engine: IB
Displacement used for DW Rating:				9260		FS	E:	13.78	Asymmetric Spin? No	Beam:	10.83	Prop Type: FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:	38.39	SLE: SLU: ASMG: ASF:	Draft:	6	
Modifications on file:						ALUMN	JSP:	9.68	32.75 35.75 18.4 17.3			
Boat Name Current Affair				Sail #	Rig Data:	Max Headsail	I:	28.5	Symmetric Spin? Yes	LOA:	27.25	Displacement: 2450
Boat Type Express 27 ODR				56		155	J:	9	SL: SSMG: SSF: SPL:	LWL:	23.75	Ballast: 1100
Rating: 129 DW Rating: 605				Certificate Date 12/16/2024		Rig Type	P:	28.5	29 17.75 17.75 9.83			Engine: OB
Displacement used for DW Rating:				2510		FS	E:	10.42	Asymmetric Spin? No	Beam:	8.17	Prop Type: None
Certified PHRF Data on file?				☐		Mast Material	ISP:	28.5	SLE: SLU: ASMG: ASF:	Draft:	4.5	
Modifications on file:						ALUMN	JSP:					
Boat Name Dancer				Sail #	Rig Data:	Max Headsail	I:	34.75	Symmetric Spin? Yes	LOA:	34	Displacement: 7000
Boat Type Tiffany Jayne 34				18216		95	J:	11.416	SL: SSMG: SSF: SPL:	LWL:	25	Ballast: 3010
Rating: 135 DW Rating: 647				Certificate Date 1/10/2025		Rig Type	P:	36.583	34.75 19.92 19.92 #####			Engine: IB
Displacement used for DW Rating:				7000		FS	E:	14.166	Asymmetric Spin? No	Beam:	8	Prop Type: FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:	34.75	SLE: SLU: ASMG: ASF:	Draft:	5.5	
Modifications on file:						ALUMN	JSP:					

Boat Name Dark Horse				Sail #	Rig Data:	Max Headsail	I:	36	Symmetric Spin?	Yes	LOA:	30	Displacement:	3600		
Boat Type Olson 30 OB				101		155	J:	11.75	SL:	SSMG:	SSF:	SPL:	LWL:	27.5	Ballast:	1800
Rating: 99 DW Rating: 584 Certificate Date 1/9/2025						Rig Type	P:	31.5	36	21.16	21.16	11.75	Beam:	9.33	Engine:	OB
Displacement used for DW Rating: 4111						MS	E:	10.75	Asymmetric Spin?			Yes	Draft:	5.08	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	35.9	SLE:	SLU:	ASMG:	ASF:				
Modifications on file: (Mtg 4/25/18, New Rudder, NCTR)					ALUMN	JSP:	11.67	32.18	36.45	17.45	19.97					
Boat Name Dazzler				Sail #	Rig Data:	Max Headsail	I:		Symmetric Spin?	No	LOA:	30.5	Displacement:	5500		
Boat Type Wyliecat 30 OB				38349		0	J:		SL:	SSMG:	SSF:	SPL:	LWL:	25	Ballast:	3050
Rating: 123 DW Rating: 647 Certificate Date 12/2/2024						Rig Type	P:	39					Beam:	9.5	Engine:	OB
Displacement used for DW Rating: 5500						CAT	E:	20	Asymmetric Spin?			No	Draft:	5.25	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:				
Modifications on file: (Mtg 8/23/21, -3 sec/mi for square top mainsail)					CARBON	JSP:										
Boat Name Defiant				Sail #	Rig Data:	Max Headsail	I:	57	Symmetric Spin?	Yes	LOA:	43	Displacement:	18000		
Boat Type J 133 CM MOD				54574		145	J:	17.25	SL:	SSMG:	SSF:	SPL:	LWL:	37.83	Ballast:	7250
Rating: 30 DW Rating: 557 Certificate Date 12/3/2024						Rig Type	P:	54	59	33.5	32.75	18.17	Beam:	12.75	Engine:	IB
Displacement used for DW Rating: 20000						FS	E:	18.6	Asymmetric Spin?			Yes	Draft:	7.5	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	60.4	SLE:	SLU:	ASMG:	ASF:				
Modifications on file: (mtg 11/30/23, +6 sec/mi for small spinnaker, +6 sec/mi for no sprit, -3 sec/mi for articulation, -3 sec/mi for 145% headsail)					CARBON	JSP:	18.17	57.2	62.9	32.1	34.5					
Boat Name DFZ				Sail #	Rig Data:	Max Headsail	I:	26.77	Symmetric Spin?	No	LOA:	22.75	Displacement:	1750		
Boat Type J 70 ODR				72		100	J:	7.68	SL:	SSMG:	SSF:	SPL:	LWL:	20.47	Ballast:	630
Rating: 114 DW Rating: 598 Certificate Date 2/13/2025						Rig Type	P:	26.16					Beam:	7.38	Engine:	OB
Displacement used for DW Rating: 0						FS	E:	9.44	Asymmetric Spin?			Yes	Draft:	4.92	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	30.15	SLE:	SLU:	ASMG:	ASF:				
Modifications on file:					CARBON	JSP:	13.5	28.87	35.43	18.24	18.7					

Boat Name Dorit				Sail #	Rig Data:	Max Headsail	I:	47.5	<i>Symmetric Spin?</i> No				LOA:	37.73	Displacement:	15500
Boat Type Beneteau Oceanis 38.1P				5		105	J:	15.72	SL: SSMG: SSF: SPL:				LWL:	35.17	Ballast:	3946
Rating: 96 DW Rating: 582 Certificate Date 1/14/2025						Rig Type	P:	47.44					Beam:	13.09	Engine:	IB
Displacement used for DW Rating: 15500						FS	E:	13.81	<i>Asymmetric Spin?</i> Yes				Draft:	6.82	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	49.25	SLE: SLU: ASMG: ASF: 49.01 54.66 32.28 29.53							
Modifications on file: Main Halyward Winch						ALUMN	JSP:	15.85								
Boat Name Downtown Uproar				Sail #	Rig Data:	Max Headsail	I:	26.25	<i>Symmetric Spin?</i> Yes				LOA:	24	Displacement:	3125
Boat Type J 24 ODR				2394		150	J:	9.5	SL: SSMG: SSF: SPL:				LWL:	20	Ballast:	965
Rating: 168 DW Rating: 695 Certificate Date 4/28/2025						Rig Type	P:	28	26.5 17 16.8 9.5				Beam:	9.2	Engine:	OB
Displacement used for DW Rating: 2870						FS	E:	9.75	<i>Asymmetric Spin?</i> No				Draft:	4.1	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:							
Modifications on file:						ALUMN	JSP:									
Boat Name Dragonsong				Sail #	Rig Data:	Max Headsail	I:	36	<i>Symmetric Spin?</i> Yes				LOA:	30	Displacement:	3600
Boat Type Olson 30 OB				87014		155	J:	11.75	SL: SSMG: SSF: SPL:				LWL:	27.5	Ballast:	1800
Rating: 99 DW Rating: 583 Certificate Date 12/13/2024						Rig Type	P:	31.5	36 21.15 21.15 11.75				Beam:	9.33	Engine:	OB
Displacement used for DW Rating: 4111						MS	E:	10.75	<i>Asymmetric Spin?</i> No				Draft:	5.08	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	35.9	SLE: SLU: ASMG: ASF:							
Modifications on file:						ALUMN	JSP:	11.67								
Boat Name Drama				Sail #	Rig Data:	Max Headsail	I:	53.15	<i>Symmetric Spin?</i> No				LOA:	44.83	Displacement:	20500
Boat Type Beneteau 440 Oceanis				38038		100	J:	15.09	SL: SSMG: SSF: SPL:				LWL:	38	Ballast:	7055
Rating: 111 DW Rating: 599 Certificate Date 1/10/2025						Rig Type	P:	47.05					Beam:	14	Engine:	IB
Displacement used for DW Rating: 22610						MS	E:	17.06	<i>Asymmetric Spin?</i> No				Draft:	5.75	Prop Type:	Fixed_3
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE: SLU: ASMG: ASF:							
Modifications on file:						ALUMN	JSP:									

Boat Name Expeditious				Sail #	Rig Data:	Max Headsail	I:	48.75	Symmetric Spin? Yes				LOA:	37.08	Displacement:	11000
Boat Type Express 37				18478		155	J:	14.33	SL: SSMG: SSF: SPL:				LWL:	30.83	Ballast:	4500
Rating: 72 DW Rating: 587 Certificate Date 2/12/2025						Rig Type	P:	42	48 25.5 25.4 14.33				Beam:	11.57	Engine:	IB
Displacement used for DW Rating: 10207						MS	E:	13.75	Asymmetric Spin? No				Draft:	7.25	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	48.75	SLE: SLU: ASMG: ASF:							
						ALUMN	JSP:									
Modifications on file: INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.																
Boat Name eXpresso				Sail #	Rig Data:	Max Headsail	I:	59.46	Symmetric Spin? No				LOA:	43.6	Displacement:	21738
Boat Type XP-44				60874		106	J:	16.3	SL: SSMG: SSF: SPL:				LWL:	39	Ballast:	8488
Rating: 18 DW Rating: 545 Certificate Date 12/14/2024						Rig Type	P:	57.74					Beam:	13.35	Engine:	IB
Displacement used for DW Rating: 21738						FS	E:	18.7	Asymmetric Spin? Yes				Draft:	8.86	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	64.86	SLE: SLU: ASMG: ASF:							
						CARBON	JSP:	20.4	61.35 71.52 37.73 35.83							
Modifications on file: Extended sprit, deep rudder, hydraulic backstay																
Boat Name Eyrie				Sail #	Rig Data:	Max Headsail	I:	33	Symmetric Spin? Yes				LOA:	28	Displacement:	5700
Boat Type Hawkfarm 28 ODR				6100		125	J:	11	SL: SSMG: SSF: SPL:				LWL:	23.5	Ballast:	2700
Rating: 165 DW Rating: 676 Certificate Date 2/12/2025						Rig Type	P:	36	33 20 19.4 11.5				Beam:	9.75	Engine:	IB
Displacement used for DW Rating: 5700						FS	E:	10.5	Asymmetric Spin? No				Draft:	5.17	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	33.25	SLE: SLU: ASMG: ASF:							
						ALUMN	JSP:	11.5								
Modifications on file: Rudder changes noted NCTR mtg 4/20/04)																
Boat Name Falkor				Sail #	Rig Data:	Max Headsail	I:	32	Symmetric Spin? Yes				LOA:	25	Displacement:	3300
Boat Type Olson 25				87863		130	J:	9.583	SL: SSMG: SSF: SPL:				LWL:	21.25	Ballast:	1300
Rating: 159 DW Rating: 674 Certificate Date 1/6/2025						Rig Type	P:	28	31 17.28 17.28 9.583				Beam:	9	Engine:	OB
Displacement used for DW Rating: 3300						MS	E:	10	Asymmetric Spin? No				Draft:	4.5	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	32	SLE: SLU: ASMG: ASF:							
						ALUMN	JSP:									
Modifications on file: Roller Furler																

Boat Name Finn				Sail # 18782		Rig Data:	Max Headsail		I:	34.6	<i>Symmetric Spin?</i> Yes		LOA:	26	Displacement: 4150			
Boat Type Capo 26 IB							155		J:	10.56	SL: SSMG: SSF: SPL:		LWL:	22	Ballast: 1900			
Rating: 162 DW Rating: 678 Certificate Date 4/11/2025							Rig Type		P:	30	35 18.8 18.3 10.5				Engine: IB			
Displacement used for DW Rating: 0							MS		E:	10	<i>Asymmetric Spin?</i> No		Beam:		9.25	Prop Type: Fold		
Certified PHRF Data on file? ☐							Mast Material		ISP:		SLE: SLU: ASMG: ASF:		Draft:		4.58			
							ALUMN		JSP:									
Modifications on file: (1/10/22, 150# lead ingots removed from bilge)																		
Boat Name Fired Up!				Sail # 14		Rig Data:	Max Headsail		I:	28.5	<i>Symmetric Spin?</i> Yes		LOA:	27.25	Displacement: 2450			
Boat Type Express 27 ODR							155		J:	9	SL: SSMG: SSF: SPL:		LWL:	23.75	Ballast: 1100			
Rating: 129 DW Rating: 627 Certificate Date 12/3/2024							Rig Type		P:	28.5	29 17.55 17.55 9.833				Engine: OB			
Displacement used for DW Rating: 2740							FS		E:	10.416	<i>Asymmetric Spin?</i> No		Beam:		8.166	Prop Type: None		
Certified PHRF Data on file? ☐							Mast Material		ISP:	28.5	SLE: SLU: ASMG: ASF:		Draft:		4.5			
							ALUMN		JSP:									
Modifications on file:																		
Boat Name First 44				Sail # 44		Rig Data:	Max Headsail		I:	55.28	<i>Symmetric Spin?</i> No		LOA:	43.1	Displacement: 25100			
Boat Type Beneteau First 44							105		J:	18.37	SL: SSMG: SSF: SPL:		LWL:	40.5	Ballast: 7275			
Rating: 45 DW Rating: 563 Certificate Date 4/29/2025							Rig Type		P:	52.85					Engine: IB			
Displacement used for DW Rating: 25100							FS		E:	18.04	<i>Asymmetric Spin?</i> Yes		Beam:		13.92	Prop Type: Fold		
Certified PHRF Data on file? ☐							Mast Material		ISP:	59.55	SLE: SLU: ASMG: ASF:		Draft:		7.05			
							ALUMN		JSP:	19.97	52.24 58.65 19.06 32.59							
Modifications on file: (Mtg 4/28/25, -3 sec/mi for tweener sail)																		
Boat Name Flexi-Flyer				Sail # 18282		Rig Data:	Max Headsail		I:	42.5	<i>Symmetric Spin?</i> Yes		LOA:	33	Displacement: 5800			
Boat Type Soverel 33-2							155		J:	12.8	SL: SSMG: SSF: SPL:		LWL:	30.5	Ballast: 2800			
Rating: 96 DW Rating: 593 Certificate Date 12/3/2024							Rig Type		P:	41	42.06 22.7 21.58 12.75				Engine: IB			
Displacement used for DW Rating: 6463							MS		E:	13	<i>Asymmetric Spin?</i> No		Beam:		11	Prop Type: FOLD		
Certified PHRF Data on file? ☒							Mast Material		ISP:	42.5	SLE: SLU: ASMG: ASF:		Draft:		5.85			
							ALUMN		JSP:									
Modifications on file:																		

Boat Name Flotsam				Sail # 42		Rig Data:	Max Headsail 160		I: 7	Symmetric Spin? Yes				LOA: 30.5	Displacement: 4775	
Boat Type Yankee One Design							Rig Type FS		P: 33.2	SL: 30	SSMG: 19	SSF: 15	SPL: 8.3	LWL: 24	Ballast: 2550	
Rating: 162 DW Rating: 651 Certificate Date 2/12/2025							E: 13.5		Asymmetric Spin? No				Beam: 6.5	Engine: NONE		
Displacement used for DW Rating: 4775							Mast Material WOOD		ISP: 38.75	SLE:	SLU:	ASMG:	ASF:	Draft: 4.5	Prop Type: None	
Certified PHRF Data on file? ☐									JSP: 8.3							
Modifications on file:																
Boat Name Fly				Sail # 67		Rig Data:	Max Headsail 104		I: 11.28	Symmetric Spin? No				LOA: 29.19	Displacement: 4990	
Boat Type J 88							Rig Type FS		P: 36.82	SL:	SSMG:	SSF:	SPL:	LWL: 26.84	Ballast: 1840	
Rating: 81 DW Rating: 563 Certificate Date 4/27/2025							E: 12		Asymmetric Spin? Yes				Beam: 9.5	Engine: IB		
Displacement used for DW Rating: 4990							Mast Material CARBON		ISP: 46	SLE: 40.84	SLU: 47.83	ASMG: 37.32	ASF: 29	Draft: 6.5	Prop Type: Fold	
Certified PHRF Data on file? ☐									JSP: 18.05							
Modifications on file:																
Boat Name Flying Circus				Sail # 11		Rig Data:	Max Headsail 150		I: 9.75	Symmetric Spin? YES				LOA: 23.75	Displacement: 2050	
Boat Type Moore 24							Rig Type FS		P: 25	SL: 26.6	SSMG: 17.55	SSF: 8.78	SPL: 9.9	LWL: 21.75	Ballast: 1025	
Rating: 150 DW Rating: 633 Certificate Date 1/6/2025							E: 9.5		Asymmetric Spin? NO				Beam: 7.16	Engine: OB		
Displacement used for DW Rating: 2050							Mast Material ALUMN		ISP: 26.25	SLE:	SLU:	ASMG:	ASF:	Draft: 4.083	Prop Type: None	
Certified PHRF Data on file? ☐									JSP:							
Modifications on file:																
Boat Name Flying Colors				Sail # 30		Rig Data:	Max Headsail 150		I: 9.75	Symmetric Spin? YES				LOA: 23.75	Displacement: 2050	
Boat Type Moore 24							Rig Type FS		P: 25	SL: 27	SSMG: 17.55	SSF: 17.55	SPL: 9.75	LWL: 21.75	Ballast: 1025	
Rating: 150 DW Rating: 629 Certificate Date 12/18/2024							E: 9.5		Asymmetric Spin? No				Beam: 7.16	Engine: OB		
Displacement used for DW Rating: 2050							Mast Material ALUMN		ISP: 26.25	SLE:	SLU:	ASMG:	ASF:	Draft: 4.083	Prop Type: None	
Certified PHRF Data on file? ☐									JSP:							
Modifications on file:																

Boat Name Flying Fish				Sail #	Rig Data:	Max Headsail	I:	36	<i>Symmetric Spin?</i> Yes				LOA:	30	Displacement:	3600	
Boat Type Olson 30 OB				197		155	J:	11.78	SL:	SSMG:	SSF:	SPL:	LWL:	27.5	Ballast:	1800	
Rating:	99	DW Rating:	584	Certificate Date		12/5/2024	Rig Type	P:	31.5	35.6	21	20.2	11.6	Beam:	9.33	Engine:	OB
Displacement used for DW Rating:				4111		MS	E:	10.75	<i>Asymmetric Spin?</i> No				Draft:	5.1	Prop Type:	None	
Certified PHRF Data on file?				☐		Mast Material	ISP:	35.92	SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:	11.67										
<i>Modifications on file:</i>																	
Boat Name Flying Green Dragon				Sail #	Rig Data:	Max Headsail	I:	47	<i>Symmetric Spin?</i> No				LOA:	35.17	Displacement:	12500	
Boat Type Tartan 3500				56636		100	J:	13.75	SL:	SSMG:	SSF:	SPL:	LWL:	30	Ballast:	4200	
Rating:	123	DW Rating:		Certificate Date		3/12/2025	Rig Type	P:	41.4					Beam:	11.75	Engine:	IB
Displacement used for DW Rating:						MS	E:	14.4	<i>Asymmetric Spin?</i> No				Draft:	6.5	Prop Type:	Fixed_2	
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:											
<i>Modifications on file:</i>																	
Boat Name Flying Machine				Sail #	Rig Data:	Max Headsail	I:	30	<i>Symmetric Spin?</i> No				LOA:	28.2	Displacement:	5700	
Boat Type ALERION EXPRESS 28 ODR				180		90	J:	9.8	SL:	SSMG:	SSF:	SPL:	LWL:	22.8	Ballast:	2200	
Rating:	168	DW Rating:	707	Certificate Date		1/17/2025	Rig Type	P:	33					Beam:	8.2	Engine:	IB
Displacement used for DW Rating:						FS	E:	13	<i>Asymmetric Spin?</i> No				Draft:	4.5	Prop Type:	FOLD	
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:											
<i>Modifications on file:</i>																	
Boat Name Foehn				Sail #	Rig Data:	Max Headsail	I:		<i>Symmetric Spin?</i> No				LOA:		Displacement:		
Boat Type C&C 40-2				18929		0	J:		SL:	SSMG:	SSF:	SPL:	LWL:		Ballast:		
Rating:	93	DW Rating:		Certificate Date		1/14/2025	Rig Type	P:		0	0			Beam:		Engine:	
Displacement used for DW Rating:				0			E:		<i>Asymmetric Spin?</i> No				Draft:		Prop Type:	None	
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:					
						JSP:						0					
<i>Modifications on file:</i>																	

Boat Name Godot 2.0			Sail #	Rig Data:	Max Headsail	I:	40.6	Symmetric Spin?	No	LOA:	34.5	Displacement:	7750		
Boat Type J 105 ODR w/ 5'BS			28905		95	J:	13.5	SL:	SSMG: SSF: SPL:	LWL:	29.5	Ballast:	3400		
Rating: 78 DW Rating: 592 Certificate Date 1/13/2025					Rig Type	P:	41.5	Asymmetric Spin? Yes			Beam:	11	Engine:	IB	
Displacement used for DW Rating:			8472		FS	E:	14.6	SLE:	SLU:	ASMG: ASF:	Draft:	6.5	Prop Type:	FOLD	
Certified PHRF Data on file? ☐					Mast Material	ISP:	42.1	38.55	49.54	26.8	23.29				
Modifications on file:					ALUMN	JSP:	19.07								
Boat Name Golden Moon			Sail #	Rig Data:	Max Headsail	I:	48.75	Symmetric Spin?	Yes	LOA:	37	Displacement:	11000		
Boat Type Express 37			18488		155	J:	14.33	SL:	SSMG: SSF: SPL:	LWL:	30.83	Ballast:	4500		
Rating: 72 DW Rating: 587 Certificate Date 4/28/2025					Rig Type	P:	42	48.27	25.79	25.79	14.33	Beam:	11.57	Engine:	IB
Displacement used for DW Rating:			10207		MS	E:	13.75	Asymmetric Spin? No			Draft:	7.25	Prop Type:	FOLD	
Certified PHRF Data on file? ☐					Mast Material	ISP:	48.75	SLE:	SLU:	ASMG: ASF:					
Modifications on file:					ALUMN	JSP:		46	49.8	25	29.5				
Boat Name Good And Plenty			Sail #	Rig Data:	Max Headsail	I:	42.5	Symmetric Spin?	Yes	LOA:	33	Displacement:	5800		
Boat Type Soverel 33-2			18263		155	J:	12.75	SL:	SSMG: SSF: SPL:	LWL:	30.5	Ballast:	2800		
Rating: 96 DW Rating: 574 Certificate Date 12/13/2024					Rig Type	P:	41	42.5	22.95	22.95	12.75	Beam:	11	Engine:	IB
Displacement used for DW Rating:			6500		MS	E:	13	Asymmetric Spin? No			Draft:	5.85	Prop Type:	FOLD	
Certified PHRF Data on file? ☐					Mast Material	ISP:	41	SLE:	SLU:	ASMG: ASF:					
Modifications on file:					ALUMN	JSP:	12.75								
Boat Name Grace			Sail #	Rig Data:	Max Headsail	I:	23.9	Symmetric Spin?	YES	LOA:	27.17	Displacement:	4000		
Boat Type H Boat			11		155	J:	9.28	SL:	SSMG: SSF: SPL:	LWL:	20.67	Ballast:	4000		
Rating: 186 DW Rating: 715 Certificate Date 12/9/2024					Rig Type	P:	28.54	24	16	15.42	7.75	Beam:	7.15	Engine:	OB
Displacement used for DW Rating:			4000		FS	E:	9.84	Asymmetric Spin? No			Draft:	4.27	Prop Type:	None	
Certified PHRF Data on file? ☐					Mast Material	ISP:	23.95	SLE:	SLU:	ASMG: ASF:					
Modifications on file:					ALUMN	JSP:									

Boat Name Highlander			Sail #	Rig Data:	Max Headsail	I:	46.2	Symmetric Spin?	Yes	LOA:	39.25	Displacement:	15000
Boat Type Cal 40			4590		150	J:	15.2	SL:	SSMG: SSF: SPL:	LWL:	30.25	Ballast:	6000
Rating: 114 DW Rating: 631 Certificate Date 12/17/2024					Rig Type	P:	39.5	46.5 27.3 27 15.17		Beam:	11	Engine:	IB
Displacement used for DW Rating: 14426					MS	E:	17.5	Asymmetric Spin?	No				
Certified PHRF Data on file? ☒					Mast Material	ISP:	46.2	SLE:	SLU: ASMG: ASF:	Draft:	5.58	Prop Type:	Feath
Modifications on file:					ALUMN	JSP:							
Boat Name Hijinks			Sail #	Rig Data:	Max Headsail	I:	37	Symmetric Spin?	No	LOA:	30	Displacement:	5500
Boat Type J 92			90		97	J:	11.5	SL:	SSMG: SSF: SPL:	LWL:	26.5	Ballast:	2275
Rating: 108 DW Rating: 605 Certificate Date 12/9/2024					Rig Type	P:	37.66			Beam:	10	Engine:	IB
Displacement used for DW Rating: 5800					FS	E:	13.22	Asymmetric Spin?	Yes				
Certified PHRF Data on file? ☐					Mast Material	ISP:	38.5	SLE:	SLU: ASMG: ASF:	Draft:	5.9	Prop Type:	Fold
Modifications on file:					ALUMN	JSP:	17	40.85 45.4 23.55 26.51					
Boat Name Holy Hand Grenade			Sail #	Rig Data:	Max Headsail	I:	20.75	Symmetric Spin?	YES	LOA:	23.75	Displacement:	975
Boat Type Wylie Wabbit ODR W/Trap			40		105	J:	6.5	SL:	SSMG: SSF: SPL:	LWL:	20	Ballast:	440
Rating: 129 DW Rating: 591 Certificate Date 1/21/2025					Rig Type	P:	23.75	21.5 14 14 8.5		Beam:	5.58	Engine:	OB
Displacement used for DW Rating: 975					FS	E:	10	Asymmetric Spin?	No				
Certified PHRF Data on file? ☐					Mast Material	ISP:	20.5	SLE:	SLU: ASMG: ASF:	Draft:	3.5	Prop Type:	None
Modifications on file: Hiking straps and single trapeze					ALUMN	JSP:							
Boat Name Hot Sheet			Sail #	Rig Data:	Max Headsail	I:	28.5	Symmetric Spin?	YES	LOA:	27.25	Displacement:	2450
Boat Type Express 27 ODR			10		155	J:	9	SL:	SSMG: SSF: SPL:	LWL:	23.75	Ballast:	1100
Rating: 129 DW Rating: 608 Certificate Date 1/6/2025					Rig Type	P:	28.5	29 17.75 17.75 9.83		Beam:	8.17	Engine:	OB
Displacement used for DW Rating: 2450					FS	E:	10.42	Asymmetric Spin?	No				
Certified PHRF Data on file? ☐					Mast Material	ISP:	28.5	SLE:	SLU: ASMG: ASF:	Draft:	4.5	Prop Type:	None
Modifications on file:					ALUMN	JSP:							

Boat Name Irish Rose				Sail #	Rig Data:	Max Headsail	I:	35.5	<i>Symmetric Spin?</i>	No	LOA:	28.3	Displacement:	13500		
Boat Type Westsail 28				0		145	J:	17.3	SL:	SSMG:	SSF:	SPL:	LWL:	23.5	Ballast:	4200
Rating: 246 DW Rating: 725 Certificate Date 12/3/2024						Rig Type	P:	31.5							Engine:	IB
Displacement used for DW Rating: 13500						MS	E:	12.3	<i>Asymmetric Spin?</i>	No	Beam:	9.6			Prop Type:	Fixed_3
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:	Draft:	4.3		
Modifications on file:																
Boat Name Jack				Sail #	Rig Data:	Max Headsail	I:	20.5	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	975		
Boat Type Wylie Wabbit ODR W/Trap				19		110	J:	6.6	SL:	SSMG:	SSF:	SPL:	LWL:	20	Ballast:	440
Rating: 126 DW Rating: 596 Certificate Date 1/7/2025						Rig Type	P:	23.75	21.6	14	14	8.6			Engine:	OB
Displacement used for DW Rating: 975						FS	E:	10	<i>Asymmetric Spin?</i>	No	Beam:	5.58			Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.1	SLE:	SLU:	ASMG:	ASF:	Draft:	3.5		
Modifications on file:																
Boat Name Jacqueline				Sail #	Rig Data:	Max Headsail	I:	28.4	<i>Symmetric Spin?</i>	Yes	LOA:	30	Displacement:	7660		
Boat Type Freedom 30 SD				3			J:	9.8	SL:	SSMG:	SSF:	SPL:	LWL:	25.42	Ballast:	3150
Rating: 174 DW Rating: 688 Certificate Date 12/22/2024						Rig Type	P:	35.2	31.4	14	16.7	9			Engine:	IB
Displacement used for DW Rating: 7660						CAT	E:	13.9	<i>Asymmetric Spin?</i>	No	Beam:	10.8			Prop Type:	Fixed_2
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:	Draft:	4.5		
Modifications on file:																
Boat Name Jamani				Sail #	Rig Data:	Max Headsail	I:	50.5	<i>Symmetric Spin?</i>	No	LOA:	40	Displacement:	13900		
Boat Type J 120 ALUM				52879		155	J:	14.5	SL:	SSMG:	SSF:	SPL:	LWL:	35	Ballast:	6000
Rating: 45 DW Rating: 543 Certificate Date 12/4/2024						Rig Type	P:	46.5							Engine:	IB
Displacement used for DW Rating: 14799						FS	E:	17.8	<i>Asymmetric Spin?</i>	Yes	Beam:	12			Prop Type:	FOLD
Certified PHRF Data on file? ☒						Mast Material	ISP:	52	SLE:	SLU:	ASMG:	ASF:	Draft:	7		
Modifications on file:																

Boat Name Kangaroo Jockey				Sail # 29	Rig Data:	Max Headsail 100	I: 26.77	Symmetric Spin? No	LOA: 22.78	Displacement: 1750
Boat Type J 70 ODR							J: 7.68	SL: SSMG: SSF: SPL:	LWL: 20.47	Ballast: 630
Rating: 114 DW Rating: 598 Certificate Date 1/6/2025						Rig Type FS	P: 26.16			Engine: OB
Displacement used for DW Rating: 1750						Mast Material CARBON	ISP: 30.15	Asymmetric Spin? Yes	Beam: 7.38	
Certified PHRF Data on file? ☐							JSP: 13.5	SLE: SLU: ASMG: ASF: 28.87 35.43 18.24 18.7	Draft: 4.92	Prop Type: None
Modifications on file:										
Boat Name Kapai				Sail # 438	Rig Data:	Max Headsail 125	I: 45	Symmetric Spin? Yes	LOA: 36.08	Displacement: 13450
Boat Type Islander 36 ODR							J: 14.48	SL: SSMG: SSF: SPL: 44.5 25.83 25.83 14.48	LWL: 28.25	Ballast: 5500
Rating: 147 DW Rating: 663 Certificate Date 4/11/2025						Rig Type MS	P: 39.25	Asymmetric Spin? No	Beam: 11.17	Engine: IB
Displacement used for DW Rating: 18325						Mast Material ALUMN	ISP: 45	SLE: SLU: ASMG: ASF:	Draft: 6	Prop Type: FOLD
Certified PHRF Data on file? ☐							JSP:			
Modifications on file:										
Boat Name Katester				Sail # 227	Rig Data:	Max Headsail 90	I: 45.5	Symmetric Spin? No	LOA: 36.67	Displacement: 9600
Boat Type Sabre Spirit							J: 12.87	SL: SSMG: SSF: SPL:	LWL: 28.33	Ballast: 4000
Rating: 93 DW Rating: 621 Certificate Date 1/6/2025						Rig Type FS	P: 45.5	Asymmetric Spin? No	Beam: 10.42	Engine: IB
Displacement used for DW Rating: 9600						Mast Material CARBON	ISP: 51.2	SLE: SLU: ASMG: ASF:	Draft: 6.58	Prop Type: Fold
Certified PHRF Data on file? ☐							JSP:			
Modifications on file: (Electric Winches)(1/20/23, -3 secmi for keel modification: added shoe)										
Boat Name Kavancha				Sail # 7932	Rig Data:	Max Headsail 110	I: 41.92	Symmetric Spin? YES	LOA: 32.1	Displacement: 7496
Boat Type Jeanneau Sun Fast 3200							J: 12.63	SL: SSMG: SSF: SPL: 44.91 24.08 23.59 13.58	LWL: 28	Ballast: 2866
Rating: 81 DW Rating: 604 Certificate Date 1/10/2025						Rig Type FS	P: 38.67	Asymmetric Spin? Yes	Beam: 11.5	Engine: IB
Displacement used for DW Rating: 7455						Mast Material ALUMN	ISP: 43.77	SLE: SLU: ASMG: ASF: 41 41 24.5 24.5	Draft: 6.2	Prop Type: Fold
Certified PHRF Data on file? ☐							JSP: 13.61			
Modifications on file:										

Boat Name Loon			Sail #	8	Rig Data:	Max Headsail	I:	45.29	Symmetric Spin?	No	LOA:	39.37	Displacement:	10582
Boat Type Saffier SE37						86	J:	14.21	SL:	SSMG: SSF: SPL:	LWL:	32.8	Ballast:	4520
Rating: 69 DW Rating: 567 Certificate Date 3/25/2025						Rig Type	P:	42.65			Beam:	11.32	Engine:	IB
Displacement used for DW Rating: 10582						FS	E:	16.4	Asymmetric Spin?	Yes			Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	47.25	SLE:	SLU:	ASMG:	ASF:		
Modifications on file: Harken Rewind Electronic Winches						CARBON	JSP:	18.54	40.28	49.05	14.5	14.14	Draft:	6.89
Boat Name Lorelei			Sail #	278	Rig Data:	Max Headsail	I:	52.67	Symmetric Spin?	No	LOA:	40.5	Displacement:	19700
Boat Type Catalina 400						150	J:	15.5	SL:	SSMG: SSF: SPL:	LWL:	36.5	Ballast:	7200
Rating: 108 DW Rating: 612 Certificate Date 12/10/2024						Rig Type	P:	47			Beam:	13.5	Engine:	IB
Displacement used for DW Rating: 23508						MS	E:	17	Asymmetric Spin?	Yes			Prop Type:	Fixed_3
Certified PHRF Data on file? ☐						Mast Material	ISP:	52.67	SLE:	SLU:	ASMG:	ASF:		
Modifications on file:						ALUMN	JSP:	15.5	50	52	28	29	Draft:	6.92
Boat Name Love Handles			Sail #	296	Rig Data:	Max Headsail	I:	49.83	Symmetric Spin?	No	LOA:	38.17	Displacement:	17200
Boat Type Catalina 38						125	J:	15.5	SL:	SSMG: SSF: SPL:	LWL:	30.25	Ballast:	6850
Rating: 120 DW Rating: 645 Certificate Date 2/19/2025						Rig Type	P:	44		0 0	Beam:	11.83	Engine:	IB
Displacement used for DW Rating: 16813						MS	E:	11.5	Asymmetric Spin?	Yes			Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	49.8	SLE:	SLU:	ASMG:	ASF:		
Modifications on file:						ALUMN	JSP:	15.5	41.8	48.3	23	26.5	Draft:	6.75
Boat Name Lucky Charms			Sail #	30918	Rig Data:	Max Headsail	I:	34.5	Symmetric Spin?	Yes	LOA:	29.67	Displacement:	5300
Boat Type Kirby 30						155	J:	10.6	SL:	SSMG: SSF: SPL:	LWL:	25.5	Ballast:	2300
Rating: 120 DW Rating: 632 Certificate Date 12/3/2024						Rig Type	P:	37.25		34.28 19.09 18.86 10.6	Beam:	10.5	Engine:	IB
Displacement used for DW Rating: 5300						FS	E:	13.5	Asymmetric Spin?	No			Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	34.5	SLE:	SLU:	ASMG:	ASF:		
Modifications on file:						ALUMN	JSP:	10.6					Draft:	5.5

Boat Name Mister DJ				Sail #	Rig Data:	Max Headsail	I:	34	<i>Symmetric Spin?</i>	Yes	LOA:	28.5	Displacement:	7900		
Boat Type J 28				29		155	J:	10.5	SL:	SSMG:	SSF:	SPL:	LWL:	24	Ballast:	3000
Rating: 162 DW Rating: 696 Certificate Date 4/25/2025						Rig Type	P:	36	33.8	18.9	18.9	10.5	Beam:	10	Engine:	IB
Displacement used for DW Rating: 0						FS	E:	13	<i>Asymmetric Spin?</i> No				Draft:	5	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	34	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
<i>Modifications on file:</i>																
Boat Name Mistral				Sail #	Rig Data:	Max Headsail	I:	46.4	<i>Symmetric Spin?</i>	Yes	LOA:	35	Displacement:	12495		
Boat Type Beneteau Farr First 36.7				28394		155	J:	13.1	SL:	SSMG:	SSF:	SPL:	LWL:	30.3	Ballast:	4034
Rating: 81 DW Rating: 614 Certificate Date 3/25/2025						Rig Type	P:	45.4	45.8	23.47	22.07	13.1	Beam:	11.6	Engine:	IB
Displacement used for DW Rating: 12150						FS	E:	15.6	<i>Asymmetric Spin?</i> No				Draft:	7.2	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	46.4	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	13.1									
<i>Modifications on file:</i>																
Boat Name Mistral				Sail #	Rig Data:	Max Headsail	I:	33.5	<i>Symmetric Spin?</i>	No	LOA:	28	Displacement:	4250		
Boat Type J 9				35		90	J:	10	SL:	SSMG:	SSF:	SPL:	LWL:	25.4	Ballast:	1950
Rating: 117 DW Rating: 619 Certificate Date 4/28/2025						Rig Type	P:	34					Beam:	8.6	Engine:	IB
Displacement used for DW Rating: 4250						FS	E:	13.36	<i>Asymmetric Spin?</i> No				Draft:	4.9	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	35	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	12.4									
<i>Modifications on file:</i>																
Boat Name Mojito				Sail #	Rig Data:	Max Headsail	I:	48.58	<i>Symmetric Spin?</i>	No	LOA:	36.06	Displacement:	11300		
Boat Type J 112e				38150		105	J:	14.15	SL:	SSMG:	SSF:	SPL:	LWL:	31.76	Ballast:	3816
Rating: 54 DW Rating: 575 Certificate Date 4/28/2025						Rig Type	P:	45.93					Beam:	11.81	Engine:	IB
Displacement used for DW Rating: 11300						FS	E:	15.5	<i>Asymmetric Spin?</i> Yes				Draft:	6.89	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	52	SLE:	SLU:	ASMG:	ASF:				
					CARBON	JSP:	20.75	49.83	52.82	31.04	34.08					
<i>Modifications on file:</i>																

Boat Name Neptunus				Sail #			Max Headsail	I:	43	Symmetric Spin? No	LOA:	33.75	Displacement: 11300
Boat Type Hunter 340				34471			102	J:	11.5	SL: SSMG: SSF: SPL:	LWL:	28.58	Ballast: 4100
Rating: 150				DW Rating:		Certificate Date 4/11/2025	Rig Type	P:	44				Engine: IB
Displacement used for DW Rating:							MS	E:	16	Asymmetric Spin? No	Beam:	11.67	Prop Type: Fixed_2
Certified PHRF Data on file?				☐			Mast Material	ISP:	43	SLE: SLU: ASMG: ASF:	Draft:	4.5	
Modifications on file:							ALUMN	JSP:	11.5				
Boat Name Nobody's Girl				Sail #			Max Headsail	I:	26.25	Symmetric Spin? Yes	LOA:	23.75	Displacement: 2130
Boat Type Moore 24				84			149	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	21.75	Ballast: 1000
Rating: 150				DW Rating:	647	Certificate Date 12/18/2024	Rig Type	P:	25	26.6 17.55 17.55 9.5			Engine: OB
Displacement used for DW Rating:					2420		FS	E:	9.5	Asymmetric Spin? No	Beam:	7.16	Prop Type: None
Certified PHRF Data on file?				☒			Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:	Draft:	4.083	
Modifications on file:				(Mtg 3/25/24, new mainsail has oversized girths but no change to overall MSA: NCTR. -3 sec/mi for oversized spinnaker)(12/18/24, returned to stock Moore 24 configuration)									
Boat Name Northern Bear				Sail #			Max Headsail	I:	38.5	Symmetric Spin? No	LOA:	32.8	Displacement: 6500
Boat Type J 100 ODR				128			84	J:	11.5	SL: SSMG: SSF: SPL:	LWL:	29	Ballast: 2450
Rating: 84				DW Rating:	581	Certificate Date 12/17/2024	Rig Type	P:	38				Engine: IB
Displacement used for DW Rating:					7000		FS	E:	13.5	Asymmetric Spin? No	Beam:	9.25	Prop Type: Fold
Certified PHRF Data on file?				☐			Mast Material	ISP:	43	SLE: SLU: ASMG: ASF:	Draft:	5.75	
Modifications on file:				Hoyt Boom, NCTR									
Boat Name Northern Star				Sail #			Max Headsail	I:	40	Symmetric Spin? No	LOA:	33	Displacement: 13600
Boat Type Luders 33				71			124	J:	13	SL: SSMG: SSF: SPL:	LWL:	24	Ballast: 4500
Rating: 201				DW Rating:	706	Certificate Date 1/7/2025	Rig Type	P:	34.84				Engine: IB
Displacement used for DW Rating:					13600		MS	E:	14.37	Asymmetric Spin? Yes	Beam:	10	Prop Type: Fixed_3
Certified PHRF Data on file?				☐			Mast Material	ISP:	40	SLE: SLU: ASMG: ASF:	Draft:	5	
Modifications on file:							ALUMN	JSP:	13	37.78 40.35 19.36 20.18			

Boat Name Nuckelavee				Sail #	Rig Data:	Max Headsail	I:	40.86	Symmetric Spin?	No	LOA:	31.76	Displacement:	3988		
Boat Type Melges 32 ODR				208		105	J:	10.7	SL:	SSMG: SSF: SPL:	LWL:	28.5	Ballast:	1600		
Rating: 27 DW Rating: 494 Certificate Date 12/14/2024						Rig Type	P:	44.05					Engine:	OB		
Displacement used for DW Rating: 3988						FS	E:	15.49	Asymmetric Spin? Yes			Beam:	9.83			
Certified PHRF Data on file? ☐						Mast Material	ISP:	48.3	SLE:	SLU:	ASMG: ASF:	Draft:	7	Prop Type:	None	
Modifications on file: (mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)(Mtg 5/21/18, +6 sec/mi for short ISP)(8/15/19, Boat returned to stock ODR configuration)					CARBON	JSP:	18.7	46.9	55.75	31.3	31.8					
Boat Name Oaxaca 2				Sail #	Rig Data:	Max Headsail	I:	50	Symmetric Spin?	YES	LOA:	40.35	Displacement:	17564		
Boat Type J 40				52		135	J:	14.67	SL:	SSMG: SSF: SPL:	LWL:	35.48	Ballast:	6500		
Rating: 72 DW Rating: 587 Certificate Date 1/14/2025						Rig Type	P:	44.25	50	28.13	28.13	15.5	Beam:	12.067	Engine:	IB
Displacement used for DW Rating: 17564						MS	E:	18	Asymmetric Spin? No			Draft:	6.47	Prop Type:	Fold	
Certified PHRF Data on file? ☐						Mast Material	ISP:	50	SLE:	SLU:	ASMG: ASF:					
Modifications on file: (Mtg 1/14/25, -3 sec/mi for oversized spinnaker)					ALUMN	JSP:	14.67									
Boat Name Obsession				Sail #	Rig Data:	Max Headsail	I:	25.75	Symmetric Spin?	Yes	LOA:	20	Displacement:	1800		
Boat Type Harbor 20				299		95	J:	7	SL:	SSMG: SSF: SPL:	LWL:	17.2	Ballast:	900		
Rating: 198 DW Rating: 715 Certificate Date 1/6/2025						Rig Type	P:	26	29.4	14.2	13	8	Beam:	7	Engine:	OB
Displacement used for DW Rating: 1800						FS	E:	10	Asymmetric Spin? No			Draft:	3.5	Prop Type:	None	
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.38	SLE:	SLU:	ASMG: ASF:					
Modifications on file: (Mth 5/25/17, -3 sec/mi for OSP)(Mtg 10/24/22, -9 sec/mi for oversized spinnaker area)					ALUMN	JSP:	8.16									
Boat Name Ohana				Sail #	Rig Data:	Max Headsail	I:	44	Symmetric Spin?	No	LOA:	34.5	Displacement:	11950		
Boat Type Catalina 34 1&2				42		135	J:	13.5	SL:	SSMG: SSF: SPL:	LWL:	29.83	Ballast:	5000		
Rating: 153 DW Rating: 647 Certificate Date 1/6/2025						Rig Type	P:	38.5				Beam:	11.75	Engine:	IB	
Displacement used for DW Rating: 13606						MS	E:	11.75	Asymmetric Spin? No			Draft:	5.58	Prop Type:	Fixed_3	
Certified PHRF Data on file? ☐						Mast Material	ISP:	44	SLE:	SLU:	ASMG: ASF:					
Modifications on file:					ALUMN	JSP:	13.5									

Boat Name Outsider				Sail #	1000	Rig Data:	Max Headsail	I:	35.35	<i>Symmetric Spin?</i> No				LOA:	30.75	Displacement:	4850
Boat Type Azzura 310								J:	11.55	SL: SSMG: SSF: SPL:				LWL:	27.4	Ballast:	2100
Rating: 57 DW Rating: 540 Certificate Date 1/6/2025							Rig Type	P:	38.75								
Displacement used for DW Rating: 4748							FS	E:	13.25	<i>Asymmetric Spin?</i> Yes				Beam:	10	Engine:	OB
Certified PHRF Data on file? ☒							Mast Material	ISP:	43.33	SLE:	SLU:	ASMG:	ASF:				
							CARBON	JSP:	21.57	39.7	47.01	32.7	30.1	Draft:	7.2	Prop Type:	Fixed_3
Modifications on file: 6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 T0 57))MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with outboard. Boat weighed with calibrated scale on 8/9/06 (Mtg 8/17/06 - +3 s/m for small headsail; -3 s/m for outboard)(Mtg 3/19/09, LWL changed noted, NCTR, boat now meets Sportboat classification)																	

Boat Name Oxymoron				Sail # 106		Rig Data:	Max Headsail 150		I: 26.25	Symmetric Spin? Yes				LOA: 23.75	Displacement: 2050	
Boat Type Moore 24								J: 9.75	SL: SSMG: SSF: SPL:				LWL: 21.75	Ballast: 1025		
Rating: 150		DW Rating: 633		Certificate Date 12/16/2024			Rig Type	P: 25	26.6 17.55 17.55 9.75							
							FS	E: 9.5	Asymmetric Spin? No				Beam: 7.16		Engine: OB	
Displacement used for DW Rating: 2050							Mast Material	ISP: 26.2	SLE: SLU: ASMG: ASF:						Prop Type: None	
Certified PHRF Data on file? ☐							ALUMN	JSP:					Draft: 4.25			
Modifications on file:																

Boat Name Pacifico				Sail #	Rig Data:	Max Headsail	I:	32.583	Symmetric Spin? Yes				LOA:	27	Displacement:	3000
Boat Type Santa Cruz 27				23		155	J:	10.75	SL:	SSMG:	SSF:	SPL:	LWL:	24	Ballast:	1500
Rating: 141 DW Rating: 618 Certificate Date 1/9/2025						Rig Type	P:	28.25	32.74	19.4	19.4	10.75				
Displacement used for DW Rating: 3200						MS	E:	8.583	Asymmetric Spin? No				Beam:	8	Engine:	OB
Certified PHRF Data on file? ☐						Mast Material	ISP:	32.583	SLE:	SLU:	ASMG:	ASF:			Prop Type:	None
						ALUMN	JSP:						Draft:	4.5		
Modifications on file:																

Boat Name Painkiller				Sail # 33		Rig Data:	Max Headsail 150		I: 26.25	Symmetric Spin? YES				LOA: 23.75	Displacement: 2050		
Boat Type Moore 24									J: 9.75	SL: SSMG: SSF: SPL:				LWL: 21.75	Ballast: 1025		
Rating: 150		DW Rating: 629		Certificate Date 2/13/2025			Rig Type		P: 25	27 17.55 17.55 9.75							
							FS		E: 9.5	Asymmetric Spin? No				Beam: 7.16		Engine: OB	
Displacement used for DW Rating:				2050			Mast Material		ISP: 26.25	SLE: SLU: ASMG: ASF:						Prop Type: None	
Certified PHRF Data on file?				☐			ALUMN		JSP:					Draft: 4.083			
Modifications on file:																	

Boat Name Pearl				Rig Data:	Max Headsail	I:	31.5	<i>Symmetric Spin?</i> No	LOA:	26.25	Displacement:	2900		
Boat Type J 80 ODR					100	J:	9.42	SL: SSMG: SSF: SPL:	LWL:	22	Ballast:	1400		
Rating: 114 DW Rating: 618 Certificate Date 4/28/2025					Rig Type	P:	30	<i>Asymmetric Spin?</i> Yes			Beam:	8.2	Engine:	OB
Displacement used for DW Rating: 3223					MS	E:	12.42	SLE: SLU: ASMG: ASF:	Draft:	4.75	Prop Type: None			
Certified PHRF Data on file? ☐					ALUMN	JSP:	15.67	32 39.16 23.16 25.16						
Modifications on file:														
Boat Name Pelagic				Rig Data:	Max Headsail	I:	37.04	<i>Symmetric Spin?</i> Yes	LOA:	31	Displacement:	7054		
Boat Type Beneteau 310 SD					100	J:	10.83	SL: SSMG: SSF: SPL:	LWL:	28.66	Ballast:	2400		
Rating: 156 DW Rating: 620 Certificate Date 1/22/2025					Rig Type	P:	36.8	36.3 21 20.7 11.8	Beam:	10.6	Engine:	IB		
Displacement used for DW Rating: 7054					FS	E:	12.25	<i>Asymmetric Spin?</i> No	Draft:	4.25	Prop Type: FOLD			
Certified PHRF Data on file? ☐					Mast Material	ISP:	37.1	SLE: SLU: ASMG: ASF:						
Modifications on file:														
Boat Name Pelican				Rig Data:	Max Headsail	I:	34.42	<i>Symmetric Spin?</i> No	LOA:	27.08	Displacement:	7500		
Boat Type Cape Dory 27					110	J:	11	SL: SSMG: SSF: SPL:	LWL:	20	Ballast:	3000		
Rating: 234 DW Rating: Certificate Date 1/10/2025					Rig Type	P:	29.75	<i>Asymmetric Spin?</i> No			Beam:	8.5	Engine:	IB
Displacement used for DW Rating:					MS	E:	11.25	SLE: SLU: ASMG: ASF:	Draft:	4	Prop Type: Fixed_2			
Certified PHRF Data on file? ☐					Mast Material	ISP:	34.42							
Modifications on file:														
Boat Name Peregrine				Rig Data:	Max Headsail	I:	50.5	<i>Symmetric Spin?</i> No	LOA:	40	Displacement:	13900		
Boat Type J 120 Carbon					150	J:	14.5	SL: SSMG: SSF: SPL:	LWL:	35	Ballast:	6000		
Rating: 45 DW Rating: 557 Certificate Date 1/13/2025					Rig Type	P:	46.5	<i>Asymmetric Spin?</i> Yes			Beam:	12	Engine:	IB
Displacement used for DW Rating: 15000					FS	E:	17.8	SLE: SLU: ASMG: ASF:	Draft:	7	Prop Type: Fold			
Certified PHRF Data on file? ☐					Mast Material	ISP:	52	52.5 64 36.96 35.1						
Modifications on file:														

Boat Name Rafiki Sail #28858 Boat Type Wilderness 30 SX FR IB Rating: 123 DW Rating: 585 Certificate Date 1/6/2025 Displacement used for DW Rating: 4200 Certified PHRF Data on file? ☐ Modifications on file: (Mtg 1/22/23, -3 sec/mi for sugar scoop)	Rig Data: Max Headsail150 Rig TypeMS Mast MaterialALUMN I: 34.08 J: 11.75 P: 34.33 E: 11.5 ISP: 34.1 JSP: 11.8 Symmetric Spin? Yes SL: 34.24 SSMG: 21.15 SSF: 21.15 SPL: 11.75 Asymmetric Spin? No SLE: SLU: ASMG: ASF: LOA: 31.67 LWL: 27.75 Beam: 8.67 Draft: 5 Displacement: 4200 Ballast: 2150 Engine: OB Prop Type: None
Boat Name Rascal Sail #28175 Boat Type Custom Wilderness 30 SX Rating: 105 DW Rating: 596 Certificate Date 12/3/2024 Displacement used for DW Rating: 4200 Certified PHRF Data on file? ☐ Modifications on file: SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 3" FRD-BLST 1800/1686, DRAFT 5/5.50 (5"FILLER TOP OF KEEL)2/15/96 MTG. (NOTE- SMW CANNOT EXCEED 19.8 mtg-5-17-2001)(Mtg 1/21/19, +3 sec/mi for 95% headsail, change custom rating to 108)(1/20/23, added 150% headsail back, -3 sec/mi, custom rating back to 105)	Rig Data: Max Headsail150 Rig TypeMS Mast MaterialALUMN I: 36 J: 11 P: 32 E: 11.5 ISP: 36 JSP: Symmetric Spin? Yes SL: 35.76 SSMG: 19.8 SSF: 19.8 SPL: 11 Asymmetric Spin? No SLE: SLU: ASMG: ASF: LOA: 30 LWL: 26.5 Beam: 8.75 Draft: 6 Displacement: 4200 Ballast: 1650 Engine: OB Prop Type: None
Boat Name Raven Sail #38073 Boat Type Beneteau First 35 Rating: 75 DW Rating: 600 Certificate Date 1/9/2025 Displacement used for DW Rating: 12125 Certified PHRF Data on file? ☐ Modifications on file:	Rig Data: Max Headsail108 Rig TypeFS Mast MaterialALUMN I: 47.24 J: 13.12 P: 45.93 E: 14.75 ISP: 51.48 JSP: Symmetric Spin? Yes SL: 51.31 SSMG: 26.25 SSF: 25.46 SPL: 14.73 Asymmetric Spin? No SLE: SLU: ASMG: ASF: LOA: 36.32 LWL: 30.6 Beam: 12.76 Draft: 7.25 Displacement: 12125 Ballast: 3681 Engine: IB Prop Type: Fold
Boat Name Raven Sail #38108 Boat Type C&C 115 ODR Rating: 63 DW Rating: 580 Certificate Date 1/9/2025 Displacement used for DW Rating: 13152 Certified PHRF Data on file? ☐ Modifications on file:	Rig Data: Max Headsail106 Rig TypeFS Mast MaterialCARBON I: 52.17 J: 14.5 P: 49.33 E: 16.33 ISP: 52.17 JSP: 14.5 Symmetric Spin? Yes SL: 51.78 SSMG: 28.4 SSF: 28.4 SPL: 15.8 Asymmetric Spin? No SLE: SLU: ASMG: ASF: LOA: 37.75 LWL: 33 Beam: 11.92 Draft: 6.67 Displacement: 11800 Ballast: 4200 Engine: IB Prop Type: Fold

Boat Name Rum Tum Tugger				Sail #	Rig Data:	Max Headsail	I:	43.2	Symmetric Spin? No	LOA:	32.75	Displacement: 9715	
Boat Type Beneteau First 10R ODR MOD				39		130	J:	12.07	SL: SSMG: SSF: SPL:	LWL:	28.7	Ballast: 3528	
Rating:	81	DW Rating:	619	Certificate Date		1/14/2025	Rig Type	P:	42.25				Engine: IB
Displacement used for DW Rating:				10868		FS	E:	14.73	Asymmetric Spin? Yes	Beam:	11	Prop Type: FOLD	
Certified PHRF Data on file?				☒		Mast Material	ISP:	46.41	SLE: SLU: ASMG: ASF:	Draft:	6.55		
Modifications on file: (mtg 9/23/10, +3 sec/mi for non-class smaller kite)													
Boat Name Rumour				Sail #	Rig Data:	Max Headsail	I:	42	Symmetric Spin? Yes	LOA:	32.5	Displacement: 9800	
Boat Type Ericson 32-3				18260		150	J:	13.75	SL: SSMG: SSF: SPL:	LWL:	25.83	Ballast: 4200	
Rating:	159	DW Rating:	663	Certificate Date		12/18/2024	Rig Type	P:	36	39.83 22.7 22 13.75	Beam:	10.83	Engine: IB
Displacement used for DW Rating:				9800		MS	E:	11.5	Asymmetric Spin? No	Draft:	6	Prop Type: Fixed_2	
Certified PHRF Data on file?				☐		Mast Material	ISP:	42	SLE: SLU: ASMG: ASF:				
Modifications on file:													
Boat Name Rush				Sail #	Rig Data:	Max Headsail	I:	47.25	Symmetric Spin? No	LOA:	35.43	Displacement: 11073	
Boat Type Jeanneau Sun Fast 3600				67		100	J:	13.77	SL: SSMG: SSF: SPL:	LWL:	31.17	Ballast: 4409	
Rating:	63	DW Rating:	579	Certificate Date		3/23/2025	Rig Type	P:	44.26	15.78	Beam:	11.65	Engine: IB
Displacement used for DW Rating:				10362		FS	E:	15.12	Asymmetric Spin? Yes	Draft:	6.95	Prop Type: Fold	
Certified PHRF Data on file?				☐		Mast Material	ISP:	48.42	SLE: SLU: ASMG: ASF:				
Modifications on file:													
Boat Name Safety Third				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin? YES	LOA:	23.75	Displacement: 2050	
Boat Type Moore 24				131		150	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	21.75	Ballast: 1025	
Rating:	150	DW Rating:	629	Certificate Date		1/6/2025	Rig Type	P:	25	27 17.55 17.55 9.75	Beam:	7.16	Engine: OB
Displacement used for DW Rating:				2050		FS	E:	9.5	Asymmetric Spin? No	Draft:	4.083	Prop Type: None	
Certified PHRF Data on file?				☐		Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:				
Modifications on file:													

Boat Name SAM				Sail #	Rig Data:	Max Headsail	I:	36.8	Symmetric Spin?	No	LOA:	32	Displacement:	4500			
Boat Type Columbia C 30-2				60449		100	J:	12.8	SL:	SSMG:	SSF:	SPL:	LWL:	27	Ballast:	1776	
Rating:	57	DW Rating:	531	Certificate Date		2/12/2025	Rig Type	P:	38					Beam:	10.2	Engine:	IB
Displacement used for DW Rating:				4808		FS	E:	14.8	Asymmetric Spin? Yes								
Certified PHRF Data on file?				☐		Mast Material	ISP:	41.8	SLE:	SLU:	ASMG:	ASF:	Prop Type: Fold				
					CARBON	JSP:	17.8	41.8	48	29	30.5	Draft:	7.5				
Modifications on file:																	
Boat Name Sama				Sail #	Rig Data:	Max Headsail	I:	49.54	Symmetric Spin?	No	LOA:	37.07	Displacement:	15652			
Boat Type Dehler 38				38137		105	J:	14.3	SL:	SSMG:	SSF:	SPL:	LWL:	34.12	Ballast:	4960	
Rating:	63	DW Rating:	602	Certificate Date		12/22/2024	Rig Type	P:	47.57					Beam:	12.3	Engine:	IB
Displacement used for DW Rating:						FS	E:	17.06	Asymmetric Spin? Yes								
Certified PHRF Data on file?				☐		Mast Material	ISP:	49.86	SLE:	SLU:	ASMG:	ASF:	Prop Type: Fold				
					ALUMN	JSP:	14.3	47.7	53	26.5	25.5	Draft:	6.56				
Modifications on file:																	
Boat Name Santorini				Sail #	Rig Data:	Max Headsail	I:	42.67	Symmetric Spin?	No	LOA:	32.83	Displacement:	9325			
Boat Type Beneteau 323 SD				38607		105	J:	11.06	SL:	SSMG:	SSF:	SPL:	LWL:	29.17	Ballast:	2414	
Rating:	159	DW Rating:		Certificate Date		12/17/2024	Rig Type	P:	38.91					Beam:	10.75	Engine:	IB
Displacement used for DW Rating:				9235		MS	E:	13.17	Asymmetric Spin? No								
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:	Prop Type: Fixed_3				
					ALUMN	JSP:						Draft:	4.25				
Modifications on file:																	
Boat Name Saoirse				Sail #	Rig Data:	Max Headsail	I:	55.5	Symmetric Spin?	No	LOA:	41	Displacement:	15270			
Boat Type Tripp 41				51597		100	J:	15.9	SL:	SSMG:	SSF:	SPL:	LWL:	37.1	Ballast:	5300	
Rating:	24	DW Rating:	537	Certificate Date		1/14/2025	Rig Type	P:	56.6					Beam:	12.5	Engine:	IB
Displacement used for DW Rating:						FS	E:	19.25	Asymmetric Spin? Yes								
Certified PHRF Data on file?				☐		Mast Material	ISP:	58.25	SLE:	SLU:	ASMG:	ASF:	Prop Type: Fold				
					CARBON	JSP:	20.9	57.776	64.534	30.676	36.385	Draft:	8.7				
Modifications on file: (Mtg 11/29/21, Custom Rating of 12 assigned)(1/24/22, -3 sec/mi for tweener sail. Change custom rating from 12 to 9)(04/25/22, removed tweener sail, rating changed from 9 back to 12)(Mtg 1/14/25, custom rating changed from 12 to 24 after boat review)																	

Boat Name Sapphire				Sail #	Rig Data:	Max Headsail	I:	33.73	Symmetric Spin?	No	LOA:	33	Displacement:	8700	
Boat Type Alerion Express 33				0		81	J:	11.39	SL:	SSMG: SSF: SPL:	LWL:	26.3	Ballast:	3300	
Rating: 123 DW Rating: 657 Certificate Date 1/9/2025						Rig Type	P:	38.17					Engine:	IB	
Displacement used for DW Rating: 8700						FS	E:	16	Asymmetric Spin? Yes			Beam:	9.25	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	37.89	SLE:	SLU:	ASMG: ASF:	Draft:	5		
Modifications on file: Powered Main Halyard Winch					CARBON	JSP:	12.96	30.1	36	18.7	20				
Boat Name Sapphire				Sail #	Rig Data:	Max Headsail	I:	40.8	Symmetric Spin?	No	LOA:	32.83	Displacement:	4400	
Boat Type Synergy 1000				38008		125	J:	12	SL:	SSMG: SSF: SPL:	LWL:	29.17	Ballast:	1850	
Rating: 48 DW Rating: 537 Certificate Date 1/6/2025						Rig Type	P:	42					Engine:	IB	
Displacement used for DW Rating: 5027						FS	E:	15.5	Asymmetric Spin? Yes			Beam:	9.75	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	45.75	SLE:	SLU:	ASMG: ASF:	Draft:	7		
Modifications on file: (Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)					CARBON	JSP:	16.4	46.2	52	28.8	28				
Boat Name Sea B				Sail #	Rig Data:	Max Headsail	I:	32	Symmetric Spin?	No	LOA:	25	Displacement:	2900	
Boat Type Olson 25				38984		155	J:	9.583	SL:	SSMG: SSF: SPL:	LWL:	21.25	Ballast:	1300	
Rating: 159 DW Rating: 661 Certificate Date 12/3/2024						Rig Type	P:	28					Engine:	OB	
Displacement used for DW Rating: 2900						MS	E:	10	Asymmetric Spin? No			Beam:	9	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	32	SLE:	SLU:	ASMG: ASF:	Draft:	4.5		
Modifications on file: Roller Furler					ALUMN	JSP:	9.58								
Boat Name Sea Witch				Sail #	Rig Data:	Max Headsail	I:	38.67	Symmetric Spin?	No	LOA:	36.08	Displacement:	8900	
Boat Type Morris 36 SD				20		100	J:	12.75	SL:	SSMG: SSF: SPL:	LWL:	25	Ballast:	4110	
Rating: 123 DW Rating: 643 Certificate Date 4/29/2025						Rig Type	P:	41.25					Engine:	IB	
Displacement used for DW Rating: 8900						FS	E:	15.08	Asymmetric Spin? Yes			Beam:	10.2	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	44.3	SLE:	SLU:	ASMG: ASF:	Draft:	5.25		
Modifications on file: Electric Winches for halyards					CARBON	JSP:		34.4	39.2	23.1	21.4				

Boat Name Shack	Sail # 28305	Max Headsail 125	I: 39.33	Symmetric Spin? Yes	LOA: 30.416	Displacement: 8500
Boat Type Beneteau 305		Rig Type MS	J: 11.38	SL: 39	SSMG: 20.43	SSF: 20.43
Rating: 162	DW Rating: 667	Certificate Date 4/11/2025	P: 33.58	SPL: 11.38	LWL: 26.166	Ballast: 2954
Displacement used for DW Rating:			E: 11.08	Asymmetric Spin? No	Beam: 10.5	Engine: IB
Certified PHRF Data on file? ☐		Mast Material ALUMN	ISP: 39.33	SLE:	SLU:	ASMG:
Modifications on file:			JSP:	ASF:	Draft: 5.583	Prop Type: FOLD

Boat Name Shadowfax	Sail # 91	Max Headsail 155	I: 32	Symmetric Spin? Yes	LOA: 25	Displacement: 3300
Boat Type Olson 25		Rig Type MS	J: 9.6	SL: 31.7	SSMG: 17.25	SSF: 17.25
Rating: 159	DW Rating: 675	Certificate Date 12/3/2024	P: 28	SPL: 9.583	LWL: 21.25	Ballast: 1300
Displacement used for DW Rating: 3300			E: 10	Asymmetric Spin? No	Beam: 9	Engine: OB
Certified PHRF Data on file? ☐		Mast Material ALUMN	ISP: 32	SLE:	SLU:	ASMG:
Modifications on file:			JSP:	ASF:	Draft: 4.5	Prop Type: None

Boat Name Shake & Bake	Sail # 38135	Max Headsail 105	I: 38.88	Symmetric Spin? No	LOA: 30.18	Displacement: 5401
Boat Type Farr X2		Rig Type FS	J: 14.11	SL: 45.7	SSMG: 27.1	SSF: 26.4
Rating: 45	DW Rating: 554	Certificate Date 1/1/2025	P: 40.03	SPL: 15.1	LWL: 28.61	Ballast: 1973
Displacement used for DW Rating: 5924			E: 13.45	Asymmetric Spin? Yes	Beam: 10.33	Engine: IB
Certified PHRF Data on file? ☒		Mast Material CARBON	ISP: 43.96	SLE: 43.41	SLU: 50.98	ASMG: 28.18
Modifications on file: (Mtg 11/27/23, -9 sec/mi for water ballest. Boat rates 45 when water ballast is enabled, 54 when water ballast is disabled)			JSP: 18.37	ASF: 27.89	Draft: 6.89	Prop Type: Fold

Boat Name Shaman	Sail # 5166	Max Headsail 155	I: 46	Symmetric Spin? Yes	LOA: 39.5	Displacement: 15500
Boat Type CAL 40		Rig Type MS	J: 15.17	SL: 45.7	SSMG: 27.1	SSF: 26.4
Rating: 114	DW Rating: 624	Certificate Date 12/9/2024	P: 40	SPL: 15.1	LWL: 30.3	Ballast: 6000
Displacement used for DW Rating: 16000			E: 17.5	Asymmetric Spin? No	Beam: 11	Engine: IB
Certified PHRF Data on file? ☐		Mast Material ALUMN	ISP: 46	SLE:	SLU:	ASMG:
Modifications on file:			JSP:	ASF:	Draft: 5.5	Prop Type: FEATH

Boat Name Siento El Viento	Sail #		Max Headsail	I:	39.5	Symmetric Spin? Yes	LOA:	29.5	Displacement: 7500
Boat Type C&C 29	38311		155	J:	12.8	SL: SSMG: SSF: SPL:	LWL:	23.6	Ballast: 2700
Rating: 174	DW Rating: 699	Certificate Date 12/13/2024	Rig Data:	Rig Type	P: 33.5	39 22 22 12.8			Engine: IB
Displacement used for DW Rating: 9200				MS	E: 10.1	Asymmetric Spin? No	Beam:	10.5	Prop Type: Fold
Certified PHRF Data on file? ☐				Mast Material	ISP:	SLE: SLU: ASMG: ASF:	Draft:	5.25	
ALUMN				JSP:					
Modifications on file:									

Boat Name Sir Edmund	Sail #		Max Headsail	I:	51.16	Symmetric Spin? Yes	LOA:	48.75	Displacement: 28000
Boat Type Custom Covey Island 49	52549		155	J:	15.91	SL: SSMG: SSF: SPL:	LWL:	42.51	Ballast: 13000
Rating: 69	DW Rating: 567	Certificate Date 1/21/2025	Rig Data:	Rig Type	P: 46.69	51.84 28.48 31.04 18.04			Engine: IB
Displacement used for DW Rating: 28116				MS	E: 12.78	Asymmetric Spin? Yes	Beam:	13.16	Prop Type: Feath
Certified PHRF Data on file? ☒				Mast Material	ISP: 51.11	SLE: SLU: ASMG: ASF:	Draft:	9.19	
CARBON				JSP: 18.04	51.84 51.25 28.48 29.4				
Modifications on file: (Mtg 4/29/23, Custom Rating of 72 assigned)(1/21/25, switched from 120 to 155 headsail, changed custom rating from 72 to 69)									

Boat Name Sketch	Sail #		Max Headsail	I:	32	Symmetric Spin? YES	LOA:	25	Displacement: 3300
Boat Type Olson 25	76		155	J:	9.583	SL: SSMG: SSF: SPL:	LWL:	21.25	Ballast: 1300
Rating: 159	DW Rating: 673	Certificate Date 12/17/2024	Rig Data:	Rig Type	P: 28	32 17.25 17 9.583			Engine: ob
Displacement used for DW Rating: 3300				MS	E: 10	Asymmetric Spin? NO	Beam:	9	Prop Type: None
Certified PHRF Data on file? ☐				Mast Material	ISP: 32	SLE: SLU: ASMG: ASF:	Draft:	4.5	
ALUMN				JSP:					
Modifications on file:									

Boat Name Skip	Sail #		Max Headsail	I:	30	Symmetric Spin? No	LOA:	28.25	Displacement: 5700
Boat Type Alerion Express 28 ODR	358		90	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	22.83	Ballast: 2200
Rating: 168	DW Rating: 705	Certificate Date 2/19/2025	Rig Data:	Rig Type	P: 33				Engine: IB
Displacement used for DW Rating: 5700				FS	E: 12.5	Asymmetric Spin? No	Beam:	8.2	Prop Type: Feath
Certified PHRF Data on file? ☐				Mast Material	ISP: 30	SLE: SLU: ASMG: ASF:	Draft:	4.5	
ALUMN				JSP:					
Modifications on file:									

Boat Name Skipjack				Sail #	Rig Data:	Max Headsail	I:	30	<i>Symmetric Spin?</i>	No	LOA:	28.25	Displacement:	5640		
Boat Type Alerion Express 28 ODR				428		90	J:	9.75	SL:	SSMG:	SSF:	SPL:	LWL:	22.83	Ballast:	2200
Rating: 168 DW Rating: 705 Certificate Date 1/6/2025						Rig Type	P:	33					Beam:	8.2	Engine:	IB
Displacement used for DW Rating:				5640		FS	E:	12.5	<i>Asymmetric Spin?</i> Yes							
Certified PHRF Data on file?				☐		Mast Material	ISP:	30	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5	Prop Type: Fold	
ALUMN					JSP:	9.8	24.02	28.54	14.73	17.16						
<i>Modifications on file:</i>																
Boat Name Skosh				Sail #	Rig Data:	Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	YES	LOA:	23.75	Displacement:	2050		
Boat Type Moore 24				73		150	J:	9.75	SL:	SSMG:	SSF:	SPL:	LWL:	21.75	Ballast:	1025
Rating: 150 DW Rating: 630 Certificate Date 4/11/2025						Rig Type	P:	25	26.6	17.55	17.55	9.75	Beam:	7.16	Engine:	OB
Displacement used for DW Rating:				0		FS	E:	9.5	<i>Asymmetric Spin?</i> No							
Certified PHRF Data on file?				☐		Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:	Draft:	4.083	Prop Type: None	
ALUMN					JSP:											
<i>Modifications on file:</i>																
Boat Name Slainte				Sail #	Rig Data:	Max Headsail	I:	22	<i>Symmetric Spin?</i>	Yes	LOA:	20	Displacement:	1950		
Boat Type Cal 20				1510		115	J:	7.33	SL:	SSMG:	SSF:	SPL:	LWL:	18.08	Ballast:	900
Rating: 273 DW Rating: 743 Certificate Date 1/7/2025						Rig Type	P:	23	22	13.2	13.2	7.33	Beam:	7	Engine:	OB
Displacement used for DW Rating:				1950		FS	E:	9.833	<i>Asymmetric Spin?</i> No							
Certified PHRF Data on file?				☐		Mast Material	ISP:	22	SLE:	SLU:	ASMG:	ASF:	Draft:	3.33	Prop Type: None	
ALUMN					JSP:	7.33					0					
<i>Modifications on file:</i>																
Boat Name Sliver				Sail #	Rig Data:	Max Headsail	I:	33.83	<i>Symmetric Spin?</i>	YES	LOA:	33	Displacement:	4000		
Boat Type Hobie 33 ODR				62042		155	J:	12.4	SL:	SSMG:	SSF:	SPL:	LWL:	30.5	Ballast:	1900
Rating: 87 DW Rating: 551 Certificate Date 3/23/2025						Rig Type	P:	36.13	36.6	22.3	22.3	13	Beam:	8	Engine:	OB
Displacement used for DW Rating:				4550		FS	E:	12.5	<i>Asymmetric Spin?</i> No							
Certified PHRF Data on file?				☐		Mast Material	ISP:	36.5	SLE:	SLU:	ASMG:	ASF:	Draft:	5.5	Prop Type: None	
ALUMN					JSP:	13.12										
<i>Modifications on file:</i>																

Boat Name S'Moore				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin? Yes	LOA:	23.75	Displacement: 2050
Boat Type Moore 24				150		155	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	21.75	Ballast: 1025
Rating: 150 DW Rating: 630 Certificate Date 3/12/2025				Rig Type		P:	25	26 17.55 17.55 9.75	Beam:	7.16	Engine: OB	
Displacement used for DW Rating:				2050		FS	E:	9.5	Asymmetric Spin? No	Draft:	4.083	Prop Type: None
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:			
Modifications on file:						ALUMN	JSP:					
Boat Name Sobrante				Sail #	Rig Data:	Max Headsail	I:	42.75	Symmetric Spin? No	LOA:	32.75	Displacement: 10200
Boat Type Catalina 309 WK				143		150	J:	12	SL: SSMG: SSF: SPL:	LWL:	26.5	Ballast: 4400
Rating: 177 DW Rating: Certificate Date 12/17/2024				Rig Type		P:	38.75		Beam:	11.5	Engine: IB	
Displacement used for DW Rating:				10200		FS	E:	13.75	Asymmetric Spin? No	Draft:	4.33	Prop Type: Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE: SLU: ASMG: ASF:			
Modifications on file:						ALUMN	JSP:					
Boat Name Solana				Sail #	Rig Data:	Max Headsail	I:	32.58	Symmetric Spin? Yes	LOA:	27	Displacement: 3000
Boat Type Santa Cruz 27				21102		150	J:	10.75	SL: SSMG: SSF: SPL:	LWL:	24	Ballast: 1500
Rating: 141 DW Rating: 618 Certificate Date 12/10/2024				Rig Type		P:	28.25	32.15 19.45 19.45 10.81	Beam:	8	Engine: OB	
Displacement used for DW Rating:				3200		MS	E:	8.58	Asymmetric Spin? No	Draft:	4.5	Prop Type: None
Certified PHRF Data on file? ☐						Mast Material	ISP:	32.58	SLE: SLU: ASMG: ASF:			
Modifications on file:						ALUMN	JSP:					
Boat Name Soleil de la Mer				Sail #	Rig Data:	Max Headsail	I:	31.8	Symmetric Spin? No	LOA:	26	Displacement: 4000
Boat Type Saffier SE 26				0		80	J:	9.8	SL: SSMG: SSF: SPL:	LWL:	24.2	Ballast: 1900
Rating: 174 DW Rating: 656 Certificate Date 1/13/2025				Rig Type		P:	33.2		Beam:	8	Engine: IB	
Displacement used for DW Rating:				4000		FS	E:	9.25	Asymmetric Spin? Yes	Draft:	3.4	Prop Type: Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE: SLU: ASMG: ASF:			
Modifications on file:						ALUMN	JSP:	9.8 27.8 31.5 17.1 19.5				

Boat Name Sonata				Sail #	Rig Data:	Max Headsail	I:	31.1	Symmetric Spin? Yes	LOA:	28.41	Displacement: 4550	
Boat Type Laser 28				33685		125	J:	9.65	SL: SSMG: SSF: SPL:	LWL:	23.62	Ballast: 1500	
Rating:	138	DW Rating:	644	Certificate Date		1/10/2025	Rig Type	P:	33.14	31.78 19.1 19.1 10.61	Beam:	9.48	Engine: IB
Displacement used for DW Rating:				4334		FS	E:	12.96	Asymmetric Spin? No		Draft:	4.98	Prop Type: FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:	31.73	SLE: SLU: ASMG: ASF:				
Modifications on file:				(Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP)									
Boat Name Sparky				Sail #	Rig Data:	Max Headsail	I:	29	Symmetric Spin? Yes	LOA:	25	Displacement: 4550	
Boat Type Catalina 25 FK				1498		145	J:	10.5	SL: SSMG: SSF: SPL:	LWL:	22.16	Ballast: 1900	
Rating:	222	DW Rating:	714	Certificate Date		12/9/2024	Rig Type	P:	24.66	28.66 16.5 16.41 10.5	Beam:	8	Engine: OB
Displacement used for DW Rating:				4550		MS	E:	9.58	Asymmetric Spin? Yes		Draft:	4	Prop Type: None
Certified PHRF Data on file?				☐		Mast Material	ISP:	29	SLE: SLU: ASMG: ASF:				
Modifications on file:													
Boat Name Special Edition				Sail #	Rig Data:	Max Headsail	I:	39.083	Symmetric Spin? Yes	LOA:	29.75	Displacement: 4600	
Boat Type Custom Wilderness 30				8258		150	J:	11.75	SL: SSMG: SSF: SPL:	LWL:	27.75	Ballast: 1800	
Rating:	93	DW Rating:	573	Certificate Date		12/17/2024	Rig Type	P:	34.333	39 25.4 24.5 #####	Beam:	8.75	Engine: OB
Displacement used for DW Rating:				4600		FS	E:	11.5	Asymmetric Spin? No		Draft:	6	Prop Type: FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:	39.083	SLE: SLU: ASMG: ASF:				
Modifications on file:				Added Masthead Halyards for spin/Jips, replaced inboard with Outboard open Transom (12/17/92) Mtg-. 1/18/90 RTNG 102.) (1998 rtg =96) (New Inboard = +3; Foretriangle is 11.75 = +6, jib=150%, Carbon Mast= -3; Keel = -6 mgt 3/8/05)(3/15/16, now has Outboard Motor, -3 sec/mi)									
Boat Name Speedwell				Sail #	Rig Data:	Max Headsail	I:	38.67	Symmetric Spin? No	LOA:	29.19	Displacement: 4990	
Boat Type J 88				20		105	J:	11.28	SL: SSMG: SSF: SPL:	LWL:	26.84	Ballast: 1840	
Rating:	81	DW Rating:	575	Certificate Date		12/17/2024	Rig Type	P:	36.82		Beam:	9.5	Engine: IB
Displacement used for DW Rating:				4990		FS	E:	12	Asymmetric Spin? Yes		Draft:	6.5	Prop Type: Feath
Certified PHRF Data on file?				☐		Mast Material	ISP:	46	SLE: SLU: ASMG: ASF:				
Modifications on file:													

Boat Name Story Maker				Sail #	Rig Data:	Max Headsail	I:	47.6	Symmetric Spin?	No	LOA:	33	Displacement:	8600		
Boat Type Tartan 101				7090		105	J:	12.5	SL:	SSMG: SSF: SPL:	LWL:	29.1	Ballast:	3250		
Rating: 87 DW Rating: 588 Certificate Date 12/14/2024						Rig Type	P:	45.24					Engine:	IB		
Displacement used for DW Rating: 8600						FS	E:	14.83	Asymmetric Spin? Yes				Beam:	10.9		
Certified PHRF Data on file? ☐						Mast Material	ISP:	50.12	SLE:	SLU:	ASMG: ASF:	Draft:	6.5	Prop Type:	Fold	
						CARBON	JSP:	16.5	46.6	55.3	29.1	28.8				
Modifications on file:																
Boat Name Stratocaster				Sail #	Rig Data:	Max Headsail	I:	39.2	Symmetric Spin?	Yes	LOA:	32.5	Displacement:	10000		
Boat Type J 32				16		155	J:	11	SL:	SSMG: SSF: SPL:	LWL:	28.67	Ballast:	3840		
Rating: 126 DW Rating: 636 Certificate Date 1/6/2025						Rig Type	P:	38.5	39	20.4	19.75	11	Beam:	11	Engine:	IB
Displacement used for DW Rating: 10000						FS	E:	15.5	Asymmetric Spin? Yes				Draft:	5.75	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	40.68	SLE:	SLU:	ASMG: ASF:					
						ALUMN	JSP:		38.38	44.92	23.95	23.95				
Modifications on file:																
Boat Name Suerte				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin?	Yes	LOA:	23.75	Displacement:	2050		
Boat Type Moore 24				117		150	J:	9.75	SL:	SSMG: SSF: SPL:	LWL:	21.75	Ballast:	1025		
Rating: 150 DW Rating: 629 Certificate Date 1/21/2025						Rig Type	P:	25	27	17.55	17.55	9.75	Beam:	7.16	Engine:	OB
Displacement used for DW Rating: 2050						FS	E:	9.5	Asymmetric Spin? No				Draft:	4.08	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.25	SLE:	SLU:	ASMG: ASF:					
						ALUMN	JSP:									
Modifications on file:																
Boat Name Sun Dragon				Sail #	Rig Data:	Max Headsail	I:	40.91	Symmetric Spin?	No	LOA:	32.78	Displacement:	7716		
Boat Type Jeanneau Sun Fast 3300				33070		100	J:	13.78	SL:	SSMG: SSF: SPL:	LWL:	29.16	Ballast:	3086		
Rating: 63 DW Rating: 584 Certificate Date 12/14/2024						Rig Type	P:	39.39					Beam:	11.18	Engine:	IB
Displacement used for DW Rating: 7716						FS	E:	14.59	Asymmetric Spin? Yes				Draft:	6.41	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	44.23	SLE:	SLU:	ASMG: ASF:					
						CARBON	JSP:	17.55	45.37	50.31	28.81	30.54				
Modifications on file:																

Boat Name Synchronicity				Sail #	Rig Data:	Max Headsail	I:	32	<i>Symmetric Spin?</i> Yes				LOA:	25	Displacement:	3300
Boat Type Olson 25				68		155	J:	9.583	SL:	SSMG:	SSF:	SPL:	LWL:	21.25	Ballast:	1300
Rating: 159 DW Rating: 674 Certificate Date 3/12/2025						Rig Type	P:	28	32	17.28	17.28	9.583	Beam:	9	Engine:	OB
Displacement used for DW Rating:						MS	E:	10	<i>Asymmetric Spin?</i> No				Draft:	4.5	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	32	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	9.6									
<i>Modifications on file:</i>																
Boat Name Syncopation				Sail #	Rig Data:	Max Headsail	I:	47.83	<i>Symmetric Spin?</i> No				LOA:	36	Displacement:	13200
Boat Type Sabre 36 CB				35		125	J:	14.33	SL:	SSMG:	SSF:	SPL:	LWL:	29.33	Ballast:	5400
Rating: 138 DW Rating: 640 Certificate Date 4/28/2025						Rig Type	P:	41.5					Beam:	11.25	Engine:	IB
Displacement used for DW Rating:				0		MS	E:	13	<i>Asymmetric Spin?</i> Yes				Draft:	7.67	Prop Type:	Fixed_2
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	14.43	44.16	48.67	22.19	24.66					
<i>Modifications on file:</i>																
Boat Name Take Five				Sail #	Rig Data:	Max Headsail	I:	50	<i>Symmetric Spin?</i> No				LOA:	37.75	Displacement:	12400
Boat Type Cape Fear 38 R				52538		104	J:	13.75	SL:	SSMG:	SSF:	SPL:	LWL:	34	Ballast:	5075
Rating: 60 DW Rating: 572 Certificate Date 1/14/2025						Rig Type	P:	48					Beam:	11	Engine:	IB
Displacement used for DW Rating:				12400		FS	E:	17.2	<i>Asymmetric Spin?</i> Yes				Draft:	7.2	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	54	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	16	39	49	24	29					
<i>Modifications on file:</i>																
Boat Name Take Five More				Sail #	Rig Data:	Max Headsail	I:	41.5	<i>Symmetric Spin?</i> YES				LOA:	29.92	Displacement:	8100
Boat Type Ericson 911S Olson				38132		95	J:	12.33	SL:	SSMG:	SSF:	SPL:	LWL:	25	Ballast:	3200
Rating: 135 DW Rating: 671 Certificate Date 12/6/2024						Rig Type	P:	35.5	42	21.6	20	12.25	Beam:	10.33	Engine:	IB
Displacement used for DW Rating:				8716		MS	E:	11.92	<i>Asymmetric Spin?</i> No				Draft:	5.4	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	41.5	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	12.33									
<i>Modifications on file:</i>																

Boat Name Touch Of Grey				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin?	Yes	LOA:	23.75	Displacement:	2050		
Boat Type Moore 24				118		150	J:	9.75	SL:	SSMG:	SSF:	SPL:	LWL:	21.75	Ballast:	1025
Rating: 150 DW Rating: 630 Certificate Date 1/17/2025						Rig Type	P:	25	26.6	17.55	17.55	9.75	Beam:	7.16	Engine:	OB
Displacement used for DW Rating:				2050		FS	E:	9.5	Asymmetric Spin? No				Draft:	4.083	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Tramp Boat				Sail #	Rig Data:	Max Headsail	I:	37.75	Symmetric Spin?	Yes	LOA:	33.92	Displacement:	8176		
Boat Type Farr 10/20 ODR				18430		150	J:	11.67	SL:	SSMG:	SSF:	SPL:	LWL:	28.42	Ballast:	3100
Rating: 117 DW Rating: 615 Certificate Date 1/7/2025						Rig Type	P:	39.5	39.7	20.34	20.34	12.82	Beam:	10.5	Engine:	IB
Displacement used for DW Rating:				8176		FS	E:	15.42	Asymmetric Spin? No				Draft:	5.75	Prop Type:	FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:	39.67	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	12.67									
Modifications on file:																
Boat Name Translated 9				Sail #	Rig Data:	Max Headsail	I:	79	Symmetric Spin?	No	LOA:	64.6	Displacement:	71300		
Boat Type Swan 65 Ketch				61577		119	J:	24.4	SL:	SSMG:	SSF:	SPL:	LWL:	47.5	Ballast:	30600
Rating: 18 DW Rating: 542 Certificate Date 4/11/2025						Rig Type	P:	71					Beam:	16.25	Engine:	IB
Displacement used for DW Rating:				72162		KTCH	E:	21	Asymmetric Spin? Yes				Draft:	9.7	Prop Type:	Feath
Certified PHRF Data on file?				☒		Mast Material	ISP:	79.2	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	26.5	68.1	87.4	42.9	40.2					
Modifications on file: (Mtg 4/29/24, custom rating of 18 assigned)																
Boat Name Tule Fog				Sail #	Rig Data:	Max Headsail	I:	29	Symmetric Spin?	Yes	LOA:	27.3	Displacement:	2450		
Boat Type Express 27 ODR				18178		155	J:	9	SL:	SSMG:	SSF:	SPL:	LWL:	23.8	Ballast:	1100
Rating: 129 DW Rating: 605 Certificate Date 1/9/2025						Rig Type	P:	29	29	17.7	17.7	9.83	Beam:	8.166	Engine:	OB
Displacement used for DW Rating:				2510		FS	E:	10	Asymmetric Spin? No				Draft:	4.5	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																

Boat Name Westerly	Sail # 4205	Max Headsail 95	I: 47.5	Symmetric Spin? No	LOA: 36	Displacement: 11900
Boat Type Morgan 36 4/6		Rig Type MS	J: 13.58	SL: SSMG: SSF: SPL:	LWL: 29.4	Ballast: 5000
Rating: 120	DW Rating: 631	Certificate Date 12/11/2024	P: 41.83	Asymmetric Spin? Yes	Beam: 11.8	Engine: IB
Displacement used for DW Rating: 11900		Mast Material ALUMN	E: 12.58	SLE: SLU: ASMG: ASF:	Draft: 6.6	Prop Type: Fixed_2
Certified PHRF Data on file? ☐			ISP: 47.5			
Modifications on file:			JSP:			

Boat Name Wet Spot	Sail # 51	Max Headsail 150	I: 26.25	Symmetric Spin? Yes	LOA: 23.75	Displacement: 2050
Boat Type Moore 24		Rig Type FS	J: 9.75	SL: SSMG: SSF: SPL:	LWL: 21.75	Ballast: 1025
Rating: 150	DW Rating: 630	Certificate Date 1/7/2025	P: 25	Asymmetric Spin? No	Beam: 7.16	Engine: OB
Displacement used for DW Rating: 2050		Mast Material	E: 9.5	SLE: SLU: ASMG: ASF:	Draft: 4.08	Prop Type: None
Certified PHRF Data on file? ☐			ISP: 26.25			
Modifications on file:			JSP:			

Boat Name White Rose	Sail # 38131	Max Headsail 110	I: 56.5	Symmetric Spin? No	LOA: 42.5	Displacement: 24000
Boat Type Sabre 426		Rig Type MS	J: 16.6	SL: SSMG: SSF: SPL:	LWL: 36	Ballast: 8400
Rating: 72	DW Rating: 601	Certificate Date 12/3/2024	P: 49.5	Asymmetric Spin? Yes	Beam: 13.42	Engine: IB
Displacement used for DW Rating: 24000		Mast Material ALUMN	E: 17.5	SLE: SLU: ASMG: ASF:	Draft: 6.88	Prop Type: Fold
Certified PHRF Data on file? ☐			ISP: 56.5	51.24 58.73 32.28 29.85		
Modifications on file:			JSP:			

Boat Name Wildcard	Sail # 37005	Max Headsail 107	I: 47.1	Symmetric Spin? No	LOA: 37	Displacement: 8662
Boat Type Santa Cruz 37		Rig Type FS	J: 13.4	SL: SSMG: SSF: SPL:	LWL: 34.75	Ballast: 3730
Rating: 27	DW Rating: 521	Certificate Date 1/6/2025	P: 47	Asymmetric Spin? Yes	Beam: 10.64	Engine: IB
Displacement used for DW Rating: 9339		Mast Material CARBON	E: 17	SLE: SLU: ASMG: ASF:	Draft: 7.5	Prop Type: FOLD
Certified PHRF Data on file? ☒			ISP: 52.17	50.85 59.7 33.3 33.3		
Modifications on file: (Mtg 1/26/16, new keel box & rudder noted, NCTR)			JSP: 19			

Boat Name Wilmer E.				Sail #	Rig Data:	Max Headsail	I:	36	<i>Symmetric Spin?</i>	Yes	LOA:	30	Displacement:	3600		
Boat Type Olson 30 OB				67588		120	J:	11.75	SL:	SSMG:	SSF:	SPL:	LWL:	27.5	Ballast:	1800
Rating: 102 DW Rating: 583 Certificate Date 1/1/2025						Rig Type	P:	31.5	34.5	21	21	11.75	Beam:	9.333	Engine:	OB
Displacement used for DW Rating: 4111						MS	E:	10.75	<i>Asymmetric Spin?</i> No				Draft:	5.083	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	35.9	SLE:	SLU:	ASMG:	ASF:				
Modifications on file: CLASS LEGAL ELLIPTICAL RUDDER:						JSP:	11.67									
Boat Name Wimm				Sail #	Rig Data:	Max Headsail	I:	43.6	<i>Symmetric Spin?</i>	No	LOA:	33.92	Displacement:	11770		
Boat Type Jeanneau Sun Odyssey 349				38105		112	J:	12.37	SL:	SSMG:	SSF:	SPL:	LWL:	30.84	Ballast:	3483
Rating: 141 DW Rating: 641 Certificate Date 4/28/2025						Rig Type	P:	40.68					Beam:	11.29	Engine:	IB
Displacement used for DW Rating: 0						MS	E:	13.62	<i>Asymmetric Spin?</i> Yes				Draft:	6.86	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:				
Modifications on file:						JSP:		37.43	42.32	15	19.83					
Boat Name Wind Dancer				Sail #	Rig Data:	Max Headsail	I:	43.47	<i>Symmetric Spin?</i>	No	LOA:	32.6	Displacement:	8415		
Boat Type J 99				29		102	J:	12.56	SL:	SSMG:	SSF:	SPL:	LWL:	28.6	Ballast:	3480
Rating: 72 DW Rating: 599 Certificate Date 12/4/2024						Rig Type	P:	41.8					Beam:	11.18	Engine:	IB
Displacement used for DW Rating: 8415						FS	E:	14.3	<i>Asymmetric Spin?</i> Yes				Draft:	6.54	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	47.25	SLE:	SLU:	ASMG:	ASF:				
Modifications on file:						JSP:	16.73	45.2	53.5	27.85	26					
Boat Name Wind Mate				Sail #	Rig Data:	Max Headsail	I:	44	<i>Symmetric Spin?</i>	No	LOA:	34.5	Displacement:	11950		
Boat Type Catalina 34 1&2				1805		120	J:	13.5	SL:	SSMG:	SSF:	SPL:	LWL:	29.83	Ballast:	5000
Rating: 150 DW Rating: Certificate Date 3/25/2025						Rig Type	P:	38.5					Beam:	11.75	Engine:	IB
Displacement used for DW Rating: 13606						MS	E:	11.75	<i>Asymmetric Spin?</i> No				Draft:	5.58	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	44	SLE:	SLU:	ASMG:	ASF:				
Modifications on file:						JSP:										

Boat Name Yellowfin			Sail #	357	Rig Data:	Max Headsail	I:	40.6	Symmetric Spin?	No	LOA:	34.5	Displacement:	7750	
Boat Type J 105 ODR w/ 5'BS				100		J:	13.5	SL:	SSMG:	SSF:	SPL:	LWL:	29.5	Ballast:	3400
Rating: 78 DW Rating: 587 Certificate Date 4/28/2025				Rig Type		P:	41.5					Beam:	11	Engine:	IB
Displacement used for DW Rating: 8472				FS		E:	14.5	Asymmetric Spin? Yes				Draft:	6.5	Prop Type:	FOLD
Certified PHRF Data on file? ☐				Mast Material		ISP:	42.1	SLE:	SLU:	ASMG:	ASF:				
				ALUMN	JSP:	19.07	38.33	48.92	25.67	25.5					
Modifications on file:															
Boat Name Yeti			Sail #	38	Rig Data:	Max Headsail	I:	28.5	Symmetric Spin?	Yes	LOA:	27.25	Displacement:	2450	
Boat Type Express 27				155		J:	9	SL:	SSMG:	SSF:	SPL:	LWL:	23.75	Ballast:	1100
Rating: 129 DW Rating: 633 Certificate Date 2/28/2025				Rig Type		P:	28.5	28.6	17.7	17.7	9.83	Beam:	8.16	Engine:	OB
Displacement used for DW Rating: 2870				FS		E:	10.4	Asymmetric Spin? Yes				Draft:	4.5	Prop Type:	None
Certified PHRF Data on file? ☒				Mast Material		ISP:	28.5	SLE:	SLU:	ASMG:	ASF:				
				ALUMN	JSP:		26.51	30.5	16.4	17.77					
Modifications on file:															
Boat Name Yippee!!			Sail #	6437	Rig Data:	Max Headsail	I:	27.5	Symmetric Spin?	YES	LOA:	23	Displacement:	3400	
Boat Type Ranger 23				150		J:	9.7	SL:	SSMG:	SSF:	SPL:	LWL:	20	Ballast:	1500
Rating: 216 DW Rating: 730 Certificate Date 1/21/2025				Rig Type		P:	24	27.6	17.4	17.4	9.7	Beam:	7.9	Engine:	OB
Displacement used for DW Rating: 3400				MS		E:	9.17	Asymmetric Spin? No				Draft:	3.75	Prop Type:	None
Certified PHRF Data on file? ☐				Mast Material		ISP:	27.5	SLE:	SLU:	ASMG:	ASF:				
				ALUMN	JSP:										
Modifications on file:															
Boat Name Yosemite Sam			Sail #	888	Rig Data:	Max Headsail	I:	39.5	Symmetric Spin?	YES	LOA:	30	Displacement:	8500	
Boat Type Newport 30-2				125		J:	12.1	SL:	SSMG:	SSF:	SPL:	LWL:	25	Ballast:	2500
Rating: 177 DW Rating: 682 Certificate Date 4/28/2025				Rig Type		P:	34	39	21.6	21.6	12.1	Beam:	10.5	Engine:	IB
Displacement used for DW Rating: 8500				MS		E:	10.25	Asymmetric Spin? No				Draft:	4.75	Prop Type:	Fold
Certified PHRF Data on file? ☐				Mast Material		ISP:	39.5	SLE:	SLU:	ASMG:	ASF:				
				ALUMN	JSP:										
Modifications on file:															

Boat Name Zenaida				Sail #	Rig Data:	Max Headsail	I:	30	Symmetric Spin? Yes	LOA:	28.25	Displacement: 5700	
Boat Type ALERION EXPRESS 28 ODR				38079		90	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	22.83	Ballast: 2200	
Rating:	168	DW Rating:	695	Certificate Date		12/3/2024	Rig Type	P:	33	29.96 17.55 15.77 9.75	Beam:	8.2	Engine: IB
Displacement used for DW Rating:				5700		FS	E:	12.5	Asymmetric Spin? No		Draft:	4.5	Prop Type: FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE: SLU: ASMG: ASF:				
ALUMN					JSP:								
Modifications on file:													

Boat Name Zephyr				Sail #	Rig Data:	Max Headsail	I:	46.5	Symmetric Spin? No	LOA:	35.25	Displacement: 10900	
Boat Type J 109 ODR w/108^ m				176		105	J:	13.3	SL: SSMG: SSF: SPL:	LWL:	30.5	Ballast: 3900	
Rating:	72	DW Rating:	599	Certificate Date		1/13/2025	Rig Type	P:	43.25		Beam:	11.5	Engine: IB
Displacement used for DW Rating:				11000		FS	E:	15.5	Asymmetric Spin? Yes		Draft:	7	Prop Type: FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:	49	SLE: SLU: ASMG: ASF:				
ALUMN					JSP:	18.8	45.63 56.33 27.2 27.75						
Modifications on file:													

Boat Name Zephyros				Sail #	Rig Data:	Max Headsail	I:	41.66	Symmetric Spin? No	LOA:	31.7	Displacement: 8267	
Boat Type Beneteau First 30				45		105	J:	13.78	SL: SSMG: SSF: SPL:	LWL:	27.5	Ballast: 2403	
Rating:	105	DW Rating:	589	Certificate Date		12/9/2024	Rig Type	P:	40.2		Beam:	10.5	Engine: IB
Displacement used for DW Rating:				8267		FS	E:	14.25	Asymmetric Spin? Yes		Draft:	6.25	Prop Type: Fold
Certified PHRF Data on file?				☐		Mast Material	ISP:	42.16	SLE: SLU: ASMG: ASF:				
ALUMN					JSP:	15.7	40.5 45.6 23.8 25.98						
Modifications on file: High Aspect Rudders													

Boat Name Zephyrus				Sail #	Rig Data:	Max Headsail	I:	85.37	Symmetric Spin? No	LOA:	77.67	Displacement: 31939	
Boat Type Riechel/Pugh Turbo 77				69011		128	J:	35	SL: SSMG: SSF: SPL:	LWL:	65.2	Ballast: 12300	
Rating:	-99	DW Rating:	427	Certificate Date		1/10/2025	Rig Type	P:	87.34	35	Beam:	14.78	Engine: IB
Displacement used for DW Rating:				31947		FS	E:	30.5	Asymmetric Spin? Yes		Draft:	14.12	Prop Type: FOLD
Certified PHRF Data on file?				☒		Mast Material	ISP:	94.94	SLE: SLU: ASMG: ASF:				
CARBON					JSP:	35	88.35 103.41 56.66 56.1						
Modifications on file: (mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from -129 to -99 after review of appeal)													

