

## NCPHRF - CURRENT FLEET ROSTER

*This Roster lists the boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at [info@yra.org](mailto:info@yra.org) or via phone at 415.771.9500. This list is updated monthly.*

**As of: 5/20/2025**

|                                                              |                                   |                  |                            |                  |                                    |                    |                           |
|--------------------------------------------------------------|-----------------------------------|------------------|----------------------------|------------------|------------------------------------|--------------------|---------------------------|
| <b>Boat Name</b> Abigail Morgan                              | <b>Sail #</b> 18394               | <b>Rig Data:</b> | <b>Max Headsail</b> 150    | <b>I:</b> 28.5   | <b>Symmetric Spin?</b> Yes         | <b>LOA:</b> 27.25  | <b>Displacement:</b> 2450 |
| <b>Boat Type</b> Express 27 ODR                              |                                   |                  | <b>Rig Type</b> FS         | <b>J:</b> 9      | <b>SL:</b> SSMG: <b>SSF:</b> SPL:  | <b>LWL:</b> 23.75  | <b>Ballast:</b> 1100      |
| <b>Rating:</b> 129 <b>DW Rating:</b> 606                     | <b>Certificate Date</b> 1/31/2025 |                  |                            | <b>P:</b> 28.5   | ##### 17.75 17.4 9.833             |                    |                           |
| <b>Displacement used for DW Rating:</b> 2510                 |                                   |                  | <b>Mast Material</b> ALUMN | <b>E:</b> 10.416 | <b>Asymmetric Spin?</b> No         | <b>Beam:</b> 8.166 | <b>Engine:</b> OB         |
| <b>Certified PHRF Data on file?</b> <input type="checkbox"/> |                                   |                  |                            | <b>ISP:</b> 28.5 | <b>SLE:</b> SLU: <b>ASMG:</b> ASF: | <b>Draft:</b> 4.5  | <b>Prop Type:</b> None    |
|                                                              |                                   |                  |                            | <b>JSP:</b>      |                                    |                    |                           |
| <b>Modifications on file:</b>                                |                                   |                  |                            |                  |                                    |                    |                           |

|                                                                          |                   |                   |                     |                         |            |                          |                      |             |             |                         |                 |              |               |      |                   |      |  |
|--------------------------------------------------------------------------|-------------------|-------------------|---------------------|-------------------------|------------|--------------------------|----------------------|-------------|-------------|-------------------------|-----------------|--------------|---------------|------|-------------------|------|--|
| <b>Boat Name</b>                                                         | <b>About Time</b> | <b>Sail #</b>     | <b>Max Headsail</b> | <b>I:</b>               | 53.84      | <b>Symmetric Spin?</b>   | Yes                  | <b>LOA:</b> | 41          | <b>Displacement:</b>    | 16314           |              |               |      |                   |      |  |
| <b>Boat Type</b>                                                         | X-412             | 40041             |                     | <b>J:</b>               | 16.01      | <b>SL:</b>               | <b>SSMG:</b>         | <b>SSF:</b> | <b>SPL:</b> |                         | <b>Ballast:</b> | 7716         |               |      |                   |      |  |
| <b>Rating:</b>                                                           | <b>66</b>         | <b>DW Rating:</b> | 579                 | <b>Certificate Date</b> | 12/10/2024 | <b>Rig Type</b>          | <b>P:</b>            | 47.24       | 53.36       | 28.82                   | 28.82           | 16           | <b>LWL:</b>   | 34.2 | <b>Engine:</b>    | IB   |  |
| Displacement used for DW Rating:                                         |                   |                   |                     |                         |            |                          | MS                   | <b>E:</b>   | 15.41       | <b>Asymmetric Spin?</b> |                 |              |               | Yes  | <b>Beam:</b>      | 12.7 |  |
| Certified PHRF Data on file?                                             |                   |                   |                     |                         |            | <input type="checkbox"/> | <b>Mast Material</b> | <b>ISP:</b> | 53.84       | <b>SLE:</b>             | <b>SLU:</b>     | <b>ASMG:</b> | <b>ASF:</b>   |      | <b>Prop Type:</b> | FOLD |  |
|                                                                          |                   |                   |                     |                         |            | ALUMN                    | <b>JSP:</b>          |             | 49.6        | 53.8                    | 25.4            | 26.9         | <b>Draft:</b> | 6.9  |                   |      |  |
| <b>Modifications on file:</b> Electric Main Halyard winch, roller furler |                   |                   |                     |                         |            |                          |                      |             |             |                         |                 |              |               |      |                   |      |  |

|                                                                          |                     |                  |                             |                   |                                                  |                   |                           |
|--------------------------------------------------------------------------|---------------------|------------------|-----------------------------|-------------------|--------------------------------------------------|-------------------|---------------------------|
| <b>Boat Name</b> Abracadabra                                             | <b>Sail #</b> 28927 | <b>Rig Data:</b> | <b>Max Headsail</b> 116     | <b>I:</b> 28.69   | <b>Symmetric Spin?</b> No                        | <b>LOA:</b> 27.73 | <b>Displacement:</b> 2900 |
| <b>Boat Type</b> Antrim 27 CM ODR                                        |                     |                  | <b>Rig Type</b> FS          | <b>J:</b> 8.17    | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 23.75 | <b>Ballast:</b> 1050      |
| <b>Rating:</b> 75 <b>DW Rating:</b> 568 <b>Certificate Date</b> 1/7/2025 |                     |                  | <b>Mast Material</b> CARBON | <b>P:</b> 33.75   | <b>Asymmetric Spin?</b> Yes                      | <b>Beam:</b> 9.25 | <b>Engine:</b> OB         |
| <b>Displacement used for DW Rating:</b> 2900                             |                     |                  |                             | <b>E:</b> 14      | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 6   | <b>Prop Type:</b> None    |
| <b>Certified PHRF Data on file?</b> <input type="checkbox"/>             |                     |                  |                             | <b>ISP:</b> 37.25 | 38 44.2 20.1 25.1                                |                   |                           |
| <b>JSP:</b> 15                                                           |                     |                  |                             |                   |                                                  |                   |                           |
| <b>Modifications on file:</b> BOWSPRINT IS ARTICULATING                  |                     |                  |                             |                   |                                                  |                   |                           |

|                                                |  |  |  |                          |                  |                         |             |                 |                             |              |              |             |                      |       |                   |       |                |    |
|------------------------------------------------|--|--|--|--------------------------|------------------|-------------------------|-------------|-----------------|-----------------------------|--------------|--------------|-------------|----------------------|-------|-------------------|-------|----------------|----|
| <b>Boat Name</b> Absinthe                      |  |  |  | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b>     | <b>I:</b>   | 26.25           | <b>Symmetric Spin?</b>      | Yes          | <b>LOA:</b>  | 23.75       | <b>Displacement:</b> | 2050  |                   |       |                |    |
| <b>Boat Type</b> Moore 24                      |  |  |  | 102                      |                  | 150                     | <b>J:</b>   | 9.75            | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 21.75 | <b>Ballast:</b>   | 1025  |                |    |
| <b>Rating: 150</b>                             |  |  |  | <b>DW Rating:</b> 644    |                  | <b>Certificate Date</b> | 5/13/2025   | <b>Rig Type</b> | <b>P:</b>                   | 25           | 27           | 17.55       | 17.55                | 9.75  | <b>Beam:</b>      | 7.16  | <b>Engine:</b> | OB |
| Displacement used for DW Rating:               |  |  |  | 2485                     |                  | <b>FS</b>               | <b>E:</b>   | 9.5             | <b>Asymmetric Spin?</b> No  |              |              |             | <b>Draft:</b>        | 4.083 | <b>Prop Type:</b> | None  |                |    |
| Certified PHRF Data on file?                   |  |  |  | <input type="checkbox"/> |                  | <b>Mast Material</b>    | <b>ISP:</b> | 26.25           | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |                      |       |                   |       |                |    |
|                                                |  |  |  |                          | ALUMN            | <b>JSP:</b>             |             |                 |                             |              |              |             |                      |       |                   |       |                |    |
| <b>Modifications on file:</b>                  |  |  |  |                          |                  |                         |             |                 |                             |              |              |             |                      |       |                   |       |                |    |
|                                                |  |  |  |                          |                  |                         |             |                 |                             |              |              |             |                      |       |                   |       |                |    |
| <b>Boat Name</b> Acey Deucy                    |  |  |  | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b>     | <b>I:</b>   | 60.606          | <b>Symmetric Spin?</b>      | Yes          | <b>LOA:</b>  | 44.83       | <b>Displacement:</b> | 22770 |                   |       |                |    |
| <b>Boat Type</b> J 44                          |  |  |  | 97659                    |                  | 155                     | <b>J:</b>   | 17.08           | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 38.58 | <b>Ballast:</b>   | 9000  |                |    |
| <b>Rating: 21</b>                              |  |  |  | <b>DW Rating:</b> 562    |                  | <b>Certificate Date</b> | 12/9/2024   | <b>Rig Type</b> | <b>P:</b>                   | 53.51        | 59.8         | 30.8        | 30.8                 | ##### | <b>Beam:</b>      | 13.67 | <b>Engine:</b> | IB |
| Displacement used for DW Rating:               |  |  |  | 23350                    |                  | <b>MS</b>               | <b>E:</b>   | 19.41           | <b>Asymmetric Spin?</b> Yes |              |              |             | <b>Draft:</b>        | 8.14  | <b>Prop Type:</b> | FOLD  |                |    |
| Certified PHRF Data on file?                   |  |  |  | <input type="checkbox"/> |                  | <b>Mast Material</b>    | <b>ISP:</b> | 60.416          | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |                      |       |                   |       |                |    |
|                                                |  |  |  |                          | ALUMN            | <b>JSP:</b>             |             | 55.9            | 63.8                        | 27.8         | 27           |             |                      |       |                   |       |                |    |
| <b>Modifications on file:</b> Electric Winches |  |  |  |                          |                  |                         |             |                 |                             |              |              |             |                      |       |                   |       |                |    |
|                                                |  |  |  |                          |                  |                         |             |                 |                             |              |              |             |                      |       |                   |       |                |    |
| <b>Boat Name</b> Ad Lib                        |  |  |  | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b>     | <b>I:</b>   | 36.83           | <b>Symmetric Spin?</b>      | Yes          | <b>LOA:</b>  | 32.75       | <b>Displacement:</b> | 6160  |                   |       |                |    |
| <b>Boat Type</b> Aphrodite 101                 |  |  |  | 8161                     |                  | 100                     | <b>J:</b>   | 11.81           | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 26.33 | <b>Ballast:</b>   | 3527  |                |    |
| <b>Rating: 144</b>                             |  |  |  | <b>DW Rating:</b> 650    |                  | <b>Certificate Date</b> | 12/9/2024   | <b>Rig Type</b> | <b>P:</b>                   | 39.33        | 35.6         | 21.3        | 19.6                 | 11.9  | <b>Beam:</b>      | 7.92  | <b>Engine:</b> | IB |
| Displacement used for DW Rating:               |  |  |  | 7490                     |                  | <b>FS</b>               | <b>E:</b>   | 11.48           | <b>Asymmetric Spin?</b> No  |              |              |             | <b>Draft:</b>        | 5.42  | <b>Prop Type:</b> | FOLD  |                |    |
| Certified PHRF Data on file?                   |  |  |  | <input type="checkbox"/> |                  | <b>Mast Material</b>    | <b>ISP:</b> | 32.23           | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |                      |       |                   |       |                |    |
|                                                |  |  |  |                          | ALUMN            | <b>JSP:</b>             |             |                 |                             |              |              |             |                      |       |                   |       |                |    |
| <b>Modifications on file:</b>                  |  |  |  |                          |                  |                         |             |                 |                             |              |              |             |                      |       |                   |       |                |    |
|                                                |  |  |  |                          |                  |                         |             |                 |                             |              |              |             |                      |       |                   |       |                |    |
| <b>Boat Name</b> Advantage 3                   |  |  |  | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b>     | <b>I:</b>   | 40.6            | <b>Symmetric Spin?</b>      | No           | <b>LOA:</b>  | 34.5        | <b>Displacement:</b> | 7750  |                   |       |                |    |
| <b>Boat Type</b> J 105 ODR w/ 5'BS             |  |  |  | 84                       |                  | 100                     | <b>J:</b>   | 13.5            | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 29.5  | <b>Ballast:</b>   | 3400  |                |    |
| <b>Rating: 78</b>                              |  |  |  | <b>DW Rating:</b> 592    |                  | <b>Certificate Date</b> | 1/7/2025    | <b>Rig Type</b> | <b>P:</b>                   | 41.5         |              |             |                      |       | <b>Beam:</b>      | 11    | <b>Engine:</b> | IB |
| Displacement used for DW Rating:               |  |  |  | 8472                     |                  | <b>FS</b>               | <b>E:</b>   | 14.5            | <b>Asymmetric Spin?</b> Yes |              |              |             | <b>Draft:</b>        | 6.5   | <b>Prop Type:</b> | FOLD  |                |    |
| Certified PHRF Data on file?                   |  |  |  | <input type="checkbox"/> |                  | <b>Mast Material</b>    | <b>ISP:</b> | 42.1            | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |                      |       |                   |       |                |    |
|                                                |  |  |  |                          | ALUMN            | <b>JSP:</b>             | 19.07       | 38.6            | 49                          | 26.4         | 25.5         |             |                      |       |                   |       |                |    |
| <b>Modifications on file:</b>                  |  |  |  |                          |                  |                         |             |                 |                             |              |              |             |                      |       |                   |       |                |    |



|                                                                                                                                                                                                                                                                                                                               |  |  |  |                     |  |                  |                             |  |                   |                                                  |                   |                    |                            |                         |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|---------------------|--|------------------|-----------------------------|--|-------------------|--------------------------------------------------|-------------------|--------------------|----------------------------|-------------------------|--|--|
| <b>Boat Name</b> Akyaa                                                                                                                                                                                                                                                                                                        |  |  |  | <b>Sail #</b> 163   |  | <b>Rig Data:</b> | <b>Max Headsail</b> 105     |  | <b>I:</b> 33.6    | <b>Symmetric Spin?</b> Yes                       |                   | <b>LOA:</b> 37     | <b>Displacement:</b> 4260  |                         |  |  |
| <b>Boat Type</b> Hobie 33 ODR                                                                                                                                                                                                                                                                                                 |  |  |  |                     |  |                  | 105                         |  | <b>J:</b> 12.4    | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 30.83 |                    | <b>Ballast:</b> 1800       |                         |  |  |
| <b>Rating: 87</b> <b>DW Rating:</b> 543 <b>Certificate Date</b> 12/10/2024                                                                                                                                                                                                                                                    |  |  |  |                     |  |                  | <b>Rig Type</b> MS          |  | <b>P:</b> 35.3    | 36    23    23    13.12                          | <b>Beam:</b> 8    |                    | <b>Engine:</b> OB          |                         |  |  |
| Displacement used for DW Rating: 4550                                                                                                                                                                                                                                                                                         |  |  |  |                     |  |                  | <b>Mast Material</b> ALUMN  |  | <b>E:</b> 12.5    | <b>Asymmetric Spin?</b> No                       |                   |                    |                            |                         |  |  |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                                                                                                                                                         |  |  |  |                     |  |                  |                             |  | <b>ISP:</b> 36.5  | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 5.5 |                    | <b>Prop Type:</b> None     |                         |  |  |
| <b>Modifications on file:</b> (mtg 8/19/10, -3 sec/mi for sprit)                                                                                                                                                                                                                                                              |  |  |  |                     |  |                  |                             |  | <b>JSP:</b> 16.2  |                                                  |                   |                    |                            |                         |  |  |
|                                                                                                                                                                                                                                                                                                                               |  |  |  |                     |  |                  |                             |  |                   |                                                  |                   |                    |                            |                         |  |  |
| <b>Boat Name</b> Ala Moana                                                                                                                                                                                                                                                                                                    |  |  |  | <b>Sail #</b> 104   |  | <b>Rig Data:</b> | <b>Max Headsail</b> 105     |  | <b>I:</b> 41.66   | <b>Symmetric Spin?</b> No                        |                   | <b>LOA:</b> 31.7   | <b>Displacement:</b> 8267  |                         |  |  |
| <b>Boat Type</b> Beneteau First 30                                                                                                                                                                                                                                                                                            |  |  |  |                     |  |                  | 105                         |  | <b>J:</b> 13.78   | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 27.6  |                    | <b>Ballast:</b> 2403       |                         |  |  |
| <b>Rating: 99</b> <b>DW Rating:</b> 616 <b>Certificate Date</b> 12/3/2024                                                                                                                                                                                                                                                     |  |  |  |                     |  |                  | <b>Rig Type</b> FS          |  | <b>P:</b> 40.3    | <b>Asymmetric Spin?</b> Yes                      |                   | <b>Beam:</b> 10.5  |                            | <b>Engine:</b> IB       |  |  |
| Displacement used for DW Rating:                                                                                                                                                                                                                                                                                              |  |  |  |                     |  |                  | <b>Mast Material</b> ALUMN  |  | <b>E:</b> 14.25   |                                                  |                   | <b>Draft:</b> 6.25 |                            | <b>Prop Type:</b> Fold  |  |  |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                                                                                                                                                         |  |  |  |                     |  |                  |                             |  | <b>ISP:</b> 42.16 | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> |                   |                    |                            |                         |  |  |
| <b>Modifications on file:</b>                                                                                                                                                                                                                                                                                                 |  |  |  |                     |  |                  |                             |  | <b>JSP:</b> 15.78 | 43.7    48.6    26.9    28.82                    |                   |                    |                            |                         |  |  |
|                                                                                                                                                                                                                                                                                                                               |  |  |  |                     |  |                  |                             |  |                   |                                                  |                   |                    |                            |                         |  |  |
| <b>Boat Name</b> Alacrity                                                                                                                                                                                                                                                                                                     |  |  |  | <b>Sail #</b> 3500  |  | <b>Rig Data:</b> | <b>Max Headsail</b> 115     |  | <b>I:</b> 47      | <b>Symmetric Spin?</b> No                        |                   | <b>LOA:</b> 35.17  | <b>Displacement:</b> 11400 |                         |  |  |
| <b>Boat Type</b> Tartan 3500                                                                                                                                                                                                                                                                                                  |  |  |  |                     |  |                  | 115                         |  | <b>J:</b> 13.75   | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 30    |                    | <b>Ballast:</b> 4500       |                         |  |  |
| <b>Rating: 120</b> <b>DW Rating:</b> <b>Certificate Date</b> 1/21/2025                                                                                                                                                                                                                                                        |  |  |  |                     |  |                  | <b>Rig Type</b> MS          |  | <b>P:</b> 41.3    | <b>Asymmetric Spin?</b> No                       |                   | <b>Beam:</b> 11.75 |                            | <b>Engine:</b> IB       |  |  |
| Displacement used for DW Rating: 11400                                                                                                                                                                                                                                                                                        |  |  |  |                     |  |                  | <b>Mast Material</b> ALUMN  |  | <b>E:</b> 14.3    |                                                  |                   | <b>Draft:</b> 6.5  |                            | <b>Prop Type:</b> Feath |  |  |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                                                                                                                                                         |  |  |  |                     |  |                  |                             |  | <b>ISP:</b>       | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> |                   |                    |                            |                         |  |  |
| <b>Modifications on file:</b>                                                                                                                                                                                                                                                                                                 |  |  |  |                     |  |                  |                             |  | <b>JSP:</b>       |                                                  |                   |                    |                            |                         |  |  |
|                                                                                                                                                                                                                                                                                                                               |  |  |  |                     |  |                  |                             |  |                   |                                                  |                   |                    |                            |                         |  |  |
| <b>Boat Name</b> Alchera                                                                                                                                                                                                                                                                                                      |  |  |  | <b>Sail #</b> 28870 |  | <b>Rig Data:</b> | <b>Max Headsail</b> 125     |  | <b>I:</b> 50.5    | <b>Symmetric Spin?</b> No                        |                   | <b>LOA:</b> 40     | <b>Displacement:</b> 13900 |                         |  |  |
| <b>Boat Type</b> J 120 Mod                                                                                                                                                                                                                                                                                                    |  |  |  |                     |  |                  | 125                         |  | <b>J:</b> 14.5    | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 35    |                    | <b>Ballast:</b> 6000       |                         |  |  |
| <b>Rating: 51</b> <b>DW Rating:</b> 559 <b>Certificate Date</b> 12/16/2024                                                                                                                                                                                                                                                    |  |  |  |                     |  |                  | <b>Rig Type</b> FS          |  | <b>P:</b> 46.5    | <b>Asymmetric Spin?</b> Yes                      |                   | <b>Beam:</b> 12    |                            | <b>Engine:</b> IB       |  |  |
| Displacement used for DW Rating: 15000                                                                                                                                                                                                                                                                                        |  |  |  |                     |  |                  | <b>Mast Material</b> CARBON |  | <b>E:</b> 17.57   |                                                  |                   | <b>Draft:</b> 7    |                            | <b>Prop Type:</b> FOLD  |  |  |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                                                                                                                                                         |  |  |  |                     |  |                  |                             |  | <b>ISP:</b> 52    | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> |                   |                    |                            |                         |  |  |
| <b>Modifications on file:</b> Modifications for offshore singlehandeding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +3 sec/mi for small spinnaker, + 3 sec/mi for small headsail) |  |  |  |                     |  |                  |                             |  | <b>JSP:</b> 21.55 | 49.99    57.96    30.6    34                     |                   |                    |                            |                         |  |  |

|                                                                            |  |  |  |                      |                  |                     |           |                              |                            |             |                        |                            |
|----------------------------------------------------------------------------|--|--|--|----------------------|------------------|---------------------|-----------|------------------------------|----------------------------|-------------|------------------------|----------------------------|
| <b>Boat Name</b> <b>Alegre</b>                                             |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b> | 26                           | <b>Symmetric Spin?</b> Yes | <b>LOA:</b> | 22                     | <b>Displacement:</b> 2600  |
| <b>Boat Type</b> Santana 22                                                |  |  |  | 5132                 |                  | 155                 | <b>J:</b> | 8.5                          | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 18.67                  | <b>Ballast:</b> 1230       |
| <b>Rating: 234</b> <b>DW Rating:</b> 741 <b>Certificate Date</b> 5/13/2025 |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 21.75     | 26   15.44   15.44   8.583   | <b>Beam:</b>               | 7.83        | <b>Engine:</b> OB      |                            |
| Displacement used for DW Rating:                                           |  |  |  | <b>MS</b>            |                  | <b>E:</b>           | 9.833     | <b>Asymmetric Spin?</b> No   | <b>Draft:</b>              | 3.5         | <b>Prop Type:</b> None |                            |
| Certified PHRF Data on file? <input type="checkbox"/>                      |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         | 26        | <b>SLE: SLU: ASMG: ASF:</b>  |                            |             |                        |                            |
|                                                                            |  |  |  | <b>ALUMN</b>         |                  | <b>JSP:</b>         |           |                              |                            |             |                        |                            |
| <b>Modifications on file:</b>                                              |  |  |  |                      |                  |                     |           |                              |                            |             |                        |                            |
| <hr/>                                                                      |  |  |  |                      |                  |                     |           |                              |                            |             |                        |                            |
| <b>Boat Name</b> <b>Allegro Non Troppo</b>                                 |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b> | 30                           | <b>Symmetric Spin?</b> Yes | <b>LOA:</b> | 28.25                  | <b>Displacement:</b> 5700  |
| <b>Boat Type</b> Alerion Express 28 ODR                                    |  |  |  | 188                  |                  | 90                  | <b>J:</b> | 9.75                         | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 22.83                  | <b>Ballast:</b> 2200       |
| <b>Rating: 168</b> <b>DW Rating:</b> 695 <b>Certificate Date</b> 12/4/2024 |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 33        | 29.75   17.5   17.5   9.75   | <b>Beam:</b>               | 8.2         | <b>Engine:</b> IB      |                            |
| Displacement used for DW Rating:                                           |  |  |  | <b>FS</b>            |                  | <b>E:</b>           | 12.5      | <b>Asymmetric Spin?</b> No   | <b>Draft:</b>              | 4.5         | <b>Prop Type:</b> Fold |                            |
| Certified PHRF Data on file? <input type="checkbox"/>                      |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         | 30        | <b>SLE: SLU: ASMG: ASF:</b>  |                            |             |                        |                            |
|                                                                            |  |  |  | <b>ALUMN</b>         |                  | <b>JSP:</b>         | 9.75      |                              | 0                          |             |                        |                            |
| <b>Modifications on file:</b>                                              |  |  |  |                      |                  |                     |           |                              |                            |             |                        |                            |
| <hr/>                                                                      |  |  |  |                      |                  |                     |           |                              |                            |             |                        |                            |
| <b>Boat Name</b> <b>Allons-Y</b>                                           |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b> | 26.77                        | <b>Symmetric Spin?</b> No  | <b>LOA:</b> | 22.75                  | <b>Displacement:</b> 1750  |
| <b>Boat Type</b> J 70 ODR                                                  |  |  |  | 346                  |                  | 100                 | <b>J:</b> | 7.68                         | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 20.47                  | <b>Ballast:</b> 630        |
| <b>Rating: 114</b> <b>DW Rating:</b> 611 <b>Certificate Date</b> 1/9/2025  |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 26.16     |                              | <b>Beam:</b>               | 7.38        | <b>Engine:</b> OB      |                            |
| Displacement used for DW Rating:                                           |  |  |  | <b>FS</b>            |                  | <b>E:</b>           | 9.44      | <b>Asymmetric Spin?</b> Yes  | <b>Draft:</b>              | 4.92        | <b>Prop Type:</b> None |                            |
| Certified PHRF Data on file? <input type="checkbox"/>                      |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         | 30.15     | <b>SLE: SLU: ASMG: ASF:</b>  |                            |             |                        |                            |
|                                                                            |  |  |  | <b>CARBON</b>        |                  | <b>JSP:</b>         | 13.5      | 28.87   35.43   18.24   18.7 |                            |             |                        |                            |
| <b>Modifications on file:</b>                                              |  |  |  |                      |                  |                     |           |                              |                            |             |                        |                            |
| <hr/>                                                                      |  |  |  |                      |                  |                     |           |                              |                            |             |                        |                            |
| <b>Boat Name</b> <b>Alpha</b>                                              |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b> | 53.58                        | <b>Symmetric Spin?</b> Yes | <b>LOA:</b> | 47.75                  | <b>Displacement:</b> 30000 |
| <b>Boat Type</b> S&S 47 (Stevens 47)                                       |  |  |  | 8502                 |                  | 95                  | <b>J:</b> | 18.75                        | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 34.5                   | <b>Ballast:</b> 13000      |
| <b>Rating: 96</b> <b>DW Rating:</b> 596 <b>Certificate Date</b> 4/29/2025  |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 47.9      | 54.3   33.7   33.7   18.75   | <b>Beam:</b>               | 11.67       | <b>Engine:</b> IB      |                            |
| Displacement used for DW Rating:                                           |  |  |  | <b>MS</b>            |                  | <b>E:</b>           | 17.39     | <b>Asymmetric Spin?</b> Yes  | <b>Draft:</b>              | 6.25        | <b>Prop Type:</b> FOLD |                            |
| Certified PHRF Data on file? <input type="checkbox"/>                      |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         | 53.58     | <b>SLE: SLU: ASMG: ASF:</b>  |                            |             |                        |                            |
|                                                                            |  |  |  | <b>ALUMN</b>         |                  | <b>JSP:</b>         | 18.75     | 50.4   52   17   28          |                            |             |                        |                            |
| <b>Modifications on file:</b> (mtg 4/28/25, -3 sec/mi for tweener)         |  |  |  |                      |                  |                     |           |                              |                            |             |                        |                            |

|                                                               |  |  |        |                  |               |      |       |                      |                 |       |        |               |            |       |
|---------------------------------------------------------------|--|--|--------|------------------|---------------|------|-------|----------------------|-----------------|-------|--------|---------------|------------|-------|
| <b>Boat Name</b> Altair                                       |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 21.52 | Symmetric Spin?      | No              | LOA:  | 18.7   | Displacement: | 992        |       |
| <b>Boat Type</b> Open 5.7 ODR                                 |  |  | 306    |                  | 117           | J:   | 7.3   | SL:                  | SSMG: SSF: SPL: | LWL:  | 18.7   | Ballast:      | 405        |       |
| <b>Rating:</b> 138 DW Rating: 602 Certificate Date 12/12/2024 |  |  |        |                  | Rig Type      | P:   | 25.33 | Asymmetric Spin? Yes |                 |       | Beam:  | 8.3           | Engine:    | OB    |
| Displacement used for DW Rating:                              |  |  | 992    |                  | FS            | E:   | 10.24 |                      |                 |       | Draft: | 5.7           | Prop Type: | None  |
| Certified PHRF Data on file? <input type="checkbox"/>         |  |  |        |                  | Mast Material | ISP: | 27.9  | SLE:                 | SLU: ASMG: ASF: |       |        |               |            |       |
| Modifications on file:                                        |  |  |        | ALUMN            | JSP:          | 12.3 | 20.6  | 25.8                 | 17.5            | 17.5  |        |               |            |       |
|                                                               |  |  |        |                  |               |      |       |                      |                 |       |        |               |            |       |
| <b>Boat Name</b> Althea                                       |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 30    | Symmetric Spin?      | No              | LOA:  | 28.25  | Displacement: | 5700       |       |
| <b>Boat Type</b> Alerion Express 28 ODR                       |  |  | 244    |                  | 90            | J:   | 9.75  | SL:                  | SSMG: SSF: SPL: | LWL:  | 22.83  | Ballast:      | 2200       |       |
| <b>Rating:</b> 168 DW Rating: 711 Certificate Date 12/12/2024 |  |  |        |                  | Rig Type      | P:   | 33    | Asymmetric Spin? Yes |                 |       | Beam:  | 8.2           | Engine:    | IB    |
| Displacement used for DW Rating:                              |  |  | 5700   |                  | FS            | E:   | 12.5  |                      |                 |       | Draft: | 4.5           | Prop Type: | Fold  |
| Certified PHRF Data on file? <input type="checkbox"/>         |  |  |        |                  | Mast Material | ISP: | 30    | SLE:                 | SLU: ASMG: ASF: |       |        |               |            |       |
| Modifications on file:                                        |  |  |        | ALUMN            | JSP:          | 9.75 | 24.7  | 29.5                 | 10.5            | 13.5  |        |               |            |       |
|                                                               |  |  |        |                  |               |      |       |                      |                 |       |        |               |            |       |
| <b>Boat Name</b> Amaranth                                     |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 44.22 | Symmetric Spin?      | No              | LOA:  | 34.5   | Displacement: | 10141      |       |
| <b>Boat Type</b> Beneteau 345                                 |  |  | 38118  |                  | 120           | J:   | 12.9  | SL:                  | SSMG: SSF: SPL: | LWL:  | 29.17  | Ballast:      | 4600       |       |
| <b>Rating:</b> 132 DW Rating: 655 Certificate Date 1/21/2025  |  |  |        |                  | Rig Type      | P:   | 38.7  | 0 0                  |                 |       | Beam:  | 11.42         | Engine:    | IB    |
| Displacement used for DW Rating:                              |  |  | 0      |                  | MS            | E:   | 12.1  | Asymmetric Spin? Yes |                 |       | Draft: | 6.3           | Prop Type: | Feath |
| Certified PHRF Data on file? <input type="checkbox"/>         |  |  |        |                  | Mast Material | ISP: | 44.22 | SLE:                 | SLU: ASMG: ASF: |       |        |               |            |       |
| Modifications on file:                                        |  |  |        | ALUMN            | JSP:          | 12.9 | 21.04 | 21.92                | 18              | 23.83 |        |               |            |       |
|                                                               |  |  |        |                  |               |      |       |                      |                 |       |        |               |            |       |
| <b>Boat Name</b> Andiamo                                      |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 30    | Symmetric Spin?      | Yes             | LOA:  | 28.25  | Displacement: | 5700       |       |
| <b>Boat Type</b> Alerion Express 28 ODR                       |  |  | 97     |                  | 90            | J:   | 9.75  | SL:                  | SSMG: SSF: SPL: | LWL:  | 22.83  | Ballast:      | 2200       |       |
| <b>Rating:</b> 168 DW Rating: 695 Certificate Date 5/19/2025  |  |  |        |                  | Rig Type      | P:   | 33    | 29.5 17.5 17.5 9.75  |                 |       | Beam:  | 8.2           | Engine:    | IB    |
| Displacement used for DW Rating:                              |  |  | 5700   |                  | FS            | E:   | 12.5  | Asymmetric Spin? No  |                 |       | Draft: | 4.5           | Prop Type: | Fold  |
| Certified PHRF Data on file? <input type="checkbox"/>         |  |  |        |                  | Mast Material | ISP: | 30    | SLE:                 | SLU: ASMG: ASF: |       |        |               |            |       |
| Modifications on file:                                        |  |  |        | ALUMN            | JSP:          | 9.75 |       |                      |                 |       |        |               |            |       |

|                                                                           |                    |                  |                            |                 |                                                  |                   |                            |
|---------------------------------------------------------------------------|--------------------|------------------|----------------------------|-----------------|--------------------------------------------------|-------------------|----------------------------|
| <b>Boat Name</b> Andiamo                                                  | <b>Sail #</b> 2168 | <b>Rig Data:</b> | <b>Max Headsail</b> 115    | <b>I:</b> 44.75 | <b>Symmetric Spin?</b> No                        | <b>LOA:</b> 36    | <b>Displacement:</b> 14200 |
| <b>Boat Type</b> Catalina 36-2                                            |                    |                  | <b>Rig Type</b> MS         | <b>J:</b> 14.33 | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 30.25 | <b>Ballast:</b> 6000       |
| <b>Rating:</b> 153 <b>DW Rating:</b> 650 <b>Certificate Date</b> 1/7/2025 |                    |                  | <b>Mast Material</b> ALUMN | <b>P:</b> 39    | <b>Asymmetric Spin?</b> Yes                      | <b>Beam:</b> 11.9 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 14200                                    |                    |                  |                            | <b>E:</b> 13    | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 5.8 | <b>Prop Type:</b> Fixed_3  |
| Certified PHRF Data on file? <input type="checkbox"/>                     |                    |                  |                            | <b>JSP:</b>     | 37    43    24    29                             |                   |                            |
| <b>Modifications on file:</b> In-Mast Furling Mainsail, +3 sec/mi         |                    |                  |                            |                 |                                                  |                   |                            |

|                                                                            |                    |                  |                            |                 |                                                  |                    |                           |
|----------------------------------------------------------------------------|--------------------|------------------|----------------------------|-----------------|--------------------------------------------------|--------------------|---------------------------|
| <b>Boat Name</b> Anemone                                                   | <b>Sail #</b> 5080 | <b>Rig Data:</b> | <b>Max Headsail</b> 155    | <b>I:</b> 26    | <b>Symmetric Spin?</b> Yes                       | <b>LOA:</b> 22     | <b>Displacement:</b> 2600 |
| <b>Boat Type</b> Santana 22                                                |                    |                  | <b>Rig Type</b> MS         | <b>J:</b> 8.5   | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 18.666 | <b>Ballast:</b> 1230      |
| <b>Rating:</b> 234 <b>DW Rating:</b> 741 <b>Certificate Date</b> 4/28/2025 |                    |                  | <b>Mast Material</b> ALUMN | <b>P:</b> 21.75 | 26    15.44    15.44    8.583                    | <b>Beam:</b> 7.833 | <b>Engine:</b> OB         |
| Displacement used for DW Rating:                                           |                    |                  |                            | <b>E:</b> 9.833 | <b>Asymmetric Spin?</b> No                       | <b>Draft:</b> 3.5  | <b>Prop Type:</b> None    |
| Certified PHRF Data on file? <input type="checkbox"/>                      |                    |                  |                            | <b>ISP:</b> 26  | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> |                    |                           |
| <b>Modifications on file:</b>                                              |                    |                  |                            | <b>JSP:</b>     |                                                  |                    |                           |

|                                                                             |                   |                  |                            |                   |                                                  |                    |                           |
|-----------------------------------------------------------------------------|-------------------|------------------|----------------------------|-------------------|--------------------------------------------------|--------------------|---------------------------|
| <b>Boat Name</b> Anna Lu                                                    | <b>Sail #</b> 529 | <b>Rig Data:</b> | <b>Max Headsail</b> 150    | <b>I:</b> 28.75   | <b>Symmetric Spin?</b> Yes                       | <b>LOA:</b> 24.5   | <b>Displacement:</b> 3000 |
| <b>Boat Type</b> Merit 25                                                   |                   |                  | <b>Rig Type</b> FS         | <b>J:</b> 9.66    | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 20.5   | <b>Ballast:</b> 1050      |
| <b>Rating:</b> 168 <b>DW Rating:</b> 696 <b>Certificate Date</b> 12/14/2024 |                   |                  | <b>Mast Material</b> ALUMN | <b>P:</b> 28      | 28.8    17.38    17.38    9.66                   | <b>Beam:</b> 8     | <b>Engine:</b> OB         |
| Displacement used for DW Rating: 3286                                       |                   |                  |                            | <b>E:</b> 9.75    | <b>Asymmetric Spin?</b> No                       | <b>Draft:</b> 3.98 | <b>Prop Type:</b> None    |
| Certified PHRF Data on file? <input type="checkbox"/>                       |                   |                  |                            | <b>ISP:</b> 28.75 | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> |                    |                           |
| <b>Modifications on file:</b>                                               |                   |                  |                            | <b>JSP:</b>       |                                                  |                    |                           |

|                                                                                                                                     |                  |                  |                             |                 |                                                  |                    |                            |
|-------------------------------------------------------------------------------------------------------------------------------------|------------------|------------------|-----------------------------|-----------------|--------------------------------------------------|--------------------|----------------------------|
| <b>Boat Name</b> Another Girl                                                                                                       | <b>Sail #</b> 20 | <b>Rig Data:</b> | <b>Max Headsail</b> 90      | <b>I:</b> 42.98 | <b>Symmetric Spin?</b> No                        | <b>LOA:</b> 38.3   | <b>Displacement:</b> 13000 |
| <b>Boat Type</b> Alerion Express 38-2                                                                                               |                  |                  | <b>Rig Type</b> MS          | <b>J:</b> 12.99 | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 30.1   | <b>Ballast:</b> 5000       |
| <b>Rating:</b> 90 <b>DW Rating:</b> 613 <b>Certificate Date</b> 1/22/2025                                                           |                  |                  | <b>Mast Material</b> CARBON | <b>P:</b> 47.5  | <b>Asymmetric Spin?</b> No                       | <b>Beam:</b> 10.3  | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                                                                                                    |                  |                  |                             | <b>E:</b> 18.25 | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 5.92 | <b>Prop Type:</b> Feath    |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                               |                  |                  |                             | <b>JSP:</b>     |                                                  |                    |                            |
| <b>Modifications on file:</b> (mtg 4/28/11, Custom rating of 90 assigned. Custom rating includes penalty for powered sheet winches) |                  |                  |                             |                 |                                                  |                    |                            |



|                                                                  |                       |                                    |                  |                                                          |                   |                           |
|------------------------------------------------------------------|-----------------------|------------------------------------|------------------|----------------------------------------------------------|-------------------|---------------------------|
| <b>Boat Name</b> Arsenal                                         | <b>Sail #</b> 52125   | <b>Max Headsail</b> 124            | <b>I:</b> 48.622 | <b>Symmetric Spin?</b> No                                | <b>LOA:</b> 41    | <b>Displacement:</b> 9350 |
| <b>Boat Type</b> J 125                                           |                       | <b>Rig Type</b> FS                 | <b>J:</b> 20.105 | <b>SL:</b> SSMG: SSF: SPL: 23.4                          | <b>LWL:</b> 37    | <b>Ballast:</b> 4646      |
| <b>Rating:</b> -12                                               | <b>DW Rating:</b> 477 | <b>Certificate Date</b> 12/11/2024 | <b>P:</b> 46.75  | <b>Asymmetric Spin?</b> Yes                              | <b>Beam:</b> 10.6 | <b>Engine:</b> IB         |
| Displacement used for DW Rating: 9694                            |                       | <b>Mast Material</b> CARBON        | <b>E:</b> 17.979 | <b>SLE:</b> SLU: ASMG: ASF: 52 52.133 60.04 38.386 39.37 | <b>Draft:</b> 7.9 | <b>Prop Type:</b> Fold    |
| Certified PHRF Data on file? <input checked="" type="checkbox"/> |                       |                                    | <b>ISP:</b> 52   |                                                          |                   |                           |
| <b>Modifications on file:</b>                                    |                       |                                    | <b>JSP:</b> 23.4 |                                                          |                   |                           |

|                                                       |                       |                                   |                   |                                                         |                    |                           |
|-------------------------------------------------------|-----------------------|-----------------------------------|-------------------|---------------------------------------------------------|--------------------|---------------------------|
| <b>Boat Name</b> Astra                                | <b>Sail #</b> 407     | <b>Max Headsail</b> 100           | <b>I:</b> 51.18   | <b>Symmetric Spin?</b> No                               | <b>LOA:</b> 38.71  | <b>Displacement:</b> 8642 |
| <b>Boat Type</b> Farr 400 ODR                         |                       | <b>Rig Type</b> FS                | <b>J:</b> 14.6    | <b>SL:</b> SSMG: SSF: SPL:                              | <b>LWL:</b> 36.42  | <b>Ballast:</b> 4806      |
| <b>Rating:</b> -18                                    | <b>DW Rating:</b> 480 | <b>Certificate Date</b> 1/13/2025 | <b>P:</b> 52.98   | <b>Asymmetric Spin?</b> Yes                             | <b>Beam:</b> 11.22 | <b>Engine:</b> IB         |
| Displacement used for DW Rating: 8642                 |                       | <b>Mast Material</b> CARBON       | <b>E:</b> 19.03   | <b>SLE:</b> SLU: ASMG: ASF: 58.53 55.38 66.4 38.46 37.5 | <b>Draft:</b> 9.51 | <b>Prop Type:</b> Feath   |
| Certified PHRF Data on file? <input type="checkbox"/> |                       |                                   | <b>ISP:</b> 58.53 |                                                         |                    |                           |
| <b>Modifications on file:</b>                         |                       |                                   | <b>JSP:</b> 22.38 |                                                         |                    |                           |

|                                                                                                                                                            |                       |                                   |                   |                                                          |                   |                            |
|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-----------------------------------|-------------------|----------------------------------------------------------|-------------------|----------------------------|
| <b>Boat Name</b> Avion                                                                                                                                     | <b>Sail #</b> 30345   | <b>Max Headsail</b> 150           | <b>I:</b> 50.14   | <b>Symmetric Spin?</b> Yes                               | <b>LOA:</b> 41.27 | <b>Displacement:</b> 19953 |
| <b>Boat Type</b> Bianca 414                                                                                                                                |                       | <b>Rig Type</b> MS                | <b>J:</b> 15.61   | <b>SL:</b> SSMG: SSF: SPL: 50 28.1 28.1 15.61            | <b>LWL:</b> 32.81 | <b>Ballast:</b> 8624       |
| <b>Rating:</b> 81                                                                                                                                          | <b>DW Rating:</b> 591 | <b>Certificate Date</b> 2/21/2025 | <b>P:</b> 51.17   | <b>Asymmetric Spin?</b> Yes                              | <b>Beam:</b> 9.58 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 17395                                                                                                                     |                       | <b>Mast Material</b> ALUMN        | <b>E:</b> 17.3    | <b>SLE:</b> SLU: ASMG: ASF: 50.14 47.41 53.41 26.9 31.69 | <b>Draft:</b> 8.5 | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file? <input checked="" type="checkbox"/>                                                                                           |                       |                                   | <b>ISP:</b> 50.14 |                                                          |                   |                            |
| <b>Modifications on file:</b> (MTG 4/8/99 1360 LBS SHAVED OFF SIDES OF KEEL, 925 LBS ADDED TO BOTTOM OF KEEL - 3 FOR KEEL MODS)(New Rudder, NCTR, 2/15/01) |                       |                                   | <b>JSP:</b>       |                                                          |                   |                            |

|                                                       |                       |                                   |                   |                                                   |                    |                            |
|-------------------------------------------------------|-----------------------|-----------------------------------|-------------------|---------------------------------------------------|--------------------|----------------------------|
| <b>Boat Name</b> Azulla                               | <b>Sail #</b> 28908   | <b>Max Headsail</b> 105           | <b>I:</b> 48.89   | <b>Symmetric Spin?</b> Yes                        | <b>LOA:</b> 39.04  | <b>Displacement:</b> 17600 |
| <b>Boat Type</b> Elan 40 DK                           |                       | <b>Rig Type</b> FS                | <b>J:</b> 14.21   | <b>SL:</b> SSMG: SSF: SPL: 49.43 25.57 24.6 14.15 | <b>LWL:</b> 34.07  | <b>Ballast:</b> 5621       |
| <b>Rating:</b> 69                                     | <b>DW Rating:</b> 592 | <b>Certificate Date</b> 4/25/2025 | <b>P:</b> 48.82   | <b>Asymmetric Spin?</b> No                        | <b>Beam:</b> 12.55 | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                      |                       | <b>Mast Material</b> ALUMN        | <b>E:</b> 17.23   | <b>SLE:</b> SLU: ASMG: ASF: 50.05                 | <b>Draft:</b> 7.87 | <b>Prop Type:</b> FOLD     |
| Certified PHRF Data on file? <input type="checkbox"/> |                       |                                   | <b>ISP:</b> 50.05 |                                                   |                    |                            |
| <b>Modifications on file:</b> (Formerly Tupelo Honey) |                       |                                   | <b>JSP:</b> 14.21 |                                                   |                    |                            |









|                                  |  |  |  |  |                          |                      |  |  |  |  |             |       |                            |              |              |             |               |       |                           |  |  |
|----------------------------------|--|--|--|--|--------------------------|----------------------|--|--|--|--|-------------|-------|----------------------------|--------------|--------------|-------------|---------------|-------|---------------------------|--|--|
| <b>Boat Name</b> Bluebird        |  |  |  |  | <b>Sail #</b>            | <b>Max Headsail</b>  |  |  |  |  | <b>I:</b>   | 26.25 | <b>Symmetric Spin?</b> Yes |              |              |             | <b>LOA:</b>   | 23.75 | <b>Displacement:</b> 2050 |  |  |
| <b>Boat Type</b> Moore 24        |  |  |  |  | 137                      | 150                  |  |  |  |  | <b>J:</b>   | 9.75  | <b>SL:</b>                 | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>   | 21.75 | <b>Ballast:</b> 1025      |  |  |
| <b>Rating:</b> 150               |  |  |  |  | <b>DW Rating:</b> 629    | <b>Rig Type</b>      |  |  |  |  | <b>P:</b>   | 25    | 27                         | 17.55        | 17.55        | 9.75        | <b>Beam:</b>  | 7.16  | <b>Engine:</b> OB         |  |  |
| Displacement used for DW Rating: |  |  |  |  | 2050                     | FS                   |  |  |  |  | <b>E:</b>   | 9.5   | <b>Asymmetric Spin?</b> NO |              |              |             | <b>Draft:</b> | 4.08  | <b>Prop Type:</b> None    |  |  |
| Certified PHRF Data on file?     |  |  |  |  | <input type="checkbox"/> | <b>Mast Material</b> |  |  |  |  | <b>ISP:</b> | 26.25 | <b>SLE:</b>                | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |               |       |                           |  |  |
| ALUMN                            |  |  |  |  |                          | <b>JSP:</b>          |  |  |  |  |             |       |                            |              |              |             |               |       |                           |  |  |
| <b>Modifications on file:</b>    |  |  |  |  |                          |                      |  |  |  |  |             |       |                            |              |              |             |               |       |                           |  |  |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |  |  |  |                          |                      |  |  |  |  |             |      |                             |              |              |             |               |      |                            |  |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--------------------------|----------------------|--|--|--|--|-------------|------|-----------------------------|--------------|--------------|-------------|---------------|------|----------------------------|--|--|
| <b>Boat Name</b> Bodacious +                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |  | <b>Sail #</b>            | <b>Max Headsail</b>  |  |  |  |  | <b>I:</b>   | 57.7 | <b>Symmetric Spin?</b> Yes  |              |              |             | <b>LOA:</b>   | 48.3 | <b>Displacement:</b> 19743 |  |  |
| <b>Boat Type</b> 1D 48                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |  |  | 48005                    | 125                  |  |  |  |  | <b>J:</b>   | 16.7 | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>   | 40.2 | <b>Ballast:</b> 8818       |  |  |
| <b>Rating:</b> -12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |  |  | <b>DW Rating:</b> 505    | <b>Rig Type</b>      |  |  |  |  | <b>P:</b>   | 61.3 | 66.7                        | 33.1         | 32.6         | 16.7        | <b>Beam:</b>  | 14.2 | <b>Engine:</b> IB          |  |  |
| Displacement used for DW Rating:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |  |  |  | 17334                    | FS                   |  |  |  |  | <b>E:</b>   | 22.5 | <b>Asymmetric Spin?</b> Yes |              |              |             | <b>Draft:</b> | 10.1 | <b>Prop Type:</b> Fold     |  |  |
| Certified PHRF Data on file?                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |  | <input type="checkbox"/> | <b>Mast Material</b> |  |  |  |  | <b>ISP:</b> | 68.3 | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |               |      |                            |  |  |
| CARBON                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |  |  |                          | <b>JSP:</b>          |  |  |  |  | 16.7        | 65.7 | 67.7                        | 30.1         | 30.1         |             |               |      |                            |  |  |
| <b>Modifications on file:</b> Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11, switched to J length SPL, switched to smaller symmetric & asymeric spinnaker, +9 sec/mi, change custom rating from -24 to -15)(Mtg 9/22/11, removed asymmetrical spinnakers, +3 sec./mi. Change custom rating from -15 to -12)(1/24/13, New rudder noted, NCTR)(Mtg 8/28/14, -3 sec/mi for 10% increase in symmetrical spinnaker area)(5/28/20, switched to 125% headsail, +3 sec/mi. Change custom rating from -15 to -12) |  |  |  |  |                          |                      |  |  |  |  |             |      |                             |              |              |             |               |      |                            |  |  |

|                                  |  |  |  |  |                                     |                      |  |  |  |  |             |       |                             |              |              |             |               |       |                           |  |  |
|----------------------------------|--|--|--|--|-------------------------------------|----------------------|--|--|--|--|-------------|-------|-----------------------------|--------------|--------------|-------------|---------------|-------|---------------------------|--|--|
| <b>Boat Name</b> Bombora         |  |  |  |  | <b>Sail #</b>                       | <b>Max Headsail</b>  |  |  |  |  | <b>I:</b>   | 28.5  | <b>Symmetric Spin?</b> Yes  |              |              |             | <b>LOA:</b>   | 27.25 | <b>Displacement:</b> 2450 |  |  |
| <b>Boat Type</b> Express 27 ODR  |  |  |  |  | 38047                               | 155                  |  |  |  |  | <b>J:</b>   | 9     | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>   | 23.8  | <b>Ballast:</b> 1100      |  |  |
| <b>Rating:</b> 129               |  |  |  |  | <b>DW Rating:</b> 632               | <b>Rig Type</b>      |  |  |  |  | <b>P:</b>   | 28.5  | 28.5                        | 17.7         | 17.7         | 9.83        | <b>Beam:</b>  | 8.17  | <b>Engine:</b> OB         |  |  |
| Displacement used for DW Rating: |  |  |  |  | 2977                                | FS                   |  |  |  |  | <b>E:</b>   | 10.42 | <b>Asymmetric Spin?</b> Yes |              |              |             | <b>Draft:</b> | 4.5   | <b>Prop Type:</b> None    |  |  |
| Certified PHRF Data on file?     |  |  |  |  | <input checked="" type="checkbox"/> | <b>Mast Material</b> |  |  |  |  | <b>ISP:</b> | 28.5  | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |               |       |                           |  |  |
| ALUMN                            |  |  |  |  |                                     | <b>JSP:</b>          |  |  |  |  |             | 26.97 | 31                          | 14.67        | 16.73        |             |               |       |                           |  |  |
| <b>Modifications on file:</b>    |  |  |  |  |                                     |                      |  |  |  |  |             |       |                             |              |              |             |               |       |                           |  |  |

|                                           |  |  |  |  |                          |                      |  |  |  |  |             |      |                            |              |              |             |               |      |                            |  |  |
|-------------------------------------------|--|--|--|--|--------------------------|----------------------|--|--|--|--|-------------|------|----------------------------|--------------|--------------|-------------|---------------|------|----------------------------|--|--|
| <b>Boat Name</b> Bonaparte                |  |  |  |  | <b>Sail #</b>            | <b>Max Headsail</b>  |  |  |  |  | <b>I:</b>   | 46.4 | <b>Symmetric Spin?</b> Yes |              |              |             | <b>LOA:</b>   | 36   | <b>Displacement:</b> 12495 |  |  |
| <b>Boat Type</b> Beneteau Farr First 36.7 |  |  |  |  | 38054                    | 155                  |  |  |  |  | <b>J:</b>   | 13.1 | <b>SL:</b>                 | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>   | 30.3 | <b>Ballast:</b> 4034       |  |  |
| <b>Rating:</b> 81                         |  |  |  |  | <b>DW Rating:</b> 614    | <b>Rig Type</b>      |  |  |  |  | <b>P:</b>   | 45.4 | 45.8                       | 23.5         | 23.5         | 13.1        | <b>Beam:</b>  | 11.4 | <b>Engine:</b> IB          |  |  |
| Displacement used for DW Rating:          |  |  |  |  | 12150                    | FS                   |  |  |  |  | <b>E:</b>   | 15.6 | <b>Asymmetric Spin?</b> No |              |              |             | <b>Draft:</b> | 7.2  | <b>Prop Type:</b> Fold     |  |  |
| Certified PHRF Data on file?              |  |  |  |  | <input type="checkbox"/> | <b>Mast Material</b> |  |  |  |  | <b>ISP:</b> | 46.4 | <b>SLE:</b>                | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |               |      |                            |  |  |
| ALUMN                                     |  |  |  |  |                          | <b>JSP:</b>          |  |  |  |  | 13.1        |      |                            |              |              |             |               |      |                            |  |  |
| <b>Modifications on file:</b>             |  |  |  |  |                          |                      |  |  |  |  |             |      |                            |              |              |             |               |      |                            |  |  |

|                                                                                      |  |                  |                      |  |      |       |                              |  |                    |       |                            |  |
|--------------------------------------------------------------------------------------|--|------------------|----------------------|--|------|-------|------------------------------|--|--------------------|-------|----------------------------|--|
| <b>Boat Name</b> Boogie Woogie                                                       |  | <b>Sail #</b>    | <b>Max Headsail</b>  |  | I:   | 41.5  | <b>Symmetric Spin?</b> Yes   |  | <b>LOA:</b>        | 33.17 | <b>Displacement:</b> 10500 |  |
| <b>Boat Type</b> Ranger 33 MOD                                                       |  | 8262             | 150                  |  | J:   | 13.87 | <b>SL: SSMG: SSF: SPL:</b>   |  | <b>LWL:</b>        | 26.25 | <b>Ballast:</b> 4800       |  |
| <b>Rating:</b> 159 <b>DW Rating:</b> 662 <b>Certificate Date</b> 12/9/2024           |  | <b>Rig Data:</b> | <b>Rig Type</b>      |  | P:   | 35    | 41.5   24.97   24.97   13.87 |  | <b>Beam:</b> 9.58  |       | <b>Engine:</b> IB          |  |
| Displacement used for DW Rating:                                                     |  |                  | MS                   |  | E:   | 11    | <b>Asymmetric Spin?</b> No   |  | <b>Draft:</b> 5.17 |       | <b>Prop Type:</b> FOLD     |  |
| Certified PHRF Data on file? <input type="checkbox"/>                                |  |                  | <b>Mast Material</b> |  | ISP: | 41.5  | <b>SLE: SLU: ASMG: ASF:</b>  |  |                    |       |                            |  |
|                                                                                      |  |                  | ALUMN                |  | JSP: |       |                              |  |                    |       |                            |  |
| <b>Modifications on file:</b> Roller Furler. (Mtg 4/29/191, +9 sec/mi for short "E") |  |                  |                      |  |      |       |                              |  |                    |       |                            |  |

|                                                                           |  |                  |                      |  |      |       |                                                  |  |                           |       |                      |      |
|---------------------------------------------------------------------------|--|------------------|----------------------|--|------|-------|--------------------------------------------------|--|---------------------------|-------|----------------------|------|
| <b>Boat Name</b> Breakaway                                                |  | <b>Sail #</b>    | <b>Max Headsail</b>  |  | I:   | 26.08 | <b>Symmetric Spin?</b> No                        |  | <b>LOA:</b>               | 20.83 | <b>Displacement:</b> | 1350 |
| <b>Boat Type</b> Ultimate 20 CM                                           |  | 180              | 114                  |  | J:   | 6.97  | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  |  | <b>LWL:</b>               | 18    | <b>Ballast:</b>      | 450  |
| <b>Rating:</b> 144 <b>DW Rating:</b> 631 <b>Certificate Date</b> 1/6/2025 |  | <b>Rig Data:</b> | <b>Rig Type</b>      |  | P:   | 27.33 | 0   0                                            |  | <b>Beam:</b>              | 8.33  | <b>Engine:</b> OB    |      |
| Displacement used for DW Rating: 1350                                     |  |                  | FS                   |  | E:   | 10.17 | <b>Asymmetric Spin?</b> Yes                      |  |                           |       |                      |      |
| Certified PHRF Data on file? <input type="checkbox"/>                     |  |                  | <b>Mast Material</b> |  | ISP: | 27.58 | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> |  | <b>Prop Type:</b> Fixed_3 |       |                      |      |
|                                                                           |  |                  | CARBON               |  | JSP: | 12.79 | 28.417   30.42   17.7   19.167                   |  | <b>Draft:</b>             | 5     |                      |      |
| <b>Modifications on file:</b>                                             |  |                  |                      |  |      |       |                                                  |  |                           |       |                      |      |

|                                                                  |  |                       |                                   |  |                      |       |                            |                             |               |                        |                            |                   |
|------------------------------------------------------------------|--|-----------------------|-----------------------------------|--|----------------------|-------|----------------------------|-----------------------------|---------------|------------------------|----------------------------|-------------------|
| <b>Boat Name</b> Bullet                                          |  | <b>Sail #</b>         | <b>Max Headsail</b>               |  | I:                   | 48.75 | <b>Symmetric Spin?</b> Yes |                             | <b>LOA:</b>   | 37.08                  | <b>Displacement:</b> 11000 |                   |
| <b>Boat Type</b> Express 37                                      |  | 40311                 | 125                               |  | J:                   | 14.33 | <b>SL: SSMG: SSF: SPL:</b> |                             | <b>LWL:</b>   | 30.83                  | <b>Ballast:</b> 4600       |                   |
| <b>Rating:</b> 75                                                |  | <b>DW Rating:</b> 591 | <b>Certificate Date</b> 12/9/2024 |  | <b>Rig Type</b>      | P:    | 42                         | 48 25.79 25.79 14.33        | <b>Beam:</b>  |                        | 11.57                      | <b>Engine:</b> IB |
| Displacement used for DW Rating:                                 |  | 10659                 | <b>Rig Data:</b>                  |  | MS                   | E:    | 13.75                      | <b>Asymmetric Spin?</b> No  |               | <b>Prop Type:</b> FOLD |                            |                   |
| Certified PHRF Data on file? <input checked="" type="checkbox"/> |  |                       |                                   |  | <b>Mast Material</b> | ISP:  | 48.75                      | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 7.25                   |                            |                   |
| <b>Modifications on file:</b> Roller Furler                      |  |                       |                                   |  | ALUMN                | JSP:  |                            |                             |               |                        |                            |                   |

|                                                       |  |                       |                                   |  |                      |       |                           |                             |       |       |                           |                        |     |
|-------------------------------------------------------|--|-----------------------|-----------------------------------|--|----------------------|-------|---------------------------|-----------------------------|-------|-------|---------------------------|------------------------|-----|
| <b>Boat Name</b> Butcher                              |  | <b>Sail #</b>         | <b>Max Headsail</b>               |  | I:                   | 38.67 | <b>Symmetric Spin?</b> No |                             | LOA:  | 29.19 | <b>Displacement:</b> 4990 |                        |     |
| <b>Boat Type</b> J 88                                 |  | 32                    | 104                               |  | J:                   | 11.28 | SL: SSMG: SSF: SPL:       |                             | LWL:  | 26.84 | <b>Ballast:</b> 1840      |                        |     |
| <b>Rating:</b> 81                                     |  | <b>DW Rating:</b> 575 | <b>Certificate Date</b> 12/9/2024 |  | <b>Rig Type</b>      | P:    | 36.82                     |                             |       |       | <b>Engine:</b> IB         |                        |     |
| Displacement used for DW Rating:                      |  | 4990                  | <b>Rig Data:</b>                  |  | FS                   | E:    | 12                        | <b>Asymmetric Spin?</b> Yes |       | Beam: | 9.5                       |                        |     |
| Certified PHRF Data on file? <input type="checkbox"/> |  |                       |                                   |  | <b>Mast Material</b> | ISP:  | 46                        | SLE:                        | SLU:  | ASMG: | ASF:                      | <b>Prop Type:</b> Fold |     |
|                                                       |  |                       |                                   |  | CARBON               | JSP:  | 18.05                     | 40.84                       | 47.83 | 27.32 | 29                        | Draft:                 | 6.5 |
| <b>Modifications on file:</b>                         |  |                       |                                   |  |                      |       |                           |                             |       |       |                           |                        |     |







|                                                                              |  |  |  |                            |                  |               |      |                           |                            |  |  |      |        |               |            |      |
|------------------------------------------------------------------------------|--|--|--|----------------------------|------------------|---------------|------|---------------------------|----------------------------|--|--|------|--------|---------------|------------|------|
| <b>Boat Name</b> Checkered Past                                              |  |  |  | Sail #                     | <b>Rig Data:</b> | Max Headsail  | I:   | <i>Symmetric Spin?</i> No |                            |  |  | LOA: | 38.83  | Displacement: | 12000      |      |
| <b>Boat Type</b> Custom Wyliecat 39                                          |  |  |  | 3                          |                  |               | J:   | SL: SSMG: SSF: SPL:       |                            |  |  | LWL: | 32     | Ballast:      | 6200       |      |
| <b>Rating: 102</b> DW Rating: 597                                            |  |  |  | Certificate Date 12/9/2024 |                  | Rig Type      | P:   | 52                        |                            |  |  |      | Beam:  | 11.5          | Engine:    | IB   |
| Displacement used for DW Rating:                                             |  |  |  | 12000                      |                  | CAT           | E:   | 26.6                      | <i>Asymmetric Spin?</i> No |  |  |      | Draft: | 6.6           | Prop Type: | FOLD |
| Certified PHRF Data on file?                                                 |  |  |  | <input type="checkbox"/>   |                  | Mast Material | ISP: | SLE: SLU: ASMG: ASF:      |                            |  |  |      |        |               |            |      |
| CARBON                                                                       |  |  |  | JSP:                       |                  |               |      |                           |                            |  |  |      |        |               |            |      |
| <b>Modifications on file:</b> Boat has been modified for handicapped sailing |  |  |  |                            |                  |               |      |                           |                            |  |  |      |        |               |            |      |

|                                         |  |  |  |                             |                  |               |      |      |                            |  |  |  |        |       |               |      |  |
|-----------------------------------------|--|--|--|-----------------------------|------------------|---------------|------|------|----------------------------|--|--|--|--------|-------|---------------|------|--|
| <b>Boat Name</b> Chesapeake III         |  |  |  | Sail #                      | <b>Rig Data:</b> | Max Headsail  | I:   | 30   | <i>Symmetric Spin?</i> No  |  |  |  | LOA:   | 28.25 | Displacement: | 5700 |  |
| <b>Boat Type</b> Alerion Express 28 ODR |  |  |  | 142                         |                  |               | J:   | 9.75 | SL: SSMG: SSF: SPL:        |  |  |  | LWL:   | 22.83 | Ballast:      | 2200 |  |
| <b>Rating: 168</b> DW Rating: 705       |  |  |  | Certificate Date 12/16/2024 |                  | Rig Type      | P:   | 33   |                            |  |  |  | Beam:  | 8.2   | Engine:       | IB   |  |
| Displacement used for DW Rating:        |  |  |  | 5700                        |                  | FS            | E:   | 12.5 | <i>Asymmetric Spin?</i> No |  |  |  | Draft: | 4.5   | Prop Type:    | Fold |  |
| Certified PHRF Data on file?            |  |  |  | <input type="checkbox"/>    |                  | Mast Material | ISP: | 30   | SLE: SLU: ASMG: ASF:       |  |  |  |        |       |               |      |  |
| ALUMN                                   |  |  |  | JSP:                        | 9.75             |               |      |      |                            |  |  |  |        |       |               |      |  |
| <b>Modifications on file:</b>           |  |  |  |                             |                  |               |      |      |                            |  |  |  |        |       |               |      |  |

|                                    |  |  |  |                            |                  |               |       |      |                             |  |  |  |        |      |               |      |  |
|------------------------------------|--|--|--|----------------------------|------------------|---------------|-------|------|-----------------------------|--|--|--|--------|------|---------------|------|--|
| <b>Boat Name</b> Chinook           |  |  |  | Sail #                     | <b>Rig Data:</b> | Max Headsail  | I:    | 40.6 | <i>Symmetric Spin?</i> No   |  |  |  | LOA:   | 34.5 | Displacement: | 7750 |  |
| <b>Boat Type</b> J 105 ODR w/ 5'BS |  |  |  | 639                        |                  |               | J:    | 13.5 | SL: SSMG: SSF: SPL:         |  |  |  | LWL:   | 29.5 | Ballast:      | 3400 |  |
| <b>Rating: 78</b> DW Rating: 593   |  |  |  | Certificate Date 1/13/2025 |                  | Rig Type      | P:    | 41.5 |                             |  |  |  | Beam:  | 11   | Engine:       | IB   |  |
| Displacement used for DW Rating:   |  |  |  | 8472                       |                  | FS            | E:    | 14.5 | <i>Asymmetric Spin?</i> Yes |  |  |  | Draft: | 6.5  | Prop Type:    | FOLD |  |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/>   |                  | Mast Material | ISP:  | 42.1 | SLE: SLU: ASMG: ASF:        |  |  |  |        |      |               |      |  |
| ALUMN                              |  |  |  | JSP:                       | 19.07            | 39.8          | 49.05 | 24.6 | 26                          |  |  |  |        |      |               |      |  |
| <b>Modifications on file:</b>      |  |  |  |                            |                  |               |       |      |                             |  |  |  |        |      |               |      |  |

|                                      |  |  |  |                            |                  |               |      |      |                            |  |  |  |        |       |               |         |  |
|--------------------------------------|--|--|--|----------------------------|------------------|---------------|------|------|----------------------------|--|--|--|--------|-------|---------------|---------|--|
| <b>Boat Name</b> Chloe               |  |  |  | Sail #                     | <b>Rig Data:</b> | Max Headsail  | I:   | 39   | <i>Symmetric Spin?</i> Yes |  |  |  | LOA:   | 33.08 | Displacement: | 11500   |  |
| <b>Boat Type</b> Rhodes Swiftsure 33 |  |  |  | 37                         |                  |               | J:   | 13   | SL: SSMG: SSF: SPL:        |  |  |  | LWL:   | 22.92 | Ballast:      | 3400    |  |
| <b>Rating: 204</b> DW Rating: 693    |  |  |  | Certificate Date 1/10/2025 |                  | Rig Type      | P:   | 33.8 | 39 23.4 23.4 13            |  |  |  | Beam:  | 10    | Engine:       | IB      |  |
| Displacement used for DW Rating:     |  |  |  | 11500                      |                  | MS            | E:   | 14.7 | <i>Asymmetric Spin?</i> No |  |  |  | Draft: | 6.58  | Prop Type:    | Fixed_2 |  |
| Certified PHRF Data on file?         |  |  |  | <input type="checkbox"/>   |                  | Mast Material | ISP: | 39   | SLE: SLU: ASMG: ASF:       |  |  |  |        |       |               |         |  |
| ALUMN                                |  |  |  | JSP:                       | 13               |               |      |      |                            |  |  |  |        |       |               |         |  |
| <b>Modifications on file:</b>        |  |  |  |                            |                  |               |      |      |                            |  |  |  |        |       |               |         |  |



|                                                                     |  |  |  |                      |                  |                     |           |                             |                            |             |                           |                            |
|---------------------------------------------------------------------|--|--|--|----------------------|------------------|---------------------|-----------|-----------------------------|----------------------------|-------------|---------------------------|----------------------------|
| <b>Boat Name</b> Clean Sweep                                        |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b> | 32                          | <b>Symmetric Spin?</b> Yes | <b>LOA:</b> | 25                        | <b>Displacement:</b> 3300  |
| <b>Boat Type</b> Olson 25                                           |  |  |  | 28609                |                  | 155                 | <b>J:</b> | 9.583                       | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 21.25                     | <b>Ballast:</b> 1300       |
| <b>Rating: 159</b> DW Rating: 675 <b>Certificate Date</b> 1/7/2025  |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 28        | 31.73 17.24 16.55 9.583     | <b>Beam:</b>               | 9           | <b>Engine:</b> OB         |                            |
| Displacement used for DW Rating: 3300                               |  |  |  | <b>MS</b>            |                  | <b>E:</b>           | 10        | <b>Asymmetric Spin?</b> No  | <b>Draft:</b>              | 4.5         | <b>Prop Type:</b> None    |                            |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         | 32        | <b>SLE: SLU: ASMG: ASF:</b> |                            |             |                           |                            |
| <b>Modifications on file:</b>                                       |  |  |  | <b>ALUMN</b>         |                  | <b>JSP:</b>         |           |                             |                            |             |                           |                            |
| <hr/>                                                               |  |  |  |                      |                  |                     |           |                             |                            |             |                           |                            |
| <b>Boat Name</b> Color Blind                                        |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b> | 26.25                       | <b>Symmetric Spin?</b> Yes | <b>LOA:</b> | 23.75                     | <b>Displacement:</b> 2050  |
| <b>Boat Type</b> Moore 24                                           |  |  |  | 49                   |                  | 150                 | <b>J:</b> | 9.75                        | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 21.75                     | <b>Ballast:</b> 1025       |
| <b>Rating: 150</b> DW Rating: 629 <b>Certificate Date</b> 1/6/2025  |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 25        | 27 17.55 17.55 9.75         | <b>Beam:</b>               | 7.16        | <b>Engine:</b> OB         |                            |
| Displacement used for DW Rating: 2050                               |  |  |  | <b>FS</b>            |                  | <b>E:</b>           | 9.5       | <b>Asymmetric Spin?</b> No  | <b>Draft:</b>              | 4.083       | <b>Prop Type:</b> None    |                            |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         | 26.25     | <b>SLE: SLU: ASMG: ASF:</b> |                            |             |                           |                            |
| <b>Modifications on file:</b>                                       |  |  |  | <b>ALUMN</b>         |                  | <b>JSP:</b>         |           |                             |                            |             |                           |                            |
| <hr/>                                                               |  |  |  |                      |                  |                     |           |                             |                            |             |                           |                            |
| <b>Boat Name</b> Committed                                          |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b> | 27.85                       | <b>Symmetric Spin?</b> No  | <b>LOA:</b> | 24                        | <b>Displacement:</b> 1750  |
| <b>Boat Type</b> Melges 24                                          |  |  |  | 658                  |                  | 110                 | <b>J:</b> | 7.98                        | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 22                        | <b>Ballast:</b> 625        |
| <b>Rating: 84</b> DW Rating: 568 <b>Certificate Date</b> 12/2/2024  |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 28.75     | 7.95                        | <b>Beam:</b>               | 8.166       | <b>Engine:</b> OB         |                            |
| Displacement used for DW Rating: 1783                               |  |  |  | <b>FS</b>            |                  | <b>E:</b>           | 12.416    | <b>Asymmetric Spin?</b> Yes | <b>Draft:</b>              | 5.25        | <b>Prop Type:</b> None    |                            |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         | 31.85     | <b>SLE: SLU: ASMG: ASF:</b> |                            |             |                           |                            |
| <b>Modifications on file:</b>                                       |  |  |  | <b>CARBON</b>        |                  | <b>JSP:</b>         | 12        | 32.9 38 19.23 20.67         |                            |             |                           |                            |
| <hr/>                                                               |  |  |  |                      |                  |                     |           |                             |                            |             |                           |                            |
| <b>Boat Name</b> Corinna                                            |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b> | 41                          | <b>Symmetric Spin?</b> No  | <b>LOA:</b> | 36                        | <b>Displacement:</b> 14400 |
| <b>Boat Type</b> Allied Princess 36                                 |  |  |  | #####                |                  | 120                 | <b>J:</b> | 12.6                        | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 27.5                      | <b>Ballast:</b> 5000       |
| <b>Rating: 213</b> DW Rating: 670 <b>Certificate Date</b> 3/25/2025 |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 36        |                             | <b>Beam:</b>               | 11          | <b>Engine:</b> IB         |                            |
| Displacement used for DW Rating: 14400                              |  |  |  | <b>KTCH</b>          |                  | <b>E:</b>           | 14        | <b>Asymmetric Spin?</b> No  | <b>Draft:</b>              | 4.5         | <b>Prop Type:</b> Fixed_3 |                            |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         |           | <b>SLE: SLU: ASMG: ASF:</b> |                            |             |                           |                            |
| <b>Modifications on file:</b>                                       |  |  |  | <b>ALUMN</b>         |                  | <b>JSP:</b>         |           |                             |                            |             |                           |                            |



|                                   |  |  |  |                                    |  |                  |                      |  |             |        |                             |  |  |  |               |        |                           |  |
|-----------------------------------|--|--|--|------------------------------------|--|------------------|----------------------|--|-------------|--------|-----------------------------|--|--|--|---------------|--------|---------------------------|--|
| <b>Boat Name</b> Cuckoo           |  |  |  | <b>Sail #</b>                      |  | <b>Rig Data:</b> | <b>Max Headsail</b>  |  | <b>I:</b>   | 20.25  | <b>Symmetric Spin?</b> No   |  |  |  | <b>LOA:</b>   | 30.083 | <b>Displacement:</b> 8900 |  |
| <b>Boat Type</b> Bird ODR         |  |  |  | 16                                 |  |                  | 155                  |  | <b>J:</b>   | 9.5    | <b>SL: SSMG: SSF: SPL:</b>  |  |  |  | <b>LWL:</b>   | 24.25  | <b>Ballast:</b> 5000      |  |
| <b>Rating: 204</b>                |  |  |  | <b>DW Rating:</b> 710              |  |                  | <b>Rig Type</b>      |  | <b>P:</b>   | 32     |                             |  |  |  |               |        |                           |  |
|                                   |  |  |  | <b>Certificate Date</b> 12/4/2024  |  |                  | MS                   |  | <b>E:</b>   | 20.5   | <b>Asymmetric Spin?</b> No  |  |  |  | <b>Beam:</b>  | 7.666  | <b>Engine:</b> OB         |  |
| Displacement used for DW Rating:  |  |  |  | 8900                               |  |                  | <b>Mast Material</b> |  | <b>ISP:</b> | 20.25  | <b>SLE: SLU: ASMG: ASF:</b> |  |  |  | <b>Draft:</b> | 5.25   | <b>Prop Type:</b> None    |  |
| Certified PHRF Data on file?      |  |  |  | <input type="checkbox"/>           |  |                  | WOOD                 |  | <b>JSP:</b> |        |                             |  |  |  |               |        |                           |  |
| <b>Modifications on file:</b>     |  |  |  |                                    |  |                  |                      |  |             |        |                             |  |  |  |               |        |                           |  |
|                                   |  |  |  |                                    |  |                  |                      |  |             |        |                             |  |  |  |               |        |                           |  |
| <b>Boat Name</b> Curie            |  |  |  | <b>Sail #</b>                      |  | <b>Rig Data:</b> | <b>Max Headsail</b>  |  | <b>I:</b>   | 38.39  | <b>Symmetric Spin?</b> Yes  |  |  |  | <b>LOA:</b>   | 32.6   | <b>Displacement:</b> 9260 |  |
| <b>Boat Type</b> Beneteau 32S5    |  |  |  | 52868                              |  |                  | 150                  |  | <b>J:</b>   | 9.68   | <b>SL: SSMG: SSF: SPL:</b>  |  |  |  | <b>LWL:</b>   | 27.83  | <b>Ballast:</b> 2980      |  |
| <b>Rating: 138</b>                |  |  |  | <b>DW Rating:</b> 657              |  |                  | <b>Rig Type</b>      |  | <b>P:</b>   | 38.88  | 39.98 17.3 17.3 9.6         |  |  |  |               |        |                           |  |
|                                   |  |  |  | <b>Certificate Date</b> 1/21/2025  |  |                  | FS                   |  | <b>E:</b>   | 13.78  | <b>Asymmetric Spin?</b> No  |  |  |  | <b>Beam:</b>  | 10.83  | <b>Engine:</b> IB         |  |
| Displacement used for DW Rating:  |  |  |  | 9260                               |  |                  | <b>Mast Material</b> |  | <b>ISP:</b> | 38.39  | <b>SLE: SLU: ASMG: ASF:</b> |  |  |  | <b>Draft:</b> | 6      | <b>Prop Type:</b> FOLD    |  |
| Certified PHRF Data on file?      |  |  |  | <input type="checkbox"/>           |  |                  | ALUMN                |  | <b>JSP:</b> | 9.68   | 32.75 35.75 18.4 17.3       |  |  |  |               |        |                           |  |
| <b>Modifications on file:</b>     |  |  |  |                                    |  |                  |                      |  |             |        |                             |  |  |  |               |        |                           |  |
|                                   |  |  |  |                                    |  |                  |                      |  |             |        |                             |  |  |  |               |        |                           |  |
| <b>Boat Name</b> Current Affair   |  |  |  | <b>Sail #</b>                      |  | <b>Rig Data:</b> | <b>Max Headsail</b>  |  | <b>I:</b>   | 28.5   | <b>Symmetric Spin?</b> Yes  |  |  |  | <b>LOA:</b>   | 27.25  | <b>Displacement:</b> 2450 |  |
| <b>Boat Type</b> Express 27 ODR   |  |  |  | 56                                 |  |                  | 155                  |  | <b>J:</b>   | 9      | <b>SL: SSMG: SSF: SPL:</b>  |  |  |  | <b>LWL:</b>   | 23.75  | <b>Ballast:</b> 1100      |  |
| <b>Rating: 129</b>                |  |  |  | <b>DW Rating:</b> 605              |  |                  | <b>Rig Type</b>      |  | <b>P:</b>   | 28.5   | 29 17.75 17.75 9.83         |  |  |  |               |        |                           |  |
|                                   |  |  |  | <b>Certificate Date</b> 12/16/2024 |  |                  | FS                   |  | <b>E:</b>   | 10.42  | <b>Asymmetric Spin?</b> No  |  |  |  | <b>Beam:</b>  | 8.17   | <b>Engine:</b> OB         |  |
| Displacement used for DW Rating:  |  |  |  | 2510                               |  |                  | <b>Mast Material</b> |  | <b>ISP:</b> | 28.5   | <b>SLE: SLU: ASMG: ASF:</b> |  |  |  | <b>Draft:</b> | 4.5    | <b>Prop Type:</b> None    |  |
| Certified PHRF Data on file?      |  |  |  | <input type="checkbox"/>           |  |                  | ALUMN                |  | <b>JSP:</b> |        |                             |  |  |  |               |        |                           |  |
| <b>Modifications on file:</b>     |  |  |  |                                    |  |                  |                      |  |             |        |                             |  |  |  |               |        |                           |  |
|                                   |  |  |  |                                    |  |                  |                      |  |             |        |                             |  |  |  |               |        |                           |  |
| <b>Boat Name</b> Dancer           |  |  |  | <b>Sail #</b>                      |  | <b>Rig Data:</b> | <b>Max Headsail</b>  |  | <b>I:</b>   | 34.75  | <b>Symmetric Spin?</b> Yes  |  |  |  | <b>LOA:</b>   | 34     | <b>Displacement:</b> 7000 |  |
| <b>Boat Type</b> Tiffany Jayne 34 |  |  |  | 18216                              |  |                  | 95                   |  | <b>J:</b>   | 11.416 | <b>SL: SSMG: SSF: SPL:</b>  |  |  |  | <b>LWL:</b>   | 25     | <b>Ballast:</b> 3010      |  |
| <b>Rating: 135</b>                |  |  |  | <b>DW Rating:</b> 647              |  |                  | <b>Rig Type</b>      |  | <b>P:</b>   | 36.583 | 34.75 19.92 19.92 #####     |  |  |  |               |        |                           |  |
|                                   |  |  |  | <b>Certificate Date</b> 1/10/2025  |  |                  | FS                   |  | <b>E:</b>   | 14.166 | <b>Asymmetric Spin?</b> No  |  |  |  | <b>Beam:</b>  | 8      | <b>Engine:</b> IB         |  |
| Displacement used for DW Rating:  |  |  |  | 7000                               |  |                  | <b>Mast Material</b> |  | <b>ISP:</b> | 34.75  | <b>SLE: SLU: ASMG: ASF:</b> |  |  |  | <b>Draft:</b> | 5.5    | <b>Prop Type:</b> FOLD    |  |
| Certified PHRF Data on file?      |  |  |  | <input type="checkbox"/>           |  |                  | ALUMN                |  | <b>JSP:</b> |        |                             |  |  |  |               |        |                           |  |
| <b>Modifications on file:</b>     |  |  |  |                                    |  |                  |                      |  |             |        |                             |  |  |  |               |        |                           |  |



|                                                                     |  |  |  |        |                  |               |      |        |                             |       |       |       |        |       |               |      |
|---------------------------------------------------------------------|--|--|--|--------|------------------|---------------|------|--------|-----------------------------|-------|-------|-------|--------|-------|---------------|------|
| <b>Boat Name</b> DFZ                                                |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 26.25  | <i>Symmetric Spin?</i> Yes  |       |       |       | LOA:   | 23.75 | Displacement: | 2050 |
| <b>Boat Type</b> Moore 24                                           |  |  |  | 103    |                  | 150           | J:   | 9.75   | SL:                         | SSMG: | SSF:  | SPL:  | LWL:   | 21.75 | Ballast:      | 1025 |
| <b>Rating:</b> 150    DW Rating: 629    Certificate Date 2/13/2025  |  |  |  |        |                  | Rig Type      | P:   | 25     | 27                          | 17.55 | 17.55 | 9.75  | Beam:  | 7.16  | Engine:       | OB   |
| Displacement used for DW Rating:                                    |  |  |  |        |                  | FS            | E:   | 9.5    | <i>Asymmetric Spin?</i> No  |       |       |       | Draft: | 4.083 | Prop Type:    | None |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  |        |                  | Mast Material | ISP: | 26.25  | SLE:                        | SLU:  | ASMG: | ASF:  |        |       |               |      |
|                                                                     |  |  |  |        | ALUMN            | JSP:          |      |        |                             |       |       |       |        |       |               |      |
| <i>Modifications on file:</i>                                       |  |  |  |        |                  |               |      |        |                             |       |       |       |        |       |               |      |
|                                                                     |  |  |  |        |                  |               |      |        |                             |       |       |       |        |       |               |      |
| <b>Boat Name</b> DFZ                                                |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 26.77  | <i>Symmetric Spin?</i> No   |       |       |       | LOA:   | 22.75 | Displacement: | 1750 |
| <b>Boat Type</b> J 70 ODR                                           |  |  |  | 72     |                  | 100           | J:   | 7.68   | SL:                         | SSMG: | SSF:  | SPL:  | LWL:   | 20.47 | Ballast:      | 630  |
| <b>Rating:</b> 114    DW Rating: 598    Certificate Date 2/13/2025  |  |  |  |        |                  | Rig Type      | P:   | 26.16  |                             |       |       |       | Beam:  | 7.38  | Engine:       | OB   |
| Displacement used for DW Rating:                                    |  |  |  | 0      |                  | FS            | E:   | 9.44   | <i>Asymmetric Spin?</i> Yes |       |       |       | Draft: | 4.92  | Prop Type:    | None |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  |        |                  | Mast Material | ISP: | 30.15  | SLE:                        | SLU:  | ASMG: | ASF:  |        |       |               |      |
|                                                                     |  |  |  |        | CARBON           | JSP:          | 13.5 | 28.87  | 35.43                       | 18.24 | 18.7  |       |        |       |               |      |
| <i>Modifications on file:</i>                                       |  |  |  |        |                  |               |      |        |                             |       |       |       |        |       |               |      |
|                                                                     |  |  |  |        |                  |               |      |        |                             |       |       |       |        |       |               |      |
| <b>Boat Name</b> Diana                                              |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 30     | <i>Symmetric Spin?</i> No   |       |       |       | LOA:   | 28.2  | Displacement: | 5700 |
| <b>Boat Type</b> ALERION EXPRESS 28 ODR                             |  |  |  | 190    |                  | 90            | J:   | 9.75   | SL:                         | SSMG: | SSF:  | SPL:  | LWL:   | 22.8  | Ballast:      | 2200 |
| <b>Rating:</b> 168    DW Rating: 701    Certificate Date 12/16/2024 |  |  |  |        |                  | Rig Type      | P:   | 33     |                             |       |       |       | Beam:  | 8.2   | Engine:       | IB   |
| Displacement used for DW Rating:                                    |  |  |  | 5700   |                  | FS            | E:   | 12.5   | <i>Asymmetric Spin?</i> No  |       |       |       | Draft: | 4.5   | Prop Type:    | FOLD |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  |        |                  | Mast Material | ISP: |        | SLE:                        | SLU:  | ASMG: | ASF:  |        |       |               |      |
|                                                                     |  |  |  |        | ALUMN            | JSP:          |      |        |                             |       |       |       |        |       |               |      |
| <i>Modifications on file:</i>                                       |  |  |  |        |                  |               |      |        |                             |       |       |       |        |       |               |      |
|                                                                     |  |  |  |        |                  |               |      |        |                             |       |       |       |        |       |               |      |
| <b>Boat Name</b> Dianne                                             |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 28.5   | <i>Symmetric Spin?</i> Yes  |       |       |       | LOA:   | 27.25 | Displacement: | 2450 |
| <b>Boat Type</b> Express 27 ODR                                     |  |  |  | 0      |                  | 155           | J:   | 9      | SL:                         | SSMG: | SSF:  | SPL:  | LWL:   | 23.75 | Ballast:      | 1100 |
| <b>Rating:</b> 129    DW Rating: 605    Certificate Date 1/9/2025   |  |  |  |        |                  | Rig Type      | P:   | 28.5   | 29                          | 17.75 | 17.75 | 9.833 | Beam:  | 8.17  | Engine:       | OB   |
| Displacement used for DW Rating:                                    |  |  |  | 2510   |                  | FS            | E:   | 10.416 | <i>Asymmetric Spin?</i> No  |       |       |       | Draft: | 4.5   | Prop Type:    | None |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  |        |                  | Mast Material | ISP: | 28.5   | SLE:                        | SLU:  | ASMG: | ASF:  |        |       |               |      |
|                                                                     |  |  |  |        | ALUMN            | JSP:          |      |        |                             |       |       |       |        |       |               |      |
| <i>Modifications on file:</i>                                       |  |  |  |        |                  |               |      |        |                             |       |       |       |        |       |               |      |

|                                                   |            |            |     |                          |                  |               |          |       |                         |       |       |       |               |        |          |            |       |
|---------------------------------------------------|------------|------------|-----|--------------------------|------------------|---------------|----------|-------|-------------------------|-------|-------|-------|---------------|--------|----------|------------|-------|
| <b>Boat Name</b> Divine Wind                      |            |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 50    | <i>Symmetric Spin?</i>  | Yes   | LOA:  | 40.33 | Displacement: | 10500  |          |            |       |
| <b>Boat Type</b> Olson 40                         |            |            |     | 69069                    |                  | 125           | J:       | 15.75 | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 36     | Ballast: | 5500       |       |
| <b>Rating:</b>                                    | <b>57</b>  | DW Rating: | 548 | Certificate Date         |                  | 4/11/2025     | Rig Type | P:    | 44                      | 50.17 | 28.35 | 28.35 | 15.75         | Beam:  | 11.25    | Engine:    | IB    |
| Displacement used for DW Rating:                  |            |            |     | 11700                    |                  | MS            | E:       | 14.25 | <i>Asymmetric Spin?</i> |       |       |       | No            | Draft: | 6.5      | Prop Type: | Feath |
| Certified PHRF Data on file?                      |            |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 51.21 | SLE:                    | SLU:  | ASMG: | ASF:  |               |        |          |            |       |
|                                                   |            |            |     |                          | ALUMN            | JSP:          | 15.8     |       |                         |       |       |       |               |        |          |            |       |
| <i>Modifications on file:</i>                     |            |            |     |                          |                  |               |          |       |                         |       |       |       |               |        |          |            |       |
|                                                   |            |            |     |                          |                  |               |          |       |                         |       |       |       |               |        |          |            |       |
| <b>Boat Name</b> Dorit                            |            |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 47.5  | <i>Symmetric Spin?</i>  | No    | LOA:  | 37.73 | Displacement: | 15500  |          |            |       |
| <b>Boat Type</b> Beneteau Oceanis 38.1P           |            |            |     | 5                        |                  | 105           | J:       | 15.72 | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 35.17  | Ballast: | 3946       |       |
| <b>Rating:</b>                                    | <b>96</b>  | DW Rating: | 582 | Certificate Date         |                  | 1/14/2025     | Rig Type | P:    | 47.44                   |       |       |       |               | Beam:  | 13.09    | Engine:    | IB    |
| Displacement used for DW Rating:                  |            |            |     | 15500                    |                  | FS            | E:       | 13.81 | <i>Asymmetric Spin?</i> |       |       |       | Yes           | Draft: | 6.82     | Prop Type: | Fold  |
| Certified PHRF Data on file?                      |            |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 49.25 | SLE:                    | SLU:  | ASMG: | ASF:  |               |        |          |            |       |
|                                                   |            |            |     |                          | ALUMN            | JSP:          | 15.85    | 49.01 | 54.66                   | 32.28 | 29.53 |       |               |        |          |            |       |
| <i>Modifications on file:</i> Main Halyward Winch |            |            |     |                          |                  |               |          |       |                         |       |       |       |               |        |          |            |       |
|                                                   |            |            |     |                          |                  |               |          |       |                         |       |       |       |               |        |          |            |       |
| <b>Boat Name</b> Downtown Uproar                  |            |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 26.25 | <i>Symmetric Spin?</i>  | Yes   | LOA:  | 24    | Displacement: | 3125   |          |            |       |
| <b>Boat Type</b> J 24 ODR                         |            |            |     | 2394                     |                  | 150           | J:       | 9.5   | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 20     | Ballast: | 965        |       |
| <b>Rating:</b>                                    | <b>168</b> | DW Rating: | 695 | Certificate Date         |                  | 4/28/2025     | Rig Type | P:    | 28                      | 26.5  | 17    | 16.8  | 9.5           | Beam:  | 9.2      | Engine:    | OB    |
| Displacement used for DW Rating:                  |            |            |     | 2870                     |                  | FS            | E:       | 9.75  | <i>Asymmetric Spin?</i> |       |       |       | No            | Draft: | 4.1      | Prop Type: | None  |
| Certified PHRF Data on file?                      |            |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 26.25 | SLE:                    | SLU:  | ASMG: | ASF:  |               |        |          |            |       |
|                                                   |            |            |     |                          | ALUMN            | JSP:          |          |       |                         |       |       |       |               |        |          |            |       |
| <i>Modifications on file:</i>                     |            |            |     |                          |                  |               |          |       |                         |       |       |       |               |        |          |            |       |
|                                                   |            |            |     |                          |                  |               |          |       |                         |       |       |       |               |        |          |            |       |
| <b>Boat Name</b> Dragonsong                       |            |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 36    | <i>Symmetric Spin?</i>  | Yes   | LOA:  | 30    | Displacement: | 3600   |          |            |       |
| <b>Boat Type</b> Olson 30 OB                      |            |            |     | 87014                    |                  | 155           | J:       | 11.75 | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 27.5   | Ballast: | 1800       |       |
| <b>Rating:</b>                                    | <b>99</b>  | DW Rating: | 583 | Certificate Date         |                  | 12/13/2024    | Rig Type | P:    | 31.5                    | 36    | 21.15 | 21.15 | 11.75         | Beam:  | 9.33     | Engine:    | OB    |
| Displacement used for DW Rating:                  |            |            |     | 4111                     |                  | MS            | E:       | 10.75 | <i>Asymmetric Spin?</i> |       |       |       | No            | Draft: | 5.08     | Prop Type: | None  |
| Certified PHRF Data on file?                      |            |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 35.9  | SLE:                    | SLU:  | ASMG: | ASF:  |               |        |          |            |       |
|                                                   |            |            |     |                          | ALUMN            | JSP:          | 11.67    |       |                         |       |       |       |               |        |          |            |       |
| <i>Modifications on file:</i>                     |            |            |     |                          |                  |               |          |       |                         |       |       |       |               |        |          |            |       |

|                                                                            |  |  |  |               |                  |                      |             |       |                             |               |       |                            |
|----------------------------------------------------------------------------|--|--|--|---------------|------------------|----------------------|-------------|-------|-----------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Drama                                                     |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 53.15 | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 44.83 | <b>Displacement:</b> 20500 |
| <b>Boat Type</b> Beneteau 440 Oceanis                                      |  |  |  | 38038         |                  | 100                  | <b>J:</b>   | 15.09 | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 38    | <b>Ballast:</b> 7055       |
| <b>Rating: 111</b> <b>DW Rating:</b> 599 <b>Certificate Date</b> 1/10/2025 |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 47.05 |                             |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 22610                                     |  |  |  |               |                  | <b>MS</b>            | <b>E:</b>   | 17.06 | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 14    | <b>Prop Type:</b> Fixed_3  |
| Certified PHRF Data on file? <input type="checkbox"/>                      |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> |       | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5.75  |                            |
| <b>Modifications on file:</b>                                              |  |  |  |               |                  |                      |             |       |                             |               |       |                            |
|                                                                            |  |  |  |               |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Dream                                                     |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 30    | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 28.25 | <b>Displacement:</b> 5700  |
| <b>Boat Type</b> ALERION EXPRESS 28 ODR                                    |  |  |  | 222           |                  | 90                   | <b>J:</b>   | 9.75  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 22.83 | <b>Ballast:</b> 2200       |
| <b>Rating: 168</b> <b>DW Rating:</b> 706 <b>Certificate Date</b> 1/6/2025  |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 33    |                             |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 5700                                      |  |  |  |               |                  | <b>FS</b>            | <b>E:</b>   | 12.5  | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 8.17  | <b>Prop Type:</b> FOLD     |
| Certified PHRF Data on file? <input type="checkbox"/>                      |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> |       | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 4.5   |                            |
| <b>Modifications on file:</b>                                              |  |  |  |               |                  |                      |             |       |                             |               |       |                            |
|                                                                            |  |  |  |               |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Dream                                                     |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 53    | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 41    | <b>Displacement:</b> 21500 |
| <b>Boat Type</b> Sceptre 41                                                |  |  |  | 12            |                  | 90                   | <b>J:</b>   | 17.67 | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 36    | <b>Ballast:</b> 8700       |
| <b>Rating: 129</b> <b>DW Rating:</b> 592 <b>Certificate Date</b> 2/12/2025 |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 47    | 53   29.5   28   17.67      |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 0                                         |  |  |  |               |                  | <b>MS</b>            | <b>E:</b>   | 13    | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 12.67 | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file? <input type="checkbox"/>                      |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> | 53    | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 6.08  |                            |
| <b>Modifications on file:</b>                                              |  |  |  |               |                  |                      |             |       |                             |               |       |                            |
|                                                                            |  |  |  |               |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Dream Catcher                                             |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 26.25 | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 24    | <b>Displacement:</b> 3100  |
| <b>Boat Type</b> J 24 ODR                                                  |  |  |  | 481           |                  | 150                  | <b>J:</b>   | 9.5   | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 20    | <b>Ballast:</b> 950        |
| <b>Rating: 168</b> <b>DW Rating:</b> 694 <b>Certificate Date</b> 1/6/2025  |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 28    | 26.5   17   16.8   9.5      |               |       | <b>Engine:</b> OB          |
| Displacement used for DW Rating: 2870                                      |  |  |  |               |                  | <b>FS</b>            | <b>E:</b>   | 9.75  | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 8.92  | <b>Prop Type:</b> None     |
| Certified PHRF Data on file? <input type="checkbox"/>                      |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> | 26.25 | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 4     |                            |
| <b>Modifications on file:</b>                                              |  |  |  |               |                  |                      |             |       |                             |               |       |                            |



|                                                                 |  |  |  |        |                  |               |      |       |                            |       |       |        |               |        |            |         |
|-----------------------------------------------------------------|--|--|--|--------|------------------|---------------|------|-------|----------------------------|-------|-------|--------|---------------|--------|------------|---------|
| <b>Boat Name</b> El Gavilan                                     |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 33    | <i>Symmetric Spin?</i>     | Yes   | LOA:  | 28     | Displacement: | 5700   |            |         |
| <b>Boat Type</b> Hawkfarm 28 ODR                                |  |  |  | 6116   |                  | 155           | J:   | 11    | SL:                        | SSMG: | SSF:  | SPL:   | LWL:          | 23.5   | Ballast:   | 2700    |
| <b>Rating: 162</b> DW Rating: 675    Certificate Date 1/23/2025 |  |  |  |        |                  | Rig Type      | P:   | 36    | 33                         | 20.7  | 20.7  | 11.5   | Beam:         | 9.75   | Engine:    | IB      |
| Displacement used for DW Rating: 5700                           |  |  |  |        |                  | FS            | E:   | 10.5  | <i>Asymmetric Spin?</i> No |       |       |        | Draft:        | 5.17   | Prop Type: | FOLD    |
| Certified PHRF Data on file? <input type="checkbox"/>           |  |  |  |        |                  | Mast Material | ISP: | 33.25 | SLE:                       | SLU:  | ASMG: | ASF:   |               |        |            |         |
|                                                                 |  |  |  |        | ALUMN            | JSP:          | 11.5 |       |                            |       |       |        |               |        |            |         |
| <b>Modifications on file:</b>                                   |  |  |  |        |                  |               |      |       |                            |       |       |        |               |        |            |         |
|                                                                 |  |  |  |        |                  |               |      |       |                            |       |       |        |               |        |            |         |
| <b>Boat Name</b> Elan                                           |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 48.75 | <i>Symmetric Spin?</i>     | Yes   | LOA:  | 37.083 | Displacement: | 11000  |            |         |
| <b>Boat Type</b> Express 37                                     |  |  |  | 87700  |                  | 155           | J:   | 14.33 | SL:                        | SSMG: | SSF:  | SPL:   | LWL:          | 30.833 | Ballast:   | 4500    |
| <b>Rating: 72</b> DW Rating: 591    Certificate Date 1/10/2025  |  |  |  |        |                  | Rig Type      | P:   | 42    | 48                         | 25.79 | 25.79 | 14.33  | Beam:         | 11.57  | Engine:    | IB      |
| Displacement used for DW Rating: 10539                          |  |  |  |        |                  | MS            | E:   | 13.75 | <i>Asymmetric Spin?</i> No |       |       |        | Draft:        | 7.25   | Prop Type: | FOLD    |
| Certified PHRF Data on file? <input type="checkbox"/>           |  |  |  |        |                  | Mast Material | ISP: | 48.75 | SLE:                       | SLU:  | ASMG: | ASF:   |               |        |            |         |
|                                                                 |  |  |  |        | ALUMN            | JSP:          |      |       |                            |       |       |        |               |        |            |         |
| <b>Modifications on file:</b>                                   |  |  |  |        |                  |               |      |       |                            |       |       |        |               |        |            |         |
|                                                                 |  |  |  |        |                  |               |      |       |                            |       |       |        |               |        |            |         |
| <b>Boat Name</b> Eldamar                                        |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 39.5  | <i>Symmetric Spin?</i>     | NO    | LOA:  | 28.5   | Displacement: | 8600   |            |         |
| <b>Boat Type</b> Catalina 28-2 TM WK                            |  |  |  | 1      |                  | 120           | J:   | 10.8  | SL:                        | SSMG: | SSF:  | SPL:   | LWL:          | 23.83  | Ballast:   | 3500    |
| <b>Rating: 204</b> DW Rating:    Certificate Date 5/13/2025     |  |  |  |        |                  | Rig Type      | P:   | 34    | <i>Asymmetric Spin?</i> No |       |       |        | Beam:         | 10.17  | Engine:    | IB      |
| Displacement used for DW Rating: 8600                           |  |  |  |        |                  | MS            | E:   | 10.75 |                            |       |       |        | Draft:        | 3.83   | Prop Type: | Fixed_2 |
| Certified PHRF Data on file? <input type="checkbox"/>           |  |  |  |        |                  | Mast Material | ISP: |       | SLE:                       | SLU:  | ASMG: | ASF:   |               |        |            |         |
|                                                                 |  |  |  |        | ALUMN            | JSP:          |      |       |                            |       |       |        |               |        |            |         |
| <b>Modifications on file:</b>                                   |  |  |  |        |                  |               |      |       |                            |       |       |        |               |        |            |         |
|                                                                 |  |  |  |        |                  |               |      |       |                            |       |       |        |               |        |            |         |
| <b>Boat Name</b> Elise                                          |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 53    | <i>Symmetric Spin?</i>     | YES   | LOA:  | 39.58  | Displacement: | 17100  |            |         |
| <b>Boat Type</b> C&C 40-2 TM                                    |  |  |  | 518    |                  | 150           | J:   | 16.6  | SL:                        | SSMG: | SSF:  | SPL:   | LWL:          | 31.5   | Ballast:   | 7910    |
| <b>Rating: 90</b> DW Rating: 604    Certificate Date 4/28/2025  |  |  |  |        |                  | Rig Type      | P:   | 46.7  | 53.5                       | 29.8  | 29.8  | 16.6   | Beam:         | 12.67  | Engine:    | IB      |
| Displacement used for DW Rating: 17100                          |  |  |  |        |                  | MS            | E:   | 13.3  | <i>Asymmetric Spin?</i> No |       |       |        | Draft:        | 7      | Prop Type: | Fold    |
| Certified PHRF Data on file? <input type="checkbox"/>           |  |  |  |        |                  | Mast Material | ISP: | 55    | SLE:                       | SLU:  | ASMG: | ASF:   |               |        |            |         |
|                                                                 |  |  |  |        | ALUMN            | JSP:          |      |       |                            |       |       |        |               |        |            |         |
| <b>Modifications on file:</b>                                   |  |  |  |        |                  |               |      |       |                            |       |       |        |               |        |            |         |



|                                                       |                       |                                    |                      |                 |                |                             |               |       |                           |
|-------------------------------------------------------|-----------------------|------------------------------------|----------------------|-----------------|----------------|-----------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> Eos                                  | <b>Sail #</b>         |                                    | <b>Max Headsail</b>  | <b>I:</b>       | 41.25          | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 33.25 | <b>Displacement:</b> 9500 |
| <b>Boat Type</b> Cal 34-2                             | 99                    |                                    | 130                  | <b>J:</b>       | 13.75          | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 26    | <b>Ballast:</b> 3750      |
| <b>Rating:</b> 171                                    | <b>DW Rating:</b> 664 | <b>Certificate Date</b> 12/16/2024 | <b>Rig Data:</b>     | <b>Rig Type</b> | <b>P:</b> 35.5 |                             |               |       | <b>Engine:</b> IB         |
| Displacement used for DW Rating: 9500                 |                       |                                    | MS                   | <b>E:</b>       | 11             | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 10    |                           |
| Certified PHRF Data on file? <input type="checkbox"/> |                       |                                    | <b>Mast Material</b> | <b>ISP:</b>     | 41.25          | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5     | <b>Prop Type:</b> Feath   |
|                                                       |                       |                                    | ALUMN                | <b>JSP:</b>     | 13.75          |                             |               |       |                           |
| <b>Modifications on file:</b>                         |                       |                                    |                      |                 |                |                             |               |       |                           |

|                                                                          |                       |                                  |                      |                 |              |                             |               |       |                            |
|--------------------------------------------------------------------------|-----------------------|----------------------------------|----------------------|-----------------|--------------|-----------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Equanimity                                              | <b>Sail #</b>         |                                  | <b>Max Headsail</b>  | <b>I:</b>       | 44           | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 36.92 | <b>Displacement:</b> 16000 |
| <b>Boat Type</b> Crealock 37                                             |                       |                                  | 117                  | <b>J:</b>       | 15.8         | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 27.75 | <b>Ballast:</b> 6000       |
| <b>Rating:</b> 177                                                       | <b>DW Rating:</b> 669 | <b>Certificate Date</b> 1/7/2025 | <b>Rig Data:</b>     | <b>Rig Type</b> | <b>P:</b> 37 |                             |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 17706                                   |                       |                                  | MS                   | <b>E:</b>       | 12.2         | <b>Asymmetric Spin?</b> Yes | <b>Beam:</b>  | 10.83 |                            |
| Certified PHRF Data on file? <input type="checkbox"/>                    |                       |                                  | <b>Mast Material</b> | <b>ISP:</b>     | 44           | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5.33  | <b>Prop Type:</b> Feath    |
|                                                                          |                       |                                  | ALUMN                | <b>JSP:</b>     | 15.8         | 41 45 23 27                 |               |       |                            |
| <b>Modifications on file:</b> (Mtg 4/29/24, +3 sec/mi for shortened "E") |                       |                                  |                      |                 |              |                             |               |       |                            |

|                                                       |                       |                                   |                      |                 |                |                             |               |       |                           |
|-------------------------------------------------------|-----------------------|-----------------------------------|----------------------|-----------------|----------------|-----------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> Ergo                                 | <b>Sail #</b>         |                                   | <b>Max Headsail</b>  | <b>I:</b>       | 28.5           | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 27.25 | <b>Displacement:</b> 2450 |
| <b>Boat Type</b> Express 27 ODR                       | 40428                 |                                   | 155                  | <b>J:</b>       | 9              | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 23.75 | <b>Ballast:</b> 1100      |
| <b>Rating:</b> 129                                    | <b>DW Rating:</b> 610 | <b>Certificate Date</b> 1/14/2025 | <b>Rig Data:</b>     | <b>Rig Type</b> | <b>P:</b> 28.5 | 29 17.7 17.7 9.833          |               |       | <b>Engine:</b> OB         |
| Displacement used for DW Rating: 2510                 |                       |                                   | FS                   | <b>E:</b>       | 10.416         | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 8.075 |                           |
| Certified PHRF Data on file? <input type="checkbox"/> |                       |                                   | <b>Mast Material</b> | <b>ISP:</b>     | 28.5           | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 4.5   | <b>Prop Type:</b> None    |
|                                                       |                       |                                   | ALUMN                | <b>JSP:</b>     |                | 0                           |               |       |                           |
| <b>Modifications on file:</b>                         |                       |                                   |                      |                 |                |                             |               |       |                           |

|                                                                                                                                               |                       |                                    |                      |                 |                |                             |               |       |                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------------|----------------------|-----------------|----------------|-----------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> Errant Belle                                                                                                                 | <b>Sail #</b>         |                                    | <b>Max Headsail</b>  | <b>I:</b>       | 30             | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 25.26 | <b>Displacement:</b> 2942 |
| <b>Boat Type</b> Elliott 770                                                                                                                  | 9                     |                                    | 105                  | <b>J:</b>       | 8.83           | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 25.26 | <b>Ballast:</b> 771       |
| <b>Rating:</b> 108                                                                                                                            | <b>DW Rating:</b> 587 | <b>Certificate Date</b> 12/16/2024 | <b>Rig Data:</b>     | <b>Rig Type</b> | <b>P:</b> 30.7 |                             |               |       | <b>Engine:</b> OB         |
| Displacement used for DW Rating: 2942                                                                                                         |                       |                                    | MS                   | <b>E:</b>       | 12.25          | <b>Asymmetric Spin?</b> Yes | <b>Beam:</b>  | 8.2   |                           |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                         |                       |                                    | <b>Mast Material</b> | <b>ISP:</b>     | 30.6           | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5.75  | <b>Prop Type:</b> None    |
|                                                                                                                                               |                       |                                    | ALUMN                | <b>JSP:</b>     | 15.2           | 32.9 38 19.23 20.67         |               |       |                           |
| <b>Modifications on file:</b> Class Modified Rudder (Mtg 9/27/20, +3 sec/mi for 100 sqft smaller kite, custom rating changed from 105 to 108) |                       |                                    |                      |                 |                |                             |               |       |                           |



|                                                                                                                                                                                                                                                                                                                                            |  |  |                                                                                             |  |  |                                                                                                                                                                                                                                                                                                                   |  |  |                                                                                                                                                                                                                        |  |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|---------------------------------------------------------------------------------------------|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|
| <div><div>Boat Name eXpresso</div><div>Boat Type XP-44</div><div>Rating: 18    DW Rating: 545    Certificate Date 12/14/2024</div><div>Displacement used for DW Rating: 21738</div><div>Certified PHRF Data on file? <input type="checkbox"/></div><div>Modifications on file: Extended sprit, deep rudder, hydraulic backstay</div></div> |  |  | <div><div>Max Headsail 106</div><div>Rig Type FS</div><div>Mast Material CARBON</div></div> |  |  | <div><div>I: 59.46</div><div>J: 16.3</div><div>P: 57.74</div><div>E: 18.7</div><div>ISP: 64.86</div><div>JSP: 20.4</div></div> <div><div>Symmetric Spin? No</div><div>Asymmetric Spin? Yes</div></div> <div><div>SL: SSMG: SSF: SPL:</div><div>SLE: SLU: ASMG: ASF:</div><div>61.35 71.52 37.73 35.83</div></div> |  |  | <div><div>LOA: 43.6</div><div>LWL: 39</div><div>Beam: 13.35</div><div>Draft: 8.86</div></div> <div><div>Displacement: 21738</div><div>Ballast: 8488</div><div>Engine: IB</div><div>Prop Type: Fold</div></div>         |  |  |
| <div><div>Boat Name Eyrie</div><div>Boat Type Hawkfarm 28 ODR</div><div>Rating: 165    DW Rating: 676    Certificate Date 2/12/2025</div><div>Displacement used for DW Rating: 5700</div><div>Certified PHRF Data on file? <input type="checkbox"/></div><div>Modifications on file: Rudder changes noted NCTR mtg 4/20/04)</div></div>    |  |  | <div><div>Max Headsail 125</div><div>Rig Type FS</div><div>Mast Material ALUMN</div></div>  |  |  | <div><div>I: 33</div><div>J: 11</div><div>P: 36</div><div>E: 10.5</div><div>ISP: 33.25</div><div>JSP: 11.5</div></div> <div><div>Symmetric Spin? Yes</div><div>Asymmetric Spin? No</div></div> <div><div>SL: SSMG: SSF: SPL:</div><div>SLE: SLU: ASMG: ASF:</div><div>33 20 19.4 11.5</div></div>                 |  |  | <div><div>LOA: 28</div><div>LWL: 23.5</div><div>Beam: 9.75</div><div>Draft: 5.17</div></div> <div><div>Displacement: 5700</div><div>Ballast: 2700</div><div>Engine: IB</div><div>Prop Type: FOLD</div></div>           |  |  |
| <div><div>Boat Name Falkor</div><div>Boat Type Olson 25</div><div>Rating: 159    DW Rating: 674    Certificate Date 1/6/2025</div><div>Displacement used for DW Rating: 3300</div><div>Certified PHRF Data on file? <input type="checkbox"/></div><div>Modifications on file: Roller Furler</div></div>                                    |  |  | <div><div>Max Headsail 130</div><div>Rig Type MS</div><div>Mast Material ALUMN</div></div>  |  |  | <div><div>I: 32</div><div>J: 9.583</div><div>P: 28</div><div>E: 10</div><div>ISP: 32</div><div>JSP:</div></div> <div><div>Symmetric Spin? Yes</div><div>Asymmetric Spin? No</div></div> <div><div>SL: SSMG: SSF: SPL:</div><div>SLE: SLU: ASMG: ASF:</div><div>31 17.28 17.28 9.583</div></div>                   |  |  | <div><div>LOA: 25</div><div>LWL: 21.25</div><div>Beam: 9</div><div>Draft: 4.5</div></div> <div><div>Displacement: 3300</div><div>Ballast: 1300</div><div>Engine: OB</div><div>Prop Type: None</div></div>              |  |  |
| <div><div>Boat Name Fancy</div><div>Boat Type Ericson 33</div><div>Rating: 132    DW Rating: 656    Certificate Date 12/9/2024</div><div>Displacement used for DW Rating: 11300</div><div>Certified PHRF Data on file? <input type="checkbox"/></div><div>Modifications on file:</div></div>                                               |  |  | <div><div>Max Headsail 100</div><div>Rig Type FS</div><div>Mast Material ALUMN</div></div>  |  |  | <div><div>I: 39.833</div><div>J: 12.75</div><div>P: 43.25</div><div>E: 14.083</div><div>ISP: 39.8</div><div>JSP:</div></div> <div><div>Symmetric Spin? Yes</div><div>Asymmetric Spin? No</div></div> <div><div>SL: SSMG: SSF: SPL:</div><div>SLE: SLU: ASMG: ASF:</div><div>41.5 21.2 21.5 12.75</div></div>      |  |  | <div><div>LOA: 33.583</div><div>LWL: 26.833</div><div>Beam: 11.166</div><div>Draft: 5.916</div></div> <div><div>Displacement: 9500</div><div>Ballast: 3950</div><div>Engine: IB</div><div>Prop Type: FEATH</div></div> |  |  |



|                                                                         |  |  |  |                                     |                  |                     |                         |             |                        |                         |             |              |                      |              |                 |                |                   |      |
|-------------------------------------------------------------------------|--|--|--|-------------------------------------|------------------|---------------------|-------------------------|-------------|------------------------|-------------------------|-------------|--------------|----------------------|--------------|-----------------|----------------|-------------------|------|
| <b>Boat Name</b> <b>Fired Up!</b>                                       |  |  |  | <b>Sail #</b>                       | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 28.5        | <b>Symmetric Spin?</b> | Yes                     | <b>LOA:</b> | 27.25        | <b>Displacement:</b> | 2450         |                 |                |                   |      |
| <b>Boat Type</b> Express 27 ODR                                         |  |  |  | 14                                  |                  | 155                 | <b>J:</b>               | 9           | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 23.75        | <b>Ballast:</b> | 1100           |                   |      |
| <b>Rating: 129</b>                                                      |  |  |  | <b>DW Rating:</b>                   |                  | 627                 | <b>Certificate Date</b> | 12/3/2024   |                        | 29                      | 17.55       | 17.55        | 9.833                | <b>Beam:</b> | 8.166           | <b>Engine:</b> | OB                |      |
| Displacement used for DW Rating:                                        |  |  |  | 2740                                |                  |                     | <b>FS</b>               | <b>E:</b>   | 10.416                 | <b>Asymmetric Spin?</b> |             |              |                      | No           | <b>Draft:</b>   | 4.5            | <b>Prop Type:</b> | None |
| Certified PHRF Data on file?                                            |  |  |  | <input type="checkbox"/>            |                  |                     | <b>Mast Material</b>    | <b>ISP:</b> | 28.5                   | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |              |                 |                |                   |      |
|                                                                         |  |  |  |                                     |                  | <b>ALUMN</b>        | <b>JSP:</b>             |             |                        |                         |             |              |                      |              |                 |                |                   |      |
| <b>Modifications on file:</b>                                           |  |  |  |                                     |                  |                     |                         |             |                        |                         |             |              |                      |              |                 |                |                   |      |
|                                                                         |  |  |  |                                     |                  |                     |                         |             |                        |                         |             |              |                      |              |                 |                |                   |      |
| <b>Boat Name</b> <b>First 44</b>                                        |  |  |  | <b>Sail #</b>                       | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 55.28       | <b>Symmetric Spin?</b> | No                      | <b>LOA:</b> | 43.1         | <b>Displacement:</b> | 25100        |                 |                |                   |      |
| <b>Boat Type</b> Beneteau First 44                                      |  |  |  | 44                                  |                  | 105                 | <b>J:</b>               | 18.37       | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 40.5         | <b>Ballast:</b> | 7275           |                   |      |
| <b>Rating: 45</b>                                                       |  |  |  | <b>DW Rating:</b>                   |                  | 563                 | <b>Certificate Date</b> | 4/29/2025   |                        |                         |             |              | <b>Beam:</b>         | 13.92        | <b>Engine:</b>  | IB             |                   |      |
| Displacement used for DW Rating:                                        |  |  |  | 25100                               |                  |                     | <b>FS</b>               | <b>E:</b>   | 18.04                  | <b>Asymmetric Spin?</b> |             |              |                      | Yes          | <b>Draft:</b>   | 7.05           | <b>Prop Type:</b> | Fold |
| Certified PHRF Data on file?                                            |  |  |  | <input type="checkbox"/>            |                  |                     | <b>Mast Material</b>    | <b>ISP:</b> | 59.55                  | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |              |                 |                |                   |      |
|                                                                         |  |  |  |                                     |                  | <b>ALUMN</b>        | <b>JSP:</b>             | 19.97       | 52.24                  | 58.65                   | 19.06       | 32.59        |                      |              |                 |                |                   |      |
| <b>Modifications on file:</b> (Mtg 4/28/25, -3 sec/mi for tweener sail) |  |  |  |                                     |                  |                     |                         |             |                        |                         |             |              |                      |              |                 |                |                   |      |
|                                                                         |  |  |  |                                     |                  |                     |                         |             |                        |                         |             |              |                      |              |                 |                |                   |      |
| <b>Boat Name</b> <b>Flexi-Flyer</b>                                     |  |  |  | <b>Sail #</b>                       | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 42.5        | <b>Symmetric Spin?</b> | Yes                     | <b>LOA:</b> | 33           | <b>Displacement:</b> | 5800         |                 |                |                   |      |
| <b>Boat Type</b> Soverel 33-2                                           |  |  |  | 18282                               |                  | 155                 | <b>J:</b>               | 12.8        | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 30.5         | <b>Ballast:</b> | 2800           |                   |      |
| <b>Rating: 96</b>                                                       |  |  |  | <b>DW Rating:</b>                   |                  | 593                 | <b>Certificate Date</b> | 12/3/2024   |                        | 42.06                   | 22.7        | 21.58        | 12.75                | <b>Beam:</b> | 11              | <b>Engine:</b> | IB                |      |
| Displacement used for DW Rating:                                        |  |  |  | 6463                                |                  |                     | <b>MS</b>               | <b>E:</b>   | 13                     | <b>Asymmetric Spin?</b> |             |              |                      | No           | <b>Draft:</b>   | 5.85           | <b>Prop Type:</b> | FOLD |
| Certified PHRF Data on file?                                            |  |  |  | <input checked="" type="checkbox"/> |                  |                     | <b>Mast Material</b>    | <b>ISP:</b> | 42.5                   | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |              |                 |                |                   |      |
|                                                                         |  |  |  |                                     |                  | <b>ALUMN</b>        | <b>JSP:</b>             |             |                        |                         |             |              |                      |              |                 |                |                   |      |
| <b>Modifications on file:</b>                                           |  |  |  |                                     |                  |                     |                         |             |                        |                         |             |              |                      |              |                 |                |                   |      |
|                                                                         |  |  |  |                                     |                  |                     |                         |             |                        |                         |             |              |                      |              |                 |                |                   |      |
| <b>Boat Name</b> <b>Flight</b>                                          |  |  |  | <b>Sail #</b>                       | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 26.25       | <b>Symmetric Spin?</b> | Yes                     | <b>LOA:</b> | 24           | <b>Displacement:</b> | 3100         |                 |                |                   |      |
| <b>Boat Type</b> J 24 ODR                                               |  |  |  | 1036                                |                  | 150                 | <b>J:</b>               | 9.5         | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 20           | <b>Ballast:</b> | 965            |                   |      |
| <b>Rating: 168</b>                                                      |  |  |  | <b>DW Rating:</b>                   |                  | 695                 | <b>Certificate Date</b> | 5/1/2025    |                        | 26.5                    | 17          | 16.8         | 9.5                  | <b>Beam:</b> | 8.92            | <b>Engine:</b> | OB                |      |
| Displacement used for DW Rating:                                        |  |  |  | 2870                                |                  |                     | <b>FS</b>               | <b>E:</b>   | 9.75                   | <b>Asymmetric Spin?</b> |             |              |                      | No           | <b>Draft:</b>   | 4              | <b>Prop Type:</b> | None |
| Certified PHRF Data on file?                                            |  |  |  | <input type="checkbox"/>            |                  |                     | <b>Mast Material</b>    | <b>ISP:</b> | 26.25                  | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |              |                 |                |                   |      |
|                                                                         |  |  |  |                                     |                  | <b>ALUMN</b>        | <b>JSP:</b>             |             |                        |                         |             |              |                      |              |                 |                |                   |      |
| <b>Modifications on file:</b>                                           |  |  |  |                                     |                  |                     |                         |             |                        |                         |             |              |                      |              |                 |                |                   |      |

|                                    |  |  |  |                          |                  |                  |            |          |                  |       |       |       |               |        |          |            |         |      |
|------------------------------------|--|--|--|--------------------------|------------------|------------------|------------|----------|------------------|-------|-------|-------|---------------|--------|----------|------------|---------|------|
| <b>Boat Name</b> Flotsam           |  |  |  | Sail #                   | <b>Rig Data:</b> | Max Headsail     | I:         | 28.5     | Symmetric Spin?  | Yes   | LOA:  | 30.5  | Displacement: | 4775   |          |            |         |      |
| <b>Boat Type</b> Yankee One Design |  |  |  | 42                       |                  | 160              | J:         | 7        | SL:              | SSMG: | SSF:  | SPL:  | LWL:          | 24     | Ballast: | 2550       |         |      |
| <b>Rating:</b> 162    DW Rating:   |  |  |  | 651                      |                  | Certificate Date | 2/12/2025  | Rig Type | P:               | 33.2  | 30    | 19    | 15            | 8.3    | Beam:    | 6.5        | Engine: | NONE |
| Displacement used for DW Rating:   |  |  |  | 4775                     |                  | FS               | E:         | 13.5     | Asymmetric Spin? |       |       |       | No            | Draft: | 4.5      | Prop Type: | None    |      |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  | Mast Material    | ISP:       | 38.75    | SLE:             | SLU:  | ASMG: | ASF:  |               |        |          |            |         |      |
|                                    |  |  |  |                          | WOOD             | JSP:             | 8.3        |          |                  |       |       |       |               |        |          |            |         |      |
| <b>Modifications on file:</b>      |  |  |  |                          |                  |                  |            |          |                  |       |       |       |               |        |          |            |         |      |
|                                    |  |  |  |                          |                  |                  |            |          |                  |       |       |       |               |        |          |            |         |      |
| <b>Boat Name</b> Fly               |  |  |  | Sail #                   | <b>Rig Data:</b> | Max Headsail     | I:         | 38.67    | Symmetric Spin?  | No    | LOA:  | 29.19 | Displacement: | 4990   |          |            |         |      |
| <b>Boat Type</b> J 88              |  |  |  | 67                       |                  | 104              | J:         | 11.28    | SL:              | SSMG: | SSF:  | SPL:  | LWL:          | 26.84  | Ballast: | 1840       |         |      |
| <b>Rating:</b> 81    DW Rating:    |  |  |  | 563                      |                  | Certificate Date | 4/27/2025  | Rig Type | P:               | 36.82 |       |       |               |        | Beam:    | 9.5        | Engine: | IB   |
| Displacement used for DW Rating:   |  |  |  | 4990                     |                  | FS               | E:         | 12       | Asymmetric Spin? |       |       |       | Yes           | Draft: | 6.5      | Prop Type: | Fold    |      |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  | Mast Material    | ISP:       | 46       | SLE:             | SLU:  | ASMG: | ASF:  |               |        |          |            |         |      |
|                                    |  |  |  |                          | CARBON           | JSP:             | 18.05      | 40.84    | 47.83            | 37.32 | 29    |       |               |        |          |            |         |      |
| <b>Modifications on file:</b>      |  |  |  |                          |                  |                  |            |          |                  |       |       |       |               |        |          |            |         |      |
|                                    |  |  |  |                          |                  |                  |            |          |                  |       |       |       |               |        |          |            |         |      |
| <b>Boat Name</b> Flying Circus     |  |  |  | Sail #                   | <b>Rig Data:</b> | Max Headsail     | I:         | 26.25    | Symmetric Spin?  | YES   | LOA:  | 23.75 | Displacement: | 2050   |          |            |         |      |
| <b>Boat Type</b> Moore 24          |  |  |  | 11                       |                  | 150              | J:         | 9.75     | SL:              | SSMG: | SSF:  | SPL:  | LWL:          | 21.75  | Ballast: | 1025       |         |      |
| <b>Rating:</b> 150    DW Rating:   |  |  |  | 633                      |                  | Certificate Date | 1/6/2025   | Rig Type | P:               | 25    | 26.6  | 17.55 | 8.78          | 9.9    | Beam:    | 7.16       | Engine: | OB   |
| Displacement used for DW Rating:   |  |  |  | 2050                     |                  | FS               | E:         | 9.5      | Asymmetric Spin? |       |       |       | NO            | Draft: | 4.083    | Prop Type: | None    |      |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  | Mast Material    | ISP:       | 26.25    | SLE:             | SLU:  | ASMG: | ASF:  |               |        |          |            |         |      |
|                                    |  |  |  |                          | ALUMN            | JSP:             |            |          |                  |       |       |       |               |        |          |            |         |      |
| <b>Modifications on file:</b>      |  |  |  |                          |                  |                  |            |          |                  |       |       |       |               |        |          |            |         |      |
|                                    |  |  |  |                          |                  |                  |            |          |                  |       |       |       |               |        |          |            |         |      |
| <b>Boat Name</b> Flying Colors     |  |  |  | Sail #                   | <b>Rig Data:</b> | Max Headsail     | I:         | 26.25    | Symmetric Spin?  | YES   | LOA:  | 23.75 | Displacement: | 2050   |          |            |         |      |
| <b>Boat Type</b> Moore 24          |  |  |  | 30                       |                  | 150              | J:         | 9.75     | SL:              | SSMG: | SSF:  | SPL:  | LWL:          | 21.75  | Ballast: | 1025       |         |      |
| <b>Rating:</b> 150    DW Rating:   |  |  |  | 629                      |                  | Certificate Date | 12/18/2024 | Rig Type | P:               | 25    | 27    | 17.55 | 17.55         | 9.75   | Beam:    | 7.16       | Engine: | OB   |
| Displacement used for DW Rating:   |  |  |  | 2050                     |                  | FS               | E:         | 9.5      | Asymmetric Spin? |       |       |       | No            | Draft: | 4.083    | Prop Type: | None    |      |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  | Mast Material    | ISP:       | 26.25    | SLE:             | SLU:  | ASMG: | ASF:  |               |        |          |            |         |      |
|                                    |  |  |  |                          | ALUMN            | JSP:             |            |          |                  |       |       |       |               |        |          |            |         |      |
| <b>Modifications on file:</b>      |  |  |  |                          |                  |                  |            |          |                  |       |       |       |               |        |          |            |         |      |

|                                                                                                                                                                                                                                                                                                             |                                   |                                 |                                                                                         |                                                                                                                               |                                                                                                                                                                                    |                                                                                               |                                                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|---------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| <div><div>Boat Name Flying Fish</div><div>Boat Type Olson 30 OB</div><div>Rating: 99    DW Rating: 584    Certificate Date 12/5/2024</div><div>Displacement used for DW Rating: 4111</div><div>Certified PHRF Data on file? <input type="checkbox"/></div><div>Modifications on file:</div></div>           | <div><div>Sail #197</div></div>   | <div><div>Rig Data:</div></div> | <div><div>Max Headsail155</div><div>Rig TypeMS</div><div>Mast MaterialALUMN</div></div> | <div><div>I: 36</div><div>J: 11.78</div><div>P: 31.5</div><div>E: 10.75</div><div>ISP: 35.92</div><div>JSP: 11.67</div></div> | <div><div>Symmetric Spin? Yes</div><div>SL: 35.6    SSMG: 21    SSF: 20.2    SPL: 11.6</div><div>Asymmetric Spin? No</div><div>SLE:    SLU:    ASMG:    ASF:</div></div>           | <div><div>LOA: 30</div><div>LWL: 27.5</div><div>Beam: 9.33</div><div>Draft: 5.1</div></div>   | <div><div>Displacement: 3600</div><div>Ballast: 1800</div><div>Engine: OB</div><div>Prop Type: None</div></div>     |
| <div><div>Boat Name Flying Green Dragon</div><div>Boat Type Tartan 3500</div><div>Rating: 123    DW Rating:    Certificate Date 3/12/2025</div><div>Displacement used for DW Rating:</div><div>Certified PHRF Data on file? <input type="checkbox"/></div><div>Modifications on file:</div></div>           | <div><div>Sail #56636</div></div> | <div><div>Rig Data:</div></div> | <div><div>Max Headsail100</div><div>Rig TypeMS</div><div>Mast MaterialALUMN</div></div> | <div><div>I: 47</div><div>J: 13.75</div><div>P: 41.4</div><div>E: 14.4</div><div>ISP:</div><div>JSP:</div></div>              | <div><div>Symmetric Spin? No</div><div>SL:    SSMG:    SSF:    SPL:</div><div>Asymmetric Spin? No</div><div>SLE:    SLU:    ASMG:    ASF:</div></div>                              | <div><div>LOA: 35.17</div><div>LWL: 30</div><div>Beam: 11.75</div><div>Draft: 6.5</div></div> | <div><div>Displacement: 12500</div><div>Ballast: 4200</div><div>Engine: IB</div><div>Prop Type: Fixed_2</div></div> |
| <div><div>Boat Name Flying Machine</div><div>Boat Type ALERION EXPRESS 28 ODR</div><div>Rating: 168    DW Rating: 707    Certificate Date 1/17/2025</div><div>Displacement used for DW Rating:</div><div>Certified PHRF Data on file? <input type="checkbox"/></div><div>Modifications on file:</div></div> | <div><div>Sail #180</div></div>   | <div><div>Rig Data:</div></div> | <div><div>Max Headsail90</div><div>Rig TypeFS</div><div>Mast MaterialALUMN</div></div>  | <div><div>I: 30</div><div>J: 9.8</div><div>P: 33</div><div>E: 13</div><div>ISP:</div><div>JSP:</div></div>                    | <div><div>Symmetric Spin? No</div><div>SL:    SSMG:    SSF:    SPL:</div><div>Asymmetric Spin? No</div><div>SLE:    SLU:    ASMG:    ASF:</div></div>                              | <div><div>LOA: 28.2</div><div>LWL: 22.8</div><div>Beam: 8.2</div><div>Draft: 4.5</div></div>  | <div><div>Displacement: 5700</div><div>Ballast: 2200</div><div>Engine: IB</div><div>Prop Type: FOLD</div></div>     |
| <div><div>Boat Name Foehn</div><div>Boat Type C&amp;C 40-2</div><div>Rating: 93    DW Rating:    Certificate Date 1/14/2025</div><div>Displacement used for DW Rating: 0</div><div>Certified PHRF Data on file? <input type="checkbox"/></div><div>Modifications on file:</div></div>                       | <div><div>Sail #18929</div></div> | <div><div>Rig Data:</div></div> | <div><div>Max Headsail0</div><div>Rig Type</div><div>Mast Material</div></div>          | <div><div>I:</div><div>J:</div><div>P:</div><div>E:</div><div>ISP:</div><div>JSP:</div></div>                                 | <div><div>Symmetric Spin? No</div><div>SL:    SSMG:    SSF:    SPL:</div><div>0    0</div><div>Asymmetric Spin? No</div><div>SLE:    SLU:    ASMG:    ASF:</div><div>0</div></div> | <div><div>LOA:</div><div>LWL:</div><div>Beam:</div><div>Draft:</div></div>                    | <div><div>Displacement:</div><div>Ballast:</div><div>Engine:</div><div>Prop Type: None</div></div>                  |

|                                         |  |  |                            |                  |               |       |       |                         |                 |        |       |               |         |
|-----------------------------------------|--|--|----------------------------|------------------|---------------|-------|-------|-------------------------|-----------------|--------|-------|---------------|---------|
| <b>Boat Name</b> Fog Dog                |  |  | Sail #                     | <b>Rig Data:</b> | Max Headsail  | I:    | 43.58 | <i>Symmetric Spin?</i>  | No              | LOA:   | 32.5  | Displacement: | 11300   |
| <b>Boat Type</b> Catalina 320           |  |  | 224                        |                  | 105           | J:    | 12.33 | SL:                     | SSMG: SSF: SPL: | LWL:   | 28    | Ballast:      | 4000    |
| <b>Rating: 165</b> DW Rating:           |  |  | Certificate Date 1/21/2025 |                  | Rig Type      | P:    | 38    |                         |                 | Beam:  | 11.75 | Engine:       | IB      |
| Displacement used for DW Rating:        |  |  | 12719                      |                  | MS            | E:    | 13.25 | <i>Asymmetric Spin?</i> | No              | Draft: | 6     | Prop Type:    | Fixed_3 |
| Certified PHRF Data on file?            |  |  | <input type="checkbox"/>   |                  | Mast Material | ISP:  |       | SLE:                    | SLU: ASMG: ASF: |        |       |               |         |
|                                         |  |  |                            | ALUMN            | JSP:          |       |       |                         |                 |        |       |               |         |
| <b>Modifications on file:</b>           |  |  |                            |                  |               |       |       |                         |                 |        |       |               |         |
|                                         |  |  |                            |                  |               |       |       |                         |                 |        |       |               |         |
| <b>Boat Name</b> Foolish Muse           |  |  | Sail #                     | <b>Rig Data:</b> | Max Headsail  | I:    | 36    | <i>Symmetric Spin?</i>  | Yes             | LOA:   | 30    | Displacement: | 3600    |
| <b>Boat Type</b> Olson 30 OB            |  |  | 8234                       |                  | 149           | J:    | 11.75 | SL:                     | SSMG: SSF: SPL: | LWL:   | 27.5  | Ballast:      | 1800    |
| <b>Rating: 99</b> DW Rating: 585        |  |  | Certificate Date 1/13/2025 |                  | Rig Type      | P:    | 29.9  | 35.92 21.3 19.4 11.75   |                 | Beam:  | 9.33  | Engine:       | OB      |
| Displacement used for DW Rating:        |  |  | 4111                       |                  | MS            | E:    | 10.75 | <i>Asymmetric Spin?</i> | No              | Draft: | 5.08  | Prop Type:    | None    |
| Certified PHRF Data on file?            |  |  | <input type="checkbox"/>   |                  | Mast Material | ISP:  | 36    | SLE:                    | SLU: ASMG: ASF: |        |       |               |         |
|                                         |  |  |                            | ALUMN            | JSP:          | 11.67 |       |                         |                 |        |       |               |         |
| <b>Modifications on file:</b>           |  |  |                            |                  |               |       |       |                         |                 |        |       |               |         |
|                                         |  |  |                            |                  |               |       |       |                         |                 |        |       |               |         |
| <b>Boat Name</b> Fortitude              |  |  | Sail #                     | <b>Rig Data:</b> | Max Headsail  | I:    | 53    | <i>Symmetric Spin?</i>  | No              | LOA:   | 41.83 | Displacement: | 20800   |
| <b>Boat Type</b> Catalina 42-1/2        |  |  | 138                        |                  | 120           | J:    | 16.42 | SL:                     | SSMG: SSF: SPL: | LWL:   | 36    | Ballast:      | 8300    |
| <b>Rating: 105</b> DW Rating:           |  |  | Certificate Date 3/20/2025 |                  | Rig Type      | P:    | 46.75 |                         |                 | Beam:  | 13.83 | Engine:       | IB      |
| Displacement used for DW Rating:        |  |  | 25500                      |                  | MS            | E:    | 15.42 | <i>Asymmetric Spin?</i> | No              | Draft: | 6.67  | Prop Type:    | Fold    |
| Certified PHRF Data on file?            |  |  | <input type="checkbox"/>   |                  | Mast Material | ISP:  | 53    | SLE:                    | SLU: ASMG: ASF: |        |       |               |         |
|                                         |  |  |                            | ALUMN            | JSP:          |       |       |                         |                 |        |       |               |         |
| <b>Modifications on file:</b>           |  |  |                            |                  |               |       |       |                         |                 |        |       |               |         |
|                                         |  |  |                            |                  |               |       |       |                         |                 |        |       |               |         |
| <b>Boat Name</b> Frances                |  |  | Sail #                     | <b>Rig Data:</b> | Max Headsail  | I:    | 30    | <i>Symmetric Spin?</i>  | No              | LOA:   | 28.2  | Displacement: | 5700    |
| <b>Boat Type</b> ALERION EXPRESS 28 ODR |  |  | 435                        |                  | 90            | J:    | 9.75  | SL:                     | SSMG: SSF: SPL: | LWL:   | 22.8  | Ballast:      | 2200    |
| <b>Rating: 168</b> DW Rating: 706       |  |  | Certificate Date 12/3/2024 |                  | Rig Type      | P:    | 33    |                         |                 | Beam:  | 8.2   | Engine:       | IB      |
| Displacement used for DW Rating:        |  |  | 5700                       |                  | FS            | E:    | 12.5  | <i>Asymmetric Spin?</i> | No              | Draft: | 4.5   | Prop Type:    | Fold    |
| Certified PHRF Data on file?            |  |  | <input type="checkbox"/>   |                  | Mast Material | ISP:  | 30    | SLE:                    | SLU: ASMG: ASF: |        |       |               |         |
|                                         |  |  |                            | ALUMN            | JSP:          | 9.75  |       |                         |                 |        |       |               |         |
| <b>Modifications on file:</b>           |  |  |                            |                  |               |       |       |                         |                 |        |       |               |         |





|                                                                                                 |                     |                            |                |                                                |                   |                            |
|-------------------------------------------------------------------------------------------------|---------------------|----------------------------|----------------|------------------------------------------------|-------------------|----------------------------|
| <b>Boat Name</b> Galaxsea                                                                       | <b>Sail #</b> 28743 | <b>Max Headsail</b> 104    | <b>I:</b> 51   | <b>Symmetric Spin?</b> Yes                     | <b>LOA:</b> 43.6  | <b>Displacement:</b> 34000 |
| <b>Boat Type</b> Custom Nauticat 43.5                                                           |                     | <b>Rig Type</b> KTCH       | <b>J:</b> 20   | <b>SL: SSMG: SSF: SPL:</b> 50.98 33.43 35.6 20 | <b>LWL:</b> 37.7  | <b>Ballast:</b> 11000      |
| <b>Rating:</b> 180 <b>DW Rating:</b> 636 <b>Certificate Date</b> 1/21/2025                      |                     | <b>Mast Material</b> ALUMN | <b>P:</b> 45   | <b>Asymmetric Spin?</b> Yes                    | <b>Beam:</b> 12.2 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 35679                                                          |                     |                            | <b>E:</b> 13.6 | <b>SLE: SLU: ASMG: ASF:</b> 50 52 25.6 29.2    | <b>Draft:</b> 5.9 | <b>Prop Type:</b> FEATH    |
| Certified PHRF Data on file? <input type="checkbox"/>                                           |                     |                            | <b>ISP:</b>    |                                                |                   |                            |
| <b>Modifications on file:</b> Stay sail measurements foot=1 ', Luff=34'6", Leach=30'2", LP=132" |                     |                            |                |                                                |                   |                            |

|                                                                                                                                                 |                     |                            |                |                                                    |                    |                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|----------------------------|----------------|----------------------------------------------------|--------------------|----------------------------|
| <b>Boat Name</b> Gavilan                                                                                                                        | <b>Sail #</b> 28439 | <b>Max Headsail</b> 122    | <b>I:</b> 49   | <b>Symmetric Spin?</b> Yes                         | <b>LOA:</b> 41.5   | <b>Displacement:</b> 17900 |
| <b>Boat Type</b> Custom Wylie 39                                                                                                                |                     | <b>Rig Type</b> MS         | <b>J:</b> 14.5 | <b>SL: SSMG: SSF: SPL:</b> 48.64 26.6 26.6 14.5    | <b>LWL:</b> 31.75  | <b>Ballast:</b> 5920       |
| <b>Rating:</b> 93 <b>DW Rating:</b> 613 <b>Certificate Date</b> 12/9/2024                                                                       |                     | <b>Mast Material</b> ALUMN | <b>P:</b> 43   | <b>Asymmetric Spin?</b> Yes                        | <b>Beam:</b> 11.5  | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 17900                                                                                                          |                     |                            | <b>E:</b> 15.5 | <b>SLE: SLU: ASMG: ASF:</b> 47.08 48.39 18.47 24.6 | <b>Draft:</b> 6.77 | <b>Prop Type:</b> FEATH    |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                           |                     |                            | <b>ISP:</b> 49 |                                                    |                    |                            |
| <b>Modifications on file:</b> (mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit) |                     |                            |                |                                                    |                    |                            |

|                                                                            |                 |                            |                  |                                               |                    |                           |
|----------------------------------------------------------------------------|-----------------|----------------------------|------------------|-----------------------------------------------|--------------------|---------------------------|
| <b>Boat Name</b> Get Happy!!                                               | <b>Sail #</b> 1 | <b>Max Headsail</b> 155    | <b>I:</b> 28.5   | <b>Symmetric Spin?</b> Yes                    | <b>LOA:</b> 27.25  | <b>Displacement:</b> 2450 |
| <b>Boat Type</b> Express 27 ODR                                            |                 | <b>Rig Type</b> FS         | <b>J:</b> 9      | <b>SL: SSMG: SSF: SPL:</b> 29 17.7 17.7 9.833 | <b>LWL:</b> 23.75  | <b>Ballast:</b> 1100      |
| <b>Rating:</b> 129 <b>DW Rating:</b> 610 <b>Certificate Date</b> 1/13/2025 |                 | <b>Mast Material</b> ALUMN | <b>P:</b> 28.5   | <b>Asymmetric Spin?</b> No                    | <b>Beam:</b> 8.166 | <b>Engine:</b> OB         |
| Displacement used for DW Rating: 2510                                      |                 |                            | <b>E:</b> 10.416 | <b>SLE: SLU: ASMG: ASF:</b>                   | <b>Draft:</b> 4.5  | <b>Prop Type:</b> None    |
| Certified PHRF Data on file? <input type="checkbox"/>                      |                 |                            | <b>ISP:</b> 28.5 |                                               |                    |                           |
| <b>Modifications on file:</b>                                              |                 |                            |                  |                                               |                    |                           |

|                                                                           |                     |                            |                  |                                              |                    |                           |
|---------------------------------------------------------------------------|---------------------|----------------------------|------------------|----------------------------------------------|--------------------|---------------------------|
| <b>Boat Name</b> Gig                                                      | <b>Sail #</b> 18112 | <b>Max Headsail</b> 149    | <b>I:</b> 37.5   | <b>Symmetric Spin?</b> Yes                   | <b>LOA:</b> 30     | <b>Displacement:</b> 5400 |
| <b>Boat Type</b> Humboldt 30 IB                                           |                     | <b>Rig Type</b> FS         | <b>J:</b> 11.5   | <b>SL: SSMG: SSF: SPL:</b> 37 20.7 20.2 11.5 | <b>LWL:</b> 26.66  | <b>Ballast:</b> 2222      |
| <b>Rating:</b> 108 <b>DW Rating:</b> 608 <b>Certificate Date</b> 1/9/2025 |                     | <b>Mast Material</b> ALUMN | <b>P:</b> 41.5   | <b>Asymmetric Spin?</b> No                   | <b>Beam:</b> 10.5  | <b>Engine:</b> IB         |
| Displacement used for DW Rating: 5400                                     |                     |                            | <b>E:</b> 13.75  | <b>SLE: SLU: ASMG: ASF:</b>                  | <b>Draft:</b> 5.75 | <b>Prop Type:</b> FOLD    |
| Certified PHRF Data on file? <input type="checkbox"/>                     |                     |                            | <b>ISP:</b> 37.5 |                                              |                    |                           |
| <b>Modifications on file:</b>                                             |                     |                            |                  |                                              |                    |                           |

|                                    |  |  |  |                          |                  |                     |                         |             |                        |                         |             |              |                      |       |                   |                |    |
|------------------------------------|--|--|--|--------------------------|------------------|---------------------|-------------------------|-------------|------------------------|-------------------------|-------------|--------------|----------------------|-------|-------------------|----------------|----|
| <b>Boat Name</b> Godot 2.0         |  |  |  | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 40.6        | <b>Symmetric Spin?</b> | No                      | <b>LOA:</b> | 34.5         | <b>Displacement:</b> | 7750  |                   |                |    |
| <b>Boat Type</b> J 105 ODR w/ 5'BS |  |  |  | 28905                    |                  | 95                  | <b>J:</b>               | 13.5        | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 29.5  | <b>Ballast:</b>   | 3400           |    |
| <b>Rating: 78</b>                  |  |  |  | <b>DW Rating:</b>        |                  | 592                 | <b>Certificate Date</b> | 1/13/2025   | <b>Rig Type</b>        | <b>P:</b>               | 41.5        |              | <b>Beam:</b>         | 11    | <b>Engine:</b>    | IB             |    |
| Displacement used for DW Rating:   |  |  |  | 8472                     |                  |                     | <b>FS</b>               | <b>E:</b>   | 14.6                   | <b>Asymmetric Spin?</b> |             | Yes          |                      |       |                   |                |    |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  |                     | <b>Mast Material</b>    | <b>ISP:</b> | 42.1                   | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |       | <b>Prop Type:</b> | FOLD           |    |
|                                    |  |  |  |                          |                  | <b>ALUMN</b>        | <b>JSP:</b>             | 19.07       | 38.55                  | 49.54                   | 26.8        | 23.29        | <b>Draft:</b>        | 6.5   |                   |                |    |
| <b>Modifications on file:</b>      |  |  |  |                          |                  |                     |                         |             |                        |                         |             |              |                      |       |                   |                |    |
|                                    |  |  |  |                          |                  |                     |                         |             |                        |                         |             |              |                      |       |                   |                |    |
| <b>Boat Name</b> Golden Moon       |  |  |  | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 48.75       | <b>Symmetric Spin?</b> | Yes                     | <b>LOA:</b> | 37           | <b>Displacement:</b> | 11000 |                   |                |    |
| <b>Boat Type</b> Express 37        |  |  |  | 18488                    |                  | 155                 | <b>J:</b>               | 14.33       | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 30.83 | <b>Ballast:</b>   | 4500           |    |
| <b>Rating: 72</b>                  |  |  |  | <b>DW Rating:</b>        |                  | 587                 | <b>Certificate Date</b> | 4/28/2025   | <b>Rig Type</b>        | <b>P:</b>               | 42          | 48.27        | 25.79                | 25.79 | 14.33             | <b>Engine:</b> | IB |
| Displacement used for DW Rating:   |  |  |  | 10207                    |                  |                     | <b>MS</b>               | <b>E:</b>   | 13.75                  | <b>Asymmetric Spin?</b> |             | No           | <b>Beam:</b>         | 11.57 |                   |                |    |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  |                     | <b>Mast Material</b>    | <b>ISP:</b> | 48.75                  | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |       | <b>Prop Type:</b> | FOLD           |    |
|                                    |  |  |  |                          |                  | <b>ALUMN</b>        | <b>JSP:</b>             |             | 46                     | 49.8                    | 25          | 29.5         | <b>Draft:</b>        | 7.25  |                   |                |    |
| <b>Modifications on file:</b>      |  |  |  |                          |                  |                     |                         |             |                        |                         |             |              |                      |       |                   |                |    |
|                                    |  |  |  |                          |                  |                     |                         |             |                        |                         |             |              |                      |       |                   |                |    |
| <b>Boat Name</b> Good And Plenty   |  |  |  | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 42.5        | <b>Symmetric Spin?</b> | Yes                     | <b>LOA:</b> | 33           | <b>Displacement:</b> | 5800  |                   |                |    |
| <b>Boat Type</b> Soverel 33-2      |  |  |  | 18263                    |                  | 155                 | <b>J:</b>               | 12.75       | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 30.5  | <b>Ballast:</b>   | 2800           |    |
| <b>Rating: 96</b>                  |  |  |  | <b>DW Rating:</b>        |                  | 574                 | <b>Certificate Date</b> | 12/13/2024  | <b>Rig Type</b>        | <b>P:</b>               | 41          | 42.5         | 22.95                | 22.95 | 12.75             | <b>Engine:</b> | IB |
| Displacement used for DW Rating:   |  |  |  | 6500                     |                  |                     | <b>MS</b>               | <b>E:</b>   | 13                     | <b>Asymmetric Spin?</b> |             | No           | <b>Beam:</b>         | 11    |                   |                |    |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  |                     | <b>Mast Material</b>    | <b>ISP:</b> | 41                     | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |       | <b>Prop Type:</b> | FOLD           |    |
|                                    |  |  |  |                          |                  | <b>ALUMN</b>        | <b>JSP:</b>             | 12.75       |                        |                         |             |              | <b>Draft:</b>        | 5.85  |                   |                |    |
| <b>Modifications on file:</b>      |  |  |  |                          |                  |                     |                         |             |                        |                         |             |              |                      |       |                   |                |    |
|                                    |  |  |  |                          |                  |                     |                         |             |                        |                         |             |              |                      |       |                   |                |    |
| <b>Boat Name</b> Grace             |  |  |  | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 23.9        | <b>Symmetric Spin?</b> | YES                     | <b>LOA:</b> | 27.17        | <b>Displacement:</b> | 4000  |                   |                |    |
| <b>Boat Type</b> H Boat            |  |  |  | 11                       |                  | 155                 | <b>J:</b>               | 9.28        | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 20.67 | <b>Ballast:</b>   | 4000           |    |
| <b>Rating: 186</b>                 |  |  |  | <b>DW Rating:</b>        |                  | 715                 | <b>Certificate Date</b> | 12/9/2024   | <b>Rig Type</b>        | <b>P:</b>               | 28.54       | 24           | 16                   | 15.42 | 7.75              | <b>Engine:</b> | OB |
| Displacement used for DW Rating:   |  |  |  | 4000                     |                  |                     | <b>FS</b>               | <b>E:</b>   | 9.84                   | <b>Asymmetric Spin?</b> |             | No           | <b>Beam:</b>         | 7.15  |                   |                |    |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  |                     | <b>Mast Material</b>    | <b>ISP:</b> | 23.95                  | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |       | <b>Prop Type:</b> | None           |    |
|                                    |  |  |  |                          |                  | <b>ALUMN</b>        | <b>JSP:</b>             |             |                        |                         |             |              | <b>Draft:</b>        | 4.27  |                   |                |    |
| <b>Modifications on file:</b>      |  |  |  |                          |                  |                     |                         |             |                        |                         |             |              |                      |       |                   |                |    |













|                                                                                                         |  |  |  |               |                  |                      |             |        |                             |              |              |             |                      |       |                   |         |
|---------------------------------------------------------------------------------------------------------|--|--|--|---------------|------------------|----------------------|-------------|--------|-----------------------------|--------------|--------------|-------------|----------------------|-------|-------------------|---------|
| <b>Boat Name</b> Inconceivable                                                                          |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 38.67  | <b>Symmetric Spin?</b>      | No           | <b>LOA:</b>  | 29.19       | <b>Displacement:</b> | 4990  |                   |         |
| <b>Boat Type</b> J 88                                                                                   |  |  |  | 9             |                  | 104                  | <b>J:</b>   | 11.28  | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 26.84 | <b>Ballast:</b>   | 1840    |
| <b>Rating:</b> 81    DW Rating: 563    Certificate Date 1/21/2025                                       |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 36.82  |                             |              |              |             | <b>Beam:</b>         | 9.5   | <b>Engine:</b>    | IB      |
| Displacement used for DW Rating:                                                                        |  |  |  |               |                  | FS                   | <b>E:</b>   | 12     | <b>Asymmetric Spin?</b> Yes |              |              |             | <b>Draft:</b>        | 6.5   | <b>Prop Type:</b> | Fold    |
| Certified PHRF Data on file? <input type="checkbox"/>                                                   |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> | 46     | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |                      |       |                   |         |
| <b>Modifications on file:</b>                                                                           |  |  |  |               |                  | CARBON               | <b>JSP:</b> | 18.05  | 40.84                       | 47.83        | 27.32        | 29          |                      |       |                   |         |
|                                                                                                         |  |  |  |               |                  |                      |             |        |                             |              |              |             |                      |       |                   |         |
| <b>Boat Name</b> Indefatigable                                                                          |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 59.55  | <b>Symmetric Spin?</b>      | NO           | <b>LOA:</b>  | 44.52       | <b>Displacement:</b> | 28572 |                   |         |
| <b>Boat Type</b> Hallberg Rassy 43 MkII                                                                 |  |  |  | 61108         |                  | 110                  | <b>J:</b>   | 16.34  | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 39.11 | <b>Ballast:</b>   | 9940    |
| <b>Rating:</b> 111    DW Rating: 585    Certificate Date 5/20/2025                                      |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 51.739 |                             |              |              |             | <b>Beam:</b>         | 13.4  | <b>Engine:</b>    | IB      |
| Displacement used for DW Rating:                                                                        |  |  |  | 28572         |                  | MS                   | <b>E:</b>   | 17.815 | <b>Asymmetric Spin?</b> Yes |              |              |             | <b>Draft:</b>        | 6.6   | <b>Prop Type:</b> | Fold    |
| Certified PHRF Data on file? <input type="checkbox"/>                                                   |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> | 59.55  | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |                      |       |                   |         |
| <b>Modifications on file:</b>                                                                           |  |  |  |               |                  | ALUMN                | <b>JSP:</b> | 25     | 54.462                      | 61.286       | 31.496       | 31.398      |                      |       |                   |         |
|                                                                                                         |  |  |  |               |                  |                      |             |        |                             |              |              |             |                      |       |                   |         |
| <b>Boat Name</b> Infinity                                                                               |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 24.11  | <b>Symmetric Spin?</b>      | No           | <b>LOA:</b>  | 20.98       | <b>Displacement:</b> | 1455  |                   |         |
| <b>Boat Type</b> RS 21                                                                                  |  |  |  | 11            |                  | 92                   | <b>J:</b>   | 7.64   | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 18.67 | <b>Ballast:</b>   | 731     |
| <b>Rating:</b> 114    DW Rating: 634    Certificate Date 1/22/2025                                      |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 25.59  |                             |              |              |             | <b>Beam:</b>         | 7.32  | <b>Engine:</b>    | IB      |
| Displacement used for DW Rating:                                                                        |  |  |  | 1455          |                  | MS                   | <b>E:</b>   | 9.94   | <b>Asymmetric Spin?</b> Yes |              |              |             | <b>Draft:</b>        | 4.4   | <b>Prop Type:</b> | Fold    |
| Certified PHRF Data on file? <input type="checkbox"/>                                                   |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> | 28.68  | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |                      |       |                   |         |
| <b>Modifications on file:</b>                                                                           |  |  |  |               |                  | CARBON               | <b>JSP:</b> | 11.43  | 27.5                        | 33.46        | 17.55        | 17.71       |                      |       |                   |         |
|                                                                                                         |  |  |  |               |                  |                      |             |        |                             |              |              |             |                      |       |                   |         |
| <b>Boat Name</b> InnFall                                                                                |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 44     | <b>Symmetric Spin?</b>      | No           | <b>LOA:</b>  | 32          | <b>Displacement:</b> | 19500 |                   |         |
| <b>Boat Type</b> Westsail 32                                                                            |  |  |  | 61837         |                  | 53                   | <b>J:</b>   | 18.3   | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 27.5  | <b>Ballast:</b>   | 7000    |
| <b>Rating:</b> 216    DW Rating: 689    Certificate Date 3/25/2025                                      |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 37.17  |                             |              |              |             | <b>Beam:</b>         | 11    | <b>Engine:</b>    | IB      |
| Displacement used for DW Rating:                                                                        |  |  |  | 19500         |                  | CTR                  | <b>E:</b>   | 15     | <b>Asymmetric Spin?</b> Yes |              |              |             | <b>Draft:</b>        | 5     | <b>Prop Type:</b> | Fixed_3 |
| Certified PHRF Data on file? <input type="checkbox"/>                                                   |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> | 44     | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> |                      |       |                   |         |
| <b>Modifications on file:</b>                                                                           |  |  |  |               |                  | ALUMN                | <b>JSP:</b> | 18.3   | 40.51                       | 39.5         | 15.04        | 27          |                      |       |                   |         |
|                                                                                                         |  |  |  |               |                  |                      |             |        |                             |              |              |             |                      |       |                   |         |
| <b>Modifications on file:</b> (Mtg 3/24/25, -3 sec/mi for tweener sail, +3 sec/mi for non-articulation) |  |  |  |               |                  |                      |             |        |                             |              |              |             |                      |       |                   |         |







|                                                                      |                  |                      |             |       |                             |               |       |                           |
|----------------------------------------------------------------------|------------------|----------------------|-------------|-------|-----------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> Joyride                                             | <b>Sail #</b>    | <b>Max Headsail</b>  | <b>I:</b>   | 44.25 | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 34    | <b>Displacement:</b> 8000 |
| <b>Boat Type</b> Express 34                                          | 41382            | 135                  | <b>J:</b>   | 13    | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 28.33 | <b>Ballast:</b> 3800      |
| <b>Rating:</b> 99    DW Rating: 624 <b>Certificate Date</b> 1/7/2025 | <b>Rig Data:</b> | <b>Rig Type</b>      | <b>P:</b>   | 38.5  | 44    23.4    23.4    13    | <b>Beam:</b>  | 10.33 | <b>Engine:</b> IB         |
| Displacement used for DW Rating: 9129                                |                  | MS                   | <b>E:</b>   | 12.83 | <b>Asymmetric Spin?</b> No  | <b>Draft:</b> | 6.11  | <b>Prop Type:</b> FOLD    |
| Certified PHRF Data on file? <input type="checkbox"/>                |                  | <b>Mast Material</b> | <b>ISP:</b> | 44.25 | <b>SLE: SLU: ASMG: ASF:</b> |               |       |                           |
| <b>Modifications on file:</b>                                        |                  | ALUMN                | <b>JSP:</b> |       |                             |               |       |                           |

|                                                                       |                  |                      |             |       |                              |               |       |                           |
|-----------------------------------------------------------------------|------------------|----------------------|-------------|-------|------------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> JR                                                   | <b>Sail #</b>    | <b>Max Headsail</b>  | <b>I:</b>   | 26.25 | <b>Symmetric Spin?</b> Yes   | <b>LOA:</b>   | 23.75 | <b>Displacement:</b> 2050 |
| <b>Boat Type</b> Moore 24                                             | 76               | 155                  | <b>J:</b>   | 9.75  | <b>SL: SSMG: SSF: SPL:</b>   | <b>LWL:</b>   | 21.75 | <b>Ballast:</b> 1025      |
| <b>Rating:</b> 150    DW Rating: 629 <b>Certificate Date</b> 1/6/2025 | <b>Rig Data:</b> | <b>Rig Type</b>      | <b>P:</b>   | 25    | 27    17.55    17.55    9.75 | <b>Beam:</b>  | 7.16  | <b>Engine:</b> OB         |
| Displacement used for DW Rating: 2050                                 |                  | FS                   | <b>E:</b>   | 9.5   | <b>Asymmetric Spin?</b> No   | <b>Draft:</b> | 4.08  | <b>Prop Type:</b> None    |
| Certified PHRF Data on file? <input type="checkbox"/>                 |                  | <b>Mast Material</b> | <b>ISP:</b> | 26.25 | <b>SLE: SLU: ASMG: ASF:</b>  |               |       |                           |
| <b>Modifications on file:</b>                                         |                  | ALUMN                | <b>JSP:</b> |       |                              |               |       |                           |

|                                                                                     |                  |                      |             |       |                                  |               |       |                            |
|-------------------------------------------------------------------------------------|------------------|----------------------|-------------|-------|----------------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Jubilant                                                           | <b>Sail #</b>    | <b>Max Headsail</b>  | <b>I:</b>   | 49.02 | <b>Symmetric Spin?</b> No        | <b>LOA:</b>   | 36    | <b>Displacement:</b> 11814 |
| <b>Boat Type</b> J 112e GP                                                          | 3958             | 105                  | <b>J:</b>   | 14.01 | <b>SL: SSMG: SSF: SPL:</b>       | <b>LWL:</b>   | 31.73 | <b>Ballast:</b> 4195       |
| <b>Rating:</b> 48    DW Rating: 582 <b>Certificate Date</b> 12/13/2024              | <b>Rig Data:</b> | <b>Rig Type</b>      | <b>P:</b>   | 45.6  |                                  | <b>Beam:</b>  | 11.81 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 12339                                              |                  | FS                   | <b>E:</b>   | 15.35 | <b>Asymmetric Spin?</b> Yes      | <b>Draft:</b> | 7.28  | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file? <input checked="" type="checkbox"/>                    |                  | <b>Mast Material</b> | <b>ISP:</b> | 52.36 | <b>SLE: SLU: ASMG: ASF:</b>      |               |       |                            |
| <b>Modifications on file:</b> (Mtg 4/29/24, -3 sec/mi for increased spinnaker area) |                  | CARBON               | <b>JSP:</b> | 20.11 | 50.52    54.99    33.3    32.217 |               |       |                            |

|                                                                                                                                                                                                                   |                  |                      |             |       |                               |               |       |                            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------|-------------|-------|-------------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Kahoots                                                                                                                                                                                          | <b>Sail #</b>    | <b>Max Headsail</b>  | <b>I:</b>   | 56.98 | <b>Symmetric Spin?</b> Yes    | <b>LOA:</b>   | 43.48 | <b>Displacement:</b> 15251 |
| <b>Boat Type</b> Andrews 43                                                                                                                                                                                       | 87477            | 154                  | <b>J:</b>   | 16.5  | <b>SL: SSMG: SSF: SPL:</b>    | <b>LWL:</b>   | 36.7  | <b>Ballast:</b> 6581       |
| <b>Rating:</b> 18    DW Rating: 552 <b>Certificate Date</b> 12/3/2024                                                                                                                                             | <b>Rig Data:</b> | <b>Rig Type</b>      | <b>P:</b>   | 50.09 | 56.3    29.7    28.92    18.7 | <b>Beam:</b>  | 12.87 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 16804                                                                                                                                                                            |                  | MS                   | <b>E:</b>   | 17.78 | <b>Asymmetric Spin?</b> Yes   | <b>Draft:</b> | 8.86  | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file? <input checked="" type="checkbox"/>                                                                                                                                                  |                  | <b>Mast Material</b> | <b>ISP:</b> | 57    | <b>SLE: SLU: ASMG: ASF:</b>   |               |       |                            |
| <b>Modifications on file:</b> (Mtg 1/21/19, custom rating assigned. As Sailed: 15)(Mtg 10/26/20, change custom rating from 15 to 21)(Mtg 1/24/22, added 26" sprit, -3 sec/mi. Change custom rating from 21 to 18) |                  | ALUMN                | <b>JSP:</b> | 18.7  | 55.5    60.4    29    29.13   |               |       |                            |





|                                          |                   |     |                         |                          |                  |                      |             |                        |                             |               |       |                            |
|------------------------------------------|-------------------|-----|-------------------------|--------------------------|------------------|----------------------|-------------|------------------------|-----------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Kuda Wuda               |                   |     |                         | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 38.99                  | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 33.08 | <b>Displacement:</b> 6503  |
| <b>Boat Type</b> SR 33                   |                   |     |                         | 58484                    |                  | 150                  | <b>J:</b>   | 11.5                   | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 27.74 | <b>Ballast:</b> 2400       |
| <b>Rating: 75</b>                        | <b>DW Rating:</b> | 584 | <b>Certificate Date</b> | 4/30/2025                |                  | <b>Rig Type</b>      | <b>P:</b>   | 40.83                  | 45.05 22.79 22.79 12.65     | <b>Beam:</b>  | 11.42 | <b>Engine:</b> IB          |
| Displacement used for DW Rating:         |                   |     |                         | 6503                     |                  | <b>MS</b>            | <b>E:</b>   | 15.54                  | <b>Asymmetric Spin?</b> Yes |               |       |                            |
| Certified PHRF Data on file?             |                   |     |                         | <input type="checkbox"/> |                  | <b>Mast Material</b> | <b>ISP:</b> | 45.71                  | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 7.01  | <b>Prop Type:</b> Fold     |
| <b>Modifications on file:</b>            |                   |     |                         |                          | <b>ALUMN</b>     | <b>JSP:</b>          | 12.65       | 40.09 49.9 21.88 22.51 |                             |               |       |                            |
|                                          |                   |     |                         |                          |                  |                      |             |                        |                             |               |       |                            |
| <b>Boat Name</b> Kwazy                   |                   |     |                         | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 20.416                 | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 23.58 | <b>Displacement:</b> 975   |
| <b>Boat Type</b> Wylie Wabbit ODR W/Trap |                   |     |                         | 26                       |                  | 150                  | <b>J:</b>   | 6.416                  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 20    | <b>Ballast:</b> 440        |
| <b>Rating: 126</b>                       | <b>DW Rating:</b> | 595 | <b>Certificate Date</b> | 1/6/2025                 |                  | <b>Rig Type</b>      | <b>P:</b>   | 23                     | 22 14 14 8.5                | <b>Beam:</b>  | 5.42  | <b>Engine:</b> NONE        |
| Displacement used for DW Rating:         |                   |     |                         | 975                      |                  | <b>FS</b>            | <b>E:</b>   | 10                     | <b>Asymmetric Spin?</b> No  |               |       |                            |
| Certified PHRF Data on file?             |                   |     |                         | <input type="checkbox"/> |                  | <b>Mast Material</b> | <b>ISP:</b> | 20.5                   | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 3.41  | <b>Prop Type:</b> None     |
| <b>Modifications on file:</b>            |                   |     |                         |                          | <b>ALUMN</b>     | <b>JSP:</b>          |             |                        |                             |               |       |                            |
|                                          |                   |     |                         |                          |                  |                      |             |                        |                             |               |       |                            |
| <b>Boat Name</b> Kynntana                |                   |     |                         | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 33.34                  | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 38.42 | <b>Displacement:</b> 14370 |
| <b>Boat Type</b> Freedom 38              |                   |     |                         | 38086                    |                  | 108                  | <b>J:</b>   | 11.5                   | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 30.58 | <b>Ballast:</b> 6500       |
| <b>Rating: 141</b>                       | <b>DW Rating:</b> | 645 | <b>Certificate Date</b> | 2/12/2025                |                  | <b>Rig Type</b>      | <b>P:</b>   | 45.5                   |                             | <b>Beam:</b>  | 12.5  | <b>Engine:</b> IB          |
| Displacement used for DW Rating:         |                   |     |                         | 15041                    |                  | <b>FS</b>            | <b>E:</b>   | 16.57                  | <b>Asymmetric Spin?</b> Yes |               |       |                            |
| Certified PHRF Data on file?             |                   |     |                         | <input type="checkbox"/> |                  | <b>Mast Material</b> | <b>ISP:</b> | 34.1                   | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5.6   | <b>Prop Type:</b> Fold     |
| <b>Modifications on file:</b>            |                   |     |                         |                          | <b>CARBON</b>    | <b>JSP:</b>          | 11.5        | 32.5 34 16 17          |                             |               |       |                            |
|                                          |                   |     |                         |                          |                  |                      |             |                        |                             |               |       |                            |
| <b>Boat Name</b> L Attitude              |                   |     |                         | <b>Sail #</b>            | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 44.5                   | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 34    | <b>Displacement:</b> 10600 |
| <b>Boat Type</b> Ericson 34 Olson SM     |                   |     |                         | 3246                     |                  | 154                  | <b>J:</b>   | 13.25                  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 28    | <b>Ballast:</b> 3650       |
| <b>Rating: 105</b>                       | <b>DW Rating:</b> | 636 | <b>Certificate Date</b> | 1/7/2025                 |                  | <b>Rig Type</b>      | <b>P:</b>   | 38.84                  | 44 23.6 23.35 13.25         | <b>Beam:</b>  | 10.83 | <b>Engine:</b> IB          |
| Displacement used for DW Rating:         |                   |     |                         | 10600                    |                  | <b>MS</b>            | <b>E:</b>   | 12.9                   | <b>Asymmetric Spin?</b> Yes |               |       |                            |
| Certified PHRF Data on file?             |                   |     |                         | <input type="checkbox"/> |                  | <b>Mast Material</b> | <b>ISP:</b> | 44                     | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 6     | <b>Prop Type:</b> Fold     |
| <b>Modifications on file:</b>            |                   |     |                         |                          | <b>ALUMN</b>     | <b>JSP:</b>          | 13.25       | 42.1 47.2 23.8 23.8    |                             |               |       |                            |

|                                                                  |                       |                                    |                        |                  |                               |                  |                             |                     |                            |
|------------------------------------------------------------------|-----------------------|------------------------------------|------------------------|------------------|-------------------------------|------------------|-----------------------------|---------------------|----------------------------|
| <b>Boat Name</b> L20                                             |                       |                                    | <b>Sail #</b><br>18721 | <b>Rig Data:</b> | <b>Max Headsail</b><br>150    | <b>I:</b> 35     | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b> 29.5    | <b>Displacement:</b> 6000  |
| <b>Boat Type</b> J 29 7/8 OB                                     |                       |                                    |                        |                  |                               | <b>J:</b> 11.5   | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b> 25      | <b>Ballast:</b> 2100       |
| <b>Rating:</b> 123                                               | <b>DW Rating:</b> 652 | <b>Certificate Date</b> 1/9/2025   |                        |                  | <b>Rig Type</b><br>FS         | <b>P:</b> 38.8   | 35 20 20 12.2               | <b>Beam:</b> 11     | <b>Engine:</b> OB          |
| Displacement used for DW Rating: 6244                            |                       |                                    |                        |                  | <b>Mast Material</b><br>ALUMN | <b>E:</b> 13     | <b>Asymmetric Spin?</b> No  | <b>Draft:</b> 5.6   | <b>Prop Type:</b> None     |
| Certified PHRF Data on file? <input type="checkbox"/>            |                       |                                    |                        |                  |                               | <b>ISP:</b> 35   | <b>SLE: SLU: ASMG: ASF:</b> |                     |                            |
| <b>Modifications on file:</b>                                    |                       |                                    |                        |                  |                               | <b>JSP:</b>      |                             |                     |                            |
|                                                                  |                       |                                    |                        |                  |                               |                  |                             |                     |                            |
| <b>Boat Name</b> La Dolce Vita                                   |                       |                                    | <b>Sail #</b><br>64    | <b>Rig Data:</b> | <b>Max Headsail</b><br>155    | <b>I:</b> 39.2   | <b>Symmetric Spin?</b> No   | <b>LOA:</b> 32.4    | <b>Displacement:</b> 10000 |
| <b>Boat Type</b> J 32                                            |                       |                                    |                        |                  |                               | <b>J:</b> 11     | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b> 29      | <b>Ballast:</b> 3840       |
| <b>Rating:</b> 120                                               | <b>DW Rating:</b> 641 | <b>Certificate Date</b> 12/10/2024 |                        |                  | <b>Rig Type</b><br>FS         | <b>P:</b> 38.5   | <b>Asymmetric Spin?</b> Yes | <b>Beam:</b> 11     | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                                 |                       |                                    |                        |                  | <b>Mast Material</b><br>ALUMN | <b>E:</b> 15.5   | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> 6     | <b>Prop Type:</b> Feath    |
| Certified PHRF Data on file? <input type="checkbox"/>            |                       |                                    |                        |                  |                               | <b>ISP:</b> 40.5 | 39.5 43 19.7 19.7           |                     |                            |
| <b>Modifications on file:</b> (Mtg 8/22/13, -6 sec/mi for sprit) |                       |                                    |                        |                  |                               | <b>JSP:</b> 13   |                             |                     |                            |
|                                                                  |                       |                                    |                        |                  |                               |                  |                             |                     |                            |
| <b>Boat Name</b> La Paloma                                       |                       |                                    | <b>Sail #</b><br>164   | <b>Rig Data:</b> | <b>Max Headsail</b><br>100    | <b>I:</b> 29.25  | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b> 33.42   | <b>Displacement:</b> 7100  |
| <b>Boat Type</b> IOD ODR                                         |                       |                                    |                        |                  |                               | <b>J:</b> 8.33   | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b> 21.42   | <b>Ballast:</b> 4100       |
| <b>Rating:</b> 156                                               | <b>DW Rating:</b> 712 | <b>Certificate Date</b> 1/21/2025  |                        |                  | <b>Rig Type</b><br>MS         | <b>P:</b> 38.83  | 30 15 15 8.416              | <b>Beam:</b> 6.75   | <b>Engine:</b> OB          |
| Displacement used for DW Rating: 7100                            |                       |                                    |                        |                  | <b>Mast Material</b><br>WOOD  | <b>E:</b> 16.25  | <b>Asymmetric Spin?</b> No  | <b>Draft:</b> 5.333 | <b>Prop Type:</b> None     |
| Certified PHRF Data on file? <input type="checkbox"/>            |                       |                                    |                        |                  |                               | <b>ISP:</b> 30   | <b>SLE: SLU: ASMG: ASF:</b> |                     |                            |
| <b>Modifications on file:</b>                                    |                       |                                    |                        |                  |                               | <b>JSP:</b>      |                             |                     |                            |
|                                                                  |                       |                                    |                        |                  |                               |                  |                             |                     |                            |
| <b>Boat Name</b> La Viajera                                      |                       |                                    | <b>Sail #</b><br>56480 | <b>Rig Data:</b> | <b>Max Headsail</b><br>105    | <b>I:</b> 46.5   | <b>Symmetric Spin?</b> No   | <b>LOA:</b> 35.25   | <b>Displacement:</b> 10900 |
| <b>Boat Type</b> J 109 ODR w/108^ m                              |                       |                                    |                        |                  |                               | <b>J:</b> 13.3   | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b> 30.5    | <b>Ballast:</b> 3900       |
| <b>Rating:</b> 72                                                | <b>DW Rating:</b> 598 | <b>Certificate Date</b> 12/10/2024 |                        |                  | <b>Rig Type</b><br>FS         | <b>P:</b> 43.25  | <b>Asymmetric Spin?</b> Yes | <b>Beam:</b> 11.5   | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 11000                           |                       |                                    |                        |                  | <b>Mast Material</b><br>ALUMN | <b>E:</b> 15.5   | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> 7     | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file? <input type="checkbox"/>            |                       |                                    |                        |                  |                               | <b>ISP:</b> 49.6 | 45.63 56.33 27.2 27.75      |                     |                            |
| <b>Modifications on file:</b>                                    |                       |                                    |                        |                  |                               | <b>JSP:</b> 18.8 |                             |                     |                            |

|                                                                      |  |  |  |               |                  |                      |             |      |                             |              |              |             |                      |      |                        |      |
|----------------------------------------------------------------------|--|--|--|---------------|------------------|----------------------|-------------|------|-----------------------------|--------------|--------------|-------------|----------------------|------|------------------------|------|
| <b>Boat Name</b> Lanakila                                            |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 31.2 | <b>Symmetric Spin?</b>      | No           | <b>LOA:</b>  | 26.25       | <b>Displacement:</b> | 3902 |                        |      |
| <b>Boat Type</b> Beneteau First 27                                   |  |  |  | 168           |                  | 90                   | <b>J:</b>   | 12.2 | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 25.9 | <b>Ballast:</b>        | 1345 |
| <b>Rating:</b> 87    DW Rating: 592 <b>Certificate Date</b> 1/9/2025 |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 33.2 |                             |              |              |             | <b>Beam:</b>         | 8.3  | <b>Engine:</b>         | ib   |
| Displacement used for DW Rating: 3902                                |  |  |  |               |                  | <b>FS</b>            | <b>E:</b>   | 11.4 | <b>Asymmetric Spin?</b> Yes |              |              |             |                      |      |                        |      |
| Certified PHRF Data on file? <input type="checkbox"/>                |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> | 35.8 | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> | <b>Draft:</b>        | 5.7  | <b>Prop Type:</b> Fold |      |
|                                                                      |  |  |  |               | ALUMN            | <b>JSP:</b>          | 17.5        | 35.2 | 43                          | 21.95        | 23.4         |             |                      |      |                        |      |
| <b>Modifications on file:</b>                                        |  |  |  |               |                  |                      |             |      |                             |              |              |             |                      |      |                        |      |

|                                                                       |  |  |  |               |                  |                      |             |       |                             |              |              |             |                      |       |                        |      |
|-----------------------------------------------------------------------|--|--|--|---------------|------------------|----------------------|-------------|-------|-----------------------------|--------------|--------------|-------------|----------------------|-------|------------------------|------|
| <b>Boat Name</b> Lark                                                 |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 48.58 | <b>Symmetric Spin?</b>      | No           | <b>LOA:</b>  | 36          | <b>Displacement:</b> | 11300 |                        |      |
| <b>Boat Type</b> J 112e                                               |  |  |  | 70061         |                  | 99                   | <b>J:</b>   | 14    | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 31.76 | <b>Ballast:</b>        | 3816 |
| <b>Rating:</b> 54    DW Rating: 576 <b>Certificate Date</b> 4/25/2025 |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 45.93 |                             |              |              |             | <b>Beam:</b>         | 11.81 | <b>Engine:</b>         | IB   |
| Displacement used for DW Rating: 11300                                |  |  |  |               |                  | <b>FS</b>            | <b>E:</b>   | 15.5  | <b>Asymmetric Spin?</b> Yes |              |              |             |                      |       |                        |      |
| Certified PHRF Data on file? <input type="checkbox"/>                 |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> | 52    | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> | <b>Draft:</b>        | 6.9   | <b>Prop Type:</b> Fold |      |
|                                                                       |  |  |  |               | ALUMN            | <b>JSP:</b>          | 20.75       | 50.02 | 58.7                        | 30.55        | 31.4         |             |                      |       |                        |      |
| <b>Modifications on file:</b> Electric Halyard Winch                  |  |  |  |               |                  |                      |             |       |                             |              |              |             |                      |       |                        |      |

|                                                                        |  |  |  |               |                  |                      |             |        |                             |              |              |             |                      |       |                        |      |
|------------------------------------------------------------------------|--|--|--|---------------|------------------|----------------------|-------------|--------|-----------------------------|--------------|--------------|-------------|----------------------|-------|------------------------|------|
| <b>Boat Name</b> Latency                                               |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 42.894 | <b>Symmetric Spin?</b>      | No           | <b>LOA:</b>  | 32.6        | <b>Displacement:</b> | 8415  |                        |      |
| <b>Boat Type</b> J 99                                                  |  |  |  | 108           |                  | 100                  | <b>J:</b>   | 12.598 | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 28.6  | <b>Ballast:</b>        | 3350 |
| <b>Rating:</b> 72    DW Rating: 592 <b>Certificate Date</b> 12/13/2024 |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 41.798 |                             |              |              |             | <b>Beam:</b>         | 11.18 | <b>Engine:</b>         | IB   |
| Displacement used for DW Rating: 8788                                  |  |  |  |               |                  | <b>FS</b>            | <b>E:</b>   | 14.288 | <b>Asymmetric Spin?</b> Yes |              |              |             |                      |       |                        |      |
| Certified PHRF Data on file? <input checked="" type="checkbox"/>       |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> | 47.405 | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> | <b>Draft:</b>        | 6.54  | <b>Prop Type:</b> Fold |      |
|                                                                        |  |  |  |               | ALUMN            | <b>JSP:</b>          | 16.781      | 45.932 | 53.97                       | 29.823       | 26.706       |             |                      |       |                        |      |
| <b>Modifications on file:</b>                                          |  |  |  |               |                  |                      |             |        |                             |              |              |             |                      |       |                        |      |

|                                                                        |  |  |  |               |                  |                      |             |       |                             |              |              |             |                      |       |                        |      |
|------------------------------------------------------------------------|--|--|--|---------------|------------------|----------------------|-------------|-------|-----------------------------|--------------|--------------|-------------|----------------------|-------|------------------------|------|
| <b>Boat Name</b> Lenora                                                |  |  |  | <b>Sail #</b> | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 37.42 | <b>Symmetric Spin?</b>      | No           | <b>LOA:</b>  | 33.5        | <b>Displacement:</b> | 10400 |                        |      |
| <b>Boat Type</b> Hunter 33-2                                           |  |  |  | 60700         |                  | 115                  | <b>J:</b>   | 10.83 | <b>SL:</b>                  | <b>SSMG:</b> | <b>SSF:</b>  | <b>SPL:</b> | <b>LWL:</b>          | 29.42 | <b>Ballast:</b>        | 3459 |
| <b>Rating:</b> 153    DW Rating: 648 <b>Certificate Date</b> 5/13/2025 |  |  |  |               |                  | <b>Rig Type</b>      | <b>P:</b>   | 36.46 |                             |              |              |             | <b>Beam:</b>         | 11.17 | <b>Engine:</b>         | IB   |
| Displacement used for DW Rating: 10400                                 |  |  |  |               |                  | <b>FS</b>            | <b>E:</b>   | 15.83 | <b>Asymmetric Spin?</b> Yes |              |              |             |                      |       |                        |      |
| Certified PHRF Data on file? <input type="checkbox"/>                  |  |  |  |               |                  | <b>Mast Material</b> | <b>ISP:</b> | 38.42 | <b>SLE:</b>                 | <b>SLU:</b>  | <b>ASMG:</b> | <b>ASF:</b> | <b>Draft:</b>        | 5.5   | <b>Prop Type:</b> Fold |      |
|                                                                        |  |  |  |               | ALUMN            | <b>JSP:</b>          | 10.83       | 35.5  | 39.33                       | 16.67        | 18.5         |             |                      |       |                        |      |
| <b>Modifications on file:</b>                                          |  |  |  |               |                  |                      |             |       |                             |              |              |             |                      |       |                        |      |



|                                                                                                                                                                                             |  |  |  |                     |                  |                      |             |       |                             |               |       |                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|---------------------|------------------|----------------------|-------------|-------|-----------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Lilith                                                                                                                                                                     |  |  |  | <b>Sail #</b> 7     | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 46.5  | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 38.83 | <b>Displacement:</b> 12000 |
| <b>Boat Type</b> Custom Wyliecat 39                                                                                                                                                         |  |  |  |                     |                  |                      | <b>J:</b>   | 13.3  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 32    | <b>Ballast:</b> 6200       |
| <b>Rating: 102</b> <b>DW Rating:</b> 598 <b>Certificate Date</b> 1/6/2025                                                                                                                   |  |  |  |                     |                  | <b>Rig Type</b>      | <b>P:</b>   | 50.75 |                             |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 12000                                                                                                                                                      |  |  |  |                     |                  | <b>CAT</b>           | <b>E:</b>   | 26.5  | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 11.83 | <b>Prop Type:</b> FOLD     |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                       |  |  |  |                     |                  | <b>Mast Material</b> | <b>ISP:</b> |       | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 6.67  |                            |
| <b>Modifications on file:</b> HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/5/93 |  |  |  |                     |                  |                      |             |       |                             |               |       |                            |
|                                                                                                                                                                                             |  |  |  |                     |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Lindo                                                                                                                                                                      |  |  |  | <b>Sail #</b> 195   | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 46.5  | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 35.25 | <b>Displacement:</b> 10900 |
| <b>Boat Type</b> J 109 ODR w/108^ m                                                                                                                                                         |  |  |  |                     |                  |                      | <b>J:</b>   | 13.3  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 30.5  | <b>Ballast:</b> 3900       |
| <b>Rating: 72</b> <b>DW Rating:</b> 596 <b>Certificate Date</b> 12/4/2024                                                                                                                   |  |  |  |                     |                  | <b>Rig Type</b>      | <b>P:</b>   | 43.3  |                             |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 11000                                                                                                                                                      |  |  |  |                     |                  | <b>FS</b>            | <b>E:</b>   | 15.5  | <b>Asymmetric Spin?</b> Yes | <b>Beam:</b>  | 11.5  | <b>Prop Type:</b> FOLD     |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                       |  |  |  |                     |                  | <b>Mast Material</b> | <b>ISP:</b> | 49    | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 7     |                            |
| <b>Modifications on file:</b>                                                                                                                                                               |  |  |  |                     |                  |                      |             |       |                             |               |       |                            |
|                                                                                                                                                                                             |  |  |  |                     |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Lion                                                                                                                                                                       |  |  |  | <b>Sail #</b> 40780 | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 48.9  | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 37.33 | <b>Displacement:</b> 11000 |
| <b>Boat Type</b> Express 37                                                                                                                                                                 |  |  |  |                     |                  |                      | <b>J:</b>   | 14.33 | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 30.83 | <b>Ballast:</b> 4500       |
| <b>Rating: 72</b> <b>DW Rating:</b> 586 <b>Certificate Date</b> 1/10/2025                                                                                                                   |  |  |  |                     |                  | <b>Rig Type</b>      | <b>P:</b>   | 42    | 48   25.79   25.79   14.33  |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 10207                                                                                                                                                      |  |  |  |                     |                  | <b>MS</b>            | <b>E:</b>   | 13.9  | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 11.5  | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                       |  |  |  |                     |                  | <b>Mast Material</b> | <b>ISP:</b> | 48.9  | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 7.25  |                            |
| <b>Modifications on file:</b>                                                                                                                                                               |  |  |  |                     |                  |                      |             |       |                             |               |       |                            |
|                                                                                                                                                                                             |  |  |  |                     |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Liquid Asset                                                                                                                                                               |  |  |  | <b>Sail #</b> 27707 | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 41.5  | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 33.17 | <b>Displacement:</b> 10500 |
| <b>Boat Type</b> Ranger 33                                                                                                                                                                  |  |  |  |                     |                  |                      | <b>J:</b>   | 13.7  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 26.25 | <b>Ballast:</b> 4500       |
| <b>Rating: 150</b> <b>DW Rating:</b> 658 <b>Certificate Date</b> 1/22/2025                                                                                                                  |  |  |  |                     |                  | <b>Rig Type</b>      | <b>P:</b>   | 35    | 41.5   24.6   24.6   13.7   |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 10289                                                                                                                                                      |  |  |  |                     |                  | <b>MS</b>            | <b>E:</b>   | 13.75 | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 9.58  | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                       |  |  |  |                     |                  | <b>Mast Material</b> | <b>ISP:</b> | 41.5  | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5.17  |                            |
| <b>Modifications on file:</b>                                                                                                                                                               |  |  |  |                     |                  |                      |             |       |                             |               |       |                            |

|                                             |                       |                                   |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
|---------------------------------------------|-----------------------|-----------------------------------|--|--------------------------|------------------|----------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| <b>Boat Name</b> Little Bullet              |                       |                                   |  | <b>Sail #</b><br>38141   | <b>Rig Data:</b> | <b>Max Headsail</b><br>90  | <b>I:</b> 31.2<br><b>J:</b> 12.2<br><b>P:</b> 33.2<br><b>E:</b> 11.4<br><b>ISP:</b> 35.8<br><b>JSP:</b> 17.5 | <b>Symmetric Spin?</b> No<br><b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b><br><b>Asymmetric Spin?</b> Yes<br><b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b><br>35.2 43 21.95 23.4                        | <b>LOA:</b> 26.25<br><b>LWL:</b> 25.9<br><b>Beam:</b> 8.3<br><b>Draft:</b> 5.7    | <b>Displacement:</b> 3902<br><b>Ballast:</b> 1345<br><b>Engine:</b> IB<br><b>Prop Type:</b> Fold    |
| <b>Boat Type</b> Beneteau First 27          |                       |                                   |  |                          |                  | <b>Rig Type</b><br>FS      |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Rating:</b> 87                           | <b>DW Rating:</b> 591 | <b>Certificate Date</b> 4/8/2025  |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| Displacement used for DW Rating:            |                       |                                   |  | 3902                     |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| Certified PHRF Data on file?                |                       |                                   |  | <input type="checkbox"/> |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Modifications on file:</b>               |                       |                                   |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
|                                             |                       |                                   |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Boat Name</b> Little My                  |                       |                                   |  | <b>Sail #</b><br>6198    | <b>Rig Data:</b> | <b>Max Headsail</b><br>100 | <b>I:</b> 34.58<br><b>J:</b> 9.34<br><b>P:</b> 31.67<br><b>E:</b> 12.43<br><b>ISP:</b><br><b>JSP:</b>        | <b>Symmetric Spin?</b> No<br><b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b><br><b>Asymmetric Spin?</b> No<br><b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b>                                               | <b>LOA:</b> 27.36<br><b>LWL:</b> 24.02<br><b>Beam:</b> 8.2<br><b>Draft:</b> 4.43  | <b>Displacement:</b> 7275<br><b>Ballast:</b> 3527<br><b>Engine:</b> IB<br><b>Prop Type:</b> Fixed_2 |
| <b>Boat Type</b> Laurinkoster L28           |                       |                                   |  |                          |                  | <b>Rig Type</b><br>MS      |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Rating:</b> 228                          | <b>DW Rating:</b> 724 | <b>Certificate Date</b> 5/20/2025 |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| Displacement used for DW Rating:            |                       |                                   |  | 7275                     |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| Certified PHRF Data on file?                |                       |                                   |  | <input type="checkbox"/> |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Modifications on file:</b>               |                       |                                   |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
|                                             |                       |                                   |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Boat Name</b> Little Wing                |                       |                                   |  | <b>Sail #</b><br>4268    | <b>Rig Data:</b> | <b>Max Headsail</b><br>150 | <b>I:</b> 26.25<br><b>J:</b> 9.5<br><b>P:</b> 28<br><b>E:</b> 9.75<br><b>ISP:</b> 26.25<br><b>JSP:</b>       | <b>Symmetric Spin?</b> Yes<br><b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b><br>26.5 17 16.8 9.5<br><b>Asymmetric Spin?</b> No<br><b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b>                          | <b>LOA:</b> 24<br><b>LWL:</b> 20<br><b>Beam:</b> 8.92<br><b>Draft:</b> 4          | <b>Displacement:</b> 3100<br><b>Ballast:</b> 965<br><b>Engine:</b> OB<br><b>Prop Type:</b> None     |
| <b>Boat Type</b> J 24 ODR                   |                       |                                   |  |                          |                  | <b>Rig Type</b><br>FS      |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Rating:</b> 168                          | <b>DW Rating:</b> 695 | <b>Certificate Date</b> 4/28/2025 |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| Displacement used for DW Rating:            |                       |                                   |  | 2870                     |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| Certified PHRF Data on file?                |                       |                                   |  | <input type="checkbox"/> |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Modifications on file:</b>               |                       |                                   |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
|                                             |                       |                                   |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Boat Name</b> Living Happy               |                       |                                   |  | <b>Sail #</b><br>38818   | <b>Rig Data:</b> | <b>Max Headsail</b><br>94  | <b>I:</b> 40.35<br><b>J:</b> 11.35<br><b>P:</b> 36.61<br><b>E:</b> 13.19<br><b>ISP:</b> 39<br><b>JSP:</b> 11 | <b>Symmetric Spin?</b> YES<br><b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b><br>38 20.4 20.4 11<br><b>Asymmetric Spin?</b> Yes<br><b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b><br>37.33 39.66 17.5 15.5 | <b>LOA:</b> 32.25<br><b>LWL:</b> 28.67<br><b>Beam:</b> 10.5<br><b>Draft:</b> 4.67 | <b>Displacement:</b> 7716<br><b>Ballast:</b> 2425<br><b>Engine:</b> IB<br><b>Prop Type:</b> Fold    |
| <b>Boat Type</b> Beneteau 311               |                       |                                   |  |                          |                  | <b>Rig Type</b><br>FS      |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Rating:</b> 165                          | <b>DW Rating:</b> 624 | <b>Certificate Date</b> 3/25/2025 |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| Displacement used for DW Rating:            |                       |                                   |  | 7716                     |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| Certified PHRF Data on file?                |                       |                                   |  | <input type="checkbox"/> |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
| <b>Modifications on file:</b> Roller Furler |                       |                                   |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |
|                                             |                       |                                   |  |                          |                  |                            |                                                                                                              |                                                                                                                                                                                                              |                                                                                   |                                                                                                     |









|                                                       |                |                             |                                                                                           |           |               |      |        |                      |                 |            |        |               |            |       |
|-------------------------------------------------------|----------------|-----------------------------|-------------------------------------------------------------------------------------------|-----------|---------------|------|--------|----------------------|-----------------|------------|--------|---------------|------------|-------|
| Boat Name Max                                         |                |                             | Sail #                                                                                    | Rig Data: | Max Headsail  | I:   | 28.04  | Symmetric Spin?      | No              | LOA:       | 24.38  | Displacement: | 2040       |       |
| Boat Type Ultimate 24 ODR                             |                |                             | 2                                                                                         |           | 110           | J:   | 7.82   | SL:                  | SSMG: SSF: SPL: | LWL:       | 21.17  | Ballast:      | 750        |       |
| Rating: 108                                           | DW Rating: 591 | Certificate Date 12/12/2024 |                                                                                           |           | Rig Type      | P:   | 31     | Asymmetric Spin? Yes |                 |            | Beam:  | 8.48          | Engine:    | OB    |
| Displacement used for DW Rating: 2040                 |                |                             |                                                                                           |           | FS            | E:   | 11.35  |                      |                 |            | Draft: | 5.52          | Prop Type: | None  |
| Certified PHRF Data on file? <input type="checkbox"/> |                |                             |                                                                                           |           | Mast Material | ISP: | 30.8   | SLE:                 | SLU:            | ASMG: ASF: |        |               |            |       |
| Modifications on file:                                |                |                             |                                                                                           |           | CARBON        | JSP: | 14.5   | 27.8                 | 35.5            | 21.3       | 21.3   |               |            |       |
|                                                       |                |                             |                                                                                           |           |               |      |        |                      |                 |            |        |               |            |       |
| Boat Name Mazu                                        |                |                             | Sail #                                                                                    | Rig Data: | Max Headsail  | I:   | 57     | Symmetric Spin?      | No              | LOA:       | 43.58  | Displacement: | 17000      |       |
| Boat Type J 130 DK CM                                 |                |                             | 50103                                                                                     |           | 155           | J:   | 16.5   | SL:                  | SSMG: SSF: SPL: | LWL:       | 38.17  | Ballast:      | 6350       |       |
| Rating: 21                                            | DW Rating: 529 | Certificate Date 12/9/2024  |                                                                                           |           | Rig Type      | P:   | 52.5   | Asymmetric Spin? Yes |                 |            | Beam:  | 12.67         | Engine:    | IB    |
| Displacement used for DW Rating: 18000                |                |                             |                                                                                           |           | FS            | E:   | 18.5   |                      |                 |            | Draft: | 8.5           | Prop Type: | Feath |
| Certified PHRF Data on file? <input type="checkbox"/> |                |                             |                                                                                           |           | Mast Material | ISP: | 58.5   | SLE:                 | SLU:            | ASMG: ASF: |        |               |            |       |
| Modifications on file:                                |                |                             |                                                                                           |           | CARBON        | JSP: | 23.5   | 56                   | 69.1            | 40.6       | 40.1   |               |            |       |
|                                                       |                |                             |                                                                                           |           |               |      |        |                      |                 |            |        |               |            |       |
| Boat Name Meanie                                      |                |                             | Sail #                                                                                    | Rig Data: | Max Headsail  | I:   | 76.71  | Symmetric Spin?      | No              | LOA:       | 51.97  | Displacement: | 15893      |       |
| Boat Type Custom Botin 52                             |                |                             | 10000                                                                                     |           | 94            | J:   | 29.53  | SL:                  | SSMG: SSF: SPL: | LWL:       | 51.28  | Ballast:      |            |       |
| Rating: -120                                          | DW Rating: 417 | Certificate Date 4/29/2025  |                                                                                           |           | Rig Type      | P:   | 68.9   | Asymmetric Spin? Yes |                 |            | Beam:  | 14.67         | Engine:    |       |
| Displacement used for DW Rating: 15893                |                |                             |                                                                                           |           | MS            | E:   | 22.97  |                      |                 |            | Draft: | 11.6          | Prop Type: | None  |
| Certified PHRF Data on file? <input type="checkbox"/> |                |                             |                                                                                           |           | Mast Material | ISP: | 76.71  | SLE:                 | SLU:            | ASMG: ASF: |        |               |            |       |
| Modifications on file:                                |                |                             | (Mtg 4/28/25, Custom rating of -120 assigned, includes penalty for captive power winches) |           |               |      |        |                      |                 |            |        |               |            |       |
|                                                       |                |                             |                                                                                           |           |               |      |        |                      |                 |            |        |               |            |       |
| Boat Name MeepMeep                                    |                |                             | Sail #                                                                                    | Rig Data: | Max Headsail  | I:   | 31.5   | Symmetric Spin?      | No              | LOA:       | 26.25  | Displacement: | 3296       |       |
| Boat Type J 80 ODR                                    |                |                             | 86                                                                                        |           | 124           | J:   | 9.42   | SL:                  | SSMG: SSF: SPL: | LWL:       | 22     | Ballast:      | 1400       |       |
| Rating: 114                                           | DW Rating: 617 | Certificate Date 3/23/2025  |                                                                                           |           | Rig Type      | P:   | 30     | Asymmetric Spin? Yes |                 |            | Beam:  | 8.2           | Engine:    | OB    |
| Displacement used for DW Rating: 3223                 |                |                             |                                                                                           |           | MS            | E:   | 12.416 |                      |                 |            | Draft: | 4.75          | Prop Type: | None  |
| Certified PHRF Data on file? <input type="checkbox"/> |                |                             |                                                                                           |           | Mast Material | ISP: | 33.25  | SLE:                 | SLU:            | ASMG: ASF: |        |               |            |       |
| Modifications on file:                                |                |                             |                                                                                           |           | ALUMN         | JSP: | 15.67  | 32.5                 | 40              | 22.9       | 24.2   |               |            |       |

|                                                                                                                                  |  |  |  |                  |               |      |       |                      |                 |            |        |               |            |         |       |
|----------------------------------------------------------------------------------------------------------------------------------|--|--|--|------------------|---------------|------|-------|----------------------|-----------------|------------|--------|---------------|------------|---------|-------|
| <b>Boat Name</b> Merlin                                                                                                          |  |  |  | <b>Rig Data:</b> | Max Headsail  | I:   | 43.37 | Symmetric Spin?      | No              | LOA:       | 32.6   | Displacement: | 8415       |         |       |
| <b>Boat Type</b> J 99                                                                                                            |  |  |  |                  | 104           | J:   | 12.56 | SL:                  | SSMG: SSF: SPL: | LWL:       | 28.6   | Ballast:      | 3350       |         |       |
| <b>Rating:</b> 57 DW Rating: 582 Certificate Date 4/29/2025                                                                      |  |  |  |                  | Rig Type      | P:   | 41.8  | Asymmetric Spin? Yes |                 |            | Beam:  | 11.18         | Engine:    | IB      |       |
| Displacement used for DW Rating: 8415                                                                                            |  |  |  |                  | FS            | E:   | 14.6  | SLE:                 | SLU:            | ASMG: ASF: | Draft: | 6.54          | Prop Type: | Fold    |       |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                            |  |  |  |                  | Mast Material | ISP: | 47.25 | 47.96                | 54.59           | 31.56      |        |               |            |         | 31.36 |
| <b>Modifications on file:</b> Kelp Cutter (Mtg 4/28/25, -3 sec/mi for 5% oversized main, -12 sec/mi for 35% oversized spinnaker) |  |  |  |                  | ALUMN         | JSP: | 16.73 |                      |                 |            |        |               |            |         |       |
|                                                                                                                                  |  |  |  |                  |               |      |       |                      |                 |            |        |               |            |         |       |
| <b>Boat Name</b> MIA                                                                                                             |  |  |  | <b>Rig Data:</b> | Max Headsail  | I:   | 28.5  | Symmetric Spin?      | Yes             | LOA:       | 27.25  | Displacement: | 2450       |         |       |
| <b>Boat Type</b> Express 27 ODR                                                                                                  |  |  |  |                  | 155           | J:   | 9     | SL:                  | SSMG: SSF: SPL: | LWL:       | 23.75  | Ballast:      | 1100       |         |       |
| <b>Rating:</b> 129 DW Rating: 608 Certificate Date 1/7/2025                                                                      |  |  |  |                  | Rig Type      | P:   | 28.5  | 29                   | 17.7            | 17.5       | 9.83   | Beam:         | 8.17       | Engine: | OB    |
| Displacement used for DW Rating: 2510                                                                                            |  |  |  |                  | FS            | E:   | 10.42 | Asymmetric Spin? No  |                 |            | Draft: | 4.5           | Prop Type: | None    |       |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                            |  |  |  |                  | Mast Material | ISP: | 28.5  | SLE:                 | SLU:            | ASMG: ASF: |        |               |            |         |       |
| <b>Modifications on file:</b>                                                                                                    |  |  |  |                  | ALUMN         | JSP: |       |                      |                 |            |        |               |            |         |       |
|                                                                                                                                  |  |  |  |                  |               |      |       |                      |                 |            |        |               |            |         |       |
| <b>Boat Name</b> Minami Kaze                                                                                                     |  |  |  | <b>Rig Data:</b> | Max Headsail  | I:   | 45.21 | Symmetric Spin?      | No              | LOA:       | 36.33  | Displacement: | 13349      |         |       |
| <b>Boat Type</b> Beneteau 361 Oceanis                                                                                            |  |  |  |                  | 110           | J:   | 13.94 | SL:                  | SSMG: SSF: SPL: | LWL:       | 31.08  | Ballast:      | 4156       |         |       |
| <b>Rating:</b> 147 DW Rating: Certificate Date 5/1/2025                                                                          |  |  |  |                  | Rig Type      | P:   | 38.39 | Asymmetric Spin? No  |                 |            | Beam:  | 12.5          | Engine:    | IB      |       |
| Displacement used for DW Rating: 13349                                                                                           |  |  |  |                  | MS            | E:   | 14.44 | SLE:                 | SLU:            | ASMG: ASF: | Draft: | 5             | Prop Type: | Fixed_3 |       |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                            |  |  |  |                  | Mast Material | ISP: |       |                      |                 |            |        |               |            |         |       |
| <b>Modifications on file:</b>                                                                                                    |  |  |  |                  | ALUMN         | JSP: |       |                      |                 |            |        |               |            |         |       |
|                                                                                                                                  |  |  |  |                  |               |      |       |                      |                 |            |        |               |            |         |       |
| <b>Boat Name</b> MINIMAX                                                                                                         |  |  |  | <b>Rig Data:</b> | Max Headsail  | I:   | 23.19 | Symmetric Spin?      | NO              | LOA:       | 20     | Displacement: | 1105       |         |       |
| <b>Boat Type</b> Melges 20                                                                                                       |  |  |  |                  | 110           | J:   | 7.05  | SL:                  | SSMG: SSF: SPL: | LWL:       | 19.4   | Ballast:      | 415        |         |       |
| <b>Rating:</b> 111 DW Rating: 607 Certificate Date 1/21/2025                                                                     |  |  |  |                  | Rig Type      | P:   | 24.25 | Asymmetric Spin? Yes |                 |            | Beam:  | 7             | Engine:    | OB      |       |
| Displacement used for DW Rating: 1105                                                                                            |  |  |  |                  | FS            | E:   | 9.84  | SLE:                 | SLU:            | ASMG: ASF: | Draft: | 4.5           | Prop Type: | None    |       |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                            |  |  |  |                  | Mast Material | ISP: | 27.2  | 26.25                | 29.78           | 17.65      |        |               |            |         | 18.8  |
| <b>Modifications on file:</b>                                                                                                    |  |  |  |                  | CARBON        | JSP: | 10.95 |                      |                 |            |        |               |            |         |       |
|                                                                                                                                  |  |  |  |                  |               |      |       |                      |                 |            |        |               |            |         |       |



|                                                                  |  |  |  |                  |               |       |       |                             |       |       |       |               |       |            |      |  |
|------------------------------------------------------------------|--|--|--|------------------|---------------|-------|-------|-----------------------------|-------|-------|-------|---------------|-------|------------|------|--|
| <b>Boat Name</b> Mister DJ                                       |  |  |  | <b>Rig Data:</b> | Max Headsail  | I:    | 34    | <i>Symmetric Spin?</i>      | Yes   | LOA:  | 28.5  | Displacement: | 7900  |            |      |  |
| <b>Boat Type</b> J 28                                            |  |  |  |                  | 155           | J:    | 10.5  | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 24    | Ballast:   | 3000 |  |
| <b>Rating:</b> 162   DW Rating: 696   Certificate Date 4/25/2025 |  |  |  |                  | Rig Type      | P:    | 36    | 33.8                        | 18.9  | 18.9  | 10.5  | Beam:         | 10    | Engine:    | IB   |  |
| Displacement used for DW Rating: 0                               |  |  |  |                  | FS            | E:    | 13    | <i>Asymmetric Spin?</i> No  |       |       |       | Draft:        | 5     | Prop Type: | Fold |  |
| Certified PHRF Data on file? <input type="checkbox"/>            |  |  |  |                  | Mast Material | ISP:  | 34    | SLE:                        | SLU:  | ASMG: | ASF:  |               |       |            |      |  |
| <i>Modifications on file:</i>                                    |  |  |  | ALUMN            | JSP:          |       |       |                             |       |       |       |               |       |            |      |  |
|                                                                  |  |  |  |                  |               |       |       |                             |       |       |       |               |       |            |      |  |
| <b>Boat Name</b> Mistral                                         |  |  |  | <b>Rig Data:</b> | Max Headsail  | I:    | 33.5  | <i>Symmetric Spin?</i>      | No    | LOA:  | 28    | Displacement: | 4250  |            |      |  |
| <b>Boat Type</b> J 9                                             |  |  |  |                  | 90            | J:    | 10    | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 25.4  | Ballast:   | 1950 |  |
| <b>Rating:</b> 117   DW Rating: 619   Certificate Date 4/28/2025 |  |  |  |                  | Rig Type      | P:    | 34    | <i>Asymmetric Spin?</i> No  |       |       |       | Beam:         | 8.6   | Engine:    | IB   |  |
| Displacement used for DW Rating: 4250                            |  |  |  |                  | FS            | E:    | 13.36 |                             |       |       |       | Draft:        | 4.9   | Prop Type: | Fold |  |
| Certified PHRF Data on file? <input type="checkbox"/>            |  |  |  |                  | Mast Material | ISP:  | 35    | SLE:                        | SLU:  | ASMG: | ASF:  |               |       |            |      |  |
| <i>Modifications on file:</i>                                    |  |  |  | ALUMN            | JSP:          | 12.4  |       |                             |       |       |       |               |       |            |      |  |
|                                                                  |  |  |  |                  |               |       |       |                             |       |       |       |               |       |            |      |  |
| <b>Boat Name</b> Mistral                                         |  |  |  | <b>Rig Data:</b> | Max Headsail  | I:    | 46.4  | <i>Symmetric Spin?</i>      | Yes   | LOA:  | 35    | Displacement: | 12495 |            |      |  |
| <b>Boat Type</b> Beneteau Farr First 36.7                        |  |  |  |                  | 155           | J:    | 13.1  | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 30.3  | Ballast:   | 4034 |  |
| <b>Rating:</b> 81   DW Rating: 614   Certificate Date 3/25/2025  |  |  |  |                  | Rig Type      | P:    | 45.4  | 45.8                        | 23.47 | 22.07 | 13.1  | Beam:         | 11.6  | Engine:    | IB   |  |
| Displacement used for DW Rating: 12150                           |  |  |  |                  | FS            | E:    | 15.6  | <i>Asymmetric Spin?</i> No  |       |       |       | Draft:        | 7.2   | Prop Type: | FOLD |  |
| Certified PHRF Data on file? <input type="checkbox"/>            |  |  |  |                  | Mast Material | ISP:  | 46.4  | SLE:                        | SLU:  | ASMG: | ASF:  |               |       |            |      |  |
| <i>Modifications on file:</i>                                    |  |  |  | ALUMN            | JSP:          | 13.1  |       |                             |       |       |       |               |       |            |      |  |
|                                                                  |  |  |  |                  |               |       |       |                             |       |       |       |               |       |            |      |  |
| <b>Boat Name</b> Mojito                                          |  |  |  | <b>Rig Data:</b> | Max Headsail  | I:    | 48.58 | <i>Symmetric Spin?</i>      | No    | LOA:  | 36.06 | Displacement: | 11300 |            |      |  |
| <b>Boat Type</b> J 112e                                          |  |  |  |                  | 105           | J:    | 14.15 | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 31.76 | Ballast:   | 3816 |  |
| <b>Rating:</b> 54   DW Rating: 575   Certificate Date 4/28/2025  |  |  |  |                  | Rig Type      | P:    | 45.93 | <i>Asymmetric Spin?</i> Yes |       |       |       | Beam:         | 11.81 | Engine:    | IB   |  |
| Displacement used for DW Rating: 11300                           |  |  |  |                  | FS            | E:    | 15.5  |                             |       |       |       | Draft:        | 6.89  | Prop Type: | Fold |  |
| Certified PHRF Data on file? <input type="checkbox"/>            |  |  |  |                  | Mast Material | ISP:  | 52    | SLE:                        | SLU:  | ASMG: | ASF:  |               |       |            |      |  |
| <i>Modifications on file:</i>                                    |  |  |  | CARBON           | JSP:          | 20.75 | 49.83 | 52.82                       | 31.04 | 34.08 |       |               |       |            |      |  |













|                                      |  |  |  |                                  |                  |                      |             |       |                             |               |       |                            |
|--------------------------------------|--|--|--|----------------------------------|------------------|----------------------|-------------|-------|-----------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Ohana               |  |  |  | <b>Sail #</b>                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 44    | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 34.5  | <b>Displacement:</b> 11950 |
| <b>Boat Type</b> Catalina 34 1&2     |  |  |  | 42                               |                  | 135                  | <b>J:</b>   | 13.5  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 29.83 | <b>Ballast:</b> 5000       |
| <b>Rating: 153</b> DW Rating: 647    |  |  |  | <b>Certificate Date</b> 1/6/2025 |                  | <b>Rig Type</b>      | <b>P:</b>   | 38.5  |                             | <b>Beam:</b>  | 11.75 | <b>Engine:</b> IB          |
| Displacement used for DW Rating:     |  |  |  | 13606                            |                  | <b>MS</b>            | <b>E:</b>   | 11.75 | <b>Asymmetric Spin?</b> No  |               |       |                            |
| Certified PHRF Data on file?         |  |  |  | <input type="checkbox"/>         |                  | <b>Mast Material</b> | <b>ISP:</b> | 44    | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5.58  | <b>Prop Type:</b> Fixed_3  |
| <b>Modifications on file:</b>        |  |  |  |                                  |                  | <b>ALUMN</b>         | <b>JSP:</b> | 13.5  |                             |               |       |                            |
|                                      |  |  |  |                                  |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Old #6              |  |  |  | <b>Sail #</b>                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 26.25 | <b>Symmetric Spin?</b> YES  | <b>LOA:</b>   | 24    | <b>Displacement:</b> 3100  |
| <b>Boat Type</b> J 24 ODR            |  |  |  | 6                                |                  | 150                  | <b>J:</b>   | 9.5   | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 20    | <b>Ballast:</b> 950        |
| <b>Rating: 168</b> DW Rating: 694    |  |  |  | <b>Certificate Date</b> 1/6/2025 |                  | <b>Rig Type</b>      | <b>P:</b>   | 28    | 26.5 17 16.8 9.5            | <b>Beam:</b>  | 8.92  | <b>Engine:</b> OB          |
| Displacement used for DW Rating:     |  |  |  | 2870                             |                  | <b>FS</b>            | <b>E:</b>   | 9.75  | <b>Asymmetric Spin?</b> No  |               |       |                            |
| Certified PHRF Data on file?         |  |  |  | <input type="checkbox"/>         |                  | <b>Mast Material</b> | <b>ISP:</b> | 26.25 | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 4     | <b>Prop Type:</b> None     |
| <b>Modifications on file:</b>        |  |  |  |                                  |                  | <b>ALUMN</b>         | <b>JSP:</b> |       |                             |               |       |                            |
|                                      |  |  |  |                                  |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Olive Oil           |  |  |  | <b>Sail #</b>                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 43    | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 34.58 | <b>Displacement:</b> 10361 |
| <b>Boat Type</b> Jeanneau 34 Sunrise |  |  |  | 28434                            |                  | 150                  | <b>J:</b>   | 13.8  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 29.5  | <b>Ballast:</b> 3460       |
| <b>Rating: 141</b> DW Rating:        |  |  |  | <b>Certificate Date</b> 5/1/2025 |                  | <b>Rig Type</b>      | <b>P:</b>   | 38.1  |                             | <b>Beam:</b>  | 11.45 | <b>Engine:</b> IB          |
| Displacement used for DW Rating:     |  |  |  | 10361                            |                  | <b>MS</b>            | <b>E:</b>   | 11.5  | <b>Asymmetric Spin?</b> No  |               |       |                            |
| Certified PHRF Data on file?         |  |  |  | <input type="checkbox"/>         |                  | <b>Mast Material</b> | <b>ISP:</b> | 43    | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5.9   | <b>Prop Type:</b> Fixed_2  |
| <b>Modifications on file:</b>        |  |  |  |                                  |                  | <b>ALUMN</b>         | <b>JSP:</b> | 13.8  |                             |               |       |                            |
|                                      |  |  |  |                                  |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> O'Mar               |  |  |  | <b>Sail #</b>                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 32    | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 25    | <b>Displacement:</b> 2900  |
| <b>Boat Type</b> Olson 25            |  |  |  | 28258                            |                  | 155                  | <b>J:</b>   | 9.583 | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 21.25 | <b>Ballast:</b> 1300       |
| <b>Rating: 159</b> DW Rating: 657    |  |  |  | <b>Certificate Date</b> 1/9/2025 |                  | <b>Rig Type</b>      | <b>P:</b>   | 28    | 31 16.5 16.5 9.58           | <b>Beam:</b>  | 9     | <b>Engine:</b> OB          |
| Displacement used for DW Rating:     |  |  |  | 2900                             |                  | <b>MS</b>            | <b>E:</b>   | 10    | <b>Asymmetric Spin?</b> No  |               |       |                            |
| Certified PHRF Data on file?         |  |  |  | <input type="checkbox"/>         |                  | <b>Mast Material</b> | <b>ISP:</b> | 32    | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 4.5   | <b>Prop Type:</b> None     |
| <b>Modifications on file:</b>        |  |  |  |                                  |                  | <b>ALUMN</b>         | <b>JSP:</b> |       |                             |               |       |                            |





|                                                                    |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |         |
|--------------------------------------------------------------------|--|--|--|--------|------------------|---------------|-------|-------|-----------------------------|-------|-------|-------|---------------|--------|------------|---------|
| <b>Boat Name</b> Painkiller                                        |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:    | 26.25 | <i>Symmetric Spin?</i>      | YES   | LOA:  | 23.75 | Displacement: | 2050   |            |         |
| <b>Boat Type</b> Moore 24                                          |  |  |  | 33     |                  | 150           | J:    | 9.75  | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 21.75  | Ballast:   | 1025    |
| <b>Rating:</b> 150    DW Rating: 629    Certificate Date 2/13/2025 |  |  |  |        |                  | Rig Type      | P:    | 25    | 27                          | 17.55 | 17.55 | 9.75  | Beam:         | 7.16   | Engine:    | OB      |
| Displacement used for DW Rating: 2050                              |  |  |  |        |                  | FS            | E:    | 9.5   | <i>Asymmetric Spin?</i> No  |       |       |       | Draft:        | 4.083  | Prop Type: | None    |
| Certified PHRF Data on file? <input type="checkbox"/>              |  |  |  |        |                  | Mast Material | ISP:  | 26.25 | SLE:                        | SLU:  | ASMG: | ASF:  |               |        |            |         |
|                                                                    |  |  |  |        | ALUMN            | JSP:          |       |       |                             |       |       |       |               |        |            |         |
| <i>Modifications on file:</i>                                      |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |         |
|                                                                    |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |         |
| <b>Boat Name</b> Pakari                                            |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:    | 47.42 | <i>Symmetric Spin?</i>      | No    | LOA:  | 34.42 | Displacement: | 11820  |            |         |
| <b>Boat Type</b> Hunter 34                                         |  |  |  | 34     |                  | 135           | J:    | 13.75 | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 28.25  | Ballast:   | 5000    |
| <b>Rating:</b> 144    DW Rating: 637    Certificate Date 3/23/2025 |  |  |  |        |                  | Rig Type      | P:    | 41    | <i>Asymmetric Spin?</i> No  |       |       |       | Beam:         | 11.58  | Engine:    | IB      |
| Displacement used for DW Rating: 11820                             |  |  |  |        |                  | MS            | E:    | 11.75 |                             |       |       |       | Draft:        | 5.5    | Prop Type: | Fold    |
| Certified PHRF Data on file? <input type="checkbox"/>              |  |  |  |        |                  | Mast Material | ISP:  | 46    | SLE:                        | SLU:  | ASMG: | ASF:  |               |        |            |         |
|                                                                    |  |  |  |        | ALUMN            | JSP:          |       |       |                             |       |       |       |               |        |            |         |
| <i>Modifications on file:</i>                                      |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |         |
|                                                                    |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |         |
| <b>Boat Name</b> Parisian                                          |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:    | 46    | <i>Symmetric Spin?</i>      | No    | LOA:  | 35.5  | Displacement: | 13000  |            |         |
| <b>Boat Type</b> Ericson 35-3                                      |  |  |  | 171    |                  | 110           | J:    | 15.83 | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 28.833 | Ballast:   | 5200    |
| <b>Rating:</b> 135    DW Rating:    Certificate Date 1/23/2025     |  |  |  |        |                  | Rig Type      | P:    | 39    | <i>Asymmetric Spin?</i> No  |       |       |       | Beam:         | 11.33  | Engine:    | IB      |
| Displacement used for DW Rating: 13000                             |  |  |  |        |                  | MS            | E:    | 12    |                             |       |       |       | Draft:        | 6.166  | Prop Type: | Fixed_3 |
| Certified PHRF Data on file? <input type="checkbox"/>              |  |  |  |        |                  | Mast Material | ISP:  | 46    | SLE:                        | SLU:  | ASMG: | ASF:  |               |        |            |         |
|                                                                    |  |  |  |        | ALUMN            | JSP:          | 15.83 |       |                             |       |       |       |               |        |            |         |
| <i>Modifications on file:</i>                                      |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |         |
|                                                                    |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |         |
| <b>Boat Name</b> Peabody                                           |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:    | 25.08 | <i>Symmetric Spin?</i>      | No    | LOA:  | 20.94 | Displacement: | 1350   |            |         |
| <b>Boat Type</b> Ultimate 20                                       |  |  |  | 22     |                  | 110           | J:    | 6.97  | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 18     | Ballast:   | 450     |
| <b>Rating:</b> 144    DW Rating: 622    Certificate Date 1/7/2025  |  |  |  |        |                  | Rig Type      | P:    | 27.5  | <i>Asymmetric Spin?</i> Yes |       |       |       | Beam:         | 8.33   | Engine:    | OB      |
| Displacement used for DW Rating: 1350                              |  |  |  |        |                  | FS            | E:    | 10.25 |                             |       |       |       | Draft:        | 5.03   | Prop Type: | None    |
| Certified PHRF Data on file? <input type="checkbox"/>              |  |  |  |        |                  | Mast Material | ISP:  | 27.58 | SLE:                        | SLU:  | ASMG: | ASF:  |               |        |            |         |
|                                                                    |  |  |  |        |                  | JSP:          | 12.79 | 28.4  | 31.3                        | 17.7  | 19.2  |       |               |        |            |         |
| <i>Modifications on file:</i>                                      |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |         |















|                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |  |                     |  |                  |                             |  |                             |                                                  |                     |                        |                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|---------------------|--|------------------|-----------------------------|--|-----------------------------|--------------------------------------------------|---------------------|------------------------|----------------------------|
| <b>Boat Name</b> Ragtime                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |  | <b>Sail #</b> 7960  |  | <b>Rig Data:</b> | <b>Max Headsail</b> 100     |  | <b>I:</b> 65.39             | <b>Symmetric Spin?</b> No                        |                     | <b>LOA:</b> 64.74      | <b>Displacement:</b> 23451 |
| <b>Boat Type</b> Custom Spencer 65                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |  |                     |  |                  | <b>Rig Type</b> FS          |  | <b>J:</b> 22.24             | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 55.7    | <b>Ballast:</b> 10500  |                            |
| <b>Rating: -66</b> <b>DW Rating:</b> 420 <b>Certificate Date</b> 5/20/2025                                                                                                                                                                                                                                                                                                                                                                                                |  |  |  |                     |  |                  | <b>E:</b> 22.35             |  | <b>Asymmetric Spin?</b> Yes |                                                  | <b>Beam:</b> 11.83  | <b>Engine:</b> IB      |                            |
| Displacement used for DW Rating: 23451                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |                     |  |                  | <b>Mast Material</b> CARBON |  | <b>ISP:</b> 74.02           | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 10.72 | <b>Prop Type:</b> Fold |                            |
| Certified PHRF Data on file? <input checked="" type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                                                          |  |  |  |                     |  |                  | <b>JSP:</b> 25.92           |  | 70.5                        | 77.36                                            | 41.54               | 38.32                  |                            |
| <b>Modifications on file:</b> (Mtg 5/19/25, Custom Rating of -66 assigned)                                                                                                                                                                                                                                                                                                                                                                                                |  |  |  |                     |  |                  |                             |  |                             |                                                  |                     |                        |                            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |  |                     |  |                  |                             |  |                             |                                                  |                     |                        |                            |
| <b>Boat Name</b> Rascal                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |  |  | <b>Sail #</b> 28175 |  | <b>Rig Data:</b> | <b>Max Headsail</b> 150     |  | <b>I:</b> 36                | <b>Symmetric Spin?</b> Yes                       |                     | <b>LOA:</b> 30         | <b>Displacement:</b> 4200  |
| <b>Boat Type</b> Custom Wilderness 30 SX                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |  |                     |  |                  | <b>Rig Type</b> MS          |  | <b>J:</b> 11                | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 26.5    | <b>Ballast:</b> 1650   |                            |
| <b>Rating: 105</b> <b>DW Rating:</b> 596 <b>Certificate Date</b> 12/3/2024                                                                                                                                                                                                                                                                                                                                                                                                |  |  |  |                     |  |                  | <b>E:</b> 11.5              |  | <b>Asymmetric Spin?</b> No  |                                                  | <b>Beam:</b> 8.75   | <b>Engine:</b> OB      |                            |
| Displacement used for DW Rating: 4200                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |  |  |                     |  |                  | <b>Mast Material</b> ALUMN  |  | <b>ISP:</b> 36              | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 6     | <b>Prop Type:</b> None |                            |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                                                                     |  |  |  |                     |  |                  | <b>JSP:</b>                 |  |                             |                                                  |                     |                        |                            |
| <b>Modifications on file:</b> SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 3" FRD-BLST 1800/1686, DRAFT 5/5.50 (5"FILLER TOP OF KEEL)2/15/96 MTG. (NOTE- SMW CANNOT EXCEED 19.8 mtg-5-17-2001)(Mtg 1/21/19, +3 sec/mi for 95% headsail, change custom rating to 108)(1/20/23, added 150% headsail back, -3 sec/mi, custom rating back to 105) |  |  |  |                     |  |                  |                             |  |                             |                                                  |                     |                        |                            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |  |                     |  |                  |                             |  |                             |                                                  |                     |                        |                            |
| <b>Boat Name</b> Raven                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  | <b>Sail #</b> 38073 |  | <b>Rig Data:</b> | <b>Max Headsail</b> 108     |  | <b>I:</b> 47.24             | <b>Symmetric Spin?</b> Yes                       |                     | <b>LOA:</b> 36.32      | <b>Displacement:</b> 12125 |
| <b>Boat Type</b> Beneteau First 35                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |  |  |                     |  |                  | <b>Rig Type</b> FS          |  | <b>J:</b> 13.12             | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 30.6    | <b>Ballast:</b> 3681   |                            |
| <b>Rating: 75</b> <b>DW Rating:</b> 600 <b>Certificate Date</b> 1/9/2025                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |  |                     |  |                  | <b>E:</b> 14.75             |  | <b>Asymmetric Spin?</b> No  |                                                  | <b>Beam:</b> 12.76  | <b>Engine:</b> IB      |                            |
| Displacement used for DW Rating: 12125                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |                     |  |                  | <b>Mast Material</b> ALUMN  |  | <b>ISP:</b> 51.48           | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 7.25  | <b>Prop Type:</b> Fold |                            |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                                                                     |  |  |  |                     |  |                  | <b>JSP:</b>                 |  |                             |                                                  |                     |                        |                            |
| <b>Modifications on file:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |  |  |                     |  |                  |                             |  |                             |                                                  |                     |                        |                            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |  |  |                     |  |                  |                             |  |                             |                                                  |                     |                        |                            |
| <b>Boat Name</b> Raven                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  | <b>Sail #</b> 38108 |  | <b>Rig Data:</b> | <b>Max Headsail</b> 106     |  | <b>I:</b> 52.17             | <b>Symmetric Spin?</b> Yes                       |                     | <b>LOA:</b> 37.75      | <b>Displacement:</b> 11800 |
| <b>Boat Type</b> C&C 115 ODR                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |  |  |                     |  |                  | <b>Rig Type</b> FS          |  | <b>J:</b> 14.5              | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 33      | <b>Ballast:</b> 4200   |                            |
| <b>Rating: 63</b> <b>DW Rating:</b> 580 <b>Certificate Date</b> 1/9/2025                                                                                                                                                                                                                                                                                                                                                                                                  |  |  |  |                     |  |                  | <b>E:</b> 16.33             |  | <b>Asymmetric Spin?</b> No  |                                                  | <b>Beam:</b> 11.92  | <b>Engine:</b> IB      |                            |
| Displacement used for DW Rating: 13152                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |  |  |                     |  |                  | <b>Mast Material</b> CARBON |  | <b>ISP:</b> 52.17           | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 6.67  | <b>Prop Type:</b> Fold |                            |
| Certified PHRF Data on file? <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                                                                                                                     |  |  |  |                     |  |                  | <b>JSP:</b> 14.5            |  | 47.3                        | 53.3                                             | 22.5                | 24.7                   |                            |
| <b>Modifications on file:</b>                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |  |  |                     |  |                  |                             |  |                             |                                                  |                     |                        |                            |



|                                                       |  |  |  |                                    |                  |                      |             |        |                             |               |       |                            |
|-------------------------------------------------------|--|--|--|------------------------------------|------------------|----------------------|-------------|--------|-----------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Relaxy 3                             |  |  |  | <b>Sail #</b>                      | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 38.5   | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 30    | <b>Displacement:</b> 8600  |
| <b>Boat Type</b> Islander 30-2                        |  |  |  | 3217                               |                  | 100                  | <b>J:</b>   | 12.58  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 24.58 | <b>Ballast:</b> 3500       |
| <b>Rating: 195</b> DW Rating:                         |  |  |  | <b>Certificate Date</b> 12/9/2024  |                  | <b>Rig Type</b>      | <b>P:</b>   | 32.5   |                             |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                      |  |  |  | 0                                  |                  | <b>MS</b>            | <b>E:</b>   | 12.5   | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 10    |                            |
| Certified PHRF Data on file? <input type="checkbox"/> |  |  |  |                                    |                  | <b>Mast Material</b> | <b>ISP:</b> | 38.416 | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5     | <b>Prop Type:</b> Fixed_3  |
| <b>Modifications on file:</b>                         |  |  |  |                                    |                  | <b>ALUMN</b>         | <b>JSP:</b> |        |                             |               |       |                            |
|                                                       |  |  |  |                                    |                  |                      |             |        |                             |               |       |                            |
| <b>Boat Name</b> Relentless                           |  |  |  | <b>Sail #</b>                      | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 37     | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 30    | <b>Displacement:</b> 5500  |
| <b>Boat Type</b> J 92                                 |  |  |  | 93                                 |                  | 105                  | <b>J:</b>   | 11.5   | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 26.5  | <b>Ballast:</b> 2275       |
| <b>Rating: 108</b> DW Rating: 591                     |  |  |  | <b>Certificate Date</b> 1/9/2025   |                  | <b>Rig Type</b>      | <b>P:</b>   | 38     |                             |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                      |  |  |  | 5800                               |                  | <b>FS</b>            | <b>E:</b>   | 13.5   | <b>Asymmetric Spin?</b> Yes | <b>Beam:</b>  | 10    |                            |
| Certified PHRF Data on file? <input type="checkbox"/> |  |  |  |                                    |                  | <b>Mast Material</b> | <b>ISP:</b> | 38.5   | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5.9   | <b>Prop Type:</b> Fold     |
| <b>Modifications on file:</b>                         |  |  |  |                                    |                  | <b>ALUMN</b>         | <b>JSP:</b> | 17.5   | 40.6 45.2 25.4 26.4         |               |       |                            |
|                                                       |  |  |  |                                    |                  |                      |             |        |                             |               |       |                            |
| <b>Boat Name</b> Resa                                 |  |  |  | <b>Sail #</b>                      | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 55.17  | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 41    | <b>Displacement:</b> 18740 |
| <b>Boat Type</b> Sweden 41                            |  |  |  | 40415                              |                  | 135                  | <b>J:</b>   | 17     | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 32.68 | <b>Ballast:</b> 8150       |
| <b>Rating: 99</b> DW Rating: 597                      |  |  |  | <b>Certificate Date</b> 5/13/2025  |                  | <b>Rig Type</b>      | <b>P:</b>   | 48.5   | 54.68 30.5 30.09 16.83      |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                      |  |  |  |                                    |                  | <b>MS</b>            | <b>E:</b>   | 13.75  | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 12.75 |                            |
| Certified PHRF Data on file? <input type="checkbox"/> |  |  |  |                                    |                  | <b>Mast Material</b> | <b>ISP:</b> | 54.4   | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 7.25  | <b>Prop Type:</b> Feath    |
| <b>Modifications on file:</b>                         |  |  |  |                                    |                  | <b>ALUMN</b>         | <b>JSP:</b> |        |                             |               |       |                            |
|                                                       |  |  |  |                                    |                  |                      |             |        |                             |               |       |                            |
| <b>Boat Name</b> Resilience                           |  |  |  | <b>Sail #</b>                      | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 30     | <b>Symmetric Spin?</b> YES  | <b>LOA:</b>   | 28.25 | <b>Displacement:</b> 5700  |
| <b>Boat Type</b> Alerion Express 28 ODR               |  |  |  | 136                                |                  | 90                   | <b>J:</b>   | 9.75   | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 22.83 | <b>Ballast:</b> 2200       |
| <b>Rating: 168</b> DW Rating: 696                     |  |  |  | <b>Certificate Date</b> 12/22/2024 |                  | <b>Rig Type</b>      | <b>P:</b>   | 33     | 29.96 16.73 16.73 9.55      |               |       | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                      |  |  |  | 5700                               |                  | <b>FS</b>            | <b>E:</b>   | 12.5   | <b>Asymmetric Spin?</b> No  | <b>Beam:</b>  | 8.2   |                            |
| Certified PHRF Data on file? <input type="checkbox"/> |  |  |  |                                    |                  | <b>Mast Material</b> | <b>ISP:</b> | 30     | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 4.5   | <b>Prop Type:</b> Fold     |
| <b>Modifications on file:</b>                         |  |  |  |                                    |                  | <b>ALUMN</b>         | <b>JSP:</b> | 9.75   |                             |               |       |                            |





|                                     |     |            |     |                          |                  |               |          |        |                         |       |       |        |               |        |          |            |         |
|-------------------------------------|-----|------------|-----|--------------------------|------------------|---------------|----------|--------|-------------------------|-------|-------|--------|---------------|--------|----------|------------|---------|
| <b>Boat Name</b> Roja               |     |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 29.125 | <i>Symmetric Spin?</i>  | YES   | LOA:  | 32.416 | Displacement: | 4500   |          |            |         |
| <b>Boat Type</b> Columbia 5.5 M ODR |     |            |     | 1                        |                  | 95            | J:       | 8.25   | SL:                     | SSMG: | SSF:  | SPL:   | LWL:          | 25     | Ballast: | 2800       |         |
| <b>Rating:</b>                      | 177 | DW Rating: | 632 | Certificate Date         |                  | 1/21/2025     | Rig Type | P:     | 34                      | 29.15 | 14    | 14     | 8.25          | Beam:  | 6.25     | Engine:    | OB      |
| Displacement used for DW Rating:    |     |            |     | 0                        |                  | FS            | E:       | 11.416 | <i>Asymmetric Spin?</i> |       |       |        | No            | Draft: | 4.33     | Prop Type: | None    |
| Certified PHRF Data on file?        |     |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 30     | SLE:                    | SLU:  | ASMG: | ASF:   |               |        |          |            |         |
|                                     |     |            |     |                          | ALUMN            | JSP:          | 8.5      |        |                         |       |       |        |               |        |          |            |         |
| <i>Modifications on file:</i>       |     |            |     |                          |                  |               |          |        |                         |       |       |        |               |        |          |            |         |
|                                     |     |            |     |                          |                  |               |          |        |                         |       |       |        |               |        |          |            |         |
| <b>Boat Name</b> Rooster            |     |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 23.19  | <i>Symmetric Spin?</i>  | No    | LOA:  | 20     | Displacement: | 1105   |          |            |         |
| <b>Boat Type</b> Melges 20          |     |            |     | 225                      |                  | 110           | J:       | 7.05   | SL:                     | SSMG: | SSF:  | SPL:   | LWL:          | 19.4   | Ballast: | 415        |         |
| <b>Rating:</b>                      | 111 | DW Rating: | 607 | Certificate Date         |                  | 12/17/2024    | Rig Type | P:     | 24.25                   |       |       |        |               | Beam:  | 7        | Engine:    | OB      |
| Displacement used for DW Rating:    |     |            |     | 1105                     |                  | FS            | E:       | 9.84   | <i>Asymmetric Spin?</i> |       |       |        | Yes           | Draft: | 4.5      | Prop Type: | None    |
| Certified PHRF Data on file?        |     |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 27.2   | SLE:                    | SLU:  | ASMG: | ASF:   |               |        |          |            |         |
|                                     |     |            |     |                          | CARBON           | JSP:          | 10.95    | 26.25  | 29.78                   | 17.65 | 18.8  |        |               |        |          |            |         |
| <i>Modifications on file:</i>       |     |            |     |                          |                  |               |          |        |                         |       |       |        |               |        |          |            |         |
|                                     |     |            |     |                          |                  |               |          |        |                         |       |       |        |               |        |          |            |         |
| <b>Boat Name</b> Rootless           |     |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 39.5   | <i>Symmetric Spin?</i>  | No    | LOA:  | 31.8   | Displacement: | 3800   |          |            |         |
| <b>Boat Type</b> Melges 32 ODR      |     |            |     | 116                      |                  | 107           | J:       | 10.6   | SL:                     | SSMG: | SSF:  | SPL:   | LWL:          | 28.5   | Ballast: | 1600       |         |
| <b>Rating:</b>                      | 27  | DW Rating: | 459 | Certificate Date         |                  | 3/23/2025     | Rig Type | P:     | 44                      |       |       |        |               | Beam:  | 9.8      | Engine:    | OB      |
| Displacement used for DW Rating:    |     |            |     | 3800                     |                  | FS            | E:       | 15.3   | <i>Asymmetric Spin?</i> |       |       |        | Yes           | Draft: | 7        | Prop Type: | Fixed_2 |
| Certified PHRF Data on file?        |     |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 48.1   | SLE:                    | SLU:  | ASMG: | ASF:   |               |        |          |            |         |
|                                     |     |            |     |                          | CARBON           | JSP:          |          | 46.8   | 54.7                    | 30.8  | 31.2  |        |               |        |          |            |         |
| <i>Modifications on file:</i>       |     |            |     |                          |                  |               |          |        |                         |       |       |        |               |        |          |            |         |
|                                     |     |            |     |                          |                  |               |          |        |                         |       |       |        |               |        |          |            |         |
| <b>Boat Name</b> Rosa Mystica       |     |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 26.25  | <i>Symmetric Spin?</i>  | Yes   | LOA:  | 23.75  | Displacement: | 2050   |          |            |         |
| <b>Boat Type</b> Moore 24           |     |            |     | 136                      |                  | 150           | J:       | 9.75   | SL:                     | SSMG: | SSF:  | SPL:   | LWL:          | 21.75  | Ballast: | 1025       |         |
| <b>Rating:</b>                      | 150 | DW Rating: | 629 | Certificate Date         |                  | 2/19/2025     | Rig Type | P:     | 25                      | 27    | 17.55 | 17.55  | 9.75          | Beam:  | 7.16     | Engine:    | OB      |
| Displacement used for DW Rating:    |     |            |     | 2050                     |                  | FS            | E:       | 9.5    | <i>Asymmetric Spin?</i> |       |       |        | No            | Draft: | 4.08     | Prop Type: | None    |
| Certified PHRF Data on file?        |     |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 26.25  | SLE:                    | SLU:  | ASMG: | ASF:   |               |        |          |            |         |
|                                     |     |            |     |                          | ALUMN            | JSP:          |          |        |                         |       |       |        |               |        |          |            |         |
| <i>Modifications on file:</i>       |     |            |     |                          |                  |               |          |        |                         |       |       |        |               |        |          |            |         |

|                                                                                   |     |            |     |                                     |                  |               |          |       |                         |       |       |       |               |        |          |            |         |
|-----------------------------------------------------------------------------------|-----|------------|-----|-------------------------------------|------------------|---------------|----------|-------|-------------------------|-------|-------|-------|---------------|--------|----------|------------|---------|
| <b>Boat Name</b> Ruby                                                             |     |            |     | Sail #                              | <b>Rig Data:</b> | Max Headsail  | I:       | 26.25 | <i>Symmetric Spin?</i>  | Yes   | LOA:  | 23.9  | Displacement: | 2050   |          |            |         |
| <b>Boat Type</b> Moore 24                                                         |     |            |     | 6                                   |                  | 150           | J:       | 9.75  | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 21.9   | Ballast: | 1025       |         |
| <b>Rating:</b>                                                                    | 150 | DW Rating: | 630 | Certificate Date                    |                  | 1/14/2025     | Rig Type | P:    | 25                      | 26.5  | 17.5  | 17.1  | 9.75          | Beam:  | 7.2      | Engine:    | OB      |
| Displacement used for DW Rating:                                                  |     |            |     | 2050                                |                  | FS            | E:       | 9.5   | <i>Asymmetric Spin?</i> |       |       |       | No            | Draft: | 4.1      | Prop Type: | None    |
| Certified PHRF Data on file?                                                      |     |            |     | <input type="checkbox"/>            |                  | Mast Material | ISP:     | 26.25 | SLE:                    | SLU:  | ASMG: | ASF:  |               |        |          |            |         |
|                                                                                   |     |            |     |                                     | ALUMN            | JSP:          |          |       |                         |       |       |       |               |        |          |            |         |
| <b>Modifications on file:</b>                                                     |     |            |     |                                     |                  |               |          |       |                         |       |       |       |               |        |          |            |         |
|                                                                                   |     |            |     |                                     |                  |               |          |       |                         |       |       |       |               |        |          |            |         |
| <b>Boat Name</b> Rufless                                                          |     |            |     | Sail #                              | <b>Rig Data:</b> | Max Headsail  | I:       | 49.16 | <i>Symmetric Spin?</i>  | NO    | LOA:  | 41    | Displacement: | 8350   |          |            |         |
| <b>Boat Type</b> J 125                                                            |     |            |     | 2125                                |                  | 145           | J:       | 14.8  | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 37     | Ballast: | 4646       |         |
| <b>Rating:</b>                                                                    | -12 | DW Rating: | 492 | Certificate Date                    |                  | 1/6/2025      | Rig Type | P:    | 46.68                   |       |       |       |               | Beam:  | 10.6     | Engine:    | IB      |
| Displacement used for DW Rating:                                                  |     |            |     | 9781                                |                  | FS            | E:       | 17.95 | <i>Asymmetric Spin?</i> |       |       |       | Yes           | Draft: | 7.9      | Prop Type: | Fold    |
| Certified PHRF Data on file?                                                      |     |            |     | <input checked="" type="checkbox"/> |                  | Mast Material | ISP:     | 52.26 | SLE:                    | SLU:  | ASMG: | ASF:  |               |        |          |            |         |
|                                                                                   |     |            |     |                                     | CARBON           | JSP:          | 22.85    | 52.5  | 59.6                    | 36.6  | 38.6  |       |               |        |          |            |         |
| <b>Modifications on file:</b>                                                     |     |            |     |                                     |                  |               |          |       |                         |       |       |       |               |        |          |            |         |
|                                                                                   |     |            |     |                                     |                  |               |          |       |                         |       |       |       |               |        |          |            |         |
| <b>Boat Name</b> Rum Tum Tugger                                                   |     |            |     | Sail #                              | <b>Rig Data:</b> | Max Headsail  | I:       | 43.2  | <i>Symmetric Spin?</i>  | No    | LOA:  | 32.75 | Displacement: | 9715   |          |            |         |
| <b>Boat Type</b> Beneteau First 10R ODR MOD                                       |     |            |     | 39                                  |                  | 130           | J:       | 12.07 | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 28.7   | Ballast: | 3528       |         |
| <b>Rating:</b>                                                                    | 81  | DW Rating: | 619 | Certificate Date                    |                  | 1/14/2025     | Rig Type | P:    | 42.25                   |       |       |       |               | Beam:  | 11       | Engine:    | IB      |
| Displacement used for DW Rating:                                                  |     |            |     | 10868                               |                  | FS            | E:       | 14.73 | <i>Asymmetric Spin?</i> |       |       |       | Yes           | Draft: | 6.55     | Prop Type: | FOLD    |
| Certified PHRF Data on file?                                                      |     |            |     | <input checked="" type="checkbox"/> |                  | Mast Material | ISP:     | 46.41 | SLE:                    | SLU:  | ASMG: | ASF:  |               |        |          |            |         |
|                                                                                   |     |            |     |                                     | CARBON           | JSP:          | 16.5     | 42.78 | 51.08                   | 27.72 | 27.56 |       |               |        |          |            |         |
| <b>Modifications on file:</b> (mtg 9/23/10, +3 sec/mi for non-class smaller kite) |     |            |     |                                     |                  |               |          |       |                         |       |       |       |               |        |          |            |         |
|                                                                                   |     |            |     |                                     |                  |               |          |       |                         |       |       |       |               |        |          |            |         |
| <b>Boat Name</b> Rumour                                                           |     |            |     | Sail #                              | <b>Rig Data:</b> | Max Headsail  | I:       | 42    | <i>Symmetric Spin?</i>  | Yes   | LOA:  | 32.5  | Displacement: | 9800   |          |            |         |
| <b>Boat Type</b> Ericson 32-3                                                     |     |            |     | 18260                               |                  | 150           | J:       | 13.75 | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 25.83  | Ballast: | 4200       |         |
| <b>Rating:</b>                                                                    | 159 | DW Rating: | 663 | Certificate Date                    |                  | 12/18/2024    | Rig Type | P:    | 36                      | 39.83 | 22.7  | 22    | 13.75         | Beam:  | 10.83    | Engine:    | IB      |
| Displacement used for DW Rating:                                                  |     |            |     | 9800                                |                  | MS            | E:       | 11.5  | <i>Asymmetric Spin?</i> |       |       |       | No            | Draft: | 6        | Prop Type: | Fixed_2 |
| Certified PHRF Data on file?                                                      |     |            |     | <input type="checkbox"/>            |                  | Mast Material | ISP:     | 42    | SLE:                    | SLU:  | ASMG: | ASF:  |               |        |          |            |         |
|                                                                                   |     |            |     |                                     | ALUMN            | JSP:          | 13.75    |       |                         |       |       |       |               |        |          |            |         |
| <b>Modifications on file:</b>                                                     |     |            |     |                                     |                  |               |          |       |                         |       |       |       |               |        |          |            |         |







|                                                                                         |  |  |  |                     |                  |               |       |                              |                               |        |       |               |            |         |
|-----------------------------------------------------------------------------------------|--|--|--|---------------------|------------------|---------------|-------|------------------------------|-------------------------------|--------|-------|---------------|------------|---------|
| <b>Boat Name</b> Sea B                                                                  |  |  |  | <b>Sail #</b> 38984 | <b>Rig Data:</b> | Max Headsail  | I:    | 32                           | <b>Symmetric Spin?</b> No     | LOA:   | 25    | Displacement: | 2900       |         |
| <b>Boat Type</b> Olson 25                                                               |  |  |  |                     |                  | 155           | J:    | 9.583                        | SL: SSMG: SSF: SPL:           | LWL:   | 21.25 | Ballast:      | 1300       |         |
| <b>Rating:</b> 159    DW Rating: 661 <b>Certificate Date</b> 12/3/2024                  |  |  |  |                     |                  | Rig Type      | P:    | 28                           |                               |        |       | Engine:       | OB         |         |
| Displacement used for DW Rating: 2900                                                   |  |  |  |                     |                  | MS            | E:    | 10                           | <b>Asymmetric Spin?</b> No    | Beam:  | 9     |               | Prop Type: | None    |
| Certified PHRF Data on file? <input type="checkbox"/>                                   |  |  |  |                     |                  | Mast Material | ISP:  | 32                           | SLE:    SLU:    ASMG: ASF:    | Draft: | 4.5   |               |            |         |
| <b>Modifications on file:</b> Roller Furler                                             |  |  |  |                     | ALUMN            | JSP:          | 9.58  |                              |                               |        |       |               |            |         |
|                                                                                         |  |  |  |                     |                  |               |       |                              |                               |        |       |               |            |         |
| <b>Boat Name</b> Sea Witch                                                              |  |  |  | <b>Sail #</b> 20    | <b>Rig Data:</b> | Max Headsail  | I:    | 38.67                        | <b>Symmetric Spin?</b> No     | LOA:   | 36.08 | Displacement: | 8900       |         |
| <b>Boat Type</b> Morris 36 SD                                                           |  |  |  |                     |                  | 100           | J:    | 12.75                        | SL: SSMG: SSF: SPL:           | LWL:   | 25    | Ballast:      | 4110       |         |
| <b>Rating:</b> 123    DW Rating: 643 <b>Certificate Date</b> 5/6/2025                   |  |  |  |                     |                  | Rig Type      | P:    | 41.25                        |                               |        |       | Engine:       | IB         |         |
| Displacement used for DW Rating: 8900                                                   |  |  |  |                     |                  | FS            | E:    | 15.08                        | <b>Asymmetric Spin?</b> Yes   | Beam:  | 10.2  |               | Prop Type: | Fold    |
| Certified PHRF Data on file? <input type="checkbox"/>                                   |  |  |  |                     |                  | Mast Material | ISP:  | 44.3                         | SLE:    SLU:    ASMG: ASF:    | Draft: | 5.25  |               |            |         |
| <b>Modifications on file:</b> Electric Winches for halyards                             |  |  |  |                     | CARBON           | JSP:          |       | 34.4    39.2    23.1    21.4 |                               |        |       |               |            |         |
|                                                                                         |  |  |  |                     |                  |               |       |                              |                               |        |       |               |            |         |
| <b>Boat Name</b> Serenade                                                               |  |  |  | <b>Sail #</b>       | <b>Rig Data:</b> | Max Headsail  | I:    | 45.5                         | <b>Symmetric Spin?</b> Yes    | LOA:   | 36.67 | Displacement: | 10500      |         |
| <b>Boat Type</b> Sabre Spirit                                                           |  |  |  |                     |                  | 108           | J:    | 12.87                        | SL: SSMG: SSF: SPL:           | LWL:   | 28.33 | Ballast:      | 3740       |         |
| <b>Rating:</b> 93    DW Rating: 613 <b>Certificate Date</b> 12/6/2024                   |  |  |  |                     |                  | Rig Type      | P:    | 45.5                         | 44.92   23.17   22.24   12.87 |        |       | Engine:       | IB         |         |
| Displacement used for DW Rating: 10500                                                  |  |  |  |                     |                  | FS            | E:    | 16.55                        | <b>Asymmetric Spin?</b> No    | Beam:  | 10.42 |               | Prop Type: | Fold    |
| Certified PHRF Data on file? <input type="checkbox"/>                                   |  |  |  |                     |                  | Mast Material | ISP:  | 45.5                         | SLE:    SLU:    ASMG: ASF:    | Draft: | 6.58  |               |            |         |
| <b>Modifications on file:</b> (Mtg 3/30/20, -3 secmi for keel modification: added shoe) |  |  |  |                     | CARBON           | JSP:          | 12.87 | 45.2    53.6    23.9    23   |                               |        |       |               |            |         |
|                                                                                         |  |  |  |                     |                  |               |       |                              |                               |        |       |               |            |         |
| <b>Boat Name</b> Serenity                                                               |  |  |  | <b>Sail #</b> 6679  | <b>Rig Data:</b> | Max Headsail  | I:    | 39                           | <b>Symmetric Spin?</b> No     | LOA:   | 33.3  | Displacement: | 9500       |         |
| <b>Boat Type</b> Cal 34-1                                                               |  |  |  |                     |                  | 130           | J:    | 13.75                        | SL: SSMG: SSF: SPL:           | LWL:   | 26    | Ballast:      | 3750       |         |
| <b>Rating:</b> 177    DW Rating: 670 <b>Certificate Date</b> 1/9/2025                   |  |  |  |                     |                  | Rig Type      | P:    | 33.5                         |                               |        |       | Engine:       | IB         |         |
| Displacement used for DW Rating: 10213                                                  |  |  |  |                     |                  | MS            | E:    | 14                           | <b>Asymmetric Spin?</b> No    | Beam:  | 10    |               | Prop Type: | Fixed_2 |
| Certified PHRF Data on file? <input type="checkbox"/>                                   |  |  |  |                     |                  | Mast Material | ISP:  | 39                           | SLE:    SLU:    ASMG: ASF:    | Draft: | 5     |               |            |         |
| <b>Modifications on file:</b>                                                           |  |  |  |                     | ALUMN            | JSP:          |       |                              |                               |        |       |               |            |         |









|                                   |  |  |  |                                   |  |                  |                      |  |                   |  |                             |  |                     |  |                           |  |
|-----------------------------------|--|--|--|-----------------------------------|--|------------------|----------------------|--|-------------------|--|-----------------------------|--|---------------------|--|---------------------------|--|
| <b>Boat Name</b> Skosh            |  |  |  | <b>Sail #</b>                     |  | <b>Rig Data:</b> | <b>Max Headsail</b>  |  | <b>I:</b> 26.25   |  | <b>Symmetric Spin?</b> YES  |  | <b>LOA:</b> 23.75   |  | <b>Displacement:</b> 2050 |  |
| <b>Boat Type</b> Moore 24         |  |  |  | 73                                |  |                  | 150                  |  | <b>J:</b> 9.75    |  | <b>SL: SSMG: SSF: SPL:</b>  |  | <b>LWL:</b> 21.75   |  | <b>Ballast:</b> 1025      |  |
| <b>Rating: 150</b> DW Rating: 630 |  |  |  | <b>Certificate Date</b> 4/11/2025 |  |                  | <b>Rig Type</b>      |  | <b>P:</b> 25      |  | 26.6 17.55 17.55 9.75       |  | <b>Beam:</b> 7.16   |  | <b>Engine:</b> OB         |  |
| Displacement used for DW Rating:  |  |  |  | 0                                 |  |                  | FS                   |  | <b>E:</b> 9.5     |  | <b>Asymmetric Spin?</b> No  |  |                     |  |                           |  |
| Certified PHRF Data on file?      |  |  |  | <input type="checkbox"/>          |  |                  | <b>Mast Material</b> |  | <b>ISP:</b> 26.25 |  | <b>SLE: SLU: ASMG: ASF:</b> |  | <b>Draft:</b> 4.083 |  | <b>Prop Type:</b> None    |  |
| <b>Modifications on file:</b>     |  |  |  |                                   |  |                  | ALUMN                |  | <b>JSP:</b>       |  |                             |  |                     |  |                           |  |
|                                   |  |  |  |                                   |  |                  |                      |  |                   |  |                             |  |                     |  |                           |  |
| <b>Boat Name</b> Slainte          |  |  |  | <b>Sail #</b>                     |  | <b>Rig Data:</b> | <b>Max Headsail</b>  |  | <b>I:</b> 22      |  | <b>Symmetric Spin?</b> Yes  |  | <b>LOA:</b> 20      |  | <b>Displacement:</b> 1950 |  |
| <b>Boat Type</b> Cal 20           |  |  |  | 1510                              |  |                  | 115                  |  | <b>J:</b> 7.33    |  | <b>SL: SSMG: SSF: SPL:</b>  |  | <b>LWL:</b> 18.08   |  | <b>Ballast:</b> 900       |  |
| <b>Rating: 273</b> DW Rating: 743 |  |  |  | <b>Certificate Date</b> 1/7/2025  |  |                  | <b>Rig Type</b>      |  | <b>P:</b> 23      |  | 22 13.2 13.2 7.33           |  | <b>Beam:</b> 7      |  | <b>Engine:</b> OB         |  |
| Displacement used for DW Rating:  |  |  |  | 1950                              |  |                  | FS                   |  | <b>E:</b> 9.833   |  | <b>Asymmetric Spin?</b> No  |  |                     |  |                           |  |
| Certified PHRF Data on file?      |  |  |  | <input type="checkbox"/>          |  |                  | <b>Mast Material</b> |  | <b>ISP:</b> 22    |  | <b>SLE: SLU: ASMG: ASF:</b> |  | <b>Draft:</b> 3.33  |  | <b>Prop Type:</b> None    |  |
| <b>Modifications on file:</b>     |  |  |  |                                   |  |                  | ALUMN                |  | <b>JSP:</b> 7.33  |  |                             |  |                     |  |                           |  |
|                                   |  |  |  |                                   |  |                  |                      |  |                   |  |                             |  |                     |  |                           |  |
| <b>Boat Name</b> Sliver           |  |  |  | <b>Sail #</b>                     |  | <b>Rig Data:</b> | <b>Max Headsail</b>  |  | <b>I:</b> 33.83   |  | <b>Symmetric Spin?</b> YES  |  | <b>LOA:</b> 33      |  | <b>Displacement:</b> 4000 |  |
| <b>Boat Type</b> Hobie 33 ODR     |  |  |  | 62042                             |  |                  | 155                  |  | <b>J:</b> 12.4    |  | <b>SL: SSMG: SSF: SPL:</b>  |  | <b>LWL:</b> 30.5    |  | <b>Ballast:</b> 1900      |  |
| <b>Rating: 87</b> DW Rating: 551  |  |  |  | <b>Certificate Date</b> 3/23/2025 |  |                  | <b>Rig Type</b>      |  | <b>P:</b> 36.13   |  | 36.6 22.3 22.3 13           |  | <b>Beam:</b> 8      |  | <b>Engine:</b> OB         |  |
| Displacement used for DW Rating:  |  |  |  | 4550                              |  |                  | FS                   |  | <b>E:</b> 12.5    |  | <b>Asymmetric Spin?</b> No  |  |                     |  |                           |  |
| Certified PHRF Data on file?      |  |  |  | <input type="checkbox"/>          |  |                  | <b>Mast Material</b> |  | <b>ISP:</b> 36.5  |  | <b>SLE: SLU: ASMG: ASF:</b> |  | <b>Draft:</b> 5.5   |  | <b>Prop Type:</b> None    |  |
| <b>Modifications on file:</b>     |  |  |  |                                   |  |                  | ALUMN                |  | <b>JSP:</b> 13.12 |  |                             |  |                     |  |                           |  |
|                                   |  |  |  |                                   |  |                  |                      |  |                   |  |                             |  |                     |  |                           |  |
| <b>Boat Name</b> S'Moore          |  |  |  | <b>Sail #</b>                     |  | <b>Rig Data:</b> | <b>Max Headsail</b>  |  | <b>I:</b> 26.25   |  | <b>Symmetric Spin?</b> Yes  |  | <b>LOA:</b> 23.75   |  | <b>Displacement:</b> 2050 |  |
| <b>Boat Type</b> Moore 24         |  |  |  | 150                               |  |                  | 155                  |  | <b>J:</b> 9.75    |  | <b>SL: SSMG: SSF: SPL:</b>  |  | <b>LWL:</b> 21.75   |  | <b>Ballast:</b> 1025      |  |
| <b>Rating: 150</b> DW Rating: 630 |  |  |  | <b>Certificate Date</b> 3/12/2025 |  |                  | <b>Rig Type</b>      |  | <b>P:</b> 25      |  | 26 17.55 17.55 9.75         |  | <b>Beam:</b> 7.16   |  | <b>Engine:</b> OB         |  |
| Displacement used for DW Rating:  |  |  |  | 2050                              |  |                  | FS                   |  | <b>E:</b> 9.5     |  | <b>Asymmetric Spin?</b> No  |  |                     |  |                           |  |
| Certified PHRF Data on file?      |  |  |  | <input type="checkbox"/>          |  |                  | <b>Mast Material</b> |  | <b>ISP:</b> 26.25 |  | <b>SLE: SLU: ASMG: ASF:</b> |  | <b>Draft:</b> 4.083 |  | <b>Prop Type:</b> None    |  |
| <b>Modifications on file:</b>     |  |  |  |                                   |  |                  | ALUMN                |  | <b>JSP:</b>       |  |                             |  |                     |  |                           |  |



|                                                       |                |                                   |                      |          |                             |               |       |                            |
|-------------------------------------------------------|----------------|-----------------------------------|----------------------|----------|-----------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Solstice                             | <b>Sail #</b>  | <b>Max Headsail</b>               | <b>I:</b>            | 46.01    | <b>Symmetric Spin?</b> YES  | <b>LOA:</b>   | 39.33 | <b>Displacement:</b> 16500 |
| <b>Boat Type</b> Cal 40                               | 4              | 130                               | <b>J:</b>            | 15.17    | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 30.3  | <b>Ballast:</b> 6000       |
| <b>Rating:</b> 114                                    | DW Rating: 627 | <b>Certificate Date</b> 12/5/2024 | <b>Rig Type</b>      | P: 40.25 | 46.01 27.3 27.3 15.17       | <b>Beam:</b>  | 10.89 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 16500                |                |                                   | MS                   | E: 17.5  | <b>Asymmetric Spin?</b> No  | <b>Draft:</b> | 5.583 | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file? <input type="checkbox"/> |                |                                   | <b>Mast Material</b> | ISP: 46  | <b>SLE: SLU: ASMG: ASF:</b> |               |       |                            |
|                                                       |                |                                   | ALUMN                | JSP: 15  |                             |               |       |                            |
| <b>Modifications on file:</b>                         |                |                                   |                      |          |                             |               |       |                            |

|                                                                                        |                |                                  |                      |            |                             |               |       |                           |
|----------------------------------------------------------------------------------------|----------------|----------------------------------|----------------------|------------|-----------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> Some Assembly Required                                                | <b>Sail #</b>  | <b>Max Headsail</b>              | <b>I:</b>            | 22.6       | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 20.33 | <b>Displacement:</b> 1160 |
| <b>Boat Type</b> Holder 20                                                             | 183            | 155                              | <b>J:</b>            | 7.25       | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 18.42 | <b>Ballast:</b> 335       |
| <b>Rating:</b> 192                                                                     | DW Rating: 655 | <b>Certificate Date</b> 1/9/2025 | <b>Rig Type</b>      | P: 24.04   | 22.54 12.92 11.88 7.25      | <b>Beam:</b>  | 7.83  | <b>Engine:</b> OB         |
| Displacement used for DW Rating: 1160                                                  |                |                                  | FS                   | E: 9.33    | <b>Asymmetric Spin?</b> No  | <b>Draft:</b> | 3.58  | <b>Prop Type:</b> None    |
| Certified PHRF Data on file? <input type="checkbox"/>                                  |                |                                  | <b>Mast Material</b> | ISP: 22.6  | <b>SLE: SLU: ASMG: ASF:</b> |               |       |                           |
|                                                                                        |                |                                  | ALUMN                | JSP: 13.05 |                             |               |       |                           |
| <b>Modifications on file:</b> (Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR) |                |                                  |                      |            |                             |               |       |                           |

|                                                       |                |                                   |                      |            |                             |               |       |                           |
|-------------------------------------------------------|----------------|-----------------------------------|----------------------|------------|-----------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> Son of a Son                         | <b>Sail #</b>  | <b>Max Headsail</b>               | <b>I:</b>            | 26.77      | <b>Symmetric Spin?</b> NO   | <b>LOA:</b>   | 22.75 | <b>Displacement:</b> 1750 |
| <b>Boat Type</b> J 70 ODR                             | 586            | 100                               | <b>J:</b>            | 7.68       | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 20.47 | <b>Ballast:</b> 630       |
| <b>Rating:</b> 114                                    | DW Rating: 613 | <b>Certificate Date</b> 12/3/2024 | <b>Rig Type</b>      | P: 26.16   |                             | <b>Beam:</b>  | 7.38  | <b>Engine:</b> OB         |
| Displacement used for DW Rating: 1750                 |                |                                   | FS                   | E: 9.44    | <b>Asymmetric Spin?</b> Yes | <b>Draft:</b> | 4.92  | <b>Prop Type:</b> None    |
| Certified PHRF Data on file? <input type="checkbox"/> |                |                                   | <b>Mast Material</b> | ISP: 30.15 | <b>SLE: SLU: ASMG: ASF:</b> |               |       |                           |
|                                                       |                |                                   | CARBON               | JSP: 13.5  | 28.87 35.43 18.24 18.7      |               |       |                           |
| <b>Modifications on file:</b>                         |                |                                   |                      |            |                             |               |       |                           |

|                                                                                             |                |                                   |                      |            |                             |               |       |                           |
|---------------------------------------------------------------------------------------------|----------------|-----------------------------------|----------------------|------------|-----------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> Sonata                                                                     | <b>Sail #</b>  | <b>Max Headsail</b>               | <b>I:</b>            | 31.1       | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 28.41 | <b>Displacement:</b> 4550 |
| <b>Boat Type</b> Laser 28                                                                   | 33685          | 125                               | <b>J:</b>            | 9.65       | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 23.62 | <b>Ballast:</b> 1500      |
| <b>Rating:</b> 138                                                                          | DW Rating: 644 | <b>Certificate Date</b> 1/10/2025 | <b>Rig Type</b>      | P: 33.14   | 31.78 19.1 19.1 10.61       | <b>Beam:</b>  | 9.48  | <b>Engine:</b> IB         |
| Displacement used for DW Rating: 4334                                                       |                |                                   | FS                   | E: 12.96   | <b>Asymmetric Spin?</b> No  | <b>Draft:</b> | 4.98  | <b>Prop Type:</b> FOLD    |
| Certified PHRF Data on file? <input type="checkbox"/>                                       |                |                                   | <b>Mast Material</b> | ISP: 31.73 | <b>SLE: SLU: ASMG: ASF:</b> |               |       |                           |
|                                                                                             |                |                                   | ALUMN                | JSP:       |                             |               |       |                           |
| <b>Modifications on file:</b> (Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP) |                |                                   |                      |            |                             |               |       |                           |

|                                       |  |  |  |                                                                                                                                                                                                                                                                                   |                  |                      |             |        |                             |             |              |             |               |       |                            |
|---------------------------------------|--|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|----------------------|-------------|--------|-----------------------------|-------------|--------------|-------------|---------------|-------|----------------------------|
| <b>Boat Name Sparky</b>               |  |  |  | <b>Sail #</b>                                                                                                                                                                                                                                                                     | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 29     | <b>Symmetric Spin?</b> Yes  |             |              |             | <b>LOA:</b>   | 25    | <b>Displacement:</b> 4550  |
| <b>Boat Type</b> Catalina 25 FK       |  |  |  | 1498                                                                                                                                                                                                                                                                              |                  | 145                  | <b>J:</b>   | 10.5   | <b>SL: SSMG: SSF: SPL:</b>  |             |              |             | <b>LWL:</b>   | 22.16 | <b>Ballast:</b> 1900       |
| <b>Rating: 222</b> DW Rating: 714     |  |  |  | <b>Certificate Date</b> 12/9/2024                                                                                                                                                                                                                                                 |                  | <b>Rig Type</b>      | <b>P:</b>   | 24.66  | 28.66                       | 16.5        | 16.41        | 10.5        | <b>Beam:</b>  | 8     | <b>Engine:</b> OB          |
| Displacement used for DW Rating:      |  |  |  | 4550                                                                                                                                                                                                                                                                              |                  | MS                   | <b>E:</b>   | 9.58   | <b>Asymmetric Spin?</b> Yes |             |              |             |               |       |                            |
| Certified PHRF Data on file?          |  |  |  | <input type="checkbox"/>                                                                                                                                                                                                                                                          |                  | <b>Mast Material</b> | <b>ISP:</b> | 29     | <b>SLE:</b>                 | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b> | <b>Draft:</b> | 4     | <b>Prop Type:</b> None     |
| <b>Modifications on file:</b>         |  |  |  |                                                                                                                                                                                                                                                                                   |                  |                      |             |        |                             |             |              |             |               |       |                            |
|                                       |  |  |  |                                                                                                                                                                                                                                                                                   |                  |                      |             |        |                             |             |              |             |               |       |                            |
| <b>Boat Name Special Edition</b>      |  |  |  | <b>Sail #</b>                                                                                                                                                                                                                                                                     | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 39.083 | <b>Symmetric Spin?</b> Yes  |             |              |             | <b>LOA:</b>   | 29.75 | <b>Displacement:</b> 4600  |
| <b>Boat Type</b> Custom Wilderness 30 |  |  |  | 8258                                                                                                                                                                                                                                                                              |                  | 150                  | <b>J:</b>   | 11.75  | <b>SL: SSMG: SSF: SPL:</b>  |             |              |             | <b>LWL:</b>   | 27.75 | <b>Ballast:</b> 1800       |
| <b>Rating: 93</b> DW Rating: 573      |  |  |  | <b>Certificate Date</b> 12/17/2024                                                                                                                                                                                                                                                |                  | <b>Rig Type</b>      | <b>P:</b>   | 34.333 | 39                          | 25.4        | 24.5         | #####       | <b>Beam:</b>  | 8.75  | <b>Engine:</b> OB          |
| Displacement used for DW Rating:      |  |  |  | 4600                                                                                                                                                                                                                                                                              |                  | FS                   | <b>E:</b>   | 11.5   | <b>Asymmetric Spin?</b> No  |             |              |             |               |       |                            |
| Certified PHRF Data on file?          |  |  |  | <input type="checkbox"/>                                                                                                                                                                                                                                                          |                  | <b>Mast Material</b> | <b>ISP:</b> | 39.083 | <b>SLE:</b>                 | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b> | <b>Draft:</b> | 6     | <b>Prop Type:</b> FOLD     |
| <b>Modifications on file:</b>         |  |  |  | Added Masthead Halyards for spin/Jips, replaced inboard with Outboard open Transom (12/17/92) Mtg-. 1/18/90 RTNG 102.) (1998 rtg =96) (New Inboard = +3; Foretriangle is 11.75 = +6, jib=150%, Carbon Mast= -3; Keel = -6 mgt 3/8/05)(3/15/16, now has Outboard Motor, -3 sec/mi) |                  |                      |             |        |                             |             |              |             |               |       |                            |
|                                       |  |  |  |                                                                                                                                                                                                                                                                                   |                  |                      |             |        |                             |             |              |             |               |       |                            |
| <b>Boat Name Speedwell</b>            |  |  |  | <b>Sail #</b>                                                                                                                                                                                                                                                                     | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 38.67  | <b>Symmetric Spin?</b> No   |             |              |             | <b>LOA:</b>   | 29.19 | <b>Displacement:</b> 4990  |
| <b>Boat Type</b> J 88                 |  |  |  | 20                                                                                                                                                                                                                                                                                |                  | 105                  | <b>J:</b>   | 11.28  | <b>SL: SSMG: SSF: SPL:</b>  |             |              |             | <b>LWL:</b>   | 26.84 | <b>Ballast:</b> 1840       |
| <b>Rating: 81</b> DW Rating: 575      |  |  |  | <b>Certificate Date</b> 12/17/2024                                                                                                                                                                                                                                                |                  | <b>Rig Type</b>      | <b>P:</b>   | 36.82  |                             |             |              |             | <b>Beam:</b>  | 9.5   | <b>Engine:</b> IB          |
| Displacement used for DW Rating:      |  |  |  | 4990                                                                                                                                                                                                                                                                              |                  | FS                   | <b>E:</b>   | 12     | <b>Asymmetric Spin?</b> Yes |             |              |             |               |       |                            |
| Certified PHRF Data on file?          |  |  |  | <input type="checkbox"/>                                                                                                                                                                                                                                                          |                  | <b>Mast Material</b> | <b>ISP:</b> | 46     | <b>SLE:</b>                 | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b> | <b>Draft:</b> | 6.5   | <b>Prop Type:</b> Feath    |
| <b>Modifications on file:</b>         |  |  |  |                                                                                                                                                                                                                                                                                   |                  |                      |             |        |                             |             |              |             |               |       |                            |
|                                       |  |  |  |                                                                                                                                                                                                                                                                                   |                  |                      |             |        |                             |             |              |             |               |       |                            |
| <b>Boat Name Spindrift V</b>          |  |  |  | <b>Sail #</b>                                                                                                                                                                                                                                                                     | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 48.75  | <b>Symmetric Spin?</b> Yes  |             |              |             | <b>LOA:</b>   | 37.08 | <b>Displacement:</b> 11000 |
| <b>Boat Type</b> Express 37           |  |  |  | 18305                                                                                                                                                                                                                                                                             |                  | 150                  | <b>J:</b>   | 14.33  | <b>SL: SSMG: SSF: SPL:</b>  |             |              |             | <b>LWL:</b>   | 30.83 | <b>Ballast:</b> 4500       |
| <b>Rating: 72</b> DW Rating: 592      |  |  |  | <b>Certificate Date</b> 1/7/2025                                                                                                                                                                                                                                                  |                  | <b>Rig Type</b>      | <b>P:</b>   | 42     | 48                          | 25.7        | 25.7         | 14.33       | <b>Beam:</b>  | 11.57 | <b>Engine:</b> IB          |
| Displacement used for DW Rating:      |  |  |  | 11158                                                                                                                                                                                                                                                                             |                  | MS                   | <b>E:</b>   | 13.75  | <b>Asymmetric Spin?</b> Yes |             |              |             |               |       |                            |
| Certified PHRF Data on file?          |  |  |  | <input checked="" type="checkbox"/>                                                                                                                                                                                                                                               |                  | <b>Mast Material</b> | <b>ISP:</b> | 48.75  | <b>SLE:</b>                 | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b> | <b>Draft:</b> | 7.25  | <b>Prop Type:</b> FOLD     |
| <b>Modifications on file:</b>         |  |  |  |                                                                                                                                                                                                                                                                                   |                  |                      |             |        |                             |             |              |             |               |       |                            |



|                                    |  |  |  |                          |                  |                  |            |          |                         |       |       |       |               |       |            |         |         |    |
|------------------------------------|--|--|--|--------------------------|------------------|------------------|------------|----------|-------------------------|-------|-------|-------|---------------|-------|------------|---------|---------|----|
| <b>Boat Name</b> Starlight         |  |  |  | Sail #                   | <b>Rig Data:</b> | Max Headsail     | I:         | 36       | <i>Symmetric Spin?</i>  | No    | LOA:  | 26.83 | Displacement: | 6850  |            |         |         |    |
| <b>Boat Type</b> Catalina 27 TM IB |  |  |  | 61801                    |                  | 110              | J:         | 12.2     | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 21.75 | Ballast:   | 2700    |         |    |
| <b>Rating:</b> 207    DW Rating:   |  |  |  | Certificate Date         |                  | 12/11/2024       | Rig Type   | P:       | 29.66                   |       |       |       |               | Beam: | 8.83       | Engine: | IB      |    |
| Displacement used for DW Rating:   |  |  |  | 6850                     |                  | MS               | E:         | 9.66     | <i>Asymmetric Spin?</i> |       |       |       | No            |       |            |         |         |    |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  | Mast Material    | ISP:       | 34.4     | SLE:                    | SLU:  | ASMG: | ASF:  | Draft:        | 4.416 | Prop Type: |         | Fixed_2 |    |
| <i>Modifications on file:</i>      |  |  |  |                          |                  |                  |            |          |                         |       |       |       |               |       |            |         |         |    |
|                                    |  |  |  |                          |                  |                  |            |          |                         |       |       |       |               |       |            |         |         |    |
| <b>Boat Name</b> Stella Blue       |  |  |  | Sail #                   | <b>Rig Data:</b> | Max Headsail     | I:         | 51.83    | <i>Symmetric Spin?</i>  | No    | LOA:  | 38.58 | Displacement: | 16500 |            |         |         |    |
| <b>Boat Type</b> Sabre 386 DK      |  |  |  | 386                      |                  | 120              | J:         | 15       | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 32.5  | Ballast:   | 6490    |         |    |
| <b>Rating:</b> 93    DW Rating:    |  |  |  | Certificate Date         |                  | 1/22/2025        | Rig Type   | P:       | 45.33                   |       |       |       |               | Beam: | 12.66      | Engine: | IB      |    |
| Displacement used for DW Rating:   |  |  |  | 19438                    |                  | MS               | E:         | 16.5     | <i>Asymmetric Spin?</i> |       |       |       | No            |       |            |         |         |    |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  | Mast Material    | ISP:       | 51.83    | SLE:                    | SLU:  | ASMG: | ASF:  | Draft:        | 6.83  | Prop Type: |         | Fold    |    |
| <i>Modifications on file:</i>      |  |  |  |                          |                  |                  |            |          |                         |       |       |       |               |       |            |         |         |    |
|                                    |  |  |  |                          |                  |                  |            |          |                         |       |       |       |               |       |            |         |         |    |
| <b>Boat Name</b> StFYC J80-1       |  |  |  | Sail #                   | <b>Rig Data:</b> | Max Headsail     | I:         | 31.5     | <i>Symmetric Spin?</i>  | NO    | LOA:  | 26.25 | Displacement: | 2900  |            |         |         |    |
| <b>Boat Type</b> J 80 ODR          |  |  |  | 127                      |                  | 100              | J:         | 9.415    | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 22    | Ballast:   | 1400    |         |    |
| <b>Rating:</b> 114    DW Rating:   |  |  |  | 605                      |                  | Certificate Date | 1/17/2025  | Rig Type | P:                      | 30    |       |       |               |       | Beam:      | 8.2     | Engine: | OB |
| Displacement used for DW Rating:   |  |  |  | 2900                     |                  | MS               | E:         | 12.42    | <i>Asymmetric Spin?</i> |       |       |       | Yes           |       |            |         |         |    |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  | Mast Material    | ISP:       | 33.25    | SLE:                    | SLU:  | ASMG: | ASF:  | Draft:        | 4.75  | Prop Type: |         | None    |    |
| <i>Modifications on file:</i>      |  |  |  |                          |                  |                  |            |          |                         |       |       |       |               |       |            |         |         |    |
|                                    |  |  |  |                          |                  |                  |            |          |                         |       |       |       |               |       |            |         |         |    |
| <b>Boat Name</b> Story Maker       |  |  |  | Sail #                   | <b>Rig Data:</b> | Max Headsail     | I:         | 47.6     | <i>Symmetric Spin?</i>  | No    | LOA:  | 33    | Displacement: | 8600  |            |         |         |    |
| <b>Boat Type</b> Tartan 101        |  |  |  | 7090                     |                  | 105              | J:         | 12.5     | SL:                     | SSMG: | SSF:  | SPL:  | LWL:          | 29.1  | Ballast:   | 3250    |         |    |
| <b>Rating:</b> 87    DW Rating:    |  |  |  | 588                      |                  | Certificate Date | 12/14/2024 | Rig Type | P:                      | 45.24 |       |       |               |       | Beam:      | 10.9    | Engine: | IB |
| Displacement used for DW Rating:   |  |  |  | 8600                     |                  | FS               | E:         | 14.83    | <i>Asymmetric Spin?</i> |       |       |       | Yes           |       |            |         |         |    |
| Certified PHRF Data on file?       |  |  |  | <input type="checkbox"/> |                  | Mast Material    | ISP:       | 50.12    | SLE:                    | SLU:  | ASMG: | ASF:  | Draft:        | 6.5   | Prop Type: |         | Fold    |    |
| <i>Modifications on file:</i>      |  |  |  |                          |                  |                  |            |          |                         |       |       |       |               |       |            |         |         |    |

|                                                                     |  |  |  |                      |                  |                     |                         |                             |                            |             |                        |                            |
|---------------------------------------------------------------------|--|--|--|----------------------|------------------|---------------------|-------------------------|-----------------------------|----------------------------|-------------|------------------------|----------------------------|
| <b>Boat Name</b> Stratocaster                                       |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 39.2                        | <b>Symmetric Spin?</b> Yes | <b>LOA:</b> | 32.5                   | <b>Displacement:</b> 10000 |
| <b>Boat Type</b> J 32                                               |  |  |  | 16                   |                  | 155                 | <b>J:</b>               | 11                          | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 28.67                  | <b>Ballast:</b> 3840       |
| <b>Rating: 126</b> DW Rating: 636 <b>Certificate Date</b> 1/6/2025  |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 38.5                    | 39 20.4 19.75 11            | <b>Beam:</b>               | 11          | <b>Engine:</b> IB      |                            |
| Displacement used for DW Rating: 10000                              |  |  |  | <b>FS</b>            |                  | <b>E:</b>           | 15.5                    | <b>Asymmetric Spin?</b> Yes | <b>Draft:</b>              | 5.75        | <b>Prop Type:</b> FOLD |                            |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         | 40.68                   | <b>SLE: SLU: ASMG: ASF:</b> |                            |             |                        |                            |
| <b>Modifications on file:</b>                                       |  |  |  | ALUMN                | <b>JSP:</b>      |                     | 38.38 44.92 23.95 23.95 |                             |                            |             |                        |                            |
|                                                                     |  |  |  |                      |                  |                     |                         |                             |                            |             |                        |                            |
| <b>Boat Name</b> Suerte                                             |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 26.25                       | <b>Symmetric Spin?</b> Yes | <b>LOA:</b> | 23.75                  | <b>Displacement:</b> 2050  |
| <b>Boat Type</b> Moore 24                                           |  |  |  | 117                  |                  | 150                 | <b>J:</b>               | 9.75                        | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 21.75                  | <b>Ballast:</b> 1025       |
| <b>Rating: 150</b> DW Rating: 629 <b>Certificate Date</b> 1/21/2025 |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 25                      | 27 17.55 17.55 9.75         | <b>Beam:</b>               | 7.16        | <b>Engine:</b> OB      |                            |
| Displacement used for DW Rating: 2050                               |  |  |  | <b>FS</b>            |                  | <b>E:</b>           | 9.5                     | <b>Asymmetric Spin?</b> No  | <b>Draft:</b>              | 4.08        | <b>Prop Type:</b> None |                            |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         | 26.25                   | <b>SLE: SLU: ASMG: ASF:</b> |                            |             |                        |                            |
| <b>Modifications on file:</b>                                       |  |  |  | ALUMN                | <b>JSP:</b>      |                     |                         |                             |                            |             |                        |                            |
|                                                                     |  |  |  |                      |                  |                     |                         |                             |                            |             |                        |                            |
| <b>Boat Name</b> Sun Dragon                                         |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 40.91                       | <b>Symmetric Spin?</b> No  | <b>LOA:</b> | 32.78                  | <b>Displacement:</b> 7716  |
| <b>Boat Type</b> Jeanneau Sun Fast 3300                             |  |  |  | 33070                |                  | 100                 | <b>J:</b>               | 13.78                       | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 29.16                  | <b>Ballast:</b> 3086       |
| <b>Rating: 63</b> DW Rating: 584 <b>Certificate Date</b> 12/14/2024 |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 39.39                   |                             | <b>Beam:</b>               | 11.18       | <b>Engine:</b> IB      |                            |
| Displacement used for DW Rating: 7716                               |  |  |  | <b>FS</b>            |                  | <b>E:</b>           | 14.59                   | <b>Asymmetric Spin?</b> Yes | <b>Draft:</b>              | 6.41        | <b>Prop Type:</b> Fold |                            |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         | 44.23                   | <b>SLE: SLU: ASMG: ASF:</b> |                            |             |                        |                            |
| <b>Modifications on file:</b>                                       |  |  |  | CARBON               | <b>JSP:</b>      | 17.55               | 45.37 50.31 28.81 30.54 |                             |                            |             |                        |                            |
|                                                                     |  |  |  |                      |                  |                     |                         |                             |                            |             |                        |                            |
| <b>Boat Name</b> Super Booty II                                     |  |  |  | <b>Sail #</b>        | <b>Rig Data:</b> | <b>Max Headsail</b> | <b>I:</b>               | 26.58                       | <b>Symmetric Spin?</b> Yes | <b>LOA:</b> | 22                     | <b>Displacement:</b> 2200  |
| <b>Boat Type</b> Columbia 22                                        |  |  |  | 11224                |                  | 100                 | <b>J:</b>               | 8.38                        | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b> | 21.5                   | <b>Ballast:</b> 1100       |
| <b>Rating: 267</b> DW Rating: 660 <b>Certificate Date</b> 5/13/2025 |  |  |  | <b>Rig Type</b>      |                  | <b>P:</b>           | 23.5                    | 26.25 13.5 14 8.38          | <b>Beam:</b>               | 7.75        | <b>Engine:</b> OB      |                            |
| Displacement used for DW Rating: 2200                               |  |  |  | <b>MS</b>            |                  | <b>E:</b>           | 10.25                   | <b>Asymmetric Spin?</b> No  | <b>Draft:</b>              | 3.17        | <b>Prop Type:</b> None |                            |
| Certified PHRF Data on file? <input type="checkbox"/>               |  |  |  | <b>Mast Material</b> |                  | <b>ISP:</b>         |                         | <b>SLE: SLU: ASMG: ASF:</b> |                            |             |                        |                            |
| <b>Modifications on file:</b>                                       |  |  |  | ALUMN                | <b>JSP:</b>      |                     |                         |                             |                            |             |                        |                            |















|                                                                    |     |            |     |                          |                  |               |          |       |                             |       |       |       |               |       |            |         |    |
|--------------------------------------------------------------------|-----|------------|-----|--------------------------|------------------|---------------|----------|-------|-----------------------------|-------|-------|-------|---------------|-------|------------|---------|----|
| <b>Boat Name</b> Topaz                                             |     |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 33.83 | <i>Symmetric Spin?</i>      | YES   | LOA:  | 33    | Displacement: | 4000  |            |         |    |
| <b>Boat Type</b> Hobie 33 ODR                                      |     |            |     | 53234                    |                  | 145           | J:       | 12.4  | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 30.5  | Ballast:   | 1900    |    |
| <b>Rating:</b>                                                     | 87  | DW Rating: | 551 | Certificate Date         |                  | 2/19/2025     | Rig Type | P:    | 35.13                       | 37.38 | 23.6  | 23.6  | 13.13         | Beam: | 8          | Engine: | OB |
| Displacement used for DW Rating:                                   |     |            |     | 4550                     |                  | FS            | E:       | 12.5  | <i>Asymmetric Spin?</i> Yes |       |       |       | Draft:        | 5.5   | Prop Type: | None    |    |
| Certified PHRF Data on file?                                       |     |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 36.25 | SLE:                        | SLU:  | ASMG: | ASF:  |               |       |            |         |    |
|                                                                    |     |            |     |                          | ALUMN            | JSP:          | 13.13    | 34.3  | 39.8                        | 18.4  | 21.65 |       |               |       |            |         |    |
| <b>Modifications on file:</b> New Rudder                           |     |            |     |                          |                  |               |          |       |                             |       |       |       |               |       |            |         |    |
|                                                                    |     |            |     |                          |                  |               |          |       |                             |       |       |       |               |       |            |         |    |
| <b>Boat Name</b> Topgallant                                        |     |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 35    | <i>Symmetric Spin?</i>      | Yes   | LOA:  | 33.16 | Displacement: | 6700  |            |         |    |
| <b>Boat Type</b> Tartan 10                                         |     |            |     | 18608                    |                  | 125           | J:       | 11.75 | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 27    | Ballast:   | 3340    |    |
| <b>Rating:</b>                                                     | 129 | DW Rating: | 629 | Certificate Date         |                  | 3/7/2025      | Rig Type | P:    | 40.25                       | 35    | 21.6  | 20.3  | 12            | Beam: | 9.25       | Engine: | IB |
| Displacement used for DW Rating:                                   |     |            |     | 7005                     |                  | FS            | E:       | 13.75 | <i>Asymmetric Spin?</i> No  |       |       |       | Draft:        | 5.83  | Prop Type: | FOLD    |    |
| Certified PHRF Data on file?                                       |     |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 35    | SLE:                        | SLU:  | ASMG: | ASF:  |               |       |            |         |    |
|                                                                    |     |            |     |                          | ALUMN            | JSP:          |          |       |                             |       |       |       |               |       |            |         |    |
| <b>Modifications on file:</b> (4/25/02 Installed Running Backstay) |     |            |     |                          |                  |               |          |       |                             |       |       |       |               |       |            |         |    |
|                                                                    |     |            |     |                          |                  |               |          |       |                             |       |       |       |               |       |            |         |    |
| <b>Boat Name</b> Topper II                                         |     |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 26.25 | <i>Symmetric Spin?</i>      | Yes   | LOA:  | 23.75 | Displacement: | 2050  |            |         |    |
| <b>Boat Type</b> Moore 24                                          |     |            |     | 71                       |                  | 150           | J:       | 9.75  | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 21.75 | Ballast:   | 1025    |    |
| <b>Rating:</b>                                                     | 150 | DW Rating: | 629 | Certificate Date         |                  | 1/31/2025     | Rig Type | P:    | 25                          | 27    | 17.55 | 17.55 | 9.75          | Beam: | 7.16       | Engine: | OB |
| Displacement used for DW Rating:                                   |     |            |     | 2050                     |                  | FS            | E:       | 9.5   | <i>Asymmetric Spin?</i> Yes |       |       |       | Draft:        | 4.083 | Prop Type: | None    |    |
| Certified PHRF Data on file?                                       |     |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     | 26.25 | SLE:                        | SLU:  | ASMG: | ASF:  |               |       |            |         |    |
|                                                                    |     |            |     |                          | ALUMN            | JSP:          |          |       |                             |       |       |       |               |       |            |         |    |
| <b>Modifications on file:</b>                                      |     |            |     |                          |                  |               |          |       |                             |       |       |       |               |       |            |         |    |
|                                                                    |     |            |     |                          |                  |               |          |       |                             |       |       |       |               |       |            |         |    |
| <b>Boat Name</b> Tortuga                                           |     |            |     | Sail #                   | <b>Rig Data:</b> | Max Headsail  | I:       | 31.2  | <i>Symmetric Spin?</i>      | No    | LOA:  | 32    | Displacement: | 19500 |            |         |    |
| <b>Boat Type</b> Westsail 32                                       |     |            |     | 207                      |                  | 110           | J:       | 18.4  | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 27.6  | Ballast:   | 7000    |    |
| <b>Rating:</b>                                                     | 219 | DW Rating: | 691 | Certificate Date         |                  | 12/14/2024    | Rig Type | P:    | 39.7                        |       |       |       |               | Beam: | 11         | Engine: | IB |
| Displacement used for DW Rating:                                   |     |            |     | 19500                    |                  | CTR           | E:       | 14.5  | <i>Asymmetric Spin?</i> No  |       |       |       | Draft:        | 5     | Prop Type: | FOLD    |    |
| Certified PHRF Data on file?                                       |     |            |     | <input type="checkbox"/> |                  | Mast Material | ISP:     |       |                             |       |       | SLE:  | SLU:          | ASMG: | ASF:       |         |    |
|                                                                    |     |            |     |                          | ALUMN            | JSP:          |          |       |                             |       |       |       |               |       |            |         |    |
| <b>Modifications on file:</b>                                      |     |            |     |                          |                  |               |          |       |                             |       |       |       |               |       |            |         |    |

|                                  |            |                   |     |                                              |                  |                      |             |       |                             |               |       |                            |
|----------------------------------|------------|-------------------|-----|----------------------------------------------|------------------|----------------------|-------------|-------|-----------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Touch Of Grey   |            |                   |     | <b>Sail #</b>                                | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 26.25 | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 23.75 | <b>Displacement:</b> 2050  |
| <b>Boat Type</b> Moore 24        |            |                   |     | 118                                          |                  | 150                  | <b>J:</b>   | 9.75  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 21.75 | <b>Ballast:</b> 1025       |
| <b>Rating:</b>                   | <b>150</b> | <b>DW Rating:</b> | 630 | <b>Certificate Date</b> 1/17/2025            |                  | <b>Rig Type</b>      | <b>P:</b>   | 25    | 26.6 17.55 17.55 9.75       | <b>Beam:</b>  | 7.16  | <b>Engine:</b> OB          |
| Displacement used for DW Rating: |            |                   |     | 2050                                         |                  | <b>FS</b>            | <b>E:</b>   | 9.5   | <b>Asymmetric Spin?</b> No  |               |       |                            |
| Certified PHRF Data on file?     |            |                   |     | <input type="checkbox"/>                     |                  | <b>Mast Material</b> | <b>ISP:</b> | 26.25 | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 4.083 | <b>Prop Type:</b> None     |
| <b>Modifications on file:</b>    |            |                   |     |                                              |                  | <b>ALUMN</b>         | <b>JSP:</b> |       |                             |               |       |                            |
|                                  |            |                   |     |                                              |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Tramp Boat      |            |                   |     | <b>Sail #</b>                                | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 37.75 | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 33.92 | <b>Displacement:</b> 8176  |
| <b>Boat Type</b> Farr 10/20 ODR  |            |                   |     | 18430                                        |                  | 150                  | <b>J:</b>   | 11.67 | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 28.42 | <b>Ballast:</b> 3100       |
| <b>Rating:</b>                   | <b>117</b> | <b>DW Rating:</b> | 615 | <b>Certificate Date</b> 1/7/2025             |                  | <b>Rig Type</b>      | <b>P:</b>   | 39.5  | 39.7 20.34 20.34 12.82      | <b>Beam:</b>  | 10.5  | <b>Engine:</b> IB          |
| Displacement used for DW Rating: |            |                   |     | 8176                                         |                  | <b>FS</b>            | <b>E:</b>   | 15.42 | <b>Asymmetric Spin?</b> No  |               |       |                            |
| Certified PHRF Data on file?     |            |                   |     | <input type="checkbox"/>                     |                  | <b>Mast Material</b> | <b>ISP:</b> | 39.67 | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 5.75  | <b>Prop Type:</b> FOLD     |
| <b>Modifications on file:</b>    |            |                   |     |                                              |                  | <b>ALUMN</b>         | <b>JSP:</b> | 12.67 |                             |               |       |                            |
|                                  |            |                   |     |                                              |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Translated 9    |            |                   |     | <b>Sail #</b>                                | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 79    | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 64.6  | <b>Displacement:</b> 71300 |
| <b>Boat Type</b> Swan 65 Ketch   |            |                   |     | 61577                                        |                  | 119                  | <b>J:</b>   | 24.4  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 47.5  | <b>Ballast:</b> 30600      |
| <b>Rating:</b>                   | <b>18</b>  | <b>DW Rating:</b> | 542 | <b>Certificate Date</b> 4/11/2025            |                  | <b>Rig Type</b>      | <b>P:</b>   | 71    |                             | <b>Beam:</b>  | 16.25 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: |            |                   |     | 72162                                        |                  | <b>KTCH</b>          | <b>E:</b>   | 21    | <b>Asymmetric Spin?</b> Yes |               |       |                            |
| Certified PHRF Data on file?     |            |                   |     | <input checked="" type="checkbox"/>          |                  | <b>Mast Material</b> | <b>ISP:</b> | 79.2  | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 9.7   | <b>Prop Type:</b> Feath    |
| <b>Modifications on file:</b>    |            |                   |     | (Mtg 4/29/24, custom rating of 18 assigned)  |                  | <b>ALUMN</b>         | <b>JSP:</b> | 26.5  | 68.1 87.4 42.9 40.2         |               |       |                            |
|                                  |            |                   |     |                                              |                  |                      |             |       |                             |               |       |                            |
| <b>Boat Name</b> Tuesday's Child |            |                   |     | <b>Sail #</b>                                | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 64.2  | <b>Symmetric Spin?</b> Yes  | <b>LOA:</b>   | 48.95 | <b>Displacement:</b> 19107 |
| <b>Boat Type</b> Cherubini 50    |            |                   |     | 145                                          |                  | 150                  | <b>J:</b>   | 22.65 | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 46.5  | <b>Ballast:</b> 4800       |
| <b>Rating:</b>                   | <b>-21</b> | <b>DW Rating:</b> | 475 | <b>Certificate Date</b> 5/20/2025            |                  | <b>Rig Type</b>      | <b>P:</b>   | 57.8  | 64.44 39.57 38 23.19        | <b>Beam:</b>  | 11.43 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: |            |                   |     | 19107                                        |                  | <b>MS</b>            | <b>E:</b>   | 21.14 | <b>Asymmetric Spin?</b> Yes |               |       |                            |
| Certified PHRF Data on file?     |            |                   |     | <input checked="" type="checkbox"/>          |                  | <b>Mast Material</b> | <b>ISP:</b> | 64.2  | <b>SLE: SLU: ASMG: ASF:</b> | <b>Draft:</b> | 8.91  | <b>Prop Type:</b> Fold     |
| <b>Modifications on file:</b>    |            |                   |     | (Mtg 5/19/25, Custom Rating of -21 assigned) |                  | <b>ALUMN</b>         | <b>JSP:</b> |       | 63.71 74.18 43.77 44.39     |               |       |                            |

|                                                                                   |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |       |
|-----------------------------------------------------------------------------------|--|--|--|--------|------------------|---------------|-------|-------|-----------------------------|-------|-------|-------|---------------|--------|------------|-------|
| <b>Boat Name</b> Tule Fog                                                         |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:    | 29    | <i>Symmetric Spin?</i>      | Yes   | LOA:  | 27.3  | Displacement: | 2450   |            |       |
| <b>Boat Type</b> Express 27 ODR                                                   |  |  |  | 18178  |                  | 155           | J:    | 9     | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 23.8   | Ballast:   | 1100  |
| <b>Rating:</b> 129    DW Rating: 605    Certificate Date 1/9/2025                 |  |  |  |        |                  | Rig Type      | P:    | 29    | 29                          | 17.7  | 17.7  | 9.83  | Beam:         | 8.166  | Engine:    | OB    |
| Displacement used for DW Rating: 2510                                             |  |  |  |        |                  | FS            | E:    | 10    | <i>Asymmetric Spin?</i> No  |       |       |       | Draft:        | 4.5    | Prop Type: | None  |
| Certified PHRF Data on file? <input type="checkbox"/>                             |  |  |  |        |                  | Mast Material | ISP:  | 28.5  | SLE:                        | SLU:  | ASMG: | ASF:  |               |        |            |       |
| ALUMN                                                                             |  |  |  |        | JSP:             |               |       |       |                             |       |       |       |               |        |            |       |
| <b>Modifications on file:</b>                                                     |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |       |
|                                                                                   |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |       |
| <b>Boat Name</b> Tunesy                                                           |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:    | 30    | <i>Symmetric Spin?</i>      | Yes   | LOA:  | 28.25 | Displacement: | 5700   |            |       |
| <b>Boat Type</b> ALERION EXPRESS 28 ODR                                           |  |  |  | 279    |                  | 90            | J:    | 9.75  | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 22.833 | Ballast:   | 2000  |
| <b>Rating:</b> 168    DW Rating: 695    Certificate Date 1/17/2025                |  |  |  |        |                  | Rig Type      | P:    | 33    | 29.75                       | 17.55 | 17.24 | 9.75  | Beam:         | 8.17   | Engine:    | IB    |
| Displacement used for DW Rating:                                                  |  |  |  |        |                  | FS            | E:    | 12.5  | <i>Asymmetric Spin?</i> No  |       |       |       | Draft:        | 4.5    | Prop Type: | FOLD  |
| Certified PHRF Data on file? <input type="checkbox"/>                             |  |  |  |        |                  | Mast Material | ISP:  | 30    | SLE:                        | SLU:  | ASMG: | ASF:  |               |        |            |       |
| ALUMN                                                                             |  |  |  |        | JSP:             |               |       |       |                             |       |       |       |               |        |            |       |
| <b>Modifications on file:</b> Called re YC.    Is applying to RICHMONDYC 3-22/05. |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |       |
|                                                                                   |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |       |
| <b>Boat Name</b> Twelve Bar Blues                                                 |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:    | 40.6  | <i>Symmetric Spin?</i>      | No    | LOA:  | 34.5  | Displacement: | 7750   |            |       |
| <b>Boat Type</b> J 105 ODR w/ 5'BS                                                |  |  |  | 87     |                  | 100           | J:    | 13.5  | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 29.5   | Ballast:   | 3400  |
| <b>Rating:</b> 78    DW Rating: 592    Certificate Date 12/14/2024                |  |  |  |        |                  | Rig Type      | P:    | 41.5  |                             |       |       |       | Beam:         | 11     | Engine:    | IB    |
| Displacement used for DW Rating: 8472                                             |  |  |  |        |                  | FS            | E:    | 14.5  | <i>Asymmetric Spin?</i> Yes |       |       |       | Draft:        | 6.5    | Prop Type: | Fold  |
| Certified PHRF Data on file? <input type="checkbox"/>                             |  |  |  |        |                  | Mast Material | ISP:  | 42.1  | SLE:                        | SLU:  | ASMG: | ASF:  |               |        |            |       |
| ALUMN                                                                             |  |  |  |        | JSP:             | 19.07         | 39.01 | 48.69 | 25.79                       | 27.89 |       |       |               |        |            |       |
| <b>Modifications on file:</b>                                                     |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |       |
|                                                                                   |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |       |
| <b>Boat Name</b> Typon                                                            |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:    | 61    | <i>Symmetric Spin?</i>      | YES   | LOA:  | 47.8  | Displacement: | 32400  |            |       |
| <b>Boat Type</b> Swan 47                                                          |  |  |  | 59855  |                  | 101           | J:    | 19.8  | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 36.2   | Ballast:   | 15500 |
| <b>Rating:</b> 72    DW Rating: 584    Certificate Date 3/12/2025                 |  |  |  |        |                  | Rig Type      | P:    | 54    | 61.8                        | 35.6  | 30    | 19    | Beam:         | 13.7   | Engine:    | IB    |
| Displacement used for DW Rating: 0                                                |  |  |  |        |                  | MS            | E:    | 16    | <i>Asymmetric Spin?</i> No  |       |       |       | Draft:        | 7.8    | Prop Type: | Feath |
| Certified PHRF Data on file? <input type="checkbox"/>                             |  |  |  |        |                  | Mast Material | ISP:  |       | SLE:                        | SLU:  | ASMG: | ASF:  |               |        |            |       |
| ALUMN                                                                             |  |  |  |        | JSP:             |               |       |       |                             |       |       |       |               |        |            |       |
| <b>Modifications on file:</b>                                                     |  |  |  |        |                  |               |       |       |                             |       |       |       |               |        |            |       |







|                                                                |  |  |  |        |                  |               |      |       |                            |       |       |      |               |       |            |      |
|----------------------------------------------------------------|--|--|--|--------|------------------|---------------|------|-------|----------------------------|-------|-------|------|---------------|-------|------------|------|
| <b>Boat Name</b> Water Rat                                     |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 26.25 | <i>Symmetric Spin?</i>     | Yes   | LOA:  | 24   | Displacement: | 3100  |            |      |
| <b>Boat Type</b> J 24 ODR                                      |  |  |  | 8142   |                  | 150           | J:   | 9.5   | SL:                        | SSMG: | SSF:  | SPL: | LWL:          | 20    | Ballast:   | 950  |
| <b>Rating: 168</b> DW Rating: 694    Certificate Date 1/9/2025 |  |  |  |        |                  | Rig Type      | P:   | 28    | 26.5                       | 17    | 16.8  | 9.5  | Beam:         | 8.916 | Engine:    | OB   |
| Displacement used for DW Rating: 2870                          |  |  |  |        |                  | FS            | E:   | 9.75  | <i>Asymmetric Spin?</i> No |       |       |      | Draft:        | 4     | Prop Type: | None |
| Certified PHRF Data on file? <input type="checkbox"/>          |  |  |  |        |                  | Mast Material | ISP: | 26.25 | SLE:                       | SLU:  | ASMG: | ASF: |               |       |            |      |
|                                                                |  |  |  |        | ALUMN            | JSP:          |      |       |                            |       |       |      |               |       |            |      |
| <b>Modifications on file:</b>                                  |  |  |  |        |                  |               |      |       |                            |       |       |      |               |       |            |      |

|                                                               |  |  |  |        |                  |               |      |       |                            |       |       |       |               |       |            |      |
|---------------------------------------------------------------|--|--|--|--------|------------------|---------------|------|-------|----------------------------|-------|-------|-------|---------------|-------|------------|------|
| <b>Boat Name</b> Wayward Wind                                 |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 52.25 | <i>Symmetric Spin?</i>     | Yes   | LOA:  | 38.08 | Displacement: | 14330 |            |      |
| <b>Boat Type</b> Baltic 38 DP                                 |  |  |  | 87258  |                  | 155           | J:   | 15.82 | SL:                        | SSMG: | SSF:  | SPL:  | LWL:          | 31.5  | Ballast:   | 6512 |
| <b>Rating: 96</b> DW Rating: 592    Certificate Date 5/1/2025 |  |  |  |        |                  | Rig Type      | P:   | 46.25 | 53.21                      | 28.4  | 58.4  | 15.8  | Beam:         | 12.34 | Engine:    | IB   |
| Displacement used for DW Rating:                              |  |  |  |        |                  | MS            | E:   | 13.75 | <i>Asymmetric Spin?</i> No |       |       |       | Draft:        | 7.25  | Prop Type: | Fold |
| Certified PHRF Data on file? <input type="checkbox"/>         |  |  |  |        |                  | Mast Material | ISP: | 52.25 | SLE:                       | SLU:  | ASMG: | ASF:  |               |       |            |      |
|                                                               |  |  |  |        | ALUMN            | JSP:          |      |       |                            |       |       |       |               |       |            |      |
| <b>Modifications on file:</b>                                 |  |  |  |        |                  |               |      |       |                            |       |       |       |               |       |            |      |

|                                                                                     |  |  |  |        |                  |               |       |       |                             |       |       |       |               |      |            |      |
|-------------------------------------------------------------------------------------|--|--|--|--------|------------------|---------------|-------|-------|-----------------------------|-------|-------|-------|---------------|------|------------|------|
| <b>Boat Name</b> Werewolf                                                           |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:    | 36    | <i>Symmetric Spin?</i>      | Yes   | LOA:  | 30    | Displacement: | 3600 |            |      |
| <b>Boat Type</b> Olson 30 OB                                                        |  |  |  | 109    |                  | 125           | J:    | 11.75 | SL:                         | SSMG: | SSF:  | SPL:  | LWL:          | 27.5 | Ballast:   | 1800 |
| <b>Rating: 96</b> DW Rating: 577    Certificate Date 4/29/2025                      |  |  |  |        |                  | Rig Type      | P:    | 31.5  | 36                          | 21.16 | 21.16 | 11.75 | Beam:         | 9.33 | Engine:    | OB   |
| Displacement used for DW Rating: 4111                                               |  |  |  |        |                  | MS            | E:    | 10.75 | <i>Asymmetric Spin?</i> Yes |       |       |       | Draft:        | 5.08 | Prop Type: | None |
| Certified PHRF Data on file? <input type="checkbox"/>                               |  |  |  |        |                  | Mast Material | ISP:  | 35.9  | SLE:                        | SLU:  | ASMG: | ASF:  |               |      |            |      |
|                                                                                     |  |  |  |        | ALUMN            | JSP:          | 11.67 | 37.2  | 42                          | 23    | 23    |       |               |      |            |      |
| <b>Modifications on file:</b> (Mtg 4/28/25, -6 sec/mi for 19% oversized asymmetric) |  |  |  |        |                  |               |       |       |                             |       |       |       |               |      |            |      |

|                                                                  |  |  |  |        |                  |               |      |       |                             |       |       |      |               |       |            |         |
|------------------------------------------------------------------|--|--|--|--------|------------------|---------------|------|-------|-----------------------------|-------|-------|------|---------------|-------|------------|---------|
| <b>Boat Name</b> Westerly                                        |  |  |  | Sail # | <b>Rig Data:</b> | Max Headsail  | I:   | 47.5  | <i>Symmetric Spin?</i>      | No    | LOA:  | 36   | Displacement: | 11900 |            |         |
| <b>Boat Type</b> Morgan 36 4/6                                   |  |  |  | 4205   |                  | 95            | J:   | 13.58 | SL:                         | SSMG: | SSF:  | SPL: | LWL:          | 29.4  | Ballast:   | 5000    |
| <b>Rating: 120</b> DW Rating: 631    Certificate Date 12/11/2024 |  |  |  |        |                  | Rig Type      | P:   | 41.83 |                             |       |       |      | Beam:         | 11.8  | Engine:    | IB      |
| Displacement used for DW Rating: 11900                           |  |  |  |        |                  | MS            | E:   | 12.58 | <i>Asymmetric Spin?</i> Yes |       |       |      | Draft:        | 6.6   | Prop Type: | Fixed_2 |
| Certified PHRF Data on file? <input type="checkbox"/>            |  |  |  |        |                  | Mast Material | ISP: | 47.5  | SLE:                        | SLU:  | ASMG: | ASF: |               |       |            |         |
|                                                                  |  |  |  |        | ALUMN            | JSP:          |      |       |                             |       |       |      |               |       |            |         |
| <b>Modifications on file:</b>                                    |  |  |  |        |                  |               |      |       |                             |       |       |      |               |       |            |         |

|                                  |  |  |  |                                                  |                  |                      |                         |             |                        |                         |             |              |                      |               |                 |                   |      |
|----------------------------------|--|--|--|--------------------------------------------------|------------------|----------------------|-------------------------|-------------|------------------------|-------------------------|-------------|--------------|----------------------|---------------|-----------------|-------------------|------|
| <b>Boat Name</b> Wet Spot        |  |  |  | <b>Sail #</b>                                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>               | 26.25       | <b>Symmetric Spin?</b> | Yes                     | <b>LOA:</b> | 23.75        | <b>Displacement:</b> | 2050          |                 |                   |      |
| <b>Boat Type</b> Moore 24        |  |  |  | 51                                               |                  | 150                  | <b>J:</b>               | 9.75        | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 21.75         | <b>Ballast:</b> | 1025              |      |
| <b>Rating: 150</b>               |  |  |  | <b>DW Rating:</b>                                |                  | 630                  | <b>Certificate Date</b> | 1/7/2025    | 26.6                   | 17.55                   | 17.55       | 9.75         | <b>Beam:</b>         | 7.16          | <b>Engine:</b>  | OB                |      |
| Displacement used for DW Rating: |  |  |  | 2050                                             |                  | <b>Rig Type</b>      | FS                      | <b>E:</b>   | 9.5                    | <b>Asymmetric Spin?</b> |             |              | No                   | <b>Draft:</b> | 4.08            | <b>Prop Type:</b> | None |
| Certified PHRF Data on file?     |  |  |  | <input type="checkbox"/>                         |                  | <b>Mast Material</b> |                         | <b>ISP:</b> | 26.25                  | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |               |                 |                   |      |
| <b>Modifications on file:</b>    |  |  |  |                                                  |                  | <b>JSP:</b>          |                         |             |                        |                         |             |              |                      |               |                 |                   |      |
|                                  |  |  |  |                                                  |                  |                      |                         |             |                        |                         |             |              |                      |               |                 |                   |      |
| <b>Boat Name</b> White Rose      |  |  |  | <b>Sail #</b>                                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>               | 56.5        | <b>Symmetric Spin?</b> | No                      | <b>LOA:</b> | 42.5         | <b>Displacement:</b> | 24000         |                 |                   |      |
| <b>Boat Type</b> Sabre 426       |  |  |  | 38131                                            |                  | 110                  | <b>J:</b>               | 16.6        | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 36            | <b>Ballast:</b> | 8400              |      |
| <b>Rating: 72</b>                |  |  |  | <b>DW Rating:</b>                                |                  | 601                  | <b>Certificate Date</b> | 12/3/2024   | 49.5                   |                         |             |              | <b>Beam:</b>         | 13.42         | <b>Engine:</b>  | IB                |      |
| Displacement used for DW Rating: |  |  |  | 24000                                            |                  | <b>Rig Type</b>      | MS                      | <b>E:</b>   | 17.5                   | <b>Asymmetric Spin?</b> |             |              | Yes                  | <b>Draft:</b> | 6.88            | <b>Prop Type:</b> | Fold |
| Certified PHRF Data on file?     |  |  |  | <input type="checkbox"/>                         |                  | <b>Mast Material</b> | ALUMN                   | <b>ISP:</b> | 56.5                   | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |               |                 |                   |      |
| <b>Modifications on file:</b>    |  |  |  |                                                  |                  | <b>JSP:</b>          |                         | 51.24       | 58.73                  | 32.28                   | 29.85       |              |                      |               |                 |                   |      |
|                                  |  |  |  |                                                  |                  |                      |                         |             |                        |                         |             |              |                      |               |                 |                   |      |
| <b>Boat Name</b> Wildcard        |  |  |  | <b>Sail #</b>                                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>               | 47.1        | <b>Symmetric Spin?</b> | No                      | <b>LOA:</b> | 37           | <b>Displacement:</b> | 8662          |                 |                   |      |
| <b>Boat Type</b> Santa Cruz 37   |  |  |  | 37005                                            |                  | 107                  | <b>J:</b>               | 13.4        | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 34.75         | <b>Ballast:</b> | 3730              |      |
| <b>Rating: 27</b>                |  |  |  | <b>DW Rating:</b>                                |                  | 521                  | <b>Certificate Date</b> | 1/6/2025    | 47                     |                         |             |              | <b>Beam:</b>         | 10.64         | <b>Engine:</b>  | IB                |      |
| Displacement used for DW Rating: |  |  |  | 9339                                             |                  | <b>Rig Type</b>      | FS                      | <b>E:</b>   | 17                     | <b>Asymmetric Spin?</b> |             |              | Yes                  | <b>Draft:</b> | 7.5             | <b>Prop Type:</b> | FOLD |
| Certified PHRF Data on file?     |  |  |  | <input checked="" type="checkbox"/>              |                  | <b>Mast Material</b> | CARBON                  | <b>ISP:</b> | 52.17                  | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |               |                 |                   |      |
| <b>Modifications on file:</b>    |  |  |  | (Mtg 1/26/16, new keel box & rudder noted, NCTR) |                  |                      |                         |             |                        |                         |             |              |                      |               |                 |                   |      |
|                                  |  |  |  |                                                  |                  |                      |                         |             |                        |                         |             |              |                      |               |                 |                   |      |
| <b>Boat Name</b> Wilder          |  |  |  | <b>Sail #</b>                                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>               | 32.7        | <b>Symmetric Spin?</b> | Yes                     | <b>LOA:</b> | 27           | <b>Displacement:</b> | 3300          |                 |                   |      |
| <b>Boat Type</b> Santa Cruz 27   |  |  |  | 59333                                            |                  | 155                  | <b>J:</b>               | 10.9        | <b>SL:</b>             | <b>SSMG:</b>            | <b>SSF:</b> | <b>SPL:</b>  | <b>LWL:</b>          | 24            | <b>Ballast:</b> | 1600              |      |
| <b>Rating: 141</b>               |  |  |  | <b>DW Rating:</b>                                |                  | 624                  | <b>Certificate Date</b> | 1/1/2025    | 28.2                   | 32.8                    | 19.6        | 17.59        | 10.9                 | <b>Beam:</b>  | 8               | <b>Engine:</b>    | OB   |
| Displacement used for DW Rating: |  |  |  | 3440                                             |                  | <b>Rig Type</b>      | MS                      | <b>E:</b>   | 8.7                    | <b>Asymmetric Spin?</b> |             |              | Yes                  | <b>Draft:</b> | 4.5             | <b>Prop Type:</b> | None |
| Certified PHRF Data on file?     |  |  |  | <input checked="" type="checkbox"/>              |                  | <b>Mast Material</b> | ALUMN                   | <b>ISP:</b> | 32.58                  | <b>SLE:</b>             | <b>SLU:</b> | <b>ASMG:</b> | <b>ASF:</b>          |               |                 |                   |      |
| <b>Modifications on file:</b>    |  |  |  | Elliptical Rudder                                |                  |                      |                         |             |                        |                         |             |              |                      |               |                 |                   |      |



|                                                                            |                     |                  |                            |                 |                                                  |                    |                            |
|----------------------------------------------------------------------------|---------------------|------------------|----------------------------|-----------------|--------------------------------------------------|--------------------|----------------------------|
| <b>Boat Name</b> Wimm                                                      | <b>Sail #</b> 38105 | <b>Rig Data:</b> | <b>Max Headsail</b> 112    | <b>I:</b> 43.6  | <b>Symmetric Spin?</b> No                        | <b>LOA:</b> 33.92  | <b>Displacement:</b> 11770 |
| <b>Boat Type</b> Jeanneau Sun Odyssey 349                                  |                     |                  | <b>Rig Type</b> MS         | <b>J:</b> 12.37 | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 30.84  | <b>Ballast:</b> 3483       |
| <b>Rating:</b> 141 <b>DW Rating:</b> 641 <b>Certificate Date</b> 4/28/2025 |                     |                  | <b>Mast Material</b> ALUMN | <b>P:</b> 40.68 | <b>Asymmetric Spin?</b> Yes                      | <b>Beam:</b> 11.29 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 0                                         |                     |                  |                            | <b>E:</b> 13.62 | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 6.86 | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file? <input type="checkbox"/>                      |                     |                  |                            | <b>JSP:</b>     | 37.43 42.32 15 19.83                             |                    |                            |
| <b>Modifications on file:</b>                                              |                     |                  |                            |                 |                                                  |                    |                            |

|                                                                           |                  |                  |                            |                   |                                                  |                    |                           |
|---------------------------------------------------------------------------|------------------|------------------|----------------------------|-------------------|--------------------------------------------------|--------------------|---------------------------|
| <b>Boat Name</b> Wind Dancer                                              | <b>Sail #</b> 29 | <b>Rig Data:</b> | <b>Max Headsail</b> 102    | <b>I:</b> 43.47   | <b>Symmetric Spin?</b> No                        | <b>LOA:</b> 32.6   | <b>Displacement:</b> 8415 |
| <b>Boat Type</b> J 99                                                     |                  |                  | <b>Rig Type</b> FS         | <b>J:</b> 12.56   | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 28.6   | <b>Ballast:</b> 3480      |
| <b>Rating:</b> 72 <b>DW Rating:</b> 599 <b>Certificate Date</b> 12/4/2024 |                  |                  | <b>Mast Material</b> ALUMN | <b>P:</b> 41.8    | <b>Asymmetric Spin?</b> Yes                      | <b>Beam:</b> 11.18 | <b>Engine:</b> IB         |
| Displacement used for DW Rating: 8415                                     |                  |                  |                            | <b>E:</b> 14.3    | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 6.54 | <b>Prop Type:</b> Fold    |
| Certified PHRF Data on file? <input type="checkbox"/>                     |                  |                  |                            | <b>JSP:</b> 16.73 | 45.2 53.5 27.85 26                               |                    |                           |
| <b>Modifications on file:</b>                                             |                  |                  |                            |                   |                                                  |                    |                           |

|                                                                        |                    |                  |                            |                 |                                                  |                    |                            |
|------------------------------------------------------------------------|--------------------|------------------|----------------------------|-----------------|--------------------------------------------------|--------------------|----------------------------|
| <b>Boat Name</b> Wind Mate                                             | <b>Sail #</b> 1805 | <b>Rig Data:</b> | <b>Max Headsail</b> 120    | <b>I:</b> 44    | <b>Symmetric Spin?</b> No                        | <b>LOA:</b> 34.5   | <b>Displacement:</b> 11950 |
| <b>Boat Type</b> Catalina 34 1&2                                       |                    |                  | <b>Rig Type</b> MS         | <b>J:</b> 13.5  | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 29.83  | <b>Ballast:</b> 5000       |
| <b>Rating:</b> 150 <b>DW Rating:</b> <b>Certificate Date</b> 3/25/2025 |                    |                  | <b>Mast Material</b> ALUMN | <b>P:</b> 38.5  | <b>Asymmetric Spin?</b> No                       | <b>Beam:</b> 11.75 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 13606                                 |                    |                  |                            | <b>E:</b> 11.75 | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 5.58 | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file? <input type="checkbox"/>                  |                    |                  |                            | <b>JSP:</b>     |                                                  |                    |                            |
| <b>Modifications on file:</b>                                          |                    |                  |                            |                 |                                                  |                    |                            |

|                                                                             |                     |                  |                            |                   |                                                  |                    |                            |
|-----------------------------------------------------------------------------|---------------------|------------------|----------------------------|-------------------|--------------------------------------------------|--------------------|----------------------------|
| <b>Boat Name</b> Windcatcher                                                | <b>Sail #</b> 38015 | <b>Rig Data:</b> | <b>Max Headsail</b> 110    | <b>I:</b> 45      | <b>Symmetric Spin?</b> Yes                       | <b>LOA:</b> 36.08  | <b>Displacement:</b> 13450 |
| <b>Boat Type</b> Islander 36 ODR                                            |                     |                  | <b>Rig Type</b> MS         | <b>J:</b> 14.48   | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b> 28.25  | <b>Ballast:</b> 5450       |
| <b>Rating:</b> 144 <b>DW Rating:</b> 663 <b>Certificate Date</b> 12/16/2024 |                     |                  | <b>Mast Material</b> ALUMN | <b>P:</b> 39.25   | <b>Asymmetric Spin?</b> No                       | <b>Beam:</b> 11.17 | <b>Engine:</b> IB          |
| Displacement used for DW Rating: 18325                                      |                     |                  |                            | <b>E:</b> 12.75   | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> 6.08 | <b>Prop Type:</b> Fixed_2  |
| Certified PHRF Data on file? <input type="checkbox"/>                       |                     |                  |                            | <b>JSP:</b> 14.48 |                                                  |                    |                            |
| <b>Modifications on file:</b>                                               |                     |                  |                            |                   |                                                  |                    |                            |

|                                                                                     |                  |                      |             |      |                             |               |      |                           |
|-------------------------------------------------------------------------------------|------------------|----------------------|-------------|------|-----------------------------|---------------|------|---------------------------|
| <b>Boat Name</b> Windsome                                                           | <b>Sail #</b>    | <b>Max Headsail</b>  | <b>I:</b>   | 38.5 | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 32.8 | <b>Displacement:</b> 6500 |
| <b>Boat Type</b> J 100 ODR                                                          | 140              | 84                   | <b>J:</b>   | 11.5 | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 29   | <b>Ballast:</b> 2450      |
| <b>Rating:</b> 81 <b>DW Rating:</b> 584 <b>Certificate Date</b> 1/9/2025            | <b>Rig Data:</b> | <b>Rig Type</b>      | <b>P:</b>   | 38   | <b>Asymmetric Spin?</b> Yes | <b>Beam:</b>  | 9.25 | <b>Engine:</b> IB         |
| <b>Displacement used for DW Rating:</b> 7000                                        |                  | FS                   | <b>E:</b>   | 13.5 |                             | <b>Draft:</b> | 5.75 | <b>Prop Type:</b> Fold    |
| <b>Certified PHRF Data on file?</b> <input type="checkbox"/>                        |                  | <b>Mast Material</b> | <b>ISP:</b> | 43   |                             |               |      |                           |
| <b>Modifications on file:</b> (Mtg 2/28/22, -3 sec/mi for increased spinnaker area) |                  | CARBON               | <b>JSP:</b> | 15.9 |                             |               |      |                           |
|                                                                                     |                  |                      |             |      |                             |               |      |                           |

|                                                                           |                  |                      |             |       |                            |               |       |                           |
|---------------------------------------------------------------------------|------------------|----------------------|-------------|-------|----------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> Windspeed                                                | <b>Sail #</b>    | <b>Max Headsail</b>  | <b>I:</b>   | 34.19 | <b>Symmetric Spin?</b> Yes | <b>LOA:</b>   | 29.83 | <b>Displacement:</b> 6700 |
| <b>Boat Type</b> J 30                                                     | 39963            | 155                  | <b>J:</b>   | 11.5  | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b>   | 25    | <b>Ballast:</b> 2100      |
| <b>Rating:</b> 141 <b>DW Rating:</b> 664 <b>Certificate Date</b> 1/6/2025 | <b>Rig Data:</b> | <b>Rig Type</b>      | <b>P:</b>   | 37.5  | <b>Asymmetric Spin?</b> No | <b>Beam:</b>  | 11.18 | <b>Engine:</b> IB         |
| <b>Displacement used for DW Rating:</b> 6900                              |                  | FS                   | <b>E:</b>   | 12.5  |                            | <b>Draft:</b> | 5.25  | <b>Prop Type:</b> FOLD    |
| <b>Certified PHRF Data on file?</b> <input type="checkbox"/>              |                  | <b>Mast Material</b> | <b>ISP:</b> | 34.2  |                            |               |       |                           |
| <b>Modifications on file:</b> +6 sec/mi for J length pole (mtg 11/16/01)  |                  | ALUMN                | <b>JSP:</b> |       |                            |               |       |                           |
|                                                                           |                  |                      |             |       |                            |               |       |                           |

|                                                                            |                  |                      |             |       |                            |               |       |                            |
|----------------------------------------------------------------------------|------------------|----------------------|-------------|-------|----------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Windwalker                                                | <b>Sail #</b>    | <b>Max Headsail</b>  | <b>I:</b>   | 45    | <b>Symmetric Spin?</b> Yes | <b>LOA:</b>   | 36.08 | <b>Displacement:</b> 13450 |
| <b>Boat Type</b> Islander 36 ODR                                           | 57307            | 150                  | <b>J:</b>   | 14.48 | <b>SL: SSMG: SSF: SPL:</b> | <b>LWL:</b>   | 28.25 | <b>Ballast:</b> 5820       |
| <b>Rating:</b> 144 <b>DW Rating:</b> 655 <b>Certificate Date</b> 2/12/2025 | <b>Rig Data:</b> | <b>Rig Type</b>      | <b>P:</b>   | 39.25 | <b>Asymmetric Spin?</b> No | <b>Beam:</b>  | 11.17 | <b>Engine:</b> IB          |
| <b>Displacement used for DW Rating:</b> 13450                              |                  | MS                   | <b>E:</b>   | 12.75 |                            | <b>Draft:</b> | 6.08  | <b>Prop Type:</b> FOLD     |
| <b>Certified PHRF Data on file?</b> <input type="checkbox"/>               |                  | <b>Mast Material</b> | <b>ISP:</b> | 45    |                            |               |       |                            |
| <b>Modifications on file:</b>                                              |                  | ALUMN                | <b>JSP:</b> |       |                            |               |       |                            |
|                                                                            |                  |                      |             |       |                            |               |       |                            |

|                                                                                                       |                  |                      |             |       |                             |               |       |                           |
|-------------------------------------------------------------------------------------------------------|------------------|----------------------|-------------|-------|-----------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> Wolfpack                                                                             | <b>Sail #</b>    | <b>Max Headsail</b>  | <b>I:</b>   | 38.5  | <b>Symmetric Spin?</b> No   | <b>LOA:</b>   | 30    | <b>Displacement:</b> 3300 |
| <b>Boat Type</b> Donovan 30                                                                           | 3001             | 150                  | <b>J:</b>   | 11.6  | <b>SL: SSMG: SSF: SPL:</b>  | <b>LWL:</b>   | 25    | <b>Ballast:</b> 1330      |
| <b>Rating:</b> 87 <b>DW Rating:</b> 575 <b>Certificate Date</b> 12/17/2024                            | <b>Rig Data:</b> | <b>Rig Type</b>      | <b>P:</b>   | 34    | <b>Asymmetric Spin?</b> Yes | <b>Beam:</b>  | 10.75 | <b>Engine:</b> OB         |
| <b>Displacement used for DW Rating:</b> 3470                                                          |                  | MS                   | <b>E:</b>   | 10.66 |                             | <b>Draft:</b> | 5.67  | <b>Prop Type:</b> None    |
| <b>Certified PHRF Data on file?</b> <input checked="" type="checkbox"/>                               |                  | <b>Mast Material</b> | <b>ISP:</b> |       |                             |               |       |                           |
| <b>Modifications on file:</b> (Mtg 6/26/14, New Rudder, NCTR)(Mtg 1/26/16, +3 sec/mi for smaller "E") |                  | ALUMN                | <b>JSP:</b> | 11.6  |                             |               |       |                           |
|                                                                                                       |                  |                      |             |       |                             |               |       |                           |

|                                                                           |  |  |  |                                  |                  |                      |             |                        |                                                  |               |       |                           |
|---------------------------------------------------------------------------|--|--|--|----------------------------------|------------------|----------------------|-------------|------------------------|--------------------------------------------------|---------------|-------|---------------------------|
| <b>Boat Name</b> WooHoo                                                   |  |  |  | <b>Sail #</b>                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 26.25                  | <b>Symmetric Spin?</b> Yes                       | <b>LOA:</b>   | 23.75 | <b>Displacement:</b> 2050 |
| <b>Boat Type</b> Moore 24                                                 |  |  |  | 80                               |                  | 150                  | <b>J:</b>   | 9.8                    | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b>   | 21.75 | <b>Ballast:</b> 1025      |
| <b>Rating: 150</b> <b>DW Rating:</b> 629 <b>Certificate Date</b> 1/7/2025 |  |  |  |                                  |                  | <b>Rig Type</b>      | <b>P:</b>   | 25                     | 27 17.55 17.55 9.75                              | <b>Beam:</b>  | 7.16  | <b>Engine:</b> OB         |
| Displacement used for DW Rating:                                          |  |  |  | 2050                             |                  | <b>FS</b>            | <b>E:</b>   | 9.5                    | <b>Asymmetric Spin?</b> No                       |               |       |                           |
| Certified PHRF Data on file? <input type="checkbox"/>                     |  |  |  |                                  |                  | <b>Mast Material</b> | <b>ISP:</b> | 26.25                  | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> | 4.083 | <b>Prop Type:</b> None    |
| <b>Modifications on file:</b>                                             |  |  |  |                                  | <b>ALUMN</b>     | <b>JSP:</b>          |             |                        |                                                  |               |       |                           |
|                                                                           |  |  |  |                                  |                  |                      |             |                        |                                                  |               |       |                           |
| <b>Boat Name</b> Wowla                                                    |  |  |  | <b>Sail #</b>                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 38.5                   | <b>Symmetric Spin?</b> No                        | <b>LOA:</b>   | 32.8  | <b>Displacement:</b> 6500 |
| <b>Boat Type</b> J 100 ODR                                                |  |  |  | 14                               |                  | 100                  | <b>J:</b>   | 11.5                   | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b>   | 29    | <b>Ballast:</b> 2500      |
| <b>Rating: 84</b> <b>DW Rating:</b> 599 <b>Certificate Date</b> 1/9/2025  |  |  |  |                                  |                  | <b>Rig Type</b>      | <b>P:</b>   | 38                     | 0 0                                              | <b>Beam:</b>  | 9.3   | <b>Engine:</b> IB         |
| Displacement used for DW Rating:                                          |  |  |  | 7000                             |                  | <b>FS</b>            | <b>E:</b>   | 13.5                   | <b>Asymmetric Spin?</b> Yes                      |               |       |                           |
| Certified PHRF Data on file? <input type="checkbox"/>                     |  |  |  |                                  |                  | <b>Mast Material</b> | <b>ISP:</b> | 43                     | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> | 5.8   | <b>Prop Type:</b> FOLD    |
| <b>Modifications on file:</b>                                             |  |  |  | powered winch for mainsail hoist | <b>CARBON</b>    | <b>JSP:</b>          | 12          | 42 47.1 23.4 22.3      |                                                  |               |       |                           |
|                                                                           |  |  |  |                                  |                  |                      |             |                        |                                                  |               |       |                           |
| <b>Boat Name</b> Wysiwyg                                                  |  |  |  | <b>Sail #</b>                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 36                     | <b>Symmetric Spin?</b> Yes                       | <b>LOA:</b>   | 30    | <b>Displacement:</b> 3600 |
| <b>Boat Type</b> Olson 30 OB                                              |  |  |  | 28132                            |                  | 155                  | <b>J:</b>   | 11.75                  | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b>   | 27.5  | <b>Ballast:</b> 1800      |
| <b>Rating: 99</b> <b>DW Rating:</b> 583 <b>Certificate Date</b> 12/5/2024 |  |  |  |                                  |                  | <b>Rig Type</b>      | <b>P:</b>   | 31.5                   | 36 21.16 21.16 11.75                             | <b>Beam:</b>  | 9.33  | <b>Engine:</b> OB         |
| Displacement used for DW Rating:                                          |  |  |  | 4111                             |                  | <b>MS</b>            | <b>E:</b>   | 10.75                  | <b>Asymmetric Spin?</b> No                       |               |       |                           |
| Certified PHRF Data on file? <input type="checkbox"/>                     |  |  |  |                                  |                  | <b>Mast Material</b> | <b>ISP:</b> | 35.9                   | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> | 5.083 | <b>Prop Type:</b> None    |
| <b>Modifications on file:</b>                                             |  |  |  |                                  | <b>ALUMN</b>     | <b>JSP:</b>          | 11.67       |                        |                                                  |               |       |                           |
|                                                                           |  |  |  |                                  |                  |                      |             |                        |                                                  |               |       |                           |
| <b>Boat Name</b> Yellowfin                                                |  |  |  | <b>Sail #</b>                    | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 40.6                   | <b>Symmetric Spin?</b> No                        | <b>LOA:</b>   | 34.5  | <b>Displacement:</b> 7750 |
| <b>Boat Type</b> J 105 ODR w/ 5'BS                                        |  |  |  | 357                              |                  | 100                  | <b>J:</b>   | 13.5                   | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b>   | 29.5  | <b>Ballast:</b> 3400      |
| <b>Rating: 78</b> <b>DW Rating:</b> 587 <b>Certificate Date</b> 4/28/2025 |  |  |  |                                  |                  | <b>Rig Type</b>      | <b>P:</b>   | 41.5                   |                                                  | <b>Beam:</b>  | 11    | <b>Engine:</b> IB         |
| Displacement used for DW Rating:                                          |  |  |  | 8472                             |                  | <b>FS</b>            | <b>E:</b>   | 14.5                   | <b>Asymmetric Spin?</b> Yes                      |               |       |                           |
| Certified PHRF Data on file? <input type="checkbox"/>                     |  |  |  |                                  |                  | <b>Mast Material</b> | <b>ISP:</b> | 42.1                   | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> | <b>Draft:</b> | 6.5   | <b>Prop Type:</b> FOLD    |
| <b>Modifications on file:</b>                                             |  |  |  |                                  | <b>ALUMN</b>     | <b>JSP:</b>          | 19.07       | 38.33 48.92 25.67 25.5 |                                                  |               |       |                           |





|                                                                                                                                                                                                                                                                           |            |                   |                                     |                  |                      |             |                         |                                                  |               |       |                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------|-------------------------------------|------------------|----------------------|-------------|-------------------------|--------------------------------------------------|---------------|-------|----------------------------|
| <b>Boat Name</b> Zenaïda                                                                                                                                                                                                                                                  |            |                   | <b>Sail #</b>                       | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 30                      | <b>Symmetric Spin?</b> Yes                       | <b>LOA:</b>   | 28.25 | <b>Displacement:</b> 5700  |
| <b>Boat Type</b> ALERION EXPRESS 28 ODR                                                                                                                                                                                                                                   |            |                   | 38079                               |                  | 90                   | <b>J:</b>   | 9.75                    | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b>   | 22.83 | <b>Ballast:</b> 2200       |
| <b>Rating:</b>                                                                                                                                                                                                                                                            | <b>168</b> | <b>DW Rating:</b> | 695                                 |                  | <b>Rig Type</b>      | <b>P:</b>   | 33                      | 29.96 17.55 15.77 9.75                           | <b>Beam:</b>  | 8.2   | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                                                                                                                                                                                                                                          |            |                   | 5700                                |                  | <b>FS</b>            | <b>E:</b>   | 12.5                    | <b>Asymmetric Spin?</b> No                       | <b>Draft:</b> | 4.5   | <b>Prop Type:</b> FOLD     |
| Certified PHRF Data on file?                                                                                                                                                                                                                                              |            |                   | <input type="checkbox"/>            |                  | <b>Mast Material</b> | <b>ISP:</b> |                         | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> |               |       |                            |
| Certified PHRF Data on file?                                                                                                                                                                                                                                              |            |                   | <input type="checkbox"/>            | <b>ALUMN</b>     | <b>JSP:</b>          |             |                         |                                                  |               |       |                            |
| <b>Modifications on file:</b>                                                                                                                                                                                                                                             |            |                   |                                     |                  |                      |             |                         |                                                  |               |       |                            |
|                                                                                                                                                                                                                                                                           |            |                   |                                     |                  |                      |             |                         |                                                  |               |       |                            |
| <b>Boat Name</b> Zephyr                                                                                                                                                                                                                                                   |            |                   | <b>Sail #</b>                       | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 46.5                    | <b>Symmetric Spin?</b> No                        | <b>LOA:</b>   | 35.25 | <b>Displacement:</b> 10900 |
| <b>Boat Type</b> J 109 ODR w/108^ m                                                                                                                                                                                                                                       |            |                   | 176                                 |                  | 105                  | <b>J:</b>   | 13.3                    | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b>   | 30.5  | <b>Ballast:</b> 3900       |
| <b>Rating:</b>                                                                                                                                                                                                                                                            | <b>72</b>  | <b>DW Rating:</b> | 599                                 |                  | <b>Rig Type</b>      | <b>P:</b>   | 43.25                   |                                                  | <b>Beam:</b>  | 11.5  | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                                                                                                                                                                                                                                          |            |                   | 11000                               |                  | <b>FS</b>            | <b>E:</b>   | 15.5                    | <b>Asymmetric Spin?</b> Yes                      | <b>Draft:</b> | 7     | <b>Prop Type:</b> FOLD     |
| Certified PHRF Data on file?                                                                                                                                                                                                                                              |            |                   | <input type="checkbox"/>            |                  | <b>Mast Material</b> | <b>ISP:</b> | 49                      | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> |               |       |                            |
| Certified PHRF Data on file?                                                                                                                                                                                                                                              |            |                   | <input type="checkbox"/>            | <b>ALUMN</b>     | <b>JSP:</b>          | 18.8        | 45.63 56.33 27.2 27.75  |                                                  |               |       |                            |
| <b>Modifications on file:</b>                                                                                                                                                                                                                                             |            |                   |                                     |                  |                      |             |                         |                                                  |               |       |                            |
|                                                                                                                                                                                                                                                                           |            |                   |                                     |                  |                      |             |                         |                                                  |               |       |                            |
| <b>Boat Name</b> Zephyros                                                                                                                                                                                                                                                 |            |                   | <b>Sail #</b>                       | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 41.66                   | <b>Symmetric Spin?</b> No                        | <b>LOA:</b>   | 31.7  | <b>Displacement:</b> 8267  |
| <b>Boat Type</b> Beneteau First 30                                                                                                                                                                                                                                        |            |                   | 45                                  |                  | 105                  | <b>J:</b>   | 13.78                   | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b>   | 27.5  | <b>Ballast:</b> 2403       |
| <b>Rating:</b>                                                                                                                                                                                                                                                            | <b>105</b> | <b>DW Rating:</b> | 589                                 |                  | <b>Rig Type</b>      | <b>P:</b>   | 40.2                    |                                                  | <b>Beam:</b>  | 10.5  | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                                                                                                                                                                                                                                          |            |                   | 8267                                |                  | <b>FS</b>            | <b>E:</b>   | 14.25                   | <b>Asymmetric Spin?</b> Yes                      | <b>Draft:</b> | 6.25  | <b>Prop Type:</b> Fold     |
| Certified PHRF Data on file?                                                                                                                                                                                                                                              |            |                   | <input type="checkbox"/>            |                  | <b>Mast Material</b> | <b>ISP:</b> | 42.16                   | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> |               |       |                            |
| Certified PHRF Data on file?                                                                                                                                                                                                                                              |            |                   | <input type="checkbox"/>            | <b>ALUMN</b>     | <b>JSP:</b>          | 15.7        | 40.5 45.6 23.8 25.98    |                                                  |               |       |                            |
| <b>Modifications on file:</b> High Aspect Rudders                                                                                                                                                                                                                         |            |                   |                                     |                  |                      |             |                         |                                                  |               |       |                            |
|                                                                                                                                                                                                                                                                           |            |                   |                                     |                  |                      |             |                         |                                                  |               |       |                            |
| <b>Boat Name</b> Zephyrus                                                                                                                                                                                                                                                 |            |                   | <b>Sail #</b>                       | <b>Rig Data:</b> | <b>Max Headsail</b>  | <b>I:</b>   | 85.37                   | <b>Symmetric Spin?</b> No                        | <b>LOA:</b>   | 77.67 | <b>Displacement:</b> 31939 |
| <b>Boat Type</b> Riechel/Pugh Turbo 77                                                                                                                                                                                                                                    |            |                   | 69011                               |                  | 128                  | <b>J:</b>   | 35                      | <b>SL:</b> <b>SSMG:</b> <b>SSF:</b> <b>SPL:</b>  | <b>LWL:</b>   | 65.2  | <b>Ballast:</b> 12300      |
| <b>Rating:</b>                                                                                                                                                                                                                                                            | <b>-99</b> | <b>DW Rating:</b> | 427                                 |                  | <b>Rig Type</b>      | <b>P:</b>   | 87.34                   |                                                  | <b>Beam:</b>  | 14.78 | <b>Engine:</b> IB          |
| Displacement used for DW Rating:                                                                                                                                                                                                                                          |            |                   | 31947                               |                  | <b>FS</b>            | <b>E:</b>   | 30.5                    | <b>Asymmetric Spin?</b> Yes                      | <b>Draft:</b> | 14.12 | <b>Prop Type:</b> FOLD     |
| Certified PHRF Data on file?                                                                                                                                                                                                                                              |            |                   | <input checked="" type="checkbox"/> |                  | <b>Mast Material</b> | <b>ISP:</b> | 94.94                   | <b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b> |               |       |                            |
| Certified PHRF Data on file?                                                                                                                                                                                                                                              |            |                   | <input checked="" type="checkbox"/> | <b>CARBON</b>    | <b>JSP:</b>          | 35          | 88.35 103.41 56.66 56.1 |                                                  |               |       |                            |
| <b>Modifications on file:</b> (mtg 8/27/09, -6 sec/mi for new oversized jib. Changed custom rating from -126 to -132)(Mtg 4/26/12, New pintop mainsail, change custom rating from -132 to 129)(Mtg 8/23/12, change custom rating from -129 to -99 after review of appeal) |            |                   |                                     |                  |                      |             |                         |                                                  |               |       |                            |

|                                  |  |  |  |                            |  |           |               |  |       |                    |                        |  |        |       |                     |  |
|----------------------------------|--|--|--|----------------------------|--|-----------|---------------|--|-------|--------------------|------------------------|--|--------|-------|---------------------|--|
| Boat Name Zeus                   |  |  |  | Sail #                     |  | Rig Data: | Max Headsail  |  | I:    | 53.5               | Symmetric Spin? No     |  | LOA:   | 39.99 | Displacement: 20000 |  |
| Boat Type Swan 391               |  |  |  | 39136                      |  |           | 125           |  | J:    | 16.25              | SL: SSMG: SSF: SPL:    |  | LWL:   | 33.1  | Ballast: 6800       |  |
| Rating: 99 DW Rating:            |  |  |  | Certificate Date 1/9/2025  |  |           | Rig Type      |  | P:    | 47.25              |                        |  | Beam:  | 2.47  | Engine: IB          |  |
| Displacement used for DW Rating: |  |  |  | 20000                      |  |           | MS            |  | E:    | 14                 | Asymmetric Spin? No    |  | Draft: | 7.4   | Prop Type: Feath    |  |
| Certified PHRF Data on file?     |  |  |  | <input type="checkbox"/>   |  |           | Mast Material |  | ISP:  | 53.5               | SLE: SLU: ASMG: ASF:   |  |        |       |                     |  |
| ALUMN                            |  |  |  |                            |  |           | JSP:          |  | 16.25 |                    |                        |  |        |       |                     |  |
| Modifications on file:           |  |  |  |                            |  |           |               |  |       |                    |                        |  |        |       |                     |  |
| Boat Name Zimmer                 |  |  |  | Sail #                     |  | Rig Data: | Max Headsail  |  | I:    | 50.9               | Symmetric Spin? Yes    |  | LOA:   | 42.2  | Displacement: 14860 |  |
| Boat Type Pacer 42               |  |  |  | 60409                      |  |           | 105           |  | J:    | 15.25              | SL: SSMG: SSF: SPL:    |  | LWL:   | 39.1  | Ballast: 5512       |  |
| Rating: 33 DW Rating: 528        |  |  |  | Certificate Date 5/20/2025 |  |           | Rig Type      |  | P:    | 52.5               | 57.8 27.85 29.85 16.07 |  | Beam:  | 12.7  | Engine: IB          |  |
| Displacement used for DW Rating: |  |  |  | 14860                      |  |           | MS            |  | E:    | 20                 | Asymmetric Spin? Yes   |  | Draft: | 8.75  | Prop Type: Fold     |  |
| Certified PHRF Data on file?     |  |  |  | <input type="checkbox"/>   |  |           | Mast Material |  | ISP:  | 57.39              | SLE: SLU: ASMG: ASF:   |  |        |       |                     |  |
| ALUMN                            |  |  |  |                            |  |           | JSP:          |  | 16.07 | 57 57.5 29.85 31.4 |                        |  |        |       |                     |  |
| Modifications on file:           |  |  |  |                            |  |           |               |  |       |                    |                        |  |        |       |                     |  |
| Boat Name Zingaro                |  |  |  | Sail #                     |  | Rig Data: | Max Headsail  |  | I:    | 26                 | Symmetric Spin? Yes    |  | LOA:   | 22    | Displacement: 2600  |  |
| Boat Type Santana 22             |  |  |  | 5050                       |  |           | 125           |  | J:    | 8.5                | SL: SSMG: SSF: SPL:    |  | LWL:   | 18.67 | Ballast: 1260       |  |
| Rating: 237 DW Rating: 741       |  |  |  | Certificate Date 3/12/2025 |  |           | Rig Type      |  | P:    | 21.75              | 26 15.44 15.44 8.58    |  | Beam:  | 7.833 | Engine: OB          |  |
| Displacement used for DW Rating: |  |  |  | 2600                       |  |           | MS            |  | E:    | 9.83               | Asymmetric Spin? No    |  | Draft: | 3.5   | Prop Type: None     |  |
| Certified PHRF Data on file?     |  |  |  | <input type="checkbox"/>   |  |           | Mast Material |  | ISP:  | 26                 | SLE: SLU: ASMG: ASF:   |  |        |       |                     |  |
| ALUMN                            |  |  |  |                            |  |           | JSP:          |  |       |                    |                        |  |        |       |                     |  |
| Modifications on file:           |  |  |  |                            |  |           |               |  |       |                    |                        |  |        |       |                     |  |