

NCPHRF - CURRENT FLEET ROSTER

This Roster lists the boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 1/27/2026

Boat Name C cubed	Sail # 38136	Max Headsail	I:	Symmetric Spin? No	LOA: 60	Displacement: 16480
Boat Type Wyliecat 60			J:	SL: SSMG: SSF: SPL:	LWL: 53.33	Ballast: 8841
Rating: -39 DW Rating: 465 Certificate Date 1/27/2026		Rig Data:	P: 68.5		Beam: 11.92	Engine: IB
Displacement used for DW Rating:			E: 33.75	Asymmetric Spin? No	Draft: 11	Prop Type: Fixed_2
Certified PHRF Data on file? <input type="checkbox"/>			ISP:	SLE: SLU: ASMG: ASF:		
			JSP:			
Modifications on file: (Mtg 11/30/21, Custom rating of -81 assigned)(Mtg 1/26/26, custom rating changed from -81 to -39 after review of rating appeal)						

Boat Name Möve	Sail # 138	Max Headsail	I: 50.728	Symmetric Spin? No	LOA: 40	Displacement: 9920
Boat Type Pogo 40			J: 19.029	SL: SSMG: SSF: SPL:	LWL: 39.245	Ballast: 3748
Rating: -18 DW Rating: 478 Certificate Date 1/22/2026		Rig Data:	P: 54.79		Beam: 14.8	Engine: IB
Displacement used for DW Rating: 10476			E: 16.404	Asymmetric Spin? Yes	Draft: 9.8	Prop Type: Fold
Certified PHRF Data on file? <input checked="" type="checkbox"/>			ISP: 58.848	SLE: SLU: ASMG: ASF:		
			JSP: 25.633	56.759 66.339 36.745 40.354		
Modifications on file: (Mtg 1/23/23, Custom Rating Assigned of -18. Rating assumes water ballast disabled)						

Boat Name Astra	Sail # 407	Max Headsail	I: 51.18	Symmetric Spin? No	LOA: 38.71	Displacement: 8642
Boat Type Farr 400 ODR			J: 14.6	SL: SSMG: SSF: SPL:	LWL: 36.42	Ballast: 4806
Rating: -18 DW Rating: 480 Certificate Date 1/15/2026		Rig Data:	P: 52.98		Beam: 11.22	Engine: IB
Displacement used for DW Rating: 8642			E: 19.03	Asymmetric Spin? Yes	Draft: 9.51	Prop Type: Feath
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 58.53	SLE: SLU: ASMG: ASF:		
			JSP: 22.38	55.38 66.4 38.46 37.5		
Modifications on file:						

Boat Name Rufless
Boat Type J 125
Rating: -12 DW Rating: 492 Certificate Date 1/12/2026
Displacement used for DW Rating: 9781
Certified PHRF Data on file?

Sail #
2125

Rig Data:

Max Headsail I: 49.16
150 J: 14.8
Rig Type P: 46.68
FS E: 17.95
Mast Material ISP: 52.26
CARBON JSP: 22.85

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
52.5 59.6 36.6 38.6

LOA: 41
LWL: 37
Beam: 10.6
Draft: 7.9

Displacement: 8350
Ballast: 4646
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Bodacious +
Boat Type 1D 48
Rating: -12 DW Rating: 505 Certificate Date 1/14/2026
Displacement used for DW Rating: 17334
Certified PHRF Data on file?

Sail #
48005

Rig Data:

Max Headsail I: 57.7
125 J: 16.7
Rig Type P: 61.3
FS E: 22.5
Mast Material ISP: 68.3
CARBON JSP: 16.7

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
66.7 33.1 32.6 16.7
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
65.7 67.7 30.1 30.1

LOA: 48.3
LWL: 40.2
Beam: 14.2
Draft: 10.1

Displacement: 19743
Ballast: 8818
Engine: IB
Prop Type: Fold

Modifications on file: Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11, switched to J length SPL, switched to smaller symmetric & asymeric spinnaker, +9 sec/mi, change custom rating from -24 to -15)(Mtg 9/22/11, removed asymmetrical spinnakers, +3 sec./mi. Change custom rating from -15 to -12)(1/24/13, New rudder noted, NCTR)(Mtg 8/28/14, -3 sec/mi for 10% increase in symmetrical spinnaker area)(5/28/20, switched to 125% headsail, +3 sec/mi. Change custom rating from -15 to -12)

Boat Name Arsenal
Boat Type J 125
Rating: -12 DW Rating: 477 Certificate Date 1/7/2026
Displacement used for DW Rating: 9694
Certified PHRF Data on file?

Sail #
52125

Rig Data:

Max Headsail I: 48.622
125 J: 20.105
Rig Type P: 46.75
FS E: 17.979
Mast Material ISP: 52
CARBON JSP: 23.4

Symmetric Spin? No
SL: SSMG: SSF: SPL:
23.4
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
52.133 60.04 38.386 39.37

LOA: 41
LWL: 37
Beam: 10.6
Draft: 7.9

Displacement: 9350
Ballast: 4646
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Laissez Les BonTempsRouler
Boat Type Santa Cruz 52 SD
Rating: -6 DW Rating: 495 Certificate Date 1/12/2026
Displacement used for DW Rating: 22549
Certified PHRF Data on file?

Sail #
38109

Rig Data:

Max Headsail I: 64.13
155 J: 18.9
Rig Type P: 57.5
MS E: 21
Mast Material ISP: 64.5
CARBON JSP: 18.9

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
63.91 34.19 33.89 18.91
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
59.12 69.48 33.89 35

LOA: 52.98
LWL: 48
Beam: 14
Draft: 7

Displacement: 23452
Ballast: 9000
Engine: IB
Prop Type: Feath

Modifications on file: Shoal Draft (Mtg 1/25/18, Custom rating assigned, includes -3 sec/mi for main girths. As Sailed: -12)(Mtg 1/24/22, removed OSP, +3 sec/mi. Change custom rating from -12 to -9)(Mtg 2/28/22, updated draft from 8' to 7'. Custom rating changed from -9 to -6)

Boat Name eXpresso **Sail #** 60874
Boat Type XP-44
Rating: 18 **DW Rating:** 545 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 21738
Certified PHRF Data on file?

Modifications on file: Extended sprit, deep rudder, hydraulic backstay

Rig Data:
Max Headsail I: 59.46 *Symmetric Spin?* No LOA: 43.6 Displacement: 21738
125 J: 16.3 SL: SSMG: SSF: SPL: LWL: 39 Ballast: 8488
Rig Type P: 57.74
FS E: 18.7 *Asymmetric Spin?* Yes Beam: 13.35 Engine: IB
Mast Material ISP: 64.86 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 20.4 61.35 71.52 37.73 35.83 Draft: 8.86

Boat Name Kahoots **Sail #** 87477
Boat Type Andrews 43
Rating: 18 **DW Rating:** 552 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 16804
Certified PHRF Data on file?

Modifications on file: Roller Furler. (Mtg 1/21/19, custom rating assigned. As Sailed: 15)(Mtg 10/26/20, change custom rating from 15 to 21)(Mtg 1/24/22, added 26" sprit, -3 sec/mi. Change custom rating from 21 to 18)

Rig Data:
Max Headsail I: 56.98 *Symmetric Spin?* Yes LOA: 43.48 Displacement: 15251
155 J: 16.5 SL: SSMG: SSF: SPL: LWL: 36.7 Ballast: 6581
Rig Type P: 50.09 56.3 29.7 28.92 18.7
MS E: 17.78 *Asymmetric Spin?* Yes Beam: 12.87 Engine: IB
Mast Material ISP: 57 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 18.7 55.5 60.4 29 29.13 Draft: 8.86

Boat Name Pendragon **Sail #** 77177
Boat Type CUSTOM Davidson 44
Rating: 18 **DW Rating:** 525 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 20255
Certified PHRF Data on file?

Modifications on file: (Mtg 4/9/98, custom rating of 51 assigned)(Mtg 8/23/21, Boat Modified, including new rig and hull modifications, Custom Rating of 18 assigned)

Rig Data:
Max Headsail I: 56.22 *Symmetric Spin?* Yes LOA: 49.8 Displacement: 20200
120 J: 15.25 SL: SSMG: SSF: SPL: LWL: 39 Ballast: 8000
Rig Type P: 58.21 63.33 32.67 33.83 20.17
MS E: 20.8 *Asymmetric Spin?* Yes Beam: 13.9 Engine: IB
Mast Material ISP: 65.25 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 20.92 58.58 65.57 26.17 31.75 Draft: 8.92

Boat Name Acey Deucy **Sail #** 97659
Boat Type J 44
Rating: 21 **DW Rating:** 562 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 23350
Certified PHRF Data on file?

Modifications on file: Electric Winches

Rig Data:
Max Headsail I: 60.606 *Symmetric Spin?* Yes LOA: 44.83 Displacement: 22770
155 J: 17.08 SL: SSMG: SSF: SPL: LWL: 38.58 Ballast: 9000
Rig Type P: 53.51 59.8 30.8 30.8 #####
MS E: 19.41 *Asymmetric Spin?* Yes Beam: 13.67 Engine: IB
Mast Material ISP: 60.416 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 55.9 63.8 27.8 27 Draft: 8.14

Boat Name Saoirse
Boat Type Tripp 41
Rating: 24 DW Rating: 537 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
51597

Rig Data:

Max Headsail I: 55.5
100 J: 15.9
Rig Type P: 56.6
FS E: 19.25
Mast Material ISP: 58.25
CARBON JSP: 20.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
57.776 64.534 30.676 36.385

LOA: 41
LWL: 37.1
Beam: 12.5
Draft: 8.7

Displacement: 15270
Ballast: 5300
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 11/29/21, Custom Rating of 12 assigned)(1/24/22, -3 sec/mi for tweener sail. Change custom rating from 12 to 9)(04/25/22, removed tweener sail, rating changed from 9 back to 12)(Mtg 1/14/25, custom rating changed from 12 to 24 after boat review)

Boat Name Kuai
Boat Type Melges 32 MOD
Rating: 27 DW Rating: 497 Certificate Date 1/16/2026
Displacement used for DW Rating: 3828
Certified PHRF Data on file?

Sail #
7676

Rig Data:

Max Headsail I: 40.86
105 J: 10.7
Rig Type P: 44.05
FS E: 15.49
Mast Material ISP: 48.3
CARBON JSP: 18.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.9 55.75 31.31 31.82

LOA: 31.84
LWL: 28.5
Beam: 9.83
Draft: 7

Displacement: 4200
Ballast: 1600
Engine: OB
Prop Type: None

Modifications on file: (Mtg 4/29/19, Class OB switched out, 50# lead brick added)

Boat Name Wicked
Boat Type Melges 32 ODR
Rating: 27 DW Rating: 491 Certificate Date 1/15/2026
Displacement used for DW Rating: 3828
Certified PHRF Data on file?

Sail #
65

Rig Data:

Max Headsail I: 40.86
105 J: 10.7
Rig Type P: 44.05
FS E: 15.49
Mast Material ISP: 48.3
CARBON JSP: 18.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.9 55.75 31.31 31.82

LOA: 31.76
LWL: 28.5
Beam: 9.83
Draft: 7

Displacement: 3800
Ballast: 1600
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Wildcard
Boat Type Santa Cruz 37
Rating: 27 DW Rating: 521 Certificate Date 1/7/2026
Displacement used for DW Rating: 9339
Certified PHRF Data on file?

Sail #
37005

Rig Data:

Max Headsail I: 47.1
105 J: 13.4
Rig Type P: 47
FS E: 17
Mast Material ISP: 52.17
CARBON JSP: 19

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50.85 59.7 33.3 33.3

LOA: 37
LWL: 34.75
Beam: 10.64
Draft: 7.5

Displacement: 8662
Ballast: 3730
Engine: IB
Prop Type: FOLD

Modifications on file: (Mtg 1/26/16, new keel box & rudder noted, NCTR)

Boat Name Nuckelavee
Boat Type Melges 32 ODR
Rating: 27 DW Rating: 494 Certificate Date 1/15/2026
Displacement used for DW Rating: 3988
Certified PHRF Data on file?

Sail #
208

Rig Data:

Max Headsail I: 40.86
105 J: 10.7
Rig Type P: 44.05
FS E: 15.49
Mast Material ISP: 48.3
CARBON JSP: 18.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.9 55.75 31.3 31.8

LOA: 31.76
LWL: 28.5
Beam: 9.83
Draft: 7

Displacement: 3988
Ballast: 1600
Engine: OB
Prop Type: None

Modifications on file: (mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)(Mtg 5/21/18, +6 sec/mi for short ISP)(8/15/19, Boat returned to stock ODR configuration)

Boat Name Swift Ness
Boat Type J 111
Rating: 36 DW Rating: 547 Certificate Date 1/15/2026
Displacement used for DW Rating: 9300
Certified PHRF Data on file?

Sail #
101

Rig Data:

Max Headsail I: 48.37
105 J: 13.85
Rig Type P: 45.17
FS E: 14.5
Mast Material ISP: 51.4
CARBON JSP: 20.08

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.88 59.05 31.8 31.8

LOA: 36.5
LWL: 32.7
Beam: 10.8
Draft: 7.2

Displacement: 9300
Ballast: 3500
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Recidivist
Boat Type Custom Schumacher 39
Rating: 36 DW Rating: 572 Certificate Date 1/27/2026
Displacement used for DW Rating: 13000
Certified PHRF Data on file?

Sail #
3510

Rig Data:

Max Headsail I: 48.34
125 J: 14.03
Rig Type P: 50.91
FS E: 18.49
Mast Material ISP: 56.78
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.65 49.87 24.44 27.56

LOA: 39.81
LWL: 33.7
Beam: 12.12
Draft: 8.24

Displacement: 13000
Ballast: 5500
Engine: IB
Prop Type: FOLD

Modifications on file: ALUMINUM MAST REPLACED W/CARBON. MTG 4/9/98- CHANGED FROM 24 TO 27 PER MTG 8/24/2000 (Mtg 5/22/08, -9 sec/mi for oversized luffs, +3 sec/mi for smaller headsail)(mtg 6/19/08, added Swept Back Spreaders, Elimated Runners, +9 sec/mi for standard sized spinnaker)(5/14/09, switching back to masthead configuration/oversized spinnaker -9 sec/mi)(Mtg1/26/26, remmoved MH spinaker, replaced with asymmetric, +9 sec/mi, +3 sec/mi for non-articulation, +3 sec/mi for smaller mainsail, change custom rating from 21 to 36)

Boat Name Skeleton Key
Boat Type J 111
Rating: 36 DW Rating: 537 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
115

Rig Data:

Max Headsail I: 48.37
105 J: 13.85
Rig Type P: 45.17
FS E: 14.5
Mast Material ISP: 51.4
CARBON JSP: 20.08

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.88 59.05 31.8 31.8

LOA: 36.5
LWL: 32.7
Beam: 10.8
Draft: 7.2

Displacement: 9500
Ballast: 3500
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 11/30/23, -9 sec/mi for 24% increase in spinnaker area)(10/8/24, removed oversized spinnakers, reverting to ODR)

Boat Name Such Fast
Boat Type 1D 35
Rating: 39 DW Rating: 539 Certificate Date 12/8/2025
Displacement used for DW Rating: 6715
Certified PHRF Data on file?

Sail #
35020

Rig Data:

Max Headsail I: 42.49
108 J: 12.52
Rig Type P: 44.26
FS E: 18.47
Mast Material ISP: 44.78
CARBON JSP: 14.76

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44.62 26.54 26.98 14.91
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
43.6 48.13 25.2 27.99

LOA: 35
LWL: 31.5
Beam: 10.9
Draft: 7.58

Displacement: 6715
Ballast: 2660
Engine: IB
Prop Type: Fold

Modifications on file: 1 cabin-top powered winch (Mtg 3/27/23, -6 sec/mi for OSP)(Mtg 12/8/25, switched to class pole, remove -6 sec/mi penalty for OSP. +3 sec/mi for small mainsail)

Boat Name Bacchanal
Boat Type JPK 1180
Rating: 39 DW Rating: 554 Certificate Date 1/27/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
1180

Rig Data:

Max Headsail I: 51.54
95 J: 13.37
Rig Type P: 50.85
FS E: 18.41
Mast Material ISP: 57.28
CARBON JSP: 21.28

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
54.49 63.88 33.73 34.32

LOA: 38.68
LWL: 34.35
Beam: 12.93
Draft: 7.67

Displacement: 13902
Ballast:
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Festina Lente
Boat Type Hanse 505
Rating: 42 DW Rating: 545 Certificate Date 1/6/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
17

Rig Data:

Max Headsail I: 64.14
104 J: 19.19
Rig Type P: 57.74
FS E: 19.69
Mast Material ISP: 64.3
ALUMN JSP: 21.69

Symmetric Spin? No
SL: SSMG: SSF: SPL:
18.8
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
60.1 66.01 34.55 33.4

LOA: 48.72
LWL: 44.42
Beam: 15.58
Draft: 7.87

Displacement: 36000
Ballast: 8818
Engine: IB
Prop Type: Fold

Modifications on file: Inner Forestay Added, NCTR (Mtg 6/24/24, added SPL, -3 sec/mi for articulation)

Boat Name Jamani
Boat Type J 120 ALUM
Rating: 45 DW Rating: 543 Certificate Date 1/9/2026
Displacement used for DW Rating: 14799
Certified PHRF Data on file?

Sail #
52879

Rig Data:

Max Headsail I: 50.5
150 J: 14.5
Rig Type P: 46.5
FS E: 17.8
Mast Material ISP: 52
ALUMN JSP: 21.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50 64 37 34

LOA: 40
LWL: 35
Beam: 12
Draft: 7

Displacement: 13900
Ballast: 6000
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Shake & Bake
Boat Type Farr X2
Rating: 45 DW Rating: 554 Certificate Date 1/12/2026
Displacement used for DW Rating: 5924
Certified PHRF Data on file?

Sail #
38135

Rig Data:

Max Headsail I: 38.88
105 J: 14.11
Rig Type P: 40.03
FS E: 13.45
Mast Material ISP: 43.96
CARBON JSP: 18.37

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
43.41 50.98 28.18 27.89

LOA: 30.18
LWL: 28.61
Beam: 10.33
Draft: 6.89

Displacement: 5401
Ballast: 1973
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 11/27/23, -9 sec/mi for water ballast. Boat rates 45 when water ballast is enabled, 54 when water ballast is disabled)

Boat Name Quiver
Boat Type Custom Nelson Marek 36
Rating: 45 DW Rating: 550 Certificate Date 1/26/2026
Displacement used for DW Rating: 7300
Certified PHRF Data on file?

Sail #
28669

Rig Data:

Max Headsail I: 43.85
105 J: 12.5
Rig Type P: 45.75
FS E: 16.47
Mast Material ISP: 51.9
CARBON JSP: 14.57

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
50.39 26.21 26.21 14.57
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
47.57 57.4 28.34 26.24

LOA: 35.6
LWL: 29.32
Beam: 10.3
Draft: 7.6

Displacement: 7725
Ballast: 3255
Engine: IB
Prop Type: FOLD

Modifications on file: (mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)

Boat Name Chance
Boat Type J 120 ALUM
Rating: 48 DW Rating: 550 Certificate Date 1/12/2026
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Sail #
28484

Rig Data:

Max Headsail I: 50.5
100 J: 14.5
Rig Type P: 46.3
FS E: 17.8
Mast Material ISP: 52
ALUMN JSP: 21.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50.6 64.1 37.65 34.1

LOA: 40
LWL: 35
Beam: 12
Draft: 7

Displacement: 13900
Ballast: 6000
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Jubilant
Boat Type J 112e GP
Rating: 48 DW Rating: 583 Certificate Date 1/22/2026
Displacement used for DW Rating: 12339
Certified PHRF Data on file?

Sail #
3958

Rig Data:

Max Headsail I: 49.02
105 J: 14.01
Rig Type P: 45.6
FS E: 15.35
Mast Material ISP: 52.36
CARBON JSP: 20.11

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50.52 54.99 33.3 32.217

LOA: 36
LWL: 31.73
Beam: 11.81
Draft: 7.28

Displacement: 11814
Ballast: 4195
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 4/29/24, -3 sec/mi for increased spinnaker area)

Boat Name Lucky Duck	Sail # 38904	Max Headsail 150	I: 35.4	Symmetric Spin? No	LOA: 30	Displacement: 3400
Boat Type J 90 Mod			J: 10.5	SL: SSMG: SSF: SPL:	LWL: 27	Ballast: 1865
Rating: 48 DW Rating: 530 Certificate Date 1/9/2026		Rig Type FR	P: 35.8	Asymmetric Spin? Yes	Beam: 8.5	Engine: OB
Displacement used for DW Rating: 3400		Mast Material CARBON	E: 14.5	SLE: SLU: ASMG: ASF:	Draft: 6.5	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 40	39.7 49.8 28.1 28.8		
Modifications on file: (Rudder changes noted, NCTR 1/13/03)(Added battery and kelp cutter 3-05)						

Boat Name Kira	Sail # 38104	Max Headsail 120	I: 50.82	Symmetric Spin? No	LOA: 37.66	Displacement: 11850
Boat Type Aerodyne 38 SD			J: 14.5	SL: SSMG: SSF: SPL:	LWL: 34.21	Ballast: 4150
Rating: 48 DW Rating: 534 Certificate Date 1/8/2026		Rig Type FS	P: 51.75	Asymmetric Spin? Yes	Beam: 13	Engine: IB
Displacement used for DW Rating: 11850		Mast Material ALUMN	E: 16.5	SLE: SLU: ASMG: ASF:	Draft: 6	Prop Type: Fixed_2
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 57.25	58.5 65.5 40 39.5		
Modifications on file: Power Winches						

Boat Name Sapphire	Sail # 38008	Max Headsail 125	I: 40.8	Symmetric Spin? No	LOA: 32.83	Displacement: 4400
Boat Type Synergy 1000			J: 12	SL: SSMG: SSF: SPL:	LWL: 29.17	Ballast: 1850
Rating: 48 DW Rating: 537 Certificate Date 1/8/2026		Rig Type FS	P: 42	Asymmetric Spin? Yes	Beam: 9.75	Engine: IB
Displacement used for DW Rating: 5027		Mast Material CARBON	E: 15.5	SLE: SLU: ASMG: ASF:	Draft: 7	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 45.75	46.2 52 28.8 28		
Modifications on file: (Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)						

Boat Name Rahan	Sail # 3637	Max Headsail 106	I: 45.7	Symmetric Spin? No	LOA: 35.98	Displacement: 9428
Boat Type Seascope First 36 SE			J: 15.9	SL: SSMG: SSF: SPL:	LWL: 32.84	Ballast: 3317
Rating: 48 DW Rating: 537 Certificate Date 1/27/2026		Rig Type FS	P: 48.24	0 0	Beam: 2.53	Engine: IB
Displacement used for DW Rating: 0		Mast Material CARBON	E: 16.73	SLE: SLU: ASMG: ASF:	Draft: 8.64	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 52.2	50.52 60.04 32.48 32.84		
Modifications on file: Non Class Bowsprit (Mtg 1/26/26, provisional rating of 48 assigned)						

Boat Name Take Five
Boat Type Cape Fear 38 R
Rating: 51 DW Rating: 563 Certificate Date 1/27/2026
Displacement used for DW Rating: 12400
Certified PHRF Data on file?

Sail #
52538

Rig Data:

Max Headsail I: 50
104 J: 13.75
Rig Type P: 48
FS E: 17.2
Mast Material ISP: 54
ALUMN JSP: 16

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
54.05 59 31.04 30.24

LOA: 37.75
LWL: 34
Beam: 11
Draft: 7.2

Displacement: 12400
Ballast: 5075
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 1/26/26, - 9 sec/mi for 25% oversized asymmetric spinnaker)

Boat Name Alchera
Boat Type J 120 Mod
Rating: 51 DW Rating: 559 Certificate Date 1/12/2026
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Sail #
28870

Rig Data:

Max Headsail I: 50.5
125 J: 14.5
Rig Type P: 46.5
FS E: 17.57
Mast Material ISP: 52
CARBON JSP: 21.55

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.99 57.96 30.6 34

LOA: 40
LWL: 35
Beam: 12
Draft: 7

Displacement: 13900
Ballast: 6000
Engine: IB
Prop Type: FOLD

Modifications on file: Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +3 sec/mi for small spinnaker, + 3 sec/mi for small headsail)

Boat Name Mojito
Boat Type J 112e
Rating: 54 DW Rating: 575 Certificate Date 1/8/2026
Displacement used for DW Rating: 11300
Certified PHRF Data on file?

Sail #
38150

Rig Data:

Max Headsail I: 48.58
105 J: 14.15
Rig Type P: 45.93
FS E: 15.5
Mast Material ISP: 52
CARBON JSP: 20.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.83 52.82 31.04 34.08

LOA: 36.06
LWL: 31.76
Beam: 11.81
Draft: 6.89

Displacement: 11300
Ballast: 3816
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Willpower
Boat Type Peterson 42
Rating: 54 DW Rating: 592 Certificate Date 1/7/2026
Displacement used for DW Rating: 18000
Certified PHRF Data on file?

Sail #
7606

Rig Data:

Max Headsail I: 57
100 J: 17.6
Rig Type P: 50
MS E: 16.2
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 42
LWL: 34
Beam: 12
Draft: 7.75

Displacement: 18000
Ballast: 8000
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Orca
Sail # 50090
Boat Type J 90 M0D
Rating: 54 DW Rating: 536 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 35.6 Symmetric Spin? No LOA: 30
100 J: 10.5 SL: SSMG: SSF: SPL:
Rig Type P: 38.85 LWL: 27
FR E: 14.5 Asymmetric Spin? Yes Beam: 8.5
Mast Material ISP: 43.1 SLE: SLU: ASMG: ASF: Prop Type: FOLD
CARBON JSP: 18 40.1 47 22.95 26.25 Draft: 6.5

Displacement: 3400
Ballast: 1595
Engine: OB
Prop Type: FOLD

Modifications on file: (Mtg 4/28/11, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB, -3 sec/mi)(1/24/13, new rudder noted, NCTR)(Mtg 10/26/17, +3 sec/mi for smaller mainsail, +3 sec/mi for smaller asymmetrical)

Boat Name Frequent Flyer
Sail # 52
Boat Type Mumm/Farr 30
Rating: 54 DW Rating: 552 Certificate Date 1/9/2026
Displacement used for DW Rating: 4561
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 38.2 Symmetric Spin? Yes LOA: 30.9
105 J: 10.9 SL: SSMG: SSF: SPL:
Rig Type P: 40.5 44.58 25.25 24.67 13.58 LWL: 27.6
FS E: 14.6 Asymmetric Spin? Yes Beam: 10.1
Mast Material ISP: 44.9 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 13.58 41.33 46.92 23.67 25.25 Draft: 6.9

Displacement: 4561
Ballast: 1997
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Lark
Sail # 70061
Boat Type J 112e
Rating: 54 DW Rating: 576 Certificate Date 1/15/2026
Displacement used for DW Rating: 11300
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 48.58 Symmetric Spin? No LOA: 36
105 J: 14 SL: SSMG: SSF: SPL:
Rig Type P: 45.93 LWL: 31.76
FS E: 15.5 Asymmetric Spin? Yes Beam: 11.81
Mast Material ISP: 52 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 20.75 50.02 58.7 30.55 31.4 Draft: 6.9

Displacement: 11300
Ballast: 3816
Engine: IB
Prop Type: Fold

Modifications on file: Electric Halyard Winch

Boat Name Envolee
Sail # 0
Boat Type Figaro II
Rating: 54 DW Rating: 563 Certificate Date 1/7/2026
Displacement used for DW Rating: 7183
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 42.75 Symmetric Spin? Yes LOA: 32.18
104 J: 12.42 SL: SSMG: SSF: SPL:
Rig Type P: 42.67 43.96 23.62 23.63 13.85 LWL: 32
FS E: 15.42 Asymmetric Spin? No Beam: 11.33
Mast Material ISP: 42.75 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 13.85 45.67 49.67 18.33 24.08 Draft: 6.5

Displacement: 6724
Ballast: 2425
Engine: IB
Prop Type: Fold

Modifications on file: (mtg 4/27/17, water ballast disabled, +6 sec/mi)(5/23/18, Water Ballast Enabled, -6 sec/mi)(7/12/19, -3 sec/mi for sprit)(2/12/25, removed sprit and asymmetric spinnaker, +3 sec/mi. Boat rates 54 with water ballast enable, 60 with water ballast disabled)

Boat Name Ventana **Sail #** 38130
Boat Type Beneteau Oceanis 46.1 SM
Rating: 57 **DW Rating:** 535 **Certificate Date** 1/15/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 58.17
105 J: 18.67
Rig Type P: 54.33
FS E: 18.5
Mast Material ISP: 58.17
ALUMN JSP: 21.67

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
57.68 64.17 30.18 34.25

LOA: 44.75 **Displacement:** 23356
LWL: 43.42 **Ballast:** 6028
Beam: 14.75 **Engine:** IB
Draft: 7.75 **Prop Type:** Fold

Modifications on file: Powered Winches. (1/13/20, +3 secmi for in-mast furling mainsail)

Boat Name Grande Cuvee **Sail #** 61357
Boat Type Beneteau First 40
Rating: 57 **DW Rating:** 583 **Certificate Date** 1/27/2026
Displacement used for DW Rating: 18220
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 53
139 J: 15.08
Rig Type P: 51.2
FS E: 17.92
Mast Material ISP: 56.16
ALUMN JSP: 16.207

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
53.24 63.94 31.59 30.38

LOA: 40.16 **Displacement:** 18220
LWL: 35 **Ballast:** 6610
Beam: 12.6 **Engine:** IB
Draft: 8.04 **Prop Type:** Fold

Modifications on file:

Boat Name Outsider **Sail #** 1000
Boat Type Azzura 310
Rating: 57 **DW Rating:** 540 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 4748
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 35.35
105 J: 11.55
Rig Type P: 38.75
FS E: 13.25
Mast Material ISP: 43.33
CARBON JSP: 21.57

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.7 47.01 32.7 30.1

LOA: 30.75 **Displacement:** 4850
LWL: 27.4 **Ballast:** 2100
Beam: 10 **Engine:** OB
Draft: 7.2 **Prop Type:** Fixed_3

Modifications on file: 6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with outboard. Boat weighed with calibrated scale on 8/9/06 (Mtg 8/17/06 - +3 s/m for small headsail; -3 s/m for outboard)(Mtg 3/19/09, LWL changed noted, NCTR, boat now meets Sportboat classification)

Boat Name Invictus **Sail #** 12
Boat Type Jeanneau Sun Fast 3600
Rating: 60 **DW Rating:** 580 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 10362
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 46.58
105 J: 13.83
Rig Type P: 44.25
FS E: 15.08
Mast Material ISP: 48
ALUMN JSP: 13.83

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
47.9 29.85 29.85 16.32
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
48.85 55.12 32.55 31.99

LOA: 35.42 **Displacement:** 10362
LWL: 31.25 **Ballast:** 4850
Beam: 11.67 **Engine:** IB
Draft: 7 **Prop Type:** Feath

Modifications on file: (Mtg 11/30/17, -3 sec/mi for oversized asymmetric spinnaker)(mtg 1/25/21, removed Asymmetric Spinnaker, added smaller symmetric spinnaker on a shorter pole. +3 sec/mi for smaller spinnaker area, +3 sec/mi for shorter spl, -3 sec/mi for articulation)(Mtg 1/24/22, -3 sec/mi for increased spinnaker area)

Boat Name Jet Stream **Sail #** 9045
Boat Type Custom JS 9000
Rating: 60 **DW Rating:** 544 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 2425
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 27.08 **Symmetric Spin?** No
90 J: 9.5 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 30.84
FS E: 10.171 **Asymmetric Spin?** Yes
Mast Material ISP: 30.25 **SLE:** **SLU:** **ASMG:** **ASF:**
CARBON JSP: 15.5 30.1 35.8 20.1 21.8

LOA: 29.9 **Displacement:** 2425
LWL: 27.9 **Ballast:** 1543
Beam: 5.7 **Engine:** OB
Draft: 6.8 **Prop Type:** None

Modifications on file: (Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 63)(7/27/17, New mainsail, change rating from 63 to 60)

Boat Name Soliton **Sail #** 60412
Boat Type Synergy 1000
Rating: 60 **DW Rating:** 555 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 4900
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 40.75 **Symmetric Spin?** No
105 J: 16.3 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 41.86
FS E: 15.33 **Asymmetric Spin?** Yes
Mast Material ISP: 40.8 **SLE:** **SLU:** **ASMG:** **ASF:**
CARBON JSP: 16.3 39.89 44.29 21.72 26.15

LOA: 32.83 **Displacement:** 4800
LWL: 29.17 **Ballast:** 2188
Beam: 9.75 **Engine:** IB
Draft: 7 **Prop Type:** Fold

Modifications on file: (Mtg 1/24/22, +3 sec/mi for switching to IB Sail Drive, +9 sec/mi for smaller spinnaker area, +3 sec/mi for shorter ISP/Switch to FS)

Boat Name Raven **Sail #** 38108
Boat Type C&C 115 ODR
Rating: 63 **DW Rating:** 580 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 13152
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 52.17 **Symmetric Spin?** Yes
106 J: 14.5 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 49.33 51.78 28.4 28.4 15.8
FS E: 16.33 **Asymmetric Spin?** No
Mast Material ISP: 52.17 **SLE:** **SLU:** **ASMG:** **ASF:**
CARBON JSP: 14.5 47.3 53.3 22.5 24.7

LOA: 37.75 **Displacement:** 11800
LWL: 33 **Ballast:** 4200
Beam: 11.92 **Engine:** IB
Draft: 6.67 **Prop Type:** Fold

Modifications on file:

Boat Name Jeannette **Sail #** 40646
Boat Type Custom Frers 40 IOR 1 Tonner
Rating: 63 **DW Rating:** 572 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 11918
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 47.2 **Symmetric Spin?** Yes
100 J: 13.7 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 51.48 46.69 24.66 24.66 13.7
FS E: 18.76 **Asymmetric Spin?** No
Mast Material ISP: 13.7 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN JSP:

LOA: 39.5 **Displacement:** 11918
LWL: 33 **Ballast:** 6000
Beam: 12.6 **Engine:** IB
Draft: 8.1 **Prop Type:** FOLD

Modifications on file: (mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)

Boat Name Greyhound
Boat Type Viper 830
Rating: 63 DW Rating: 549 Certificate Date 1/27/2026
Displacement used for DW Rating: 2500
Certified PHRF Data on file?
Modifications on file: Roller Furler

Rig Data:

Max Headsail I: 35.7
105 J: 10.1
Rig Type P: 35.7
MS E: 13.3
Mast Material ISP: 37.75
CARBON JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
33.75 44 22 23

LOA: 27.7
LWL: 25
Beam: 8.5
Draft: 7.16

Displacement: 2500
Ballast: 1543
Engine: OB
Prop Type: None

Boat Name Sun Dragon
Boat Type Jeanneau Sun Fast 3300
Rating: 63 DW Rating: 584 Certificate Date 1/9/2026
Displacement used for DW Rating: 7716
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 40.91
100 J: 13.78
Rig Type P: 39.39
FS E: 14.59
Mast Material ISP: 44.23
CARBON JSP: 17.55

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.37 50.31 28.81 30.54

LOA: 32.78
LWL: 29.16
Beam: 11.18
Draft: 6.41

Displacement: 7716
Ballast: 3086
Engine: IB
Prop Type: Fold

Boat Name Shark On Bluegrass
Boat Type J 99
Rating: 66 DW Rating: 596 Certificate Date 1/12/2026
Displacement used for DW Rating: 8880
Certified PHRF Data on file?
Modifications on file: Mtg 08/25/25, -9 sec/mi when Water Ballast is enabled)

Rig Data:

Max Headsail I: 43.47
108 J: 12.56
Rig Type P: 41.8
FS E: 14.3
Mast Material ISP: 47.25
ALUMN JSP: 16.73

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
47.61 53.15 27.72 26.41

LOA: 32.6
LWL: 28.6
Beam: 11.18
Draft: 6.54

Displacement: 8880
Ballast: 3350
Engine: IB
Prop Type: Feath

Boat Name Quixote
Boat Type Elan 40 DK
Rating: 66 DW Rating: 590 Certificate Date 1/15/2026
Displacement used for DW Rating: 15873
Certified PHRF Data on file?
Modifications on file: (Mtg , -3 sec/mi for masthead kite)

Rig Data:

Max Headsail I: 50.03
120 J: 14.27
Rig Type P: 49
MS E: 17.7
Mast Material ISP: 54
ALUMN JSP: 15.55

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
49.7 26.3 23.9 14.27
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
48 53.8 20.9 23

LOA: 39.01
LWL: 33.6
Beam: 12.4
Draft: 8

Displacement: 15873
Ballast: 5621
Engine: IB
Prop Type: Fold

Boat Name About Time
Boat Type X-412
Rating: 66 DW Rating: 579 Certificate Date 1/15/2026
Displacement used for DW Rating: 16314
Certified PHRF Data on file?

Sail #
40041

Rig Data:

Max Headsail I: 53.84
125 J: 16.01
Rig Type P: 47.24
MS E: 15.41
Mast Material ISP: 53.84
ALUMN JSP: 49.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
53.36 28.82 28.82 16
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.6 53.8 25.4 26.9

LOA: 41
LWL: 34.2
Beam: 12.7
Draft: 6.9

Displacement: 16314
Ballast: 7716
Engine: IB
Prop Type: FOLD

Modifications on file: Electric Main Halyard winch, roller furler

Boat Name 'io
Boat Type Antrim 27 C
Rating: 66 DW Rating: 543 Certificate Date 1/6/2026
Displacement used for DW Rating: 2518
Certified PHRF Data on file?

Sail #
38124

Rig Data:

Max Headsail I: 28.83
125 J: 8.17
Rig Type P: 33.75
FS E: 13.8
Mast Material ISP: 36.98
CARBON JSP: 15.22

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
35.26 42.35 23.19 22.86

LOA: 27.73
LWL: 23.75
Beam: 9.25
Draft: 6

Displacement: 2500
Ballast: 1225
Engine: OB
Prop Type: None

Modifications on file: Carbon Hull & Deck. (Mtg 1/20/20, -3 sec/mi for carbon mods)(Mtg 10/26/20, change penalty for carbon mods from -3 sec/mi to -9 sec/mi)(Mtg 5/23/22, new smaller mainsail, +3 sec/mi)(1/11/23, switching back to larger mainsail, remove +3 sec/mi credit)(3/22/24, back to smaller main sail, +3 sec/mi credit)(Mtg 4/29/24, -3 sec/mi for spinnaker area increase)

Boat Name Reverie
Boat Type J 109 ODR w/120^ m
Rating: 69 DW Rating: 600 Certificate Date 1/16/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Sail #
52423

Rig Data:

Max Headsail I: 46.5
105 J: 13.3
Rig Type P: 43.25
FS E: 15.5
Mast Material ISP: 49.6
ALUMN JSP: 18.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
44.21 60 30.21 27.6

LOA: 32.25
LWL: 30.5
Beam: 11.5
Draft: 7

Displacement: 10900
Ballast: 3900
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Mr Chocolate
Boat Type Saffier SE37
Rating: 69 DW Rating: 588 Certificate Date 1/6/2026
Displacement used for DW Rating: 10582
Certified PHRF Data on file?

Sail #
6

Rig Data:

Max Headsail I: 42.65
95 J: 14.44
Rig Type P: 42.7
FS E: 16.4
Mast Material ISP: 47.24
CARBON JSP: 18.54

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41.8 52.94 26.41 27

LOA: 36.1
LWL: 32
Beam: 11.4
Draft: 6.89

Displacement: 10582
Ballast: 4520
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Loon
Boat Type Saffier SE37
Rating: 69 DW Rating: 567 Certificate Date 1/8/2026
Displacement used for DW Rating: 10582
Certified PHRF Data on file?

Sail #
8

Rig Data:

Max Headsail I: 45.29
86 J: 14.21
Rig Type P: 42.65
FS E: 16.4
Mast Material ISP: 47.25
CARBON JSP: 18.54

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.28 49.05 14.5 14.14

LOA: 39.37
LWL: 32.8
Beam: 11.32
Draft: 6.89

Displacement: 10582
Ballast: 4520
Engine: IB
Prop Type: Fold

Modifications on file: Harken Rewind Electronic Winches

Boat Name Lightspeed
Boat Type Custom Wylie 39
Rating: 69 DW Rating: 606 Certificate Date 1/16/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
52839

Rig Data:

Max Headsail I: 48
100 J: 14.5
Rig Type P: 46.5
MS E: 15
Mast Material ISP: 51.83
ALUMN JSP: 14.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48.2 25.7 25.7 14.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
49.11 53.576 28.14 26.7

LOA: 39.25
LWL: 31.67
Beam: 11.42
Draft: 6.75

Displacement: 15300
Ballast: 5100
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 1/17/08 +3sec/mi for fixed prop, as sailed 72)(mtg 3/18/10, change custom rating from 72 to 84)(Mtg 2/23/12, -3 sec/mi for folding prop, as sailed 81)(Mtg 11/4/24, -3 sec/mi for >MSA, -6 sec/mi for >ASA, -3 sec/mi for >ISP, -3sec/mi for carbon mast, +3 sec/mi for small headsail. Change custom rating from 81 to 69)

Boat Name Expeditious
Boat Type Express 37
Rating: 72 DW Rating: 587 Certificate Date 1/22/2026
Displacement used for DW Rating: 10207
Certified PHRF Data on file?

Sail #
18478

Rig Data:

Max Headsail I: 48.75
155 J: 14.33
Rig Type P: 42
MS E: 13.75
Mast Material ISP: 48.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.5 25.4 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.08
LWL: 30.83
Beam: 11.57
Draft: 7.25

Displacement: 11000
Ballast: 4500
Engine: IB
Prop Type: FOLD

Modifications on file: INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.

Boat Name Punk Dolphin
Boat Type Custom Wylie 38
Rating: 72 DW Rating: 596 Certificate Date 1/12/2026
Displacement used for DW Rating: 11495
Certified PHRF Data on file?

Sail #
18481

Rig Data:

Max Headsail I: 48
150 J: 14.33
Rig Type P: 43
MS E: 14
Mast Material ISP: 48
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.8 25 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38
LWL: 31
Beam: 11.6
Draft: 6.75

Displacement: 14400
Ballast: 5000
Engine: IB
Prop Type: FOLD

Modifications on file: (3/3/20, added 125% headsail, +3 sec/mi, change custom rating from 72 to 75)(1/3/25, switching back to 150% headsail, change custom rating from 75 to 72)

Boat Name Elan
Boat Type Express 37
Rating: 72 DW Rating: 591 Certificate Date 1/7/2026
Displacement used for DW Rating: 10539
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.75 *Symmetric Spin?* Yes LOA: 37.083 Displacement: 11000
155 J: 14.33 SL: SSMG: SSF: SPL: LWL: 30.833 Ballast: 4500
Rig Type P: 42 48 25.79 25.79 14.33
MS E: 13.75 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 48.75 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 7.25

Boat Name Willow
Boat Type Wauquiez 40s Centurion
Rating: 72 DW Rating: 579 Certificate Date 1/9/2026
Displacement used for DW Rating: 18960
Certified PHRF Data on file?

Modifications on file: (mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)(1 powered cabin top Halyard winch, NCTR)(Electric backstay adjuster, NCTR)(1/3/23, +3 sec/mi for non-articulation)

Rig Data:

Max Headsail I: 51.5 *Symmetric Spin?* No LOA: 41.17 Displacement: 18960
110 J: 14.17 SL: SSMG: SSF: SPL: LWL: 36.4 Ballast: 6085
Rig Type P: 49.21 50.73 25.54 25.54 14.17
FS E: 19.3 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 51.5 SLE: SLU: ASMG: ASF: Prop Type: FEATH
ALUMN JSP: 46.75 52.8 27.66 28.54 Draft: 7.75

Boat Name O2
Boat Type J 40
Rating: 72 DW Rating: 587 Certificate Date 1/12/2026
Displacement used for DW Rating: 17564
Certified PHRF Data on file?

Modifications on file: (Mtg 1/14/25, -3 sec/mi for oversized spinnaker)

Rig Data:

Max Headsail I: 50 *Symmetric Spin?* YES LOA: 40.35 Displacement: 17564
135 J: 14.67 SL: SSMG: SSF: SPL: LWL: 35.48 Ballast: 6500
Rig Type P: 44.25 50 28.13 28.13 15.5
MS E: 18 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 50 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 14.67 Draft: 6.47

Boat Name Tangaroa
Boat Type J 109 ODR w/108^ m
Rating: 72 DW Rating: 603 Certificate Date 1/8/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46.5 *Symmetric Spin?* No LOA: 32.25 Displacement: 10900
100 J: 13.3 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 3900
Rig Type P: 43.25
FS E: 15.5 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 49 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 18.8 45.63 56.33 27.2 27.75 Draft: 7

Boat Name Mermug **Sail #** 46612
Boat Type Beneteau 42S7 First DK SM
Rating: 72 **DW Rating:** 585 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 18220
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	50.89	<i>Symmetric Spin?</i>	Yes	LOA:	42.6	Displacement:	18220
125	J:	14.27	SL:	SSMG: SSF: SPL:	LWL:	35.9	Ballast:	6283
Rig Type	P:	47.41	50.21 25.6 25 14.27		Beam:	13.6	Engine:	IB
FS	E:	17.22	<i>Asymmetric Spin?</i>	No	Draft:	7.7	Prop Type:	FOLD
Mast Material	ISP:	50.89	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:							

Boat Name Lindo **Sail #** 195
Boat Type J 109 ODR w/108^ m
Rating: 72 **DW Rating:** 596 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	46.5	<i>Symmetric Spin?</i>	No	LOA:	35.25	Displacement:	10900
110	J:	13.3	SL:	SSMG: SSF: SPL:	LWL:	30.5	Ballast:	3900
Rig Type	P:	43.3			Beam:	11.5	Engine:	IB
FS	E:	15.5	<i>Asymmetric Spin?</i>	Yes	Draft:	7	Prop Type:	FOLD
Mast Material	ISP:	49	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	18.8	45.63 56.33 27.2 27.75					

Boat Name Sir Edmund **Sail #** 52549
Boat Type Custom Covey Island 49
Rating: 72 **DW Rating:** 567 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 28116
Certified PHRF Data on file?

Modifications on file: (Mtg 4/29/23, Custom Rating of 72 assigned)(1/21/25, Custom rating changed from 72 to 69 when using 150% headsail)

Rig Data:

Max Headsail	I:	51.16	<i>Symmetric Spin?</i>	Yes	LOA:	48.75	Displacement:	28000
115	J:	15.91	SL:	SSMG: SSF: SPL:	LWL:	42.51	Ballast:	13000
Rig Type	P:	46.69	51.84 28.48 31.04 18.04		Beam:	13.16	Engine:	IB
MS	E:	12.78	<i>Asymmetric Spin?</i>	Yes	Draft:	9.19	Prop Type:	Feath
Mast Material	ISP:	51.11	SLE:	SLU: ASMG: ASF:				
CARBON	JSP:	18.04	51.84 51.25 28.48 29.4					

Boat Name La Viajera **Sail #** 56480
Boat Type J 109 ODR w/108^ m
Rating: 72 **DW Rating:** 598 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	46.5	<i>Symmetric Spin?</i>	No	LOA:	35.25	Displacement:	10900
105	J:	13.3	SL:	SSMG: SSF: SPL:	LWL:	30.5	Ballast:	3900
Rig Type	P:	43.25			Beam:	11.5	Engine:	IB
FS	E:	15.5	<i>Asymmetric Spin?</i>	Yes	Draft:	7	Prop Type:	Fold
Mast Material	ISP:	49.6	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	18.8	45.63 56.33 27.2 27.75					

Boat Name Mojo
Boat Type J 35
Rating: 72 DW Rating: 598 Certificate Date 1/26/2026
Displacement used for DW Rating: 10000
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 150
Rig Type MS
Mast Material ALUMN
I: 46.4
J: 14.7
P: 41.75
E: 14.98
ISP: 46.3
JSP: 14.7
Symmetric Spin? Yes
SL: 46 SSMG: 26.25 SSF: 26.25 SPL: 14.7
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 35.42
LWL: 30
Beam: 11.8
Draft: 6.9
Displacement: 10500
Ballast: 4400
Engine: IB
Prop Type: Feath

Boat Name Mirthmaker
Boat Type A 35
Rating: 75 DW Rating: 588 Certificate Date 1/15/2026
Displacement used for DW Rating: 10514
Certified PHRF Data on file?

Modifications on file: (Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 69 after appeal)

Rig Data:
Max Headsail 105
Rig Type FS
Mast Material CARBON
I: 44.22
J: 12.99
P: 44.94
E: 14.66
ISP: 51.06
JSP: 14.99
Symmetric Spin? Yes
SL: 51.67 SSMG: 26.2 SSF: 24.38 SPL: 14.99
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF: 49.02 53.31 21.03 26.28
LOA: 34.7
LWL: 30.47
Beam: 11.6
Draft: 6.88
Displacement: 9810
Ballast: 4367
Engine: IB
Prop Type: Fold

Boat Name Wind Dancer
Boat Type J 99
Rating: 75 DW Rating: 599 Certificate Date 1/9/2026
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 105
Rig Type FS
Mast Material ALUMN
I: 43.47
J: 12.56
P: 41.8
E: 14.3
ISP: 47.25
JSP: 16.73
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF: 45.2 53.5 27.85 26
LOA: 32.6
LWL: 28.6
Beam: 11.18
Draft: 6.54
Displacement: 8415
Ballast: 3480
Engine: IB
Prop Type: Fold

Boat Name Basic Instinct
Boat Type Custom Elliott 10.50
Rating: 75 DW Rating: 580 Certificate Date 1/7/2026
Displacement used for DW Rating: 10220
Certified PHRF Data on file?

Modifications on file: (mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from -6 sec/mi to -3 sec/mi, change rating from 63 to 66)(10/26/09, removed Asymmetric Spinnaker, change rating from 66 to 69)(Mtg 10/27/16, +3 sec/mi for non articulating sprit/no spl)(05/02/19, added spl back, remove +3 sec/mi credit)(Mtg 5/20/19, +3 sec/mi for 10% reduction in MSA)

Rig Data:
Max Headsail 125
Rig Type FS
Mast Material ALUMN
I: 41
J: 12.5
P: 44.2
E: 17.5
ISP: 45.6
JSP: 15
Symmetric Spin? No
SL: 45.6 SSMG: 27 SSF: 27 SPL: 15
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF: 41.25 49 27.35 27
LOA: 34.42
LWL: 31.83
Beam: 12.08
Draft: 7
Displacement: 10220
Ballast: 3000
Engine: IB
Prop Type: FOLD

Boat Name Cascade **Sail #** 13
Boat Type Antrim 27 CM ODR
Rating: 75 DW Rating: 561 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 2931
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.69 *Symmetric Spin?* No
116 J: 8.17 SL: SSMG: SSF: SPL:
Rig Type P: 33.75
FS E: 14 *Asymmetric Spin?* Yes
Mast Material ISP: 37.25 SLE: SLU: ASMG: ASF:
CARBON JSP: 15 38 44.2 20.1 23

LOA: 27.73 Displacement: 2900
LWL: 23.75 Ballast: 1050
Beam: 9.25 Engine: OB
Draft: 6 Prop Type: None

Boat Name Mymble **Sail #** 57141
Boat Type J 99
Rating: 75 DW Rating: 605 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Modifications on file: (Mtg 3/25/24, -3 sec/mi for tweener sail)(12/2/24, tweener sail removed +3 sec/mi)

Rig Data:

Max Headsail I: 43.37 *Symmetric Spin?* No
105 J: 12.56 SL: SSMG: SSF: SPL:
Rig Type P: 41.8
FS E: 14.3 *Asymmetric Spin?* Yes
Mast Material ISP: 47.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: 16.73 41.83 43.79 27.44 26.37

LOA: 32.6 Displacement: 8415
LWL: 28.6 Ballast: 3350
Beam: 11.18 Engine: IB
Draft: 6.54 Prop Type: Fold

Boat Name Feet Wet **Sail #** 3
Boat Type Antrim 27 CM ODR
Rating: 75 DW Rating: 556 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Modifications on file: BOWSPRINT IS ARTICULATING

Rig Data:

Max Headsail I: 28.69 *Symmetric Spin?* No
116 J: 8.17 SL: SSMG: SSF: SPL:
Rig Type P: 33.75
FS E: 14 *Asymmetric Spin?* Yes
Mast Material ISP: 37.25 SLE: SLU: ASMG: ASF:
CARBON JSP: 15 38 44.2 20.1 25.1

LOA: 27.73 Displacement: 2900
LWL: 23.75 Ballast: 1050
Beam: 9.25 Engine: OB
Draft: 6 Prop Type: None

Boat Name Potential **Sail #** 95
Boat Type J 99
Rating: 75 DW Rating: 608 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 43.37 *Symmetric Spin?* No
105 J: 12.56 SL: SSMG: SSF: SPL:
Rig Type P: 41.8
FS E: 14.3 *Asymmetric Spin?* Yes
Mast Material ISP: 47.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: 16.73 45.28 47.41 17.52 28.25

LOA: 32.61 Displacement: 8415
LWL: 28.6 Ballast: 3350
Beam: 11.18 Engine: IB
Draft: 6.54 Prop Type: Fold

Boat Name PICO
Boat Type J 99
Rating: 75 DW Rating: 602 Certificate Date 1/7/2026
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Sail #
131

Rig Data:

Max Headsail I: 43.37
105 J: 12.56
Rig Type P: 41.8
FS E: 14.3
Mast Material ISP: 47.25
ALUMN JSP: 16.73

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
44.62 52.25 26.24 25.79

LOA: 32.6
LWL: 28.6
Beam: 11.18
Draft: 6.54

Displacement: 8415
Ballast: 3417
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Eagle
Boat Type Express 37
Rating: 75 DW Rating: 587 Certificate Date 1/9/2026
Displacement used for DW Rating: 10207
Certified PHRF Data on file?

Sail #
40237

Rig Data:

Max Headsail I: 48.75
100 J: 14.33
Rig Type P: 42
MS E: 13.75
Mast Material ISP: 48.75
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
48 25.79 25.79 14.33
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 37.08
LWL: 30.83
Beam: 11.57
Draft: 7.25

Displacement: 11000
Ballast: 4500
Engine: IB
Prop Type: Feath

Modifications on file: Roller Furler

Boat Name Abracadabra
Boat Type Antrim 27 CM ODR
Rating: 75 DW Rating: 568 Certificate Date 1/22/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Sail #
28927

Rig Data:

Max Headsail I: 28.69
116 J: 8.17
Rig Type P: 33.75
FS E: 14
Mast Material ISP: 37.25
CARBON JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38 44.2 20.1 25.1

LOA: 27.73
LWL: 23.75
Beam: 9.25
Draft: 6

Displacement: 2900
Ballast: 1050
Engine: OB
Prop Type: None

Modifications on file: BOWSPRINT IS ARTICULATING

Boat Name Tivoli
Boat Type Beneteau Oceanis 50
Rating: 75 DW Rating: 538 Certificate Date 1/9/2026
Displacement used for DW Rating: 26988
Certified PHRF Data on file?

Sail #
50045

Rig Data:

Max Headsail I: 60.82
110 J: 18.43
Rig Type P: 55.77
FS E: 18.73
Mast Material ISP: 60
ALUMN JSP: 18.43

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
57.78 65.96 32.94 33.08

LOA: 49.5
LWL: 43.67
Beam: 14.75
Draft: 5.75

Displacement: 26988
Ballast: 9477
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 1/23/23, +3 sec/mi for in-mast furling mainsail)(Mtg 5/20/24, -3 sec/mi for oversized asymmetric)

Boat Name Spindrift V **Sail #** 18305
Boat Type Express 37
Rating: 75 **DW Rating:** 592 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 11158
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	48.75	<i>Symmetric Spin?</i>	Yes	LOA:	37.08	Displacement:	11000
115	J:	14.33	SL:	SSMG:	SSF:	SPL:	Ballast:	4500
Rig Type	P:	42	48	25.7	25.7	14.33	LWL:	30.83
MS	E:	13.75	<i>Asymmetric Spin?</i>			Yes	Beam:	11.57
Mast Material	ISP:	48.75	SLE:	SLU:	ASMG:	ASF:	Draft:	7.25
ALUMN	JSP:	14.33	45.28	50.2	26.25	24.1	Prop Type:	FOLD

Boat Name Latency **Sail #** 108
Boat Type J 99
Rating: 75 **DW Rating:** 592 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 8788
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	42.894	<i>Symmetric Spin?</i>	No	LOA:	32.6	Displacement:	8415
95	J:	12.598	SL:	SSMG:	SSF:	SPL:	Ballast:	3350
Rig Type	P:	41.798	<i>Asymmetric Spin?</i>			Yes	LWL:	28.6
FS	E:	14.288	Beam:	11.18				
Mast Material	ISP:	47.405	SLE:	SLU:	ASMG:	ASF:	Prop Type:	Fold
ALUMN	JSP:	16.781	45.932	53.97	29.823	26.706	Draft:	6.54

Boat Name Kestrel **Sail #** 312
Boat Type J 105 ODR w/ 5'BS
Rating: 78 **DW Rating:** 592 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	40.6	<i>Symmetric Spin?</i>	NO	LOA:	34.5	Displacement:	7750
100	J:	13.5	SL:	SSMG:	SSF:	SPL:	Ballast:	3400
Rig Type	P:	41.5	<i>Asymmetric Spin?</i>			Yes	LWL:	29.5
FS	E:	14.5	Beam:	11				
Mast Material	ISP:	42.1	SLE:	SLU:	ASMG:	ASF:	Prop Type:	Fold
ALUMN	JSP:	19.07	39.8	49.5	24.6	26.2	Draft:	6.5

Boat Name Twelve Bar Blues **Sail #** 87
Boat Type J 105 ODR w/ 5'BS
Rating: 78 **DW Rating:** 592 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	40.6	<i>Symmetric Spin?</i>	No	LOA:	34.5	Displacement:	7750
100	J:	13.5	SL:	SSMG:	SSF:	SPL:	Ballast:	3400
Rig Type	P:	41.5	<i>Asymmetric Spin?</i>			Yes	LWL:	29.5
FS	E:	14.5	Beam:	11				
Mast Material	ISP:	42.1	SLE:	SLU:	ASMG:	ASF:	Prop Type:	Fold
ALUMN	JSP:	19.07	39.01	48.69	25.79	27.89	Draft:	6.5

Boat Name Advantage 3 **Sail #** 84
Boat Type J 105 ODR w/ 5'BS
Rating: 78 **DW Rating:** 592 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.6 49 26.4 25.5

LOA: 34.5 **Displacement:** 7750
LWL: 29.5 **Ballast:** 3400
Beam: 11 **Engine:** IB
Draft: 6.5 **Prop Type:** FOLD

Boat Name Muninn **Sail #** 61802
Boat Type Beneteau Farr First 36.7
Rating: 78 **DW Rating:** 614 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Modifications on file: (Mtg 5/19/25, -9 sec/mi for 34% increase in JSP, +3 sec/mi for non-articulation)

Rig Data:

Max Headsail I: 46.42
101 J: 13.1
Rig Type P: 45.44
FS E: 15.58
Mast Material ISP: 46.59
ALUMN JSP: 17.04

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
48.1 49.3 22 23.2

LOA: 36 **Displacement:** 12495
LWL: 30.3 **Ballast:** 4034
Beam: 11.4 **Engine:** IB
Draft: 7.2 **Prop Type:** Fold

Boat Name Chinook **Sail #** 639
Boat Type J 105 ODR w/ 5'BS
Rating: 78 **DW Rating:** 593 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.05 24.6 26

LOA: 34.5 **Displacement:** 7750
LWL: 29.5 **Ballast:** 3400
Beam: 11 **Engine:** IB
Draft: 6.5 **Prop Type:** FOLD

Boat Name Kincsem **Sail #** 125
Boat Type J 105 ODR w/ 5'BS
Rating: 78 **DW Rating:** 595 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.5 22.3 26.2

LOA: 34.5 **Displacement:** 7750
LWL: 29.5 **Ballast:** 3400
Beam: 11 **Engine:** IB
Draft: 6.5 **Prop Type:** Fold

Boat Name Outcast
Boat Type Farr 38
Rating: 78 DW Rating: 597 Certificate Date 1/12/2026
Displacement used for DW Rating: 11939
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 43.67
150 J: 13.67
Rig Type P: 44.9
FS E: 17.9
Mast Material ISP: 46.2
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
44.13 26.07 24.6 14.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 38.25
LWL: 31.17
Beam: 12
Draft: 6.4

Displacement: 10600
Ballast: 4100
Engine: IB
Prop Type: Fold

Boat Name CruzSea Baby
Boat Type Beneteau First 10R ODR
Rating: 78 DW Rating: 612 Certificate Date 1/14/2026
Displacement used for DW Rating: 9908
Certified PHRF Data on file?

Modifications on file: (Rudder Modifications noted)

Rig Data:

Max Headsail I: 43.2
155 J: 12.07
Rig Type P: 42.25
FS E: 14.73
Mast Material ISP: 46.41
CARBON JSP: 16.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
48.03 52.16 27.95 28.93

LOA: 32.75
LWL: 28.7
Beam: 11
Draft: 6.55

Displacement: 9715
Ballast: 3528
Engine: IB
Prop Type: Fold

Boat Name JGPC
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 583 Certificate Date 1/9/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.5 24.6 26

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Boat Name Bald Eagle
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 Certificate Date 1/20/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.6 49 26.4 25.5

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Boat Name Eight Ball
Boat Type J 100 ODR
Rating: 78 DW Rating: 589 Certificate Date 1/20/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Sail #
8

Rig Data:

Max Headsail I: 38.5
95 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 43
CARBON JSP: 15.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40 48.39 22.58 22.56

LOA: 32
LWL: 29
Beam: 9.25
Draft: 5.75

Displacement: 7250
Ballast: 2450
Engine: IB
Prop Type: Fold

Modifications on file: (Boat does not comply with RRS 52)(Mtg 8/24/20, -6 sec/mi for powered captive winches)(Mtg 1/24/22, -6 sec/mi for increased I & J, +3 sec/mi for reduced spinnaker area)(8/3/22, switched back to class I & J, +6 sec/mi)(mtg 10/23/25, updated electronics penalty -9 sec/mi [covers all electronics on board], still has a +3 sec/mi credit for spinnakers)

Boat Name Butcher
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 1/7/2026
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Sail #
32

Rig Data:

Max Headsail I: 38.67
100 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Pressure Drop
Boat Type Beneteau Farr First 36.7
Rating: 81 DW Rating: 614 Certificate Date 1/6/2026
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Sail #
52489

Rig Data:

Max Headsail I: 46.4
135 J: 13.1
Rig Type P: 45.4
FS E: 15.6
Mast Material ISP: 46.4
ALUMN JSP: 13.1

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45.8 23.5 23.5 13.1
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
43.63 46.25 23.13 23.29

LOA: 36
LWL: 30.3
Beam: 11.4
Draft: 7.3

Displacement: 12495
Ballast: 4034
Engine: IB
Prop Type: Fold

Modifications on file: Roller Furler

Boat Name Windsome
Boat Type J 100 ODR
Rating: 81 DW Rating: 584 Certificate Date 1/7/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Sail #
140

Rig Data:

Max Headsail I: 38.5
100 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 43
CARBON JSP: 15.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.82 49.41 26.9 26.81

LOA: 32.8
LWL: 29
Beam: 9.25
Draft: 5.75

Displacement: 6500
Ballast: 2450
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 2/28/22, -3 sec/mi for increased spinnaker area)

Boat Name Inconceivable
Boat Type J 88
Rating: 81 DW Rating: 563 Certificate Date 1/15/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
9

Rig Data:

Max Headsail I: 38.67
104 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Pirouette
Boat Type Beneteau Farr First 36.7
Rating: 81 DW Rating: 614 Certificate Date 1/12/2026
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Sail #
93199

Rig Data:

Max Headsail I: 46.41
155 J: 13.1
Rig Type P: 45.4
FS E: 15.6
Mast Material ISP: 46.4
ALUMN JSP: 13.1

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45.8 23.5 23.5 13.1
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36
LWL: 30.3
Beam: 11.4
Draft: 7.3

Displacement: 12495
Ballast: 4034
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Kavancha
Boat Type Jeanneau Sun Fast 3200
Rating: 81 DW Rating: 604 Certificate Date 1/15/2026
Displacement used for DW Rating: 7455
Certified PHRF Data on file?

Sail #
7932

Rig Data:

Max Headsail I: 41.92
110 J: 12.63
Rig Type P: 38.67
FS E: 13.58
Mast Material ISP: 43.77
ALUMN JSP: 13.61

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
44.91 24.08 23.59 13.58
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41 41 24.5 24.5

LOA: 32.1
LWL: 28
Beam: 11.5
Draft: 6.2

Displacement: 7496
Ballast: 2866
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Lonestar
Boat Type Beneteau First 10R ODR MOD
Rating: 81 DW Rating: 607 Certificate Date 1/7/2026
Displacement used for DW Rating: 9908
Certified PHRF Data on file?

Sail #
40

Rig Data:

Max Headsail I: 43.2
140 J: 12.07
Rig Type P: 42.25
FS E: 14.73
Mast Material ISP: 46.41
CARBON JSP: 16.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.8 52.9 26.4 25.5

LOA: 32.75
LWL: 28.7
Beam: 11
Draft: 6.55

Displacement: 9715
Ballast: 3528
Engine: IB
Prop Type: FOLD

Modifications on file: (Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)(powered winch on cabin top)

Boat Name Circe
Boat Type Freedom 40/40
Rating: 81 DW Rating: 604 Certificate Date 1/8/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
20

Rig Data:

Max Headsail I: 47.74
150 J: 12.89
Rig Type P: 51.28
FS E: 18.85
Mast Material ISP: 48.24
CARBON JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
46.92 27.72 27.72 14.17
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 6.9

LOA: 40.4 Displacement: 23213
LWL: 35.1 Ballast: 9700
Beam: 13.5 Engine: IB
Draft: 6.9 Prop Type: Feath

Modifications on file: (Mtg 1/20/20, - 3 sec/mi for OSP, -6 sec/mi for oversized spinnaker area)

Boat Name Rum Tum Tugger
Boat Type Beneteau First 10R ODR MOD
Rating: 81 DW Rating: 619 Certificate Date 1/22/2026
Displacement used for DW Rating: 10868
Certified PHRF Data on file?

Sail #
39

Rig Data:

Max Headsail I: 43.2
130 J: 12.07
Rig Type P: 42.25
FS E: 14.73
Mast Material ISP: 46.41
CARBON JSP: 16.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.78 51.08 27.72 27.56

LOA: 32.75 Displacement: 9715
LWL: 28.7 Ballast: 3528
Beam: 11 Engine: IB
Draft: 6.55 Prop Type: FOLD

Modifications on file: (mtg 9/23/10, +3 sec/mi for non-class smaller kite)

Boat Name Speedwell
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 1/8/2026
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Sail #
20

Rig Data:

Max Headsail I: 38.67
105 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19 Displacement: 4990
LWL: 26.84 Ballast: 1840
Beam: 9.5 Engine: IB
Draft: 6.5 Prop Type: Feath

Modifications on file:

Boat Name Bella
Boat Type Eagle 44 SD
Rating: 84 DW Rating: 601 Certificate Date 1/15/2026
Displacement used for DW Rating: 11188
Certified PHRF Data on file?

Sail #
21

Rig Data:

Max Headsail I: 40.68
105 J: 13.81
Rig Type P: 46.4
FS E: 15.3
Mast Material ISP: 41
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 43.9 Displacement: 11188
LWL: 29.1 Ballast: 4188
Beam: 9.1 Engine: IB
Draft: 4.5 Prop Type: Fold

Modifications on file: (Mtg 5/20/24, -3 sec/mi for electric reel mainsheet winch)

Boat Name H Pod **Sail #** 165
Boat Type J 100 ODR
Rating: 84 **DW Rating:** 586 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 38.5
105 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 43
CARBON JSP: 15.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.12 49.13 26.08 25.02

LOA: 32.8
LWL: 29
Beam: 9.21
Draft: 5.75

Displacement: 7013
Ballast: 2450
Engine: IB
Prop Type: Fold

Boat Name Northern Bear **Sail #** 128
Boat Type J 100 ODR
Rating: 84 **DW Rating:** 581 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file: Hoyt Boom, NCTR

Rig Data:

Max Headsail I: 38.5
90 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 43
CARBON JSP: 12.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
38.35 49.41 24.3 25.02

LOA: 32.8
LWL: 29
Beam: 9.25
Draft: 5.75

Displacement: 6500
Ballast: 2450
Engine: IB
Prop Type: Fold

Boat Name Sirocco Skye **Sail #** 7090
Boat Type Tartan 101
Rating: 84 **DW Rating:** 588 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 8600
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 47.6
105 J: 12.5
Rig Type P: 45.24
FS E: 14.83
Mast Material ISP: 50.12
CARBON JSP: 16.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.6 55.3 29.1 28.8

LOA: 33
LWL: 29.1
Beam: 10.9
Draft: 6.5

Displacement: 8600
Ballast: 3250
Engine: IB
Prop Type: Fold

Boat Name Feather **Sail #** 23
Boat Type J 100 ODR
Rating: 84 **DW Rating:** 594 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file: Powered Halyard Winch

Rig Data:

Max Headsail I: 38.5
100 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 43
CARBON JSP: 15.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.22 48.69 26.31 24.77

LOA: 32.8
LWL: 29
Beam: 9.25
Draft: 5.75

Displacement: 6500
Ballast: 2500
Engine: IB
Prop Type: Feath

Boat Name Hei Hei **Sail #** 419
Boat Type Melges 24
Rating: 84 **DW Rating:** 568 **Certificate Date** 1/26/2026
Displacement used for DW Rating: 1783
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.85 **Symmetric Spin?** No
110 J: 7.95 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 28.75 7.95
FS E: 12.416 **Asymmetric Spin?** Yes
Mast Material ISP: 31.85 **SLE:** **SLU:** **ASMG:** **ASF:**
CARBON JSP: 12 32.9 38 19.23 20.67

LOA: 24 **Displacement:** 1650
LWL: 22 **Ballast:** 625
Beam: 8.166 **Engine:** OB
Draft: 5.25 **Prop Type:** None

Boat Name Wowla **Sail #** 14
Boat Type J 100 ODR
Rating: 84 **DW Rating:** 599 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file: powered winch for mainsail hoist

Rig Data:

Max Headsail I: 38.5 **Symmetric Spin?** No
125 J: 11.5 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 38 0 0
FS E: 13.5 **Asymmetric Spin?** Yes
Mast Material ISP: 43 **SLE:** **SLU:** **ASMG:** **ASF:**
CARBON JSP: 12 42 47.1 23.4 22.3

LOA: 32.8 **Displacement:** 6500
LWL: 29 **Ballast:** 2500
Beam: 9.3 **Engine:** IB
Draft: 5.8 **Prop Type:** FOLD

Boat Name Soiree **Sail #** 38776
Boat Type Beneteau Oceanis 49 SD
Rating: 87 **DW Rating:** 552 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file: Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)

Rig Data:

Max Headsail I: 59.75 **Symmetric Spin?** No
135 J: 18.42 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 51.67
FS E: 18.33 **Asymmetric Spin?** Yes
Mast Material ISP: 59.75 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN JSP: 18.42 50.72 55.73 26.75 29.41

LOA: 49.5 **Displacement:** 30517
LWL: 43.67 **Ballast:** 4800
Beam: 14.75 **Engine:** IB
Draft: 5.75 **Prop Type:** Feath

Boat Name Mintaka 4 **Sail #** 18441
Boat Type Farr 38
Rating: 87 **DW Rating:** 591 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 11939
Certified PHRF Data on file?

Modifications on file: (Mtg 8/26/25, +3 sec/mi for J length pole, +3 secmi for 10% smaller kite)

Rig Data:

Max Headsail I: 43.67 **Symmetric Spin?** Yes
125 J: 13.67 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 44.9 45 23.8 23.8 13.33
FS E: 17.9 **Asymmetric Spin?** No
Mast Material ISP: 44 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN JSP: **Draft:** 6.33

LOA: 38.25 **Displacement:** 11850
LWL: 31.17 **Ballast:** 4100
Beam: 12 **Engine:** IB
Draft: 6.33 **Prop Type:** FOLD

Boat Name Akyaa **Sail #** 163
Boat Type Hobie 33 ODR
Rating: 87 **DW Rating:** 543 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Modifications on file: (mtg 8/19/10, -3 sec/mi for sprit)

Rig Data:

Max Headsail I: 33.6
90 J: 12.4
Rig Type P: 35.3
MS E: 12.5
Mast Material ISP: 36.5
ALUMN JSP: 16.2

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 23 23 13.12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37 **Displacement:** 4260
LWL: 30.83 **Ballast:** 1800
Beam: 8 **Engine:** OB
Draft: 5.5 **Prop Type:** None

Boat Name Lanakila **Sail #** 168
Boat Type Beneteau First 27
Rating: 87 **DW Rating:** 592 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 3902
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 31.2
120 J: 12.2
Rig Type P: 33.2
FS E: 11.4
Mast Material ISP: 35.8
ALUMN JSP: 17.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
35.2 43 21.95 23.4

LOA: 26.25 **Displacement:** 3902
LWL: 25.9 **Ballast:** 1345
Beam: 8.3 **Engine:** ib
Draft: 5.7 **Prop Type:** Fold

Boat Name Bazinga **Sail #** 7262
Boat Type Hobie 33 ODR
Rating: 87 **DW Rating:** 552 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 33.8
135 J: 12.4
Rig Type P: 35
FS E: 12.6
Mast Material ISP: 36.26
ALUMN JSP: 13

Symmetric Spin? No
SL: SSMG: SSF: SPL:
36.42 23.03 23 #####
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
34 38.8 23.2 23.2

LOA: 33 **Displacement:** 4000
LWL: 30.5 **Ballast:** 1800
Beam: 8 **Engine:** OB
Draft: 5.5 **Prop Type:** None

Boat Name Sliver **Sail #** 62042
Boat Type Hobie 33 ODR
Rating: 87 **DW Rating:** 551 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 33.83
155 J: 12.4
Rig Type P: 36.13
FS E: 12.5
Mast Material ISP: 36.5
ALUMN JSP: 13.12

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
36.6 22.3 22.3 13
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33 **Displacement:** 4000
LWL: 30.5 **Ballast:** 1900
Beam: 8 **Engine:** OB
Draft: 5.5 **Prop Type:** None

Boat Name Wolfpack
Boat Type Donovan 30
Rating: 87 DW Rating: 575 Certificate Date 1/15/2026
Displacement used for DW Rating: 3470
Certified PHRF Data on file?

Sail #
3001

Rig Data:

Max Headsail I: 38.5
150 J: 11.6
Rig Type P: 34
MS E: 10.66
Mast Material ISP:
ALUMN JSP: 11.6

Symmetric Spin? No
SL: SSMG: SSF: SPL:
11.6
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
37 41.25 19.4 20.65

LOA: 30
LWL: 25
Beam: 10.75
Draft: 5.67

Displacement: 3300
Ballast: 1330
Engine: OB
Prop Type: None

Modifications on file: (Mtg 6/26/14, New Rudder, NCTR)(Mtg 1/26/16, +3 sec/mi for smaller "E")

Boat Name Little Bullet
Boat Type Beneteau First 27
Rating: 87 DW Rating: 591 Certificate Date 1/7/2026
Displacement used for DW Rating: 3902
Certified PHRF Data on file?

Sail #
38141

Rig Data:

Max Headsail I: 31.2
120 J: 12.2
Rig Type P: 33.2
FS E: 11.4
Mast Material ISP: 35.8
CARBON JSP: 17.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
35.2 43 21.95 23.4

LOA: 26.25
LWL: 25.9
Beam: 8.3
Draft: 5.7

Displacement: 3902
Ballast: 1345
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Another Girl
Boat Type Alerion Express 38-2
Rating: 90 DW Rating: 613 Certificate Date 1/22/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
20

Rig Data:

Max Headsail I: 42.98
90 J: 12.99
Rig Type P: 47.5
MS E: 18.25
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.3
LWL: 30.1
Beam: 10.3
Draft: 5.92

Displacement: 13000
Ballast: 5000
Engine: IB
Prop Type: Feath

Modifications on file: (mtg 4/28/11, Custom rating of 90 assigned. Custom rating includes penalty for powered sheet winches)

Boat Name Elise
Boat Type C&C 40-2 TM
Rating: 90 DW Rating: 604 Certificate Date 1/12/2026
Displacement used for DW Rating: 17100
Certified PHRF Data on file?

Sail #
518

Rig Data:

Max Headsail I: 53
150 J: 16.6
Rig Type P: 46.7
MS E: 13.3
Mast Material ISP: 55
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
53.5 29.8 29.8 16.6
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 39.58
LWL: 31.5
Beam: 12.67
Draft: 7

Displacement: 17100
Ballast: 7910
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Rhapsody	Sail # 88	Max Headsail 104	I: 45.5	Symmetric Spin? No	LOA: 36.67	Displacement: 9600
Boat Type Sabre Spirit			J: 12.87	SL: SSMG: SSF: SPL:	LWL: 28.33	Ballast: 4000
Rating: 93	DW Rating: 609	Certificate Date 1/12/2026	Rig Type MS	E: 16.55	Asymmetric Spin? Yes	Beam: 10.42
Displacement used for DW Rating: 9600			Mast Material ALUMN	ISP: 49.5	SLE: SLU: ASMG: ASF:	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>				JSP: 12.87	49.2 55.92 21.24 21.12	Draft: 6.75

Modifications on file: Halyard winches. (Mtg 1/24/22, -3 sec/mi for keel shoe, -3 sec/mi for increased ISP, +3 sec/mi for non-articulation)

Boat Name Osprey	Sail # 227	Max Headsail 90	I: 45.5	Symmetric Spin? No	LOA: 36.67	Displacement: 9600
Boat Type Sabre Spirit			J: 12.87	SL: SSMG: SSF: SPL:	LWL: 28.33	Ballast: 4000
Rating: 93	DW Rating: 621	Certificate Date 1/22/2026	Rig Type FS	E: 16.55	Asymmetric Spin? No	Engine: IB
Displacement used for DW Rating: 9600			Mast Material CARBON	ISP: 51.2	SLE: SLU: ASMG: ASF:	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>				JSP:	Draft: 6.58	

Modifications on file: (Electric Winches)(1/20/23, -3 secmi for keel modification: added shoe)

Boat Name Gavilan	Sail # 28439	Max Headsail 95	I: 49	Symmetric Spin? Yes	LOA: 41.5	Displacement: 17900
Boat Type Custom Wylie 39			J: 14.5	SL: SSMG: SSF: SPL:	LWL: 31.75	Ballast: 5920
Rating: 93	DW Rating: 613	Certificate Date 1/8/2026	Rig Type MS	P: 43	48.64 26.6 26.6 14.5	Engine: IB
Displacement used for DW Rating: 17900			Mast Material ALUMN	E: 15.5	Asymmetric Spin? Yes	Beam: 11.5
Certified PHRF Data on file? <input type="checkbox"/>				ISP: 49	SLE: SLU: ASMG: ASF:	Prop Type: FEATH
				JSP:	47.08 48.39 18.47 24.6	Draft: 6.77

Modifications on file: (mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)

Boat Name Special Edition	Sail # 8258	Max Headsail 125	I: 39.083	Symmetric Spin? Yes	LOA: 29.75	Displacement: 4600
Boat Type Custom Wilderness 30			J: 11.75	SL: SSMG: SSF: SPL:	LWL: 27.75	Ballast: 1800
Rating: 96	DW Rating: 573	Certificate Date 1/14/2026	Rig Type FS	P: 34.333	39 25.4 24.5 #####	Engine: OB
Displacement used for DW Rating: 4600			Mast Material CARBON	E: 11.5	Asymmetric Spin? No	Beam: 8.75
Certified PHRF Data on file? <input type="checkbox"/>				ISP: 39.083	SLE: SLU: ASMG: ASF:	Prop Type: FOLD
				JSP: 14.083	Draft: 6	

Modifications on file: Added Masthead Halyards for spin/Jips, replaced inboard with Outboard open Transom (12/17/92) Mtg-. 1/18/90 RTNG 102.) (1998 rtg =96) (New Inboard = +3; Foretriangle is 11.75 = +6, jib=150%, Carbon Mast= -3; Keel = -6 mgt 3/8/05)(3/15/16, now has Outboard Motor, -3 sec/mi)

Boat Name Prime Number
Boat Type Tartan 4100 SD
Rating: 96 DW Rating: 602 Certificate Date 1/16/2026
Displacement used for DW Rating: 20400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 57
106 J: 15
Rig Type P: 47.75
MS E: 17.22
Mast Material ISP: 57
CARBON JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 41.25 Displacement: 20400
LWL: 35.75 Ballast: 8000
Beam: 13.5 Engine: IB
Draft: 5.33 Prop Type: Fold

Boat Name Freedom
Boat Type Worth 40
Rating: 96 DW Rating: 604 Certificate Date 1/6/2026
Displacement used for DW Rating: 21000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 54
155 J: 16
Rig Type P: 47
MS E: 14
Mast Material ISP:
ALUMN JSP: 16

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
52 28.8 28.8 16
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 40 Displacement: 21000
LWL: 34.25 Ballast: 7800
Beam: 12.5 Engine: IB
Draft: 7.25 Prop Type: FOLD

Boat Name Flexi-Flyer
Boat Type Soverel 33-2
Rating: 96 DW Rating: 593 Certificate Date 1/12/2026
Displacement used for DW Rating: 6463
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42.5
155 J: 12.8
Rig Type P: 41
MS E: 13
Mast Material ISP: 42.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
42.06 22.7 21.58 12.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33 Displacement: 5800
LWL: 30.5 Ballast: 2800
Beam: 11 Engine: IB
Draft: 5.85 Prop Type: FOLD

Boat Name Good And Plenty
Boat Type Soverel 33-2
Rating: 96 DW Rating: 574 Certificate Date 1/20/2026
Displacement used for DW Rating: 6500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42.5
155 J: 12.75
Rig Type P: 41
MS E: 13
Mast Material ISP: 41
ALUMN JSP: 12.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
42.5 22.95 22.95 12.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33 Displacement: 5800
LWL: 30.5 Ballast: 2800
Beam: 11 Engine: IB
Draft: 5.85 Prop Type: FOLD

Boat Name Maiden California
Boat Type Olson 30 OB
Rating: 99 DW Rating: 582 Certificate Date 1/16/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file: New Rudder Noted, NCTR

Rig Data:

Max Headsail I: 35.92
145 J: 11.78
Rig Type P: 35.76
MS E: 9.84
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.16 21.16 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.08

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Boat Name Ala Moana
Boat Type Beneteau First 30
Rating: 99 DW Rating: 616 Certificate Date 1/16/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.66
120 J: 13.78
Rig Type P: 40.3
FS E: 14.25
Mast Material ISP: 42.16
ALUMN JSP: 15.78

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
43.7 48.6 26.9 28.82

LOA: 31.7
LWL: 27.6
Beam: 10.5
Draft: 6.25

Displacement: 8267
Ballast: 2403
Engine: IB
Prop Type: Fold

Boat Name Placebo
Boat Type Soverel 33-2
Rating: 99 DW Rating: 573 Certificate Date 1/7/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Modifications on file: (Mtg 5/23/22, +3 sec/mi for no articulation, -3 sec/mi for sprit)

Rig Data:

Max Headsail I: 42.5
100 J: 12.75
Rig Type P: 45.5
FS E: 13
Mast Material ISP: 42.5
ALUMN JSP: 14.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
42.5 25.1 25.1 14
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.99 46.88 22.05 22.28

LOA: 29.92
LWL: 30.5
Beam: 11
Draft: 5.85

Displacement: 5800
Ballast: 2800
Engine: IB
Prop Type: Fold

Boat Name Red Cloud
Boat Type Farr 36
Rating: 99 DW Rating: 633 Certificate Date 12/16/2025
Displacement used for DW Rating: 9739
Certified PHRF Data on file?

Modifications on file: (550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)(2/20/20, removing masthead kite, reverting to stock Farr 36)(Mtg 4/29/24, engine moved aft, NCTR)(10/28/25, switching back to Masthead Kite, as sailed: 87)(12/16/25, removed Masthead Kite, back to stock configuration, as sailed: 99)

Rig Data:

Max Headsail I: 38.3
110 J: 12.6
Rig Type P: 41
FS E: 16.75
Mast Material ISP: 38.3
ALUMN JSP: 12.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
38.15 21.9 21.9 12.16
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36
LWL: 31.33
Beam: 11.92
Draft: 6.16

Displacement: 10430
Ballast: 3950
Engine: IB
Prop Type: Fold

Boat Name Wysiwyg **Sail #** 28132
Boat Type Olson 30 OB
Rating: 99 DW Rating: 583 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36
155 J: 11.75
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.16 21.16 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.083

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Boat Name Dark Horse **Sail #** 101
Boat Type Olson 30 OB
Rating: 99 DW Rating: 584 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file: (Mtg 4/25/18, New Rudder, NCTR)

Rig Data:

Max Headsail I: 36
155 J: 11.75
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.16 21.16 11.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32.18 36.45 17.45 19.97

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.08

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Boat Name Flying Fish **Sail #** 197
Boat Type Olson 30 OB
Rating: 99 DW Rating: 584 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36
150 J: 11.78
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.92
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35.6 21 20.2 11.6
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.1

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Boat Name Dragonsong **Sail #** 87014
Boat Type Olson 30 OB
Rating: 99 DW Rating: 583 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36
155 J: 11.75
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.15 21.15 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.08

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Boat Name Friendship
Boat Type Hanse 388
Rating: 99 DW Rating: 608 Certificate Date 1/20/2026
Displacement used for DW Rating: 18232
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	48.11	<i>Symmetric Spin?</i>	No	LOA:	37.42	Displacement:	18232
105	J:	14.2	SL:	SSMG: SSF: SPL:	LWL:	34.01	Ballast:	8100
Rig Type	P:	45.11			Beam:	12.82	Engine:	IB
FS	E:	16.9	<i>Asymmetric Spin?</i>	No	Draft:	6.75	Prop Type:	Fold
Mast Material	ISP:		SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:							

Boat Name Pendragon
Boat Type Hanse 388
Rating: 99 DW Rating: Certificate Date 1/22/2026
Displacement used for DW Rating: 18232
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	48.9	<i>Symmetric Spin?</i>	No	LOA:	37.42	Displacement:	18232
87	J:	14.1	SL:	SSMG: SSF: SPL:	LWL:	34.1	Ballast:	5269
Rig Type	P:	46.9			Beam:	12.83	Engine:	IB
FS	E:	16.7	<i>Asymmetric Spin?</i>	No	Draft:	6.75	Prop Type:	Fold
Mast Material	ISP:	50.9	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:							

Boat Name Keaka
Boat Type Ericson 34 Olson TM
Rating: 102 DW Rating: 623 Certificate Date 1/9/2026
Displacement used for DW Rating: 10498
Certified PHRF Data on file?

Modifications on file: (Mtg 2/28/22, -9 sec/mi for oversized JSP -9 sec/mi for oversized spinnaker area, +3 sec/mi for non-articulation)(4/5/23, removed sprit and oversized asymmetric, +18 sec/mi. Removed +3 sec/mi credit for non-articulation)

Rig Data:

Max Headsail	I:	46.77	<i>Symmetric Spin?</i>	No	LOA:	34	Displacement:	10600
125	J:	13.25	SL:	SSMG: SSF: SPL:	LWL:	28	Ballast:	3500
Rig Type	P:	37.25			Beam:	10.83	Engine:	IB
MS	E:	13.5	<i>Asymmetric Spin?</i>	Yes	Draft:	6	Prop Type:	Feath
Mast Material	ISP:		SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	16.25	45.14	52.74	30.41	28.24		

Boat Name Lilith
Boat Type Custom Wyliecat 39
Rating: 102 DW Rating: 598 Certificate Date 1/7/2026
Displacement used for DW Rating: 12000
Certified PHRF Data on file?

Modifications on file: HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/5/93

Rig Data:

Max Headsail	I:		<i>Symmetric Spin?</i>	No	LOA:	38.83	Displacement:	12000
	J:		SL:	SSMG: SSF: SPL:	LWL:	32	Ballast:	6200
Rig Type	P:	50.75			Beam:	11.83	Engine:	IB
CAT	E:	26.5	<i>Asymmetric Spin?</i>	No	Draft:	6.67	Prop Type:	FOLD
Mast Material	ISP:		SLE:	SLU: ASMG: ASF:				
CARBON	JSP:							

Boat Name Joyride **Sail #** 41382
Boat Type Express 34
Rating: 102 **DW Rating:** 624 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 9129
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44.25
115 J: 13
Rig Type P: 38.5
MS E: 12.83
Mast Material ISP: 44.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44 23.4 23.4 13
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 6.11

LOA: 34
LWL: 28.33
Beam: 10.33
Draft: 6.11

Displacement: 8000
Ballast: 3800
Engine: IB
Prop Type: FOLD

Boat Name Ondine **Sail #** 38388
Boat Type Hanse 388
Rating: 102 **DW Rating:** Certificate Date 1/6/2026
Displacement used for DW Rating: 19092
Certified PHRF Data on file?

Modifications on file: +3 sec/mi for in-mast furling mainsail

Rig Data:

Max Headsail I: 48.88
95 J: 14.14
Rig Type P: 46.92
FS E: 16.73
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 6.75

LOA: 37.42
LWL: 34.08
Beam: 12.83
Draft: 6.75

Displacement: 19092
Ballast: 6128
Engine: IB
Prop Type: Fold

Boat Name Checkered Past **Sail #** 3
Boat Type Custom Wyliecat 39
Rating: 102 **DW Rating:** 597 **Certificate Date** 12/16/2025
Displacement used for DW Rating: 12000
Certified PHRF Data on file?

Modifications on file: Boat has been modified for handicapped sailing

Rig Data:

Max Headsail I:
J:
Rig Type P: 52
CAT E: 26.6
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 6.6

LOA: 38.83
LWL: 32
Beam: 11.5
Draft: 6.6

Displacement: 12000
Ballast: 6200
Engine: IB
Prop Type: FOLD

Boat Name Zephyros **Sail #** 45
Boat Type Beneteau First 30
Rating: 105 **DW Rating:** 589 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 8267
Certified PHRF Data on file?

Modifications on file: High Aspect Rudders

Rig Data:

Max Headsail I: 41.66
105 J: 13.78
Rig Type P: 40.2
FS E: 14.25
Mast Material ISP: 42.16
ALUMN JSP: 15.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.5 45.6 23.8 25.98
Draft: 6.25

LOA: 31.7
LWL: 27.5
Beam: 10.5
Draft: 6.25

Displacement: 8267
Ballast: 2403
Engine: IB
Prop Type: Fold

Boat Name Carmelita **Sail #** 131
Boat Type Catalina 42-1/2
Rating: 105 DW Rating: 602 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 25500
Certified PHRF Data on file?

Modifications on file: Electric Winches

Rig Data:

Max Headsail I: 53 *Symmetric Spin?* Yes
125 J: 16.42 SL: SSMG: SSF: SPL:
Rig Type P: 46.75 49 29.55 29.55 16.42
MS E: 15.5 *Asymmetric Spin?* Yes
Mast Material ISP: 53 SLE: SLU: ASMG: ASF:
ALUMN JSP: 47.34 56.75 29.69 25.59

LOA: 41.83 Displacement: 22000
LWL: 36 Ballast: 8300
Beam: 13.83 Engine: IB
Draft: 6.66 Prop Type: FEATH

Boat Name Baleineau **Sail #** 42147
Boat Type Ericson 34 Olson SM
Rating: 105 DW Rating: 638 **Certificate Date** 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44 *Symmetric Spin?* Yes
155 J: 13 SL: SSMG: SSF: SPL:
Rig Type P: 38.8 43.5 23.25 23.25 12.96
MS E: 13 *Asymmetric Spin?* No
Mast Material ISP: 44 SLE: SLU: ASMG: ASF:
ALUMN JSP: 44

LOA: 34 Displacement: 10600
LWL: 28 Ballast: 3650
Beam: 10.83 Engine: IB
Draft: 6 Prop Type: FOLD

Boat Name Rascal **Sail #** 28175
Boat Type Custom Wilderness 30 SX
Rating: 105 DW Rating: 596 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 4200
Certified PHRF Data on file?

Modifications on file: SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 3" FRD-BLST 1800/1686, DRAFT 5/5.50 (5" FILLER TOP OF KEEL) 2/15/96 MTG. (NOTE- SMW CANNOT EXCEED 19.8 mtg-5-17-2001)(Mtg 1/21/19, +3 sec/mi for 95% headsail, change custom rating to 108)(1/20/23, added 150% headsail back, -3 sec/mi, custom rating back to 105)

Rig Data:

Max Headsail I: 36 *Symmetric Spin?* Yes
150 J: 11 SL: SSMG: SSF: SPL:
Rig Type P: 32 35.76 19.8 19.8 11
MS E: 11.5 *Asymmetric Spin?* No
Mast Material ISP: 36 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 30 Displacement: 4200
LWL: 26.5 Ballast: 1650
Beam: 8.75 Engine: OB
Draft: 6 Prop Type: None

Boat Name Zaff **Sail #** 56272
Boat Type J 92
Rating: 105 DW Rating: 597 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 5645
Certified PHRF Data on file?

Modifications on file: (Mtg 2/26/18, -3 sec/mi for increased ISP and oversized main girths)(Mtg 5/21/18, +3 sec/mi for small asymmetric spinnaker)

Rig Data:

Max Headsail I: 37 *Symmetric Spin?* No
155 J: 11.5 SL: SSMG: SSF: SPL:
Rig Type P: 37.75
FS E: 13.25 *Asymmetric Spin?* Yes
Mast Material ISP: 39 SLE: SLU: ASMG: ASF:
ALUMN JSP: 17 38.6 45.8 28.9 29.5

LOA: 30 Displacement: 5500
LWL: 25.8 Ballast: 2275
Beam: 10 Engine: IB
Draft: 5.9 Prop Type: Fold

Boat Name Poppy **Sail #** 703
Boat Type Mini Transat 6.5
Rating: 105 DW Rating: 579 **Certificate Date** 1/27/2026
Displacement used for DW Rating: 2297
Certified PHRF Data on file?
Modifications on file: (Mtg 1/26/26, custom rating of 105 assigned)

Rig Data:
Max Headsail I: 28.4 *Symmetric Spin?* No LOA: 21.33 Displacement: 2297
130 J: 8.67 SL: SSMG: SSF: SPL: LWL: 21.33 Ballast: 970
Rig Type P: 32.02
FS E: 10.86 *Asymmetric Spin?* Yes Engine: OB
Mast Material ISP: 34.61 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 17.29 37.56 45.27 24.51 28.97 Draft: 5.3

Boat Name Humble Vandal **Sail #** 64999
Boat Type J 92
Rating: 108 DW Rating: 602 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 37 *Symmetric Spin?* No LOA: 30 Displacement: 5500
125 J: 11.5 SL: SSMG: SSF: SPL: LWL: 26.5 Ballast: 2275
Rig Type P: 38
FS E: 13.5 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 38.5 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 17 40.8 45.4 25.1 26.5 Draft: 5.9

Boat Name Calypso **Sail #** 89
Boat Type J 92
Rating: 108 DW Rating: 605 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 37 *Symmetric Spin?* No LOA: 30 Displacement: 5500
105 J: 11.5 SL: SSMG: SSF: SPL: LWL: 26.5 Ballast: 2275
Rig Type P: 38
FS E: 13.5 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 38.5 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 17 41 45.2 24 26 Draft: 5.9

Boat Name Hijinks **Sail #** 90
Boat Type J 92
Rating: 108 DW Rating: 605 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 37 *Symmetric Spin?* No LOA: 30 Displacement: 5500
125 J: 11.5 SL: SSMG: SSF: SPL: LWL: 26.5 Ballast: 2275
Rig Type P: 37.66
FS E: 13.22 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 38.5 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 17 40.85 45.4 23.55 26.51 Draft: 5.9

Boat Name Fidget **Sail #** 369
Boat Type J 80 ODR
Rating: 111 **DW Rating:** 606 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 3223
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	30	<i>Symmetric Spin?</i>	No	LOA:	26.3	Displacement:	2900
150	J:	9.415	SL:	SSMG:	SSF:	SPL:	Ballast:	1400
Rig Type	P:	30			LWL:	22	Engine:	OB
MS	E:	12.416	<i>Asymmetric Spin?</i>	Yes	Beam:	8.3	Prop Type:	None
Mast Material	ISP:	33.25	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	15.666	31.996	39.162	23.156	25.16	Draft:	4.9

Boat Name Liberty **Sail #** 131
Boat Type C&C 37
Rating: 111 **DW Rating:** 635 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 15730
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	51	<i>Symmetric Spin?</i>	No	LOA:	37.7	Displacement:	14300
90	J:	15.75	SL:	SSMG:	SSF:	SPL:	Ballast:	6000
Rig Type	P:	45.16			LWL:	28.8	Engine:	IB
MS	E:	12.16	<i>Asymmetric Spin?</i>	Yes	Beam:	11.67	Prop Type:	Fold
Mast Material	ISP:	51	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	15.75	45	50.33	26	25	Draft:	6.7

Boat Name Surprise! **Sail #** 18
Boat Type Alerion Express 38-1
Rating: 111 **DW Rating:** 614 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 12586
Certified PHRF Data on file?

Modifications on file: Power Winches. (mtg 9/24/18, Custom rating assigned. 114 As Sailed)(Mtg 6/24/19, removed mizzen, added a larger headsail with mid-girth 56% of LP. Change custom rating from 114 to 111)

Rig Data:

Max Headsail	I:	43.5	<i>Symmetric Spin?</i>	No	LOA:	38.4	Displacement:	12400	
148	J:	14	SL:	SSMG:	SSF:	SPL:	Ballast:	4200	
Rig Type	P:	44.5			14.5	LWL:	30.1	Engine:	IB
FS	E:	15.8	<i>Asymmetric Spin?</i>	Yes	Beam:	10.8	Prop Type:	Fold	
Mast Material	ISP:	45.8	SLE:	SLU:	ASMG:	ASF:			
ALUMN	JSP:	14	38.6	49	26.6	25.5	Draft:	5.8	

Boat Name Rooster **Sail #** 225
Boat Type Melges 20
Rating: 111 **DW Rating:** 607 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 1105
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	23.19	<i>Symmetric Spin?</i>	No	LOA:	20	Displacement:	1105
110	J:	7.05	SL:	SSMG:	SSF:	SPL:	Ballast:	415
Rig Type	P:	24.25			LWL:	19.4	Engine:	OB
FS	E:	9.84	<i>Asymmetric Spin?</i>	Yes	Beam:	7	Prop Type:	None
Mast Material	ISP:	27.2	SLE:	SLU:	ASMG:	ASF:		
CARBON	JSP:	10.95	26.25	29.78	17.65	18.8	Draft:	4.5

Boat Name Music
Boat Type Hunter 37 Legend WK
Rating: 111 DW Rating: 619 Certificate Date 1/9/2026
Displacement used for DW Rating: 14900
Certified PHRF Data on file?

Sail #
25352

Rig Data:

Max Headsail I: 48
95 J: 13.6
Rig Type P: 48.72
FS E: 15.35
Mast Material ISP: 48
ALUMN JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
49.5 25.5 24.8 13
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.6
LWL: 31.4
Beam: 12.1
Draft: 5
Displacement: 14900
Ballast: 6000
Engine: IB
Prop Type: Fixed_2

Modifications on file: (mtg 5/22/08 +3 sec/mi for 110% headsail, +3 sec/mi for 2-blade fixed prop, -9sec/mi for oversized luff & girths on spinnaker)

Boat Name Shaman
Boat Type CAL 40
Rating: 114 DW Rating: 624 Certificate Date 1/12/2026
Displacement used for DW Rating: 16000
Certified PHRF Data on file?

Sail #
5166

Rig Data:

Max Headsail I: 46
155 J: 15.17
Rig Type P: 40
MS E: 17.5
Mast Material ISP: 46
ALUMN JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45.7 27.1 26.4 15.1
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 39.5
LWL: 30.3
Beam: 11
Draft: 5.5
Displacement: 15500
Ballast: 6000
Engine: IB
Prop Type: FEATH

Modifications on file:

Boat Name Finistere
Boat Type Sabre 38-2
Rating: 114 DW Rating: 619 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
69545

Rig Data:

Max Headsail I: 49.75
150 J: 14.5
Rig Type P: 42.67
MS E: 14.83
Mast Material ISP: 49.75
JSP: 14.5
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
49 26.1 26.1 14.42
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.67
LWL: 31.42
Beam: 12.33
Draft: 6.5
Displacement: 16900
Ballast: 6600
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Son of a Son
Boat Type J 70 ODR
Rating: 114 DW Rating: 613 Certificate Date 1/9/2026
Displacement used for DW Rating: 1750
Certified PHRF Data on file?

Sail #
586

Rig Data:

Max Headsail I: 26.77
100 J: 7.68
Rig Type P: 26.16
FS E: 9.44
Mast Material ISP: 30.15
CARBON JSP: 13.5
Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.87 35.43 18.24 18.7

LOA: 22.75
LWL: 20.47
Beam: 7.38
Draft: 4.92
Displacement: 1750
Ballast: 630
Engine: OB
Prop Type: None

Modifications on file:

Boat Name True Love	Sail #	Max Headsail	I:	58.213	<i>Symmetric Spin?</i> Yes	LOA:	44.34	Displacement:	32006
Boat Type Spencer 1330	61052	153	J:	17.97	SL: SSMG: SSF: SPL:	LWL:	37.142	Ballast:	10000
Rating: 114 DW Rating: 604 Certificate Date 1/15/2026		Rig Type	P:	52.2	57.74 32.94 32.94 18.22	Beam:	13.021	Engine:	IB
Displacement used for DW Rating: 32006		MS	E:	15.471	<i>Asymmetric Spin?</i> No	Draft:	7.386	Prop Type:	Fold
Certified PHRF Data on file? <input checked="" type="checkbox"/>		Mast Material	ISP:	58.954	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	22.23					

Modifications on file: New Rudder, NCTR. (Mtg 1/20/20, custom rating assigned of 105)(Mtg 8/25/25, ORC certificate sumitted, custom rating changed from 105 to 114)

Boat Name Duende	Sail #	Max Headsail	I:	46	<i>Symmetric Spin?</i> Yes	LOA:	39.33	Displacement:	16000
Boat Type Cal 40	7954	155	J:	15.2	SL: SSMG: SSF: SPL:	LWL:	30	Ballast:	6000
Rating: 114 DW Rating: 638 Certificate Date 1/22/2026		Rig Type	P:	40	46 27 27 15.2	Beam:	11	Engine:	IB
Displacement used for DW Rating: 15239		MS	E:	17.5	<i>Asymmetric Spin?</i> No	Draft:	5.5	Prop Type:	Fold
Certified PHRF Data on file? <input checked="" type="checkbox"/>		Mast Material	ISP:	46	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:						

Modifications on file:

Boat Name Kangaroo Jockey	Sail #	Max Headsail	I:	26.77	<i>Symmetric Spin?</i> No	LOA:	22.78	Displacement:	1750
Boat Type J 70 ODR	29	100	J:	7.68	SL: SSMG: SSF: SPL:	LWL:	20.47	Ballast:	630
Rating: 114 DW Rating: 611 Certificate Date 1/6/2026		Rig Type	P:	26.16		Beam:	7.38	Engine:	OB
Displacement used for DW Rating: 1750		FS	E:	9.44	<i>Asymmetric Spin?</i> Yes	Draft:	4.92	Prop Type:	None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	30.15	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	13.5	28.87 35.43 18.24 18.7				

Modifications on file:

Boat Name Aegea	Sail #	Max Headsail	I:	49.75	<i>Symmetric Spin?</i> No	LOA:	38.67	Displacement:	16900
Boat Type Sabre 38-2	164	130	J:	14.5	SL: SSMG: SSF: SPL:	LWL:	31.42	Ballast:	6600
Rating: 114 DW Rating: 623 Certificate Date 1/6/2026		Rig Type	P:	43.5		Beam:	12.33	Engine:	IB
Displacement used for DW Rating:		MS	E:	15.06	<i>Asymmetric Spin?</i> Yes	Draft:	6.5	Prop Type:	Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	49.75	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:	14.5					

Modifications on file:

Boat Name Sugoi	Sail #	Max Headsail	I: 52.06	<i>Symmetric Spin?</i> No	LOA: 40.75	Displacement: 19350
Boat Type Beneteau Oceanis 41	0	115	J: 17	SL: SSMG: SSF: SPL:	LWL: 37.33	Ballast: 5070
Rating: 114 DW Rating: 583 Certificate Date 1/12/2026		Rig Type	P: 49.25		Beam: 13.75	Engine: IB
Displacement used for DW Rating: 19350		MS	E: 15.5	<i>Asymmetric Spin?</i> Yes		Prop Type: Feath
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP: 48.8	SLE: SLU: ASMG: ASF:	Draft: 6.7	
		ALUMN	JSP:	49.18 55.74 26.75 27.77		

Modifications on file: (+3 sec/mi for in-mast furling mainsail. +3 sec/mi for MGM < 50% of E)

Boat Name Sky	Sail #	Max Headsail	I: 30	<i>Symmetric Spin?</i> No	LOA: 26.25	Displacement: 2900
Boat Type J 80 ODR	808	100	J: 9.145	SL: SSMG: SSF: SPL:	LWL: 22	Ballast: 1400
Rating: 114 DW Rating: 618 Certificate Date 1/6/2026		Rig Type	P: 30		Beam: 8.2	Engine: OB
Displacement used for DW Rating: 3223		MS	E: 12.416	<i>Asymmetric Spin?</i> Yes		Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP: 33.25	SLE: SLU: ASMG: ASF:	Draft: 4.75	
		ALUMN	JSP: 15.57	31.996 39.162 23.156 25.16		

Modifications on file:

Boat Name Green Buffalo	Sail #	Max Headsail	I: 46.7	<i>Symmetric Spin?</i> Yes	LOA: 39.3	Displacement: 15148
Boat Type CAL 40	8538	155	J: 15.2	SL: SSMG: SSF: SPL:	LWL: 30	Ballast: 6000
Rating: 114 DW Rating: 634 Certificate Date 1/23/2026		Rig Type	P: 39.8	46.01 27.3 27.3 15.2	Beam: 10.9	Engine: IB
Displacement used for DW Rating: 15148		MS	E: 17.6	<i>Asymmetric Spin?</i> No		Prop Type: FEATH
Certified PHRF Data on file? <input checked="" type="checkbox"/>		Mast Material	ISP: 46.7	SLE: SLU: ASMG: ASF:	Draft: 5.8	
		ALUMN	JSP:			

Modifications on file: Schumacher designed rudder - same as original

Boat Name StFYC J80-1	Sail #	Max Headsail	I: 31.5	<i>Symmetric Spin?</i> NO	LOA: 26.25	Displacement: 2900
Boat Type J 80 ODR	127	100	J: 9.415	SL: SSMG: SSF: SPL:	LWL: 22	Ballast: 1400
Rating: 114 DW Rating: 605 Certificate Date 1/16/2026		Rig Type	P: 30		Beam: 8.2	Engine: OB
Displacement used for DW Rating: 2900		MS	E: 12.42	<i>Asymmetric Spin?</i> Yes		Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP: 33.25	SLE: SLU: ASMG: ASF:	Draft: 4.75	
		ALUMN	JSP: 15.67	32 39.16 23.16 25.16		

Modifications on file:

Boat Name Defiant **Sail #** 327
Boat Type J 70 ODR
Rating: 114 **DW Rating:** 611 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 1750
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 26.77 *Symmetric Spin?* No LOA: 22.78 Displacement: 1750
100 J: 7.68 SL: SSMG: SSF: SPL: LWL: 20.47 Ballast: 630
Rig Type P: 26.16
FS E: 9.44 *Asymmetric Spin?* Yes Beam: 7.38 Engine: OB
Mast Material ISP: 30.15 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 13.5 28.87 35.43 18.24 18.7 Draft: 4.92

Boat Name Tramp Boat **Sail #** 18430
Boat Type Farr 10/20 ODR
Rating: 117 **DW Rating:** 615 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 8176
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 37.75 *Symmetric Spin?* Yes LOA: 33.92 Displacement: 8176
150 J: 11.67 SL: SSMG: SSF: SPL: LWL: 28.42 Ballast: 3100
Rig Type P: 39.5 39.7 20.34 20.34 12.82
FS E: 15.42 *Asymmetric Spin?* No Beam: 10.5 Engine: IB
Mast Material ISP: 39.67 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 12.67 Draft: 5.75

Boat Name Praxis **Sail #** 15
Boat Type J 9
Rating: 117 **DW Rating:** 620 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 4250
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 33.5 *Symmetric Spin?* No LOA: 28 Displacement: 4250
105 J: 10 SL: SSMG: SSF: SPL: LWL: 25.4 Ballast: 1950
Rig Type P: 34
FS E: 13.36 *Asymmetric Spin?* No Beam: 8.6 Engine: IB
Mast Material ISP: 35 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 12.43 Draft: 4.9

Boat Name Bella **Sail #** 45
Boat Type Alerion Express Sport 33
Rating: 120 **DW Rating:** 648 **Certificate Date** 1/7/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file: Powered Winches

Rig Data:
Max Headsail I: 33.73 *Symmetric Spin?* NO LOA: 33 Displacement: 8000
100 J: 11.39 SL: SSMG: SSF: SPL: LWL: 26.3 Ballast: 3300
Rig Type P: 38.17
FS E: 16 *Asymmetric Spin?* Yes Beam: 9.3 Engine: IB
Mast Material ISP: 37.89 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 12.96 31.7 34.1 20.8 21.2 Draft: 5

Boat Name lolani **Sail #** 38048
Boat Type Hughes 48
Rating: 120 **DW Rating:** 600 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 32000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 54.3 **Symmetric Spin?** Yes **LOA:** 48 **Displacement:** 32000
95 **J:** 18.2 **SL: SSMG: SSF: SPL:** **LWL:** 35.1 **Ballast:** 14300
Rig Type P: 48.2 40.32 32.76 32.76 18.2 **Beam:** 11.1 **Engine:** IB
YAWL **E:** 19 **Asymmetric Spin?** Yes **Prop Type:** FEATH
Mast Material ISP: **SLE: SLU: ASMG: ASF:** **Draft:** 6
ALUMN **JSP:** 20.2 48.6 54 32.76 32.76

Boat Name Westerly **Sail #** 4205
Boat Type Morgan 36 4/6
Rating: 120 **DW Rating:** 631 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 11900
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 47.5 **Symmetric Spin?** No **LOA:** 36 **Displacement:** 11900
95 **J:** 13.58 **SL: SSMG: SSF: SPL:** **LWL:** 29.4 **Ballast:** 5000
Rig Type P: 41.83 **Asymmetric Spin?** Yes **Engine:** IB
MS **E:** 12.58 **Prop Type:** Fixed_2
Mast Material ISP: 47.5 **SLE: SLU: ASMG: ASF:** **Draft:** 6.6
ALUMN **JSP:**

Boat Name Dulcinea **Sail #** 88
Boat Type Catalina 38
Rating: 120 **DW Rating:** 635 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 16813
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 49.83 **Symmetric Spin?** Yes **LOA:** 38.17 **Displacement:** 15900
135 **J:** 15.5 **SL: SSMG: SSF: SPL:** **LWL:** 30.25 **Ballast:** 6850
Rig Type P: 44 49.84 27.9 27.9 15 **Engine:** IB
MS **E:** 11.5 **Asymmetric Spin?** No **Prop Type:** Fixed_2
Mast Material ISP: 49.8 **SLE: SLU: ASMG: ASF:** **Draft:** 6.75
ALUMN **JSP:** 15.5

Boat Name Dazzler **Sail #** 38349
Boat Type Wyliecat 30 OB
Rating: 123 **DW Rating:** 647 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Modifications on file: (Mtg 8/23/21, -3 sec/mi for square top mainsail)

Rig Data:

Max Headsail I: **Symmetric Spin?** No **LOA:** 30.5 **Displacement:** 5500
0 **J:** **SL: SSMG: SSF: SPL:** **LWL:** 25 **Ballast:** 3050
Rig Type P: 39 **Asymmetric Spin?** No **Engine:** OB
CAT **E:** 20 **Prop Type:** None
Mast Material ISP: **SLE: SLU: ASMG: ASF:** **Draft:** 5.25
CARBON **JSP:**

Boat Name Flying Green Dragon
Boat Type Tartan 3500
Rating: 123 DW Rating: 632 Certificate Date 1/22/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 100 I: 47 J: 13.75 P: 41.4
Rig Type MS E: 14.4
Mast Material ALUMN ISP: JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF: 42.92 45.67 22.33 21.83
LOA: 35.17
LWL: 30
Beam: 11.75
Draft: 6.5
Displacement: 12500
Ballast: 4200
Engine: IB
Prop Type: Fixed_2

Boat Name Nancy
Boat Type Wyliecat 30 OB
Rating: 123 DW Rating: 643 Certificate Date 1/6/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Modifications on file: (-3 sec/mi for square top main)

Rig Data:
Max Headsail I: J: P: E: ISP: JSP:
Rig Type CAT
Mast Material CARBON
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25
Displacement: 5500
Ballast: 3050
Engine: OB
Prop Type: None

Boat Name Arcadia
Boat Type Custom Nash 28.5
Rating: 123 DW Rating: 596 Certificate Date 1/22/2026
Displacement used for DW Rating: 4327
Certified PHRF Data on file?

Modifications on file: (Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)
3

Rig Data:
Max Headsail 125 I: 33 J: 10 P: 32.5
Rig Type FS E: 13
Mast Material ALUMN ISP: 34 JSP: 11
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF: 34.908 38.8 24.606 24.606
LOA: 28.5
LWL: 25.5
Beam: 9
Draft: 6.5
Displacement: 4327
Ballast: 1200
Engine: IB
Prop Type: FOLD

Boat Name Sapphire
Boat Type Alerion Express 33
Rating: 123 DW Rating: 657 Certificate Date 1/8/2026
Displacement used for DW Rating: 8700
Certified PHRF Data on file?

Modifications on file: Powered Main Halyard Winch

Rig Data:
Max Headsail 100 I: 33.73 J: 11.39 P: 38.17
Rig Type FS E: 16
Mast Material CARBON ISP: 37.89 JSP: 12.96
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF: 30.1 36 18.7 20
LOA: 33
LWL: 26.3
Beam: 9.25
Draft: 5
Displacement: 8700
Ballast: 3300
Engine: IB
Prop Type: Fold

Boat Name JouJou
Boat Type Capo 30
Rating: 123 DW Rating: 658 Certificate Date 1/12/2026
Displacement used for DW Rating: 7200
Certified PHRF Data on file?

Sail #
87324

Rig Data:

Max Headsail I: 41.7
120 J: 12.75
Rig Type P: 36
MS E: 11.5
Mast Material ISP: 41.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.5 21.5 21 12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 25
Beam: 10.33
Draft: 5.43

Displacement: 7200
Ballast: 3000
Engine: IB
Prop Type: Fold

Modifications on file: Roller Furler (Mtg 1/25/18, New Rudder Installed, NCTR)

Boat Name Aerie
Boat Type CS 36
Rating: 123 DW Rating: 641 Certificate Date 1/27/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Sail #
2160

Rig Data:

Max Headsail I: 49
155 J: 15
Rig Type P: 42.75
MS E: 12.75
Mast Material ISP: 49
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48.65 25.5 25.5 15
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.5
LWL: 29.25
Beam: 11.5
Draft: 6.25

Displacement: 15500
Ballast: 6500
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name L2O
Boat Type J 29 7/8 OB
Rating: 123 DW Rating: 652 Certificate Date 1/20/2026
Displacement used for DW Rating: 6244
Certified PHRF Data on file?

Sail #
18721

Rig Data:

Max Headsail I: 35
150 J: 11.5
Rig Type P: 38.8
FS E: 13
Mast Material ISP: 35
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35 20 20 12.2
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.5
LWL: 25
Beam: 11
Draft: 5.6

Displacement: 6000
Ballast: 2100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Kwazy
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 595 Certificate Date 1/9/2026
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Sail #
26

Rig Data:

Max Headsail I: 20.416
150 J: 6.416
Rig Type P: 23
FS E: 10
Mast Material ISP: 20.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
22 14 14 8.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.58
LWL: 20
Beam: 5.42
Draft: 3.41

Displacement: 975
Ballast: 440
Engine: NONE
Prop Type: None

Modifications on file:

Boat Name Mystic
Boat Type J 27
Rating: 126 DW Rating: 641 Certificate Date 1/22/2026
Displacement used for DW Rating: 3800
Certified PHRF Data on file?

Sail #
8577

Rig Data:

Max Headsail I: 30
155 J: 10.5
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 10.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.83 18.83 17.67 10.5
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
29 30.38 12.25 16.17

LOA: 27.5
LWL: 23
Beam: 8.5
Draft: 4.9

Displacement: 3800
Ballast: 1530
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Crinan II
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 647 Certificate Date 1/15/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Sail #
15

Rig Data:

Max Headsail I:
J:
Rig Type P: 39
CATBOAT E: 20
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 5500
Ballast: 3050
Engine: IB
Prop Type: FOLD

Modifications on file: (Mtg 1/21/19, -3 sec/mi for square top mainsail)

Boat Name Salty Cat
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 526 Certificate Date 1/7/2026
Displacement used for DW Rating: 4800
Certified PHRF Data on file?

Sail #
28259

Rig Data:

Max Headsail I:
J:
Rig Type P: 29
CT E: 20.7
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 4800
Ballast: 2800
Engine: IB
Prop Type: FOLD

Modifications on file: INSTALLED IB ENGINE JAN 99 (Mtg 1/21/19, -3 sec/mi for square top mainsail)

Boat Name Mr McGregor
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 605 Certificate Date 12/16/2025
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Sail #
8426

Rig Data:

Max Headsail I: 20.5
150 J: 6.5
Rig Type P: 23.75
FS E: 10
Mast Material ISP: 20.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
22 13.9 13.7 8.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 20
Beam: 5.58
Draft: 3.5

Displacement: 975
Ballast: 440
Engine: OB
Prop Type: None

Modifications on file: INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.

Boat Name Heart of Gold
Boat Type Olson 911S
Rating: 126 DW Rating: 658 Certificate Date 1/6/2026
Displacement used for DW Rating: 7500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.5 Symmetric Spin? Yes LOA: 29.9 Displacement: 7200
150 J: 12.33 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3200
Rig Type P: 35.5 41.1 22.19 22.19 12.16 Beam: 10.3 Engine: IB
MS E: 11.83 Asymmetric Spin? No Prop Type: FOLD
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Draft: 5.5
ALUMN JSP:

Boat Name Bunnacula
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 590 Certificate Date 1/12/2026
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Modifications on file: Hiking straps and single trapeze

Rig Data:

Max Headsail I: 20.5 Symmetric Spin? YES LOA: 23.75 Displacement: 975
150 J: 6.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 440
Rig Type P: 23.75 22 13.9 13.7 8.5 Beam: 5.58 Engine: OB
FS E: 10 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 20.5 SLE: SLU: ASMG: ASF: Draft: 3.5
ALUMN JSP:

Boat Name Polecat
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 614 Certificate Date 1/6/2026
Displacement used for DW Rating: 5965
Certified PHRF Data on file?

Modifications on file: (Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)(11/7/22, -3 sec/mi for square top mainsail)

Rig Data:

Max Headsail I: Symmetric Spin? No LOA: 30.5 Displacement: 5500
J: SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3050
Rig Type P: 40 Beam: 9.416 Engine: IB
CAT E: 20 Asymmetric Spin? No Prop Type: FOLD
Mast Material ISP: 29.5 SLE: SLU: ASMG: ASF: Draft: 5.25
CARBON JSP: 12 29.3 32.8 18.4 21.6

Boat Name Uno Dos
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 647 Certificate Date 1/12/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Modifications on file: (mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)((mtg 3/24/25, -3 sec/mi penalty for oversized main)

Rig Data:

Max Headsail I: 0 Symmetric Spin? No LOA: 30.5 Displacement: 5500
J: 0 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3050
Rig Type P: 39.75 29 17.75 17.75 10 Beam: 9.5 Engine: IB
CATBOAT E: 20.5 Asymmetric Spin? No Prop Type: FEATH
Mast Material ISP: 29 SLE: SLU: ASMG: ASF: Draft: 5.25
CARBON JSP: 10 25 31.5 22.5 18.8

Boat Name Bad Hare Day **Sail #** 35
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 **DW Rating:** 594 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 20.75 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 975
150 J: 6.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 440
Rig Type P: 23.75 21.6 14 14 8.5 Beam: 5.583 Engine: OB
FS E: 10 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 20.5 SLE: SLU: ASMG: ASF: Draft: 3.5
ALUMN JSP:

Boat Name Blue Martini **Sail #** 41279
Boat Type Olson 911S
Rating: 126 **DW Rating:** 652 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 7200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.5 *Symmetric Spin?* Yes LOA: 29.91 Displacement: 7200
155 J: 12.33 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3200
Rig Type P: 35.5 42.97 22.14 22.14 12.33 Beam: 10.33 Engine: IB
MS E: 11.83 *Asymmetric Spin?* NO Prop Type: Fold
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Draft: 5.42
ALUMN JSP:

Boat Name Current Affair **Sail #** 56
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.75 17.75 9.83 Beam: 8.17 Engine: OB
FS E: 10.42 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Draft: 4.5
ALUMN JSP:

Boat Name Lotta'tude **Sail #** 28716
Boat Type Wyliecat 30 IB
Rating: 129 **DW Rating:** 648 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: *Symmetric Spin?* No LOA: 30.5 Displacement: 5500
0 J: SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3050
Rig Type P: 39.75 Beam: 9.42 Engine: IB
CAT E: 20.5 *Asymmetric Spin?* No Prop Type: FOLD
Mast Material ISP: SLE: SLU: ASMG: ASF: Draft: 5.25
CARBON JSP:

Boat Name Simba **Sail #** 87275
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 608 **Certificate Date** 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.5 17 9.833
FS E: 10.42 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Light'n Up **Sail #** 3
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
150 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.75 17.75 9.833
FS E: 10.416 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Young Betty **Sail #** 8448
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 630 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 2798
Certified PHRF Data on file?
Modifications on file: *New Rudder, NCTR*

Rig Data:
Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.8 17.8 9.833
FS E: 10.416 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name MIA **Sail #** 70
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 608 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.7 17.5 9.83
FS E: 10.42 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Wile E Coyote **Sail #** 11
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail 150 **I:** 28.5 **Symmetric Spin?** Yes **LOA:** 27.25 **Displacement:** 2450
J: 9 **SL:** SSMG: SSF: SPL: **LWL:** 23.75 **Ballast:** 1100
Rig Type FS **P:** 28.5 29 17.7 17.7 9.833 **Beam:** 8.17 **Engine:** OB
Mast Material ALUMN **E:** 10.416 **Asymmetric Spin?** No **Prop Type:** None
ISP: 28.5 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5
JSP:

Boat Name Peaches **Sail #** 18364
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail 155 **I:** 28.5 **Symmetric Spin?** Yes **LOA:** 27.25 **Displacement:** 2450
J: 9 **SL:** SSMG: SSF: SPL: **LWL:** 23.75 **Ballast:** 1100
Rig Type FS **P:** 28.5 29 17.75 17.75 9.833 **Beam:** 8.166 **Engine:** OB
Mast Material ALUMN **E:** 10.416 **Asymmetric Spin?** No **Prop Type:** None
ISP: 28.5 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5
JSP:

Boat Name Yeti **Sail #** 38
Boat Type Express 27
Rating: 129 **DW Rating:** 633 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail 140 **I:** 28.5 **Symmetric Spin?** Yes **LOA:** 27.25 **Displacement:** 2450
J: 9 **SL:** SSMG: SSF: SPL: **LWL:** 23.75 **Ballast:** 1100
Rig Type FS **P:** 28.5 28.6 17.7 17.7 9.83 **Beam:** 8.16 **Engine:** OB
Mast Material ALUMN **E:** 10.4 **Asymmetric Spin?** Yes **Prop Type:** None
ISP: 28.5 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5
JSP: 26.51 30.5 16.4 17.77

Boat Name 61 **Sail #** 61
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 606 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail 150 **I:** 28.5 **Symmetric Spin?** YES **LOA:** 27.25 **Displacement:** 2450
J: 9 **SL:** SSMG: SSF: SPL: **LWL:** 23.75 **Ballast:** 1100
Rig Type FS **P:** 28.5 28.5 17.75 17.75 9.833 **Beam:** 8.17 **Engine:** OB
Mast Material ALUMN **E:** 10.416 **Asymmetric Spin?** No **Prop Type:** None
ISP: 28.5 **SLE:** SLU: ASMG: ASF: **Draft:** 4.5
JSP:

Boat Name **Godzilla** Sail # 59
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/22/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.75 17.75 9.83
FS E: 10.42 *Asymmetric Spin?* No Beam: 8.17 Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name **Dianne** Sail # 0
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.75 17.75 9.833
FS E: 10.416 *Asymmetric Spin?* No Beam: 8.17 Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name **Ergo** Sail # 40428
Boat Type Express 27 ODR
Rating: 129 DW Rating: 606 Certificate Date 1/9/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 28.5 17.7 17.7 9.83
FS E: 10.416 *Asymmetric Spin?* Yes Beam: 8.075 Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 26.97 31 14.67 16.73 Draft: 4.5

Boat Name **Tule Fog** Sail # 18178
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 29 *Symmetric Spin?* Yes LOA: 27.3 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.8 Ballast: 1100
Rig Type P: 29 29 17.7 17.7 9.83
FS E: 10 *Asymmetric Spin?* No Beam: 8.166 Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Salty Hotel **Sail #** 60
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
155 **J:** 9 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 23.75 **Ballast:** 1100
Rig Type P: 28.5 29 17.7 17.7 9.83 **Beam:** 8.17 **Engine:** OB
FS **E:** 10.416 *Asymmetric Spin?* Yes **Prop Type:** None
Mast Material **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN **JSP:** 27.17 30.35 17 17.39 **Draft:** 4.5

Boat Name TAZ!! **Sail #** 8100
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes **LOA:** 27.3 **Displacement:** 2450
150 **J:** 9 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 23.8 **Ballast:** 1100
Rig Type P: 28.5 28.58 13 17.75 9.83 **Beam:** 8.17 **Engine:** NONE
FS **E:** 10.42 *Asymmetric Spin?* No **Prop Type:** None
Mast Material **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN **JSP:** **Draft:** 4.5

Boat Name Hot Sheet **Sail #** 10
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 608 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 2450
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* YES **LOA:** 27.25 **Displacement:** 2450
155 **J:** 9 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 23.75 **Ballast:** 1100
Rig Type P: 28.5 29 17.75 17.75 9.83 **Beam:** 8.17 **Engine:** OB
FS **E:** 10.42 *Asymmetric Spin?* No **Prop Type:** None
Mast Material **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN **JSP:** **Draft:** 4.5

Boat Name Bombora **Sail #** 38047
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 632 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 2977
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes **LOA:** 27.25 **Displacement:** 2450
155 **J:** 9 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 23.8 **Ballast:** 1100
Rig Type P: 28.5 28.5 17.7 17.7 9.83 **Beam:** 8.17 **Engine:** OB
FS **E:** 10.42 *Asymmetric Spin?* Yes **Prop Type:** None
Mast Material **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN **JSP:** 26.97 31 14.67 16.73 **Draft:** 4.5

Boat Name Abigail Morgan
Boat Type Express 27 ODR
Rating: 129 DW Rating: 606 Certificate Date 1/20/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5
150 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
17.75 17.4 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.166
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Make Me Smile
Boat Type Express 27 ODR
Rating: 129 DW Rating: 604 Certificate Date 1/15/2026
Displacement used for DW Rating: 2410
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.5 17.7 17.7 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.8
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Moonlight
Boat Type Express 27 ODR
Rating: 129 DW Rating: 604 Certificate Date 1/12/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 16.5 17.6 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Blue Thing
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/16/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.166
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Madame Blue
Boat Type Pretorian 35
Rating: 132 DW Rating: 624 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file: Roller Furler

Rig Data:
Max Headsail I: 48.75 Symmetric Spin? Yes LOA: 35.43 Displacement: 13000
135 J: 14.75 SL: SSMG: SSF: SPL: LWL: 30.33 Ballast: 6613
Rig Type P: 42.5 47.5 26 25.1 14.8
MS E: 12 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: Draft: 6

Boat Name Dancer
Boat Type Tiffany Jayne 34
Rating: 132 DW Rating: 647 Certificate Date 1/8/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 34.75 Symmetric Spin? Yes LOA: 34 Displacement: 7000
135 J: 11.416 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3010
Rig Type P: 36.583 34.75 19.92 19.92 ##### Engine: IB
FS E: 14.166 Asymmetric Spin? No Prop Type: FOLD
Mast Material ISP: 34.75 SLE: SLU: ASMG: ASF: Draft: 5.5
ALUMN JSP:

Boat Name Wolpertinger
Boat Type Santa Cruz 27 MOD
Rating: 135 DW Rating: 618 Certificate Date 1/27/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?
Modifications on file: New rudder noted NCTR. (Mtg 5/11/04, -3 for oversized spinnaker midgirth; -3 sec/mi for OSP)

Rig Data:
Max Headsail I: 32.583 Symmetric Spin? Yes LOA: 26.85 Displacement: 3000
155 J: 10.75 SL: SSMG: SSF: SPL: LWL: 23.39 Ballast: 1450
Rig Type P: 28.25 32.1 21.6 21.6 11.75
MS E: 8.53 Asymmetric Spin? Yes Engine: OB
Mast Material ISP: 32.583 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 11.9 30.1 34.8 20.5 Draft: 4.5

Boat Name Stink Eye
Boat Type Laser 28
Rating: 135 DW Rating: 643 Certificate Date 1/9/2026
Displacement used for DW Rating: 4334
Certified PHRF Data on file?
Modifications on file: (Mtg 1/25/18, -3 sec/mi for mainsail girths, -3 sec/mi for change to OB motor, -3 sec/mi for oversized spinnaker girth)

Rig Data:
Max Headsail I: 31.73 Symmetric Spin? Yes LOA: 28.42 Displacement: 4050
100 J: 9.65 SL: SSMG: SSF: SPL: LWL: 23.62 Ballast: 1500
Rig Type P: 33.14 32.5 18 18 9.4
MS E: 12.3 Asymmetric Spin? Yes Engine: OB
Mast Material ISP: 33.2 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 32 37 17 19 Draft: 5

Boat Name Take Five More
Boat Type Ericson 911S Olson
Rating: 135 DW Rating: 671 Certificate Date 1/8/2026
Displacement used for DW Rating: 8716
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.5
95 J: 12.33
Rig Type P: 35.5
MS E: 11.92
Mast Material ISP: 41.5
ALUMN JSP: 12.33

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
42 21.6 20 12.25
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.92
LWL: 25
Beam: 10.33
Draft: 5.4

Displacement: 8100
Ballast: 3200
Engine: IB
Prop Type: Fold

Boat Name Plus Sixteen
Boat Type Ericson 911S Olson
Rating: 135 DW Rating: 670 Certificate Date 1/7/2026
Displacement used for DW Rating: 8716
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.5
125 J: 12.25
Rig Type P: 35.761
MS E: 11.811
Mast Material ISP: 41.5
ALUMN JSP: 12.33

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
43.5 ##### ##### 12.25
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
35.761 41.995 21.702 20.932

LOA: 30
LWL: 25
Beam: 10.33
Draft: 5.42

Displacement: 8500
Ballast: 3200
Engine: IB
Prop Type: FEATH

Boat Name Hygge
Boat Type BB-10
Rating: 135 DW Rating: 640 Certificate Date 1/7/2026
Displacement used for DW Rating: 4956
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30.1
110 J: 9.82
Rig Type P: 36.09
FS E: 11.65
Mast Material ISP: 30.33
ALUMN JSP: 9

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
32.25 17.7 17.7 9
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.17 31.5 14.42 17

LOA: 32.67
LWL: 23.92
Beam: 7.55
Draft: 4.8

Displacement: 4956
Ballast: 2700
Engine: IB
Prop Type: Fold

Boat Name Charisma
Boat Type Hunter 35 Legend WK
Rating: 138 DW Rating: 634 Certificate Date 1/26/2026
Displacement used for DW Rating: 12000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42
135 J: 12.17
Rig Type P: 44.08
MS E: 14.25
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 35.58
LWL: 29.75
Beam: 11.75
Draft: 4.5

Displacement: 12000
Ballast: 4600
Engine: IB
Prop Type: Fixed_2

Boat Name Mana Kai **Sail #** #####
Boat Type Jeanneau Sun Odyssey 349
Rating: 138 **DW Rating:** 627 **Certificate Date** 12/8/2025
Displacement used for DW Rating: 11795
Certified PHRF Data on file?
Modifications on file: (12/8/25, 3 sec/mi for square-top mainsail)

Rig Data:
Max Headsail I: 43.6 *Symmetric Spin?* No LOA: 33.8 Displacement: 11795
113 J: 12.37 SL: SSMG: SSF: SPL: LWL: 30.8 Ballast: 3715
Rig Type P: 40.68
FS E: 13.62 *Asymmetric Spin?* Yes Beam: 11.25 Engine: IB
Mast Material ISP: 43.77 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 14.88 36.88 43.05 21.52 25.13 Draft: 6.5

Boat Name Vera Cruz **Sail #** 38133
Boat Type Jeanneau Sun Odyssey 349
Rating: 138 **DW Rating:** 652 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 11738
Certified PHRF Data on file?
Modifications on file: (Mtg 8/23/21, -3 sec/mi for square-top main)

Rig Data:
Max Headsail I: 43.71 *Symmetric Spin?* No LOA: 32.75 Displacement: 11738
1152 J: 12.37 SL: SSMG: SSF: SPL: LWL: 30.83 Ballast: 3483
Rig Type P: 40.19
FS E: 13.42 *Asymmetric Spin?* Yes Beam: 11.25 Engine: IB
Mast Material ISP: 44.8 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 14.88 42.27 46.45 23.3 26.78 Draft: 6.5

Boat Name Starbuck **Sail #** 8666
Boat Type Custom Black Soo 30
Rating: 138 **DW Rating:** 585 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 4500
Certified PHRF Data on file?
Modifications on file: (Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +3 sec/mi for small headsail. As Sailed 144)(Mtg 8/26/19, added 21.6% oversized A-Sail, -9 sec/mi. As Sailed: 135)(1/12/21, reduced A-sail area by 2%, changed Asail penalty from -9 to -6 sec/mi. As sailed: 138)

Rig Data:
Max Headsail I: 30 *Symmetric Spin?* Yes LOA: 31 Displacement: 4500
120 J: 13 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1800
Rig Type P: 25 31 22.1 23.2 13
MS E: 11.73 *Asymmetric Spin?* Yes Beam: 6.8 Engine: OB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 13 36.1 41.8 22.15 23.9 Draft: 6.4

Boat Name Curie **Sail #** 52868
Boat Type Beneteau 32S5
Rating: 138 **DW Rating:** 657 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 9260
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 38.39 *Symmetric Spin?* Yes LOA: 32.6 Displacement: 9260
150 J: 9.68 SL: SSMG: SSF: SPL: LWL: 27.83 Ballast: 2980
Rig Type P: 38.88 39.98 17.3 17.3 9.6
FS E: 13.78 *Asymmetric Spin?* No Beam: 10.83 Engine: IB
Mast Material ISP: 38.39 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 9.68 32.75 35.75 18.4 17.3 Draft: 6

Boat Name Akumu
Boat Type B-25 ODR
Rating: 138 DW Rating: 597 Certificate Date 1/7/2026
Displacement used for DW Rating: 2000
Certified PHRF Data on file?

Sail #
44

Rig Data:

Max Headsail I: 28
125 J: 8.5
Rig Type P: 28
MS E: 11
Mast Material ISP: 32
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
37.66 17.1 16.75 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25
LWL: 21.25
Beam: 8.33
Draft: 5

Displacement: 2000
Ballast: 800
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Sonata
Boat Type Laser 28
Rating: 138 DW Rating: 644 Certificate Date 1/22/2026
Displacement used for DW Rating: 4334
Certified PHRF Data on file?

Sail #
33685

Rig Data:

Max Headsail I: 31.1
125 J: 9.65
Rig Type P: 33.14
FS E: 12.96
Mast Material ISP: 31.73
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31.78 19.1 19.1 10.61
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.41
LWL: 23.62
Beam: 9.48
Draft: 4.98

Displacement: 4550
Ballast: 1500
Engine: IB
Prop Type: FOLD

Modifications on file: (Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP)

Boat Name Crazy Rhythm
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 618 Certificate Date 1/12/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Sail #
18771

Rig Data:

Max Headsail I: 32.58
150 J: 10.75
Rig Type P: 28.166
MS E: 8.583
Mast Material ISP: 32.58
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.74 19.4 19.4 10.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3200
Ballast: 1600
Engine: OB
Prop Type: None

Modifications on file: (Outboard Removed)

Boat Name Solana
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 618 Certificate Date 1/9/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Sail #
21102

Rig Data:

Max Headsail I: 32.58
150 J: 10.75
Rig Type P: 28.25
MS E: 8.58
Mast Material ISP: 32.58
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.15 19.45 19.45 10.81
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3000
Ballast: 1500
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Surf Rat **Sail #** 57131
Boat Type Santa Cruz 27
Rating: 141 **DW Rating:** 618 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 32.583 **Symmetric Spin?** YES **LOA:** 27 **Displacement:** 3000
150 **J:** 10.75 **SL: SSMG: SSF: SPL:** **LWL:** 24 **Ballast:** 1500
Rig Type P: 28.25 32.74 19.4 19.4 10.75 **Beam:** 8 **Engine:** OB
MS **E:** 8.58 **Asymmetric Spin?** No **Prop Type:** None
Mast Material ISP: 32.58 **SLE: SLU: ASMG: ASF:** **Draft:** 4.5
ALUMN **JSP:**

Boat Name Wilder **Sail #** 59333
Boat Type Santa Cruz 27
Rating: 141 **DW Rating:** 624 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 3440
Certified PHRF Data on file?

Modifications on file: Elliptical Rudder

Rig Data:

Max Headsail I: 32.7 **Symmetric Spin?** Yes **LOA:** 27 **Displacement:** 3300
155 **J:** 10.9 **SL: SSMG: SSF: SPL:** **LWL:** 24 **Ballast:** 1600
Rig Type P: 28.2 32.8 19.6 17.59 10.9 **Beam:** 8 **Engine:** OB
MS **E:** 8.7 **Asymmetric Spin?** Yes **Prop Type:** None
Mast Material ISP: 32.58 **SLE: SLU: ASMG: ASF:** **Draft:** 4.5
ALUMN **JSP:** 10.9 32.38 34.28 18.99 18.01

Boat Name Froeya **Sail #** 60128
Boat Type Hanse 341/342
Rating: 141 **DW Rating:** 642 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 12700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46 **Symmetric Spin?** No **LOA:** 34 **Displacement:** 11353
100 **J:** 12.2 **SL: SSMG: SSF: SPL:** **LWL:** 29.2 **Ballast:** 3395
Rig Type P: 42 **Beam:** 11.2 **Engine:** IB
FS **E:** 15 **Asymmetric Spin?** No **Prop Type:** FOLD
Mast Material ISP: **SLE: SLU: ASMG: ASF:** **Draft:** 5.9
ALUMN **JSP:**

Boat Name Toon Town **Sail #** 178
Boat Type Ultimate 20 CM
Rating: 141 **DW Rating:** 622 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.08 **Symmetric Spin?** No **LOA:** 20.8 **Displacement:** 1350
150 **J:** 7 **SL: SSMG: SSF: SPL:** **LWL:** 18 **Ballast:** 450
Rig Type P: 27.33 **Beam:** 8.3 **Engine:** OB
FS **E:** 10.17 **Asymmetric Spin?** Yes **Prop Type:** None
Mast Material ISP: 27.58 **SLE: SLU: ASMG: ASF:** **Draft:** 5
CARBON **JSP:** 12.79 28.4 31.4 17.7 19.2

Boat Name Free
Boat Type S&S 30
Rating: 144 DW Rating: 631 Certificate Date 1/6/2026
Displacement used for DW Rating: 6000
Certified PHRF Data on file?

Modifications on file: Powered winches

Rig Data:
Max Headsail I: 43.7 *Symmetric Spin?* No LOA: 30.5 Displacement: 6500
95 J: 9.5 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 2400
Rig Type P: 40
FS E: 14 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 43.58 SLE: SLU: ASMG: ASF: Beam: 8.25 Prop Type: Fold
ALUMN JSP: 9.5 37.5 43.2 15.8 16.7 Draft: 5.5

Boat Name Breakaway
Boat Type Ultimate 20 CM
Rating: 144 DW Rating: 631 Certificate Date 1/7/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.08 *Symmetric Spin?* No LOA: 20.83 Displacement: 1350
114 J: 6.97 SL: SSMG: SSF: SPL: LWL: 18 Ballast: 450
Rig Type P: 27.33 0 0 Engine: OB
FS E: 10.17 *Asymmetric Spin?* Yes Beam: 8.33 Prop Type: Fixed_3
Mast Material ISP: 27.58 SLE: SLU: ASMG: ASF: Draft: 5
CARBON JSP: 12.79 28.417 30.42 17.7 19.167

Boat Name Ad Lib
Boat Type Aphrodite 101
Rating: 144 DW Rating: 650 Certificate Date 1/8/2026
Displacement used for DW Rating: 7490
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 36.83 *Symmetric Spin?* Yes LOA: 32.75 Displacement: 6160
100 J: 11.81 SL: SSMG: SSF: SPL: LWL: 26.33 Ballast: 3527
Rig Type P: 39.33 35.6 21.3 19.6 11.9
FS E: 11.48 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 32.23 SLE: SLU: ASMG: ASF: Beam: 7.92 Prop Type: FOLD
ALUMN JSP: Draft: 5.42

Boat Name Luna Sea
Boat Type Islander 36 ODR
Rating: 144 DW Rating: 660 Certificate Date 1/14/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 45 *Symmetric Spin?* Yes LOA: 36.08 Displacement: 18000
135 J: 14.48 SL: SSMG: SSF: SPL: LWL: 28.25 Ballast: 5450
Rig Type P: 39.25 45 27 27 15
MS E: 12.75 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 45 SLE: SLU: ASMG: ASF: Beam: 11.17 Prop Type: Feath
ALUMN JSP: Draft: 6.08

Boat Name UHOO!
Boat Type Ultimate 20
Rating: 144 DW Rating: 609 Certificate Date 1/20/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 22.8
100 J: 7
Rig Type P: 27.5
FS E: 10.33
Mast Material ISP: 27.58
ALUMN JSP: 13

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.4 31.3 17.6 19.2

LOA: 20.8 Displacement: 1100
LWL: 18 Ballast: 450
Beam: 8.166 Engine: OB
Draft: 5 Prop Type: None

Boat Name U Betcha
Boat Type Ultimate 20
Rating: 144 DW Rating: 622 Certificate Date 1/16/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 22.8
100 J: 7
Rig Type P: 27.5
FS E: 10.33
Mast Material ISP: 27.58
ALUMN JSP: 13

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.4 31.3 17.6 19.2

LOA: 20.83 Displacement: 1350
LWL: 18 Ballast: 450
Beam: 8.166 Engine: OB
Draft: 5 Prop Type: None

Boat Name Bella Luna
Boat Type Islander 36 ODR
Rating: 147 DW Rating: 660 Certificate Date 1/16/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 45
135 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.083 Displacement: 13450
LWL: 28.25 Ballast: 5820
Beam: 11.17 Engine: IB
Draft: 6.083 Prop Type: Fixed_2

Boat Name Kapai
Boat Type Islander 36 ODR
Rating: 147 DW Rating: 663 Certificate Date 1/15/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 45
125 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44.5 25.83 25.83 14.48
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.08 Displacement: 13450
LWL: 28.25 Ballast: 5500
Beam: 11.17 Engine: IB
Draft: 6 Prop Type: FOLD

Boat Name Minami Kaze **Sail #** 361
Boat Type Beneteau 361 Oceanis
Rating: 147 **DW Rating:** Certificate Date 1/15/2026
Displacement used for DW Rating: 13349
Certified PHRF Data on file?

Modifications on file:

Rig Data: Max Headsail I: 45.21 *Symmetric Spin?* No LOA: 36.33 Displacement: 13349
110 J: 13.94 SL: SSMG: SSF: SPL: LWL: 31.08 Ballast: 4156
Rig Type P: 38.39
MS E: 14.44 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fixed_3
ALUMN JSP: Draft: 5

Boat Name Sterling **Sail #** 1269
Boat Type Catalina 34 1&2
Rating: 147 **DW Rating:** 638 Certificate Date 1/22/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file:

Rig Data: Max Headsail I: 44 *Symmetric Spin?* No LOA: 35.66 Displacement: 11950
130 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.84 Ballast: 5000
Rig Type P: 38.5
MS E: 12 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 5.56

Boat Name Osprey **Sail #** 61302
Boat Type Jeanneau Sun Odyssey 349
Rating: 147 **DW Rating:** 635 Certificate Date 1/14/2026
Displacement used for DW Rating: 11795
Certified PHRF Data on file?

Modifications on file: (1/13/20, +3 sec/mi for inmast furling mainsail, +3 sec/mi for MGM <50% of E)

Rig Data: Max Headsail I: 43.6 *Symmetric Spin?* No LOA: 32.75 Displacement: 11795
110 J: 12.67 SL: SSMG: SSF: SPL: LWL: 30.84 Ballast: 3483
Rig Type P: 40.68
FS E: 13.62 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 6.5

Boat Name Safety Third **Sail #** 131
Boat Type Moore 24
Rating: 150 **DW Rating:** 629 Certificate Date 1/14/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data: Max Headsail I: 26.25 *Symmetric Spin?* YES LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.083

Boat Name Fatuity
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/15/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75 Beam: 7.16 Engine: OB
FS E: 9.5 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083
ALUMN JSP:

Boat Name Wiki Wiki
Boat Type Moore 24
Rating: 150 DW Rating: 632 Certificate Date 1/6/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.5 17.5 9.75 Beam: 7.16 Engine: OB
FS E: 9.5 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083
ALUMN JSP:

Boat Name Moorigami
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/7/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75 Beam: 7.16 Engine: OB
FS E: 9.5 *Asymmetric Spin?* Yes Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083
ALUMN JSP: 24.4 28.2 17.3 18

Boat Name Topper II
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/23/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75 Beam: 7.16 Engine: OB
FS E: 9.5 *Asymmetric Spin?* Yes Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083
ALUMN JSP:

Boat Name Nobody's Girl
Boat Type Moore 24
Rating: 150 DW Rating: 647 Certificate Date 1/6/2026
Displacement used for DW Rating: 2420
Certified PHRF Data on file?

Sail #
84

Rig Data:

Max Headsail I: 26.25 Symmetric Spin? Yes LOA: 23.75
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75
Rig Type P: 25 26.6 17.55 17.55 9.5
FS E: 9.5 Asymmetric Spin? No Beam: 7.16
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083
ALUMN JSP: 9.75

Displacement: 2130
Ballast: 1000
Engine: OB
Prop Type: None

Modifications on file: (Mtg 3/25/24, new mainsail has oversized girths but no change to overall MSA: NCTR. -3 sec/mi for oversized spinnaker)(12/18/24, returned to stock Moore 24 configuration)

Boat Name Enamored
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/15/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
19

Rig Data:

Max Headsail I: 26.25 Symmetric Spin? YES LOA: 23.75
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75
Rig Type P: 25 26.6 17.5 17.5 9.75
FS E: 9.5 Asymmetric Spin? No Beam: 7.16
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.08
ALUMN JSP: 9.75

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Mas!
Boat Type Moore 24
Rating: 150 DW Rating: 635 Certificate Date 1/23/2026
Displacement used for DW Rating: 2225
Certified PHRF Data on file?

Sail #
138

Rig Data:

Max Headsail I: 26.25 Symmetric Spin? Yes LOA: 23.75
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75
Rig Type P: 25 26.6 17 17.25 9.75
FS E: 9.5 Asymmetric Spin? Yes Beam: 7.16
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.08
ALUMN JSP: 25.1 28.4 17.3 17.6

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Bluebird
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/12/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
137

Rig Data:

Max Headsail I: 26.25 Symmetric Spin? Yes LOA: 23.75
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 Asymmetric Spin? NO Beam: 7.16
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.08
ALUMN JSP:

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Tango
Boat Type Catalina 34 1&2
Rating: 150 DW Rating: 650 Certificate Date 1/14/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44
120 J: 13.5
Rig Type P: 38.5
MS E: 12
Mast Material ISP:
ALUMN JSP: 35 41 20 21

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 35.67
LWL: 29.83
Beam: 11.75
Draft: 5.58

Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Feath

Boat Name Wind Mate
Boat Type Catalina 34 1&2
Rating: 150 DW Rating: 648 Certificate Date 1/16/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44
120 J: 13.5
Rig Type P: 38.5
MS E: 11.75
Mast Material ISP: 44
ALUMN JSP: 39.5 44 24 22.25

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 34.5
LWL: 29.83
Beam: 11.75
Draft: 5.58

Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Fold

Boat Name Bandit
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/22/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Oxymoron
Boat Type Moore 24
Rating: 150 DW Rating: 633 Certificate Date 1/16/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.2
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.25

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Grey Wulff
Boat Type Beneteau Oceanis 30.1
Rating: 150 DW Rating: 633 Certificate Date 1/20/2026
Displacement used for DW Rating: 8807
Certified PHRF Data on file?

Sail #
238

Rig Data:

Max Headsail I: 36.75
105 J: 12.67
Rig Type P: 35.47
FS E: 10.73
Mast Material ISP: 37.43
ALUMN JSP: 14.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32.87 37.56 19.97 22.47

LOA: 31.3
LWL: 29.6
Beam: 9.81
Draft: 6.17

Displacement: 8807
Ballast: 2144
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Liquid Asset
Boat Type Ranger 33
Rating: 150 DW Rating: 658 Certificate Date 1/20/2026
Displacement used for DW Rating: 10289
Certified PHRF Data on file?

Sail #
27707

Rig Data:

Max Headsail I: 41.5
150 J: 13.7
Rig Type P: 35
MS E: 13.75
Mast Material ISP: 41.5
ALUMN JSP: 13.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.5 24.6 24.6 13.7
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.17
LWL: 26.25
Beam: 9.58
Draft: 5.17

Displacement: 10500
Ballast: 4500
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Painkiller
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/7/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
33

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Color Blind
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/15/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
49

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name The Flying Tiger
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/15/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.6 17.55 17.55 9.75 Beam: 7.16 Engine: OB
FS E: 9.5 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 26.2 SLE: SLU: ASMG: ASF: Draft: 4.08
JSP:

Boat Name Flying Colors
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/12/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* YES LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75 Beam: 7.16 Engine: OB
FS E: 9.5 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083
ALUMN JSP:

Boat Name S'Moore
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/12/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
155 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26 17.55 17.55 9.75 Beam: 7.16 Engine: OB
FS E: 9.5 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083
ALUMN JSP:

Boat Name Moore's Law
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/9/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.5 17.5 17.5 9.75 Beam: 7.16 Engine: OB
FS E: 9.5 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 26.2 SLE: SLU: ASMG: ASF: Draft: 4.08
ALUMN JSP:

Boat Name Ripple
Boat Type Moore 24
Rating: 153 DW Rating: 631 Certificate Date 1/6/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.24
90 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Windcatcher
Boat Type Islander 36 NCPHRF
Rating: 153 DW Rating: 663 Certificate Date 1/8/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 45
110 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP: 14.48

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.08
LWL: 28.25
Beam: 11.17
Draft: 6.08

Displacement: 13450
Ballast: 5450
Engine: IB
Prop Type: Fixed_2

Boat Name Ohana
Boat Type Catalina 34 1&2
Rating: 153 DW Rating: 647 Certificate Date 1/14/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44
135 J: 13.5
Rig Type P: 38.5
MS E: 11.75
Mast Material ISP: 44
ALUMN JSP: 13.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 34.5
LWL: 29.83
Beam: 11.75
Draft: 5.58

Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Fixed_3

Boat Name Bella Mia
Boat Type Jeanneau Sun Odyssey 349 SD
Rating: 153 DW Rating: 632 Certificate Date 1/27/2026
Displacement used for DW Rating: 11795
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 43.57
110 J: 12.37
Rig Type P: 40.68
FS E: 13.62
Mast Material ISP: 44.8
ALUMN JSP: 14.88

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45 45 18 24

LOA: 33.92
LWL: 30.84
Beam: 11.29
Draft: 4.89

Displacement: 11795
Ballast: 3483
Engine: IB
Prop Type: Fixed_3

Boat Name Lenora
Boat Type Hunter 33-2
Rating: 153 DW Rating: 648 Certificate Date 1/22/2026
Displacement used for DW Rating: 10400
Certified PHRF Data on file?

Sail #
60700

Rig Data:

Max Headsail I: 37.42
115 J: 10.83
Rig Type P: 36.46
FS E: 15.83
Mast Material ISP: 38.42
ALUMN JSP: 10.83

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
35.5 39.33 16.67 18.5

LOA: 33.5
LWL: 29.42
Beam: 11.17
Draft: 5.5

Displacement: 10400
Ballast: 3459
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Wreckless
Boat Type Capo 26
Rating: 156 DW Rating: 692 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
77449

Rig Data:

Max Headsail I: 35.89
155 J: 10.63
Rig Type P: 30.78
SL E: 10.01
Mast Material ISP:
JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25.9
LWL: 21.76
Beam: 9.38
Draft: 4.56

Displacement: 4920
Ballast: 1964
Engine: OB
Prop Type: None

Modifications on file: SPL REDUCED TO "J" 9'9". 1194# BALAST IN THE KEEL, 770 # IN THE HULL

Boat Name Sailor Dog
Boat Type Catalina 34 1&2
Rating: 156 DW Rating: 652 Certificate Date 1/15/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Sail #
1798

Rig Data:

Max Headsail I: 44
110 J: 13.5
Rig Type P: 38.5
MS E: 12
Mast Material ISP: 44
ALUMN JSP: 13.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38 40.5 22.5 20.5

LOA: 34.5
LWL: 29.8
Beam: 11.7
Draft: 5.6

Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Feath

Modifications on file: In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi

Boat Name Sketch
Boat Type Olson 25
Rating: 159 DW Rating: 673 Certificate Date 1/7/2026
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Sail #
76

Rig Data:

Max Headsail I: 32
155 J: 9.583
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
32 17.25 17 9.583
Asymmetric Spin? NO
SLE: SLU: ASMG: ASF:

LOA: 25
LWL: 21.25
Beam: 9
Draft: 4.5

Displacement: 3300
Ballast: 1300
Engine: ob
Prop Type: None

Modifications on file:

Boat Name Sea B
Boat Type Olson 25
Rating: 159 DW Rating: 661 Certificate Date 1/6/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?
Modifications on file: Roller Furler

Rig Data:
Max Headsail 155 I: 32 J: 9.583
Rig Type MS P: 28 E: 10
Mast Material ALUMN ISP: 32 JSP: 9.58
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
LOA: 25 Displacement: 2900
LWL: 21.25 Ballast: 1300
Beam: 9 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Citlali
Boat Type Olson 25
Rating: 159 DW Rating: 673 Certificate Date 1/7/2026
Displacement used for DW Rating: 3300
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail 155 I: 32 J: 9.583
Rig Type MS P: 28 E: 10
Mast Material ALUMN ISP: 32 JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32 17.28 17.24 9.583
Asymmetric Spin? No
LOA: 25 Displacement: 3300
LWL: 21.25 Ballast: 1300
Beam: 9 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Synchronicity
Boat Type Olson 25
Rating: 159 DW Rating: 674 Certificate Date 1/14/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail 155 I: 32 J: 9.583
Rig Type MS P: 28 E: 10
Mast Material ALUMN ISP: 32 JSP: 9.6
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32 17.28 17.28 9.583
Asymmetric Spin? No
LOA: 25 Displacement: 3300
LWL: 21.25 Ballast: 1300
Beam: 9 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name O'Mar
Boat Type Olson 25
Rating: 159 DW Rating: 657 Certificate Date 1/12/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail 155 I: 32 J: 9.583
Rig Type MS P: 28 E: 10
Mast Material ALUMN ISP: 32 JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31 16.5 16.5 9.58
Asymmetric Spin? No
LOA: 25 Displacement: 2900
LWL: 21.25 Ballast: 1300
Beam: 9 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name She Saifd Yes
Boat Type Beneteau 323 SD
Rating: 159 DW Rating: Certificate Date 1/26/2026
Displacement used for DW Rating: 9235
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42.67
105 J: 11.06
Rig Type P: 38.91
MS E: 13.17
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 32.83
LWL: 29.17
Beam: 10.75
Draft: 4.25

Displacement: 9325
Ballast: 2414
Engine: IB
Prop Type: Fixed_3

Boat Name Rumour
Boat Type Ericson 32-3
Rating: 162 DW Rating: 663 Certificate Date 1/15/2026
Displacement used for DW Rating: 9800
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42
100 J: 13.75
Rig Type P: 36
MS E: 11.5
Mast Material ISP: 42
ALUMN JSP: 13.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.83 22.7 22 13.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 32.5
LWL: 25.83
Beam: 10.83
Draft: 6

Displacement: 9800
Ballast: 4200
Engine: IB
Prop Type: Fixed_2

Boat Name Genesis
Boat Type Beneteau 305
Rating: 162 DW Rating: 668 Certificate Date 1/23/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 39.04
125 J: 11.29
Rig Type P: 33.79
MS E: 11.25
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
37.4 20.3 20.3 10.4
Asymmetric Spin? NO
SLE: SLU: ASMG: ASF:

LOA: 30.42
LWL: 26.17
Beam: 10.5
Draft: 5.58

Displacement: 8500
Ballast: 2976
Engine: IB
Prop Type: Fold

Boat Name Heron
Boat Type C&C 32
Rating: 162 DW Rating: 684 Certificate Date 1/27/2026
Displacement used for DW Rating: 9680
Certified PHRF Data on file?

Modifications on file: (Mtg 1/26/26, +3 sec/mi for non-articulating spinnaker tack)

Rig Data:

Max Headsail I: 41.1
90 J: 12.8
Rig Type P: 35.3
MS E: 11.3
Mast Material ISP: 41
ALUMN JSP: 13.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
40.91 22.95 22.95 12.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
33.83 41.83 15.58 20.67

LOA: 31.5
LWL: 24.67
Beam: 10.25
Draft: 5.67

Displacement: 9680
Ballast: 3900
Engine: IB
Prop Type: Fixed_2

Boat Name Fog Dog
Boat Type Catalina 320
Rating: 165 DW Rating: Certificate Date 1/16/2026
Displacement used for DW Rating: 12719
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 43.58
115 J: 12.33
Rig Type P: 38
MS E: 13.25
Mast Material ISP:
ALUMN JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 32.5
LWL: 28
Beam: 11.75
Draft: 6
Displacement: 11300
Ballast: 4000
Engine: IB
Prop Type: Fixed_3

Boat Name Venture
Boat Type C&C 33
Rating: 165 DW Rating: 653 Certificate Date 1/7/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: Powered Halyard Winch (1/3/23, +3 sec/mi for in-mast furling mainsail, +3 sec/mi for mgm <50% of E)

Rig Data:
Max Headsail I: 43
100 J: 14
Rig Type P: 37.25
MS E: 10.75
Mast Material ISP: 43
ALUMN JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
14
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
36 40.2 24.2 24.2
LOA: 32.75
LWL: 26.42
Beam: 10.5
Draft: 5.5
Displacement: 9800
Ballast: 4075
Engine: IB
Prop Type: Feath

Boat Name Dream Catcher
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 Certificate Date 1/6/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.25
150 J: 9.5
Rig Type P: 28
FS E: 9.75
Mast Material ISP: 26.25
ALUMN JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.5 17 16.8 9.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 24
LWL: 20
Beam: 8.92
Draft: 4
Displacement: 3100
Ballast: 950
Engine: OB
Prop Type: None

Boat Name Bewitched
Boat Type Merit 25
Rating: 168 DW Rating: 695 Certificate Date 1/9/2026
Displacement used for DW Rating: 3286
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 28.75
155 J: 9.66
Rig Type P: 28
FS E: 9.75
Mast Material ISP: 28.75
ALUMN JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.39 17.39 9.66
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 24.5
LWL: 20.5
Beam: 8
Draft: 4
Displacement: 3000
Ballast: 1050
Engine: OB
Prop Type: None

Boat Name Frances **Sail #** 435
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 706 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.2
LWL: 22.8
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Allegro Non Troppo **Sail #** 188
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 695 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29.75 17.5 17.5 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
0

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name H2Osprey **Sail #** 173
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 706 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Chesapeake III **Sail #** 142
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 705 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Sweet De **Sail #** 254
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 703 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?
Modifications on file: (Mtg 2/24/20, +6 Sec/mi for class jib)

Rig Data:
Max Headsail I: 30 *Symmetric Spin?* No LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33
FS E: 12.5 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 9.75 27.44 31.5 15.43 15.73 Draft: 4.5

Boat Name Froglips **Sail #** 2392
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 24 Displacement: 3100
150 J: 9.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 965
Rig Type P: 28 26.5 17.13 17.03 9.5
FS E: 9.75 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4

Boat Name Diana **Sail #** 190
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 701 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 30 *Symmetric Spin?* No LOA: 28.2 Displacement: 5700
95 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.8 Ballast: 2200
Rig Type P: 33
FS E: 12.5 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 4.5

Boat Name Anna Lu **Sail #** 529
Boat Type Merit 25
Rating: 168 DW Rating: 696 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 3286
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 28.75 *Symmetric Spin?* Yes LOA: 24.5 Displacement: 3000
150 J: 9.66 SL: SSMG: SSF: SPL: LWL: 20.5 Ballast: 1050
Rig Type P: 28 28.8 17.38 17.38 9.66
FS E: 9.75 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 28.75 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 3.98

Boat Name Zenaida **Sail #** 38079
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 695 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30 *Symmetric Spin?* Yes LOA: 28.25 Displacement: 5700
95 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33 29.96 17.55 15.77 9.75
FS E: 12.5 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 4.5

Boat Name Resilience **Sail #** 136
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 696 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30 *Symmetric Spin?* YES LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33 29.96 16.73 16.73 9.55
FS E: 12.5 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 9.75 Draft: 4.5

Boat Name Fulvia **Sail #** 60251
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 705 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30 *Symmetric Spin?* No LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33
FS E: 12.5 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 4.5

Boat Name Eos **Sail #** 99
Boat Type Cal 34-2
Rating: 171 DW Rating: 664 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 9500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.25 *Symmetric Spin?* No LOA: 33.25 Displacement: 9500
130 J: 13.75 SL: SSMG: SSF: SPL: LWL: 26 Ballast: 3750
Rig Type P: 35.5
MS E: 11 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 41.25 SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: 13.75 Draft: 5

Boat Name Siento El Viento
Boat Type C&C 29
Rating: 174 DW Rating: 699 Certificate Date 1/12/2026
Displacement used for DW Rating: 9200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 39.5
155 J: 12.8
Rig Type P: 33.5
MS E: 10.1
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39 22 22 12.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.5
LWL: 23.6
Beam: 10.5
Draft: 5.25

Displacement: 7500
Ballast: 2700
Engine: IB
Prop Type: Fold

Boat Name Gypsy Lady
Boat Type CAL 34-1
Rating: 174 DW Rating: 678 Certificate Date 1/15/2026
Displacement used for DW Rating: 10213
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 39
155 J: 13.75
Rig Type P: 33.5
MS E: 14
Mast Material ISP: 39
ALUMN JSP: 13.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.29 24.75 24.75 13.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.3
LWL: 26
Beam: 10
Draft: 5

Displacement: 10000
Ballast: 3750
Engine: IB
Prop Type: FOLD

Boat Name Neja
Boat Type Dasher 32
Rating: 174 DW Rating: 672 Certificate Date 1/7/2026
Displacement used for DW Rating: 11323
Certified PHRF Data on file?

Modifications on file: 500 pounds less lead in keel than the Dasher Easom Boat Works built

Rig Data:

Max Headsail I: 38.01
155 J: 12.59
Rig Type P: 33.22
MS E: 14.6
Mast Material ISP: 38.01
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
37.78 21.94 21.94 12.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 31.75
LWL: 26.75
Beam: 8.9
Draft: 5.75

Displacement: 11323
Ballast: 3600
Engine: IB
Prop Type: Fold

Boat Name Zeehond
Boat Type Newport 30-2
Rating: 174 DW Rating: 677 Certificate Date 1/6/2026
Displacement used for DW Rating: 8500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 39.5
150 J: 12.125
Rig Type P: 34
MS E: 10.25
Mast Material ISP: 39.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.25 21.78 21.75 #####
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 25
Beam: 10.5
Draft: 4.75

Displacement: 8500
Ballast: 2600
Engine: IB
Prop Type: FOLD

Boat Name **Sobrante** Sail # 143
Boat Type Catalina 309 WK
Rating: 180 DW Rating: Certificate Date 1/12/2026
Displacement used for DW Rating: 10200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42.75
95 J: 12
Rig Type P: 38.75
FS E: 13.75
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 32.75 Displacement: 10200
LWL: 26.5 Ballast: 4400
Beam: 11.5 Engine: IB
Draft: 4.33 Prop Type: Fold

Boat Name **Starkite** Sail # 8427
Boat Type Catalina 30
Rating: 180 DW Rating: 688 Certificate Date 1/16/2026
Displacement used for DW Rating: 10200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41
155 J: 11.416
Rig Type P: 35
MS E: 11.5
Mast Material ISP: 41
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
40 20.7 19.87 11.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 29.92 Displacement: 10200
LWL: 25 Ballast: 4200
Beam: 10.83 Engine: IB
Draft: 5.25 Prop Type: FOLD

Boat Name **Galaxsea** Sail # 28743
Boat Type Custom Nauticat 43.5
Rating: 180 DW Rating: 636 Certificate Date 1/8/2026
Displacement used for DW Rating: 35679
Certified PHRF Data on file?

Modifications on file: Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"

Rig Data:

Max Headsail I: 51
130 J: 20
Rig Type P: 45
KTCH E: 13.6
Mast Material ISP:
ALUMN JSP: 20.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
50.98 33.43 35.6 20
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50 52 25.6 29.2

LOA: 43.6 Displacement: 34000
LWL: 37.7 Ballast: 11000
Beam: 12.2 Engine: IB
Draft: 5.9 Prop Type: FEATH

Boat Name **Sweet Pea** Sail # 195
Boat Type Islander 30-2
Rating: 186 DW Rating: 684 Certificate Date 1/12/2026
Displacement used for DW Rating: 8600
Certified PHRF Data on file?

Modifications on file: (Mtg 9/30/19, -6 sec/mi for genoa)(7/29/20, removed 185% genoa)

Rig Data:

Max Headsail I: 38.5
155 J: 12.58
Rig Type P: 32.5
MS E: 11.58
Mast Material ISP: 38.42
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
38.6 22.5 22.5 12.42
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
31.68 35 22.64 17.69

LOA: 30 Displacement: 8600
LWL: 24.58 Ballast: 3500
Beam: 10 Engine: IB
Draft: 5 Prop Type: FOLD

Boat Name Schocktail
Boat Type Santana 525
Rating: 189 DW Rating: 691 Certificate Date 1/7/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.5 Symmetric Spin? Yes LOA: 24.58 Displacement: 2400
150 J: 8.75 SL: SSMG: SSF: SPL: LWL: 18.5 Ballast: 950
Rig Type P: 29 26 15.5 15.5 8.75 Beam: 9.33 Engine: OB
FS E: 10 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 26.5 SLE: SLU: ASMG: ASF: Draft: 4.25
ALUMN JSP:

Boat Name Zena
Boat Type North Star 727 Farr
Rating: 192 DW Rating: 714 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 24.4 Symmetric Spin? Yes LOA: 23.1 Displacement: 2700
155 J: 7.8 SL: SSMG: SSF: SPL: LWL: 19.7 Ballast: 900
Rig Type P: 25.7 24.34 14 14 7.8 Beam: 8.3 Engine: OB
FS E: 10.9 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 24.4 SLE: SLU: ASMG: ASF: Draft: 4.6
ALUMN JSP: 0

Boat Name Starlight
Boat Type Catalina 27 TM IB
Rating: 207 DW Rating: Certificate Date 1/6/2026
Displacement used for DW Rating: 6850
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 36 Symmetric Spin? No LOA: 26.83 Displacement: 6850
110 J: 12.2 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 2700
Rig Type P: 29.66 Beam: 8.83 Engine: IB
MS E: 9.66 Asymmetric Spin? No Prop Type: Fixed_2
Mast Material ISP: 34.4 SLE: SLU: ASMG: ASF: Draft: 4.416
ALUMN JSP: 11.25

Boat Name Yemaya
Boat Type Leigh 30
Rating: 210 DW Rating: 721 Certificate Date 1/27/2026
Displacement used for DW Rating: 9100
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 36.5 Symmetric Spin? Yes LOA: 29.67 Displacement: 9100
150 J: 12.33 SL: SSMG: SSF: SPL: LWL: 23.33 Ballast: 4400
Rig Type P: 31.67 Beam: 9.58 Engine: IB
MS E: 12.33 Asymmetric Spin? No Prop Type: Fixed_3
Mast Material ISP: 36.5 SLE: SLU: ASMG: ASF: Draft: 4.58
ALUMN JSP: 12.33

Boat Name Surprise!
Boat Type Ranger 23 TM
Rating: 210 DW Rating: Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
499

Rig Data:

Max Headsail I: 30
155 J: 9.75
Rig Type P: 25.75
MH E: 9.17
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 23
LWL: 20
Beam: 7.92
Draft: 3.75

Displacement: 3400
Ballast: 1500
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Splash!
Boat Type CAL 27-2 IB
Rating: 210 DW Rating: 716 Certificate Date 1/12/2026
Displacement used for DW Rating: 6700
Certified PHRF Data on file?

Sail #
3898

Rig Data:

Max Headsail I: 36
120 J: 12
Rig Type P: 30.833
MS E: 10.25
Mast Material ISP: 36
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35.33 21.6 21.6 12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 26.58
LWL: 22.08
Beam: 9.33
Draft: 4.25

Displacement: 6700
Ballast: 3100
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Will O The Wind
Boat Type Hunter 27 IB
Rating: 210 DW Rating: Certificate Date 1/6/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Sail #
27

Rig Data:

Max Headsail I: 37.55
120 J: 10.85
Rig Type P: 31.9
MS E: 9.4
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 27.1
LWL: 22
Beam: 9.25
Draft: 4.25

Displacement: 7000
Ballast: 3000
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Dura Mater
Boat Type CAL 27-2 IB
Rating: 210 DW Rating: 723 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
616

Rig Data:

Max Headsail I: 36
125 J: 12
Rig Type P: 30.83
MS E: 10.25
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
32.8 18.4 21.1 11.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 26.58
LWL: 22.08
Beam: 9.25
Draft: 4.25

Displacement: 6700
Ballast: 3100
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Yippee!!
Boat Type Ranger 23
Rating: 216 DW Rating: 730 Certificate Date 1/15/2026
Displacement used for DW Rating: 3400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.5 Symmetric Spin? YES LOA: 23 Displacement: 3400
150 J: 9.7 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 1500
Rig Type P: 24 27.6 17.4 17.4 9.7 Beam: 7.9 Engine: OB
MS E: 9.17 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 27.5 SLE: SLU: ASMG: ASF: Draft: 3.75
ALUMN JSP:

Boat Name Evenstar
Boat Type Ranger 23
Rating: 216 DW Rating: 725 Certificate Date 1/8/2026
Displacement used for DW Rating: 3400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.54 Symmetric Spin? Yes LOA: 23.67 Displacement: 3400
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 1500
Rig Type P: 24 27.7 17.46 17.46 9.7 Beam: 7.92 Engine: OB
MS E: 9.2 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 27.5 SLE: SLU: ASMG: ASF: Draft: 3.9
ALUMN JSP: 9.7

Boat Name Tortuga
Boat Type Westsail 32
Rating: 219 DW Rating: 691 Certificate Date 1/12/2026
Displacement used for DW Rating: 19500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 31.2 Symmetric Spin? No LOA: 32 Displacement: 19500
110 J: 18.4 SL: SSMG: SSF: SPL: LWL: 27.6 Ballast: 7000
Rig Type P: 39.7 Beam: 11 Engine: IB
CTR E: 14.5 Asymmetric Spin? No Prop Type: FOLD
Mast Material ISP: SLE: SLU: ASMG: ASF: Draft: 5
ALUMN JSP:

Boat Name Big Mac
Boat Type Westsail 32
Rating: 219 DW Rating: 682 Certificate Date 1/20/2026
Displacement used for DW Rating: 19500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44 Symmetric Spin? No LOA: 32 Displacement: 19500
82 J: 18.3 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 7000
Rig Type P: 38.25 Beam: 11 Engine: IB
CTR E: 15.83 Asymmetric Spin? Yes Prop Type: Feath
Mast Material ISP: 42.42 SLE: SLU: ASMG: ASF: Draft: 5
ALUMN JSP: 18.17 41.04 44.71 13.05 11.28

Boat Name Sparky
Boat Type Catalina 25 FK
Rating: 222 DW Rating: 714 Certificate Date 1/7/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 145 I: 29 J: 10.5 P: 24.66
Rig Type MS
Mast Material ALUMN
Symmetric Spin? Yes
Asymmetric Spin? Yes
LOA: 25 Displacement: 4550
LWL: 22.16 Ballast: 1900
Beam: 8 Engine: OB
Draft: 4 Prop Type: None

Boat Name Little My
Boat Type Laurinkoster L28
Rating: 228 DW Rating: 724 Certificate Date 1/12/2026
Displacement used for DW Rating: 7275
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 100 I: 34.58 J: 9.34 P: 31.67
Rig Type MS
Mast Material WOOD
Symmetric Spin? No
Asymmetric Spin? No
LOA: 27.36 Displacement: 7275
LWL: 24.02 Ballast: 3527
Beam: 8.2 Engine: IB
Draft: 4.43 Prop Type: Fixed_2

Boat Name The Mighty Windsong
Boat Type International Folkboat OB
Rating: 228 DW Rating: 805 Certificate Date 1/15/2026
Displacement used for DW Rating: 10817
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 26 J: 8.3 P: 28.8
Rig Type MS
Mast Material ALUMN
Symmetric Spin? Yes
Asymmetric Spin? No
LOA: 25.75 Displacement: 5000
LWL: 19.75 Ballast: 2750
Beam: 7.5 Engine: OB
Draft: 4 Prop Type: None

Boat Name Pelican
Boat Type Cape Dory 27
Rating: 231 DW Rating: Certificate Date 1/8/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 150 I: 34.42 J: 11 P: 29.75
Rig Type MS
Mast Material ALUMN
Symmetric Spin? No
Asymmetric Spin? No
LOA: 27.08 Displacement: 7500
LWL: 20 Ballast: 3000
Beam: 8.5 Engine: IB
Draft: 4 Prop Type: Fixed_2

Boat Name Ahi **Sail #** 5029
Boat Type Santana 22
Rating: 234 DW Rating: 741 **Certificate Date** 1/20/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file:

Rig Data: Max Headsail 155 I: 26 J: 8.5 P: 21.75 E: 9.833
Rig Type MS
Mast Material ALUMN
Symmetric Spin? Yes
SL: 26 SSMG: 15.44 SSF: 15.44 SPL: 8.583
Asymmetric Spin? No
LOA: 22 Displacement: 2600
LWL: 18.67 Ballast: 1230
Beam: 7.83 Engine: OB
Draft: 3.5 Prop Type: None

Boat Name High and Dry **Sail #** 114
Boat Type Santana 22
Rating: 234 DW Rating: 741 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 2600
Certified PHRF Data on file?
Modifications on file:

Rig Data: Max Headsail 150 I: 26 J: 8.5 P: 21.75 E: 9.83
Rig Type MS
Mast Material ALUMN
Symmetric Spin? Yes
SL: 26 SSMG: 15.44 SSF: 15.44 SPL: 8.58
Asymmetric Spin? No
LOA: 22 Displacement: 2600
LWL: 18.67 Ballast: 1230
Beam: 7.83 Engine: OB
Draft: 3.5 Prop Type: None

Boat Name Three Fisted Rat Boy **Sail #** 440
Boat Type Santana 22
Rating: 237 DW Rating: 740 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?
Modifications on file:

Rig Data: Max Headsail 125 I: 26 J: 8.5 P: 21.75 E: 9.83
Rig Type MS
Mast Material ALUMN
Symmetric Spin? YES
SL: 26 SSMG: 15.44 SSF: 15.44 SPL: 8.58
Asymmetric Spin? No
LOA: 22 Displacement: 2600
LWL: 18.67 Ballast: 1230
Beam: 7.83 Engine: OB
Draft: 3.5 Prop Type: None

Boat Name Irish Rose **Sail #** 0
Boat Type Westsail 28
Rating: 246 DW Rating: 725 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 13500
Certified PHRF Data on file?
Modifications on file:

Rig Data: Max Headsail 150 I: 35.5 J: 17.3 P: 31.5 E: 12.3
Rig Type MS
Mast Material ALUMN
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
LOA: 28.3 Displacement: 13500
LWL: 23.5 Ballast: 4200
Beam: 9.6 Engine: IB
Draft: 4.3 Prop Type: Fixed_3

Boat Name Super Booty II
Boat Type Columbia 22
Rating: 267 DW Rating: 660 Certificate Date 1/16/2026
Displacement used for DW Rating: 2200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	26.58	<i>Symmetric Spin?</i>	Yes	LOA:	22	Displacement:	2200
100	J:	8.38	SL:	SSMG:	SSF:	SPL:	Ballast:	1100
Rig Type	P:	23.5	26.25	13.5	14	8.38	LWL:	21.5
MS	E:	10.25	<i>Asymmetric Spin?</i>			No	Beam:	7.75
Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:	Draft:	3.17
ALUMN	JSP:						Prop Type:	None

Boat Name Slainte
Boat Type Cal 20
Rating: 273 DW Rating: 743 Certificate Date 1/14/2026
Displacement used for DW Rating: 1950
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	22	<i>Symmetric Spin?</i>	Yes	LOA:	20	Displacement:	1950
115	J:	7.33	SL:	SSMG:	SSF:	SPL:	Ballast:	900
Rig Type	P:	23	22	13.2	13.2	7.33	LWL:	18.08
FS	E:	9.833	<i>Asymmetric Spin?</i>			No	Beam:	7
Mast Material	ISP:	22	SLE:	SLU:	ASMG:	ASF:	Draft:	3.33
ALUMN	JSP:	7.33				0	Prop Type:	None

Boat Name Lady Bug
Boat Type Cal 20
Rating: 273 DW Rating: 742 Certificate Date 1/26/2026
Displacement used for DW Rating: 1950
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	22	<i>Symmetric Spin?</i>	Yes	LOA:	20	Displacement:	1950
115	J:	7.33	SL:	SSMG:	SSF:	SPL:	Ballast:	900
Rig Type	P:	23	22	13.2	13.2	7.33	LWL:	18.1
FS	E:	10	<i>Asymmetric Spin?</i>			No	Beam:	7
Mast Material	ISP:	22	SLE:	SLU:	ASMG:	ASF:	Draft:	3.33
ALUMN	JSP:	7.33					Prop Type:	None