

NCPHRF - CURRENT FLEET ROSTER

This Roster lists the boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 1/30/2026

Boat Name 61 **Sail #** 61
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 606 **Certificate Date** 1/15/2026
 Displacement used for DW Rating: 2510
 Certified PHRF Data on file?

Rig Data:

Max Headsail I: 28.5 **Symmetric Spin?** YES **LOA:** 27.25 **Displacement:** 2450
 150 **J:** 9 **SL: SSMG: SSF: SPL:**
Rig Type P: 28.5 28.5 17.75 17.75 9.833 **LWL:** 23.75 **Ballast:** 1100
 FS **E:** 10.416 **Asymmetric Spin?** No **Beam:** 8.17 **Engine:** OB
Mast Material ISP: 28.5 **SLE: SLU: ASMG: ASF:** **Draft:** 4.5 **Prop Type:** None
 ALUMN **JSP:**

Modifications on file:

Boat Name Abigail Morgan **Sail #** 18394
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 606 **Certificate Date** 1/20/2026
 Displacement used for DW Rating: 2510
 Certified PHRF Data on file?

Rig Data:

Max Headsail I: 28.5 **Symmetric Spin?** Yes **LOA:** 27.25 **Displacement:** 2450
 150 **J:** 9 **SL: SSMG: SSF: SPL:**
Rig Type P: 28.5 ##### 17.75 17.4 9.833 **LWL:** 23.75 **Ballast:** 1100
 FS **E:** 10.416 **Asymmetric Spin?** No **Beam:** 8.166 **Engine:** OB
Mast Material ISP: 28.5 **SLE: SLU: ASMG: ASF:** **Draft:** 4.5 **Prop Type:** None
 ALUMN **JSP:**

Modifications on file:

Boat Name About Time **Sail #** 40041
Boat Type X-412
Rating: 66 **DW Rating:** 579 **Certificate Date** 1/15/2026
 Displacement used for DW Rating: 16314
 Certified PHRF Data on file?

Rig Data:

Max Headsail I: 53.84 **Symmetric Spin?** Yes **LOA:** 41 **Displacement:** 16314
 125 **J:** 16.01 **SL: SSMG: SSF: SPL:**
Rig Type P: 47.24 53.36 28.82 28.82 16 **LWL:** 34.2 **Ballast:** 7716
 MS **E:** 15.41 **Asymmetric Spin?** Yes **Beam:** 12.7 **Engine:** IB
Mast Material ISP: 53.84 **SLE: SLU: ASMG: ASF:** **Draft:** 6.9 **Prop Type:** FOLD
 ALUMN **JSP:** 49.6 53.8 25.4 26.9

Modifications on file: Electric Main Halyard winch, roller furler

Boat Name Abracadabra **Sail #** 28927
Boat Type Antrim 27 CM ODR
Rating: 75 DW Rating: 568 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Modifications on file: BOWSPRINT IS ARTICULATING

Rig Data:

Max Headsail I: 28.69 *Symmetric Spin?* No
116 J: 8.17 SL: SSMG: SSF: SPL:
Rig Type P: 33.75
FS E: 14 *Asymmetric Spin?* Yes
Mast Material ISP: 37.25 SLE: SLU: ASMG: ASF:
CARBON JSP: 15 38 44.2 20.1 25.1

LOA: 27.73 Displacement: 2900
LWL: 23.75 Ballast: 1050
Beam: 9.25 Engine: OB
Draft: 6 Prop Type: None

Boat Name Acey Deucy **Sail #** 97659
Boat Type J 44
Rating: 21 DW Rating: 562 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 23350
Certified PHRF Data on file?

Modifications on file: Electric Winches

Rig Data:

Max Headsail I: 60.606 *Symmetric Spin?* Yes
155 J: 17.08 SL: SSMG: SSF: SPL:
Rig Type P: 53.51 59.8 30.8 30.8 #####
MS E: 19.41 *Asymmetric Spin?* Yes
Mast Material ISP: 60.416 SLE: SLU: ASMG: ASF:
ALUMN JSP: 55.9 63.8 27.8 27

LOA: 44.83 Displacement: 22770
LWL: 38.58 Ballast: 9000
Beam: 13.67 Engine: IB
Draft: 8.14 Prop Type: FOLD

Boat Name Ad Lib **Sail #** 8161
Boat Type Aphrodite 101
Rating: 144 DW Rating: 650 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 7490
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36.83 *Symmetric Spin?* Yes
100 J: 11.81 SL: SSMG: SSF: SPL:
Rig Type P: 39.33 35.6 21.3 19.6 11.9
FS E: 11.48 *Asymmetric Spin?* No
Mast Material ISP: 32.23 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 32.75 Displacement: 6160
LWL: 26.33 Ballast: 3527
Beam: 7.92 Engine: IB
Draft: 5.42 Prop Type: FOLD

Boat Name Advantage 3 **Sail #** 84
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6 *Symmetric Spin?* No
100 J: 13.5 SL: SSMG: SSF: SPL:
Rig Type P: 41.5
FS E: 14.5 *Asymmetric Spin?* Yes
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF:
ALUMN JSP: 19.07 38.6 49 26.4 25.5

LOA: 34.5 Displacement: 7750
LWL: 29.5 Ballast: 3400
Beam: 11 Engine: IB
Draft: 6.5 Prop Type: FOLD

Boat Name Aegea
Boat Type Sabre 38-2
Rating: 114 DW Rating: 623 Certificate Date 1/6/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 49.75 Symmetric Spin? No LOA: 38.67 Displacement: 16900
130 J: 14.5 SL: SSMG: SSF: SPL: LWL: 31.42 Ballast: 6600
Rig Type P: 43.5
MS E: 15.06 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 49.75 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 14.5 Draft: 6.5

Boat Name Aerie
Boat Type CS 36
Rating: 123 DW Rating: 641 Certificate Date 1/27/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 49 Symmetric Spin? Yes LOA: 36.5 Displacement: 15500
155 J: 15 SL: SSMG: SSF: SPL: LWL: 29.25 Ballast: 6500
Rig Type P: 42.75 48.65 25.5 25.5 15 Engine: IB
MS E: 12.75 Asymmetric Spin? No Prop Type: Fold
Mast Material ISP: 49 SLE: SLU: ASMG: ASF: Draft: 6.25
ALUMN JSP:

Boat Name Ahi
Boat Type Santana 22
Rating: 234 DW Rating: 741 Certificate Date 1/20/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 26 Symmetric Spin? Yes LOA: 22 Displacement: 2600
155 J: 8.5 SL: SSMG: SSF: SPL: LWL: 18.67 Ballast: 1230
Rig Type P: 21.75 26 15.44 15.44 8.583 Engine: OB
MS E: 9.833 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 26 SLE: SLU: ASMG: ASF: Draft: 3.5
ALUMN JSP:

Boat Name Akumu
Boat Type B-25 ODR
Rating: 138 DW Rating: 597 Certificate Date 1/7/2026
Displacement used for DW Rating: 2000
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 28 Symmetric Spin? YES LOA: 25 Displacement: 2000
125 J: 8.5 SL: SSMG: SSF: SPL: LWL: 21.25 Ballast: 800
Rig Type P: 28 37.66 17.1 16.75 9.83 Engine: OB
MS E: 11 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 32 SLE: SLU: ASMG: ASF: Draft: 5
ALUMN JSP:

Boat Name Akyaa **Sail #** 163
Boat Type Hobie 33 ODR
Rating: 87 **DW Rating:** 543 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Modifications on file: (mtg 8/19/10, -3 sec/mi for sprit)

Rig Data:
Max Headsail I: 33.6 *Symmetric Spin?* Yes LOA: 37 Displacement: 4260
90 J: 12.4 SL: SSMG: SSF: SPL: LWL: 30.83 Ballast: 1800
Rig Type P: 35.3 36 23 23 13.12
MS E: 12.5 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 36.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 16.2 Draft: 5.5

Boat Name Ala Moana **Sail #** 104
Boat Type Beneteau First 30
Rating: 99 **DW Rating:** 616 **Certificate Date** 1/16/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 41.66 *Symmetric Spin?* No LOA: 31.7 Displacement: 8267
120 J: 13.78 SL: SSMG: SSF: SPL: LWL: 27.6 Ballast: 2403
Rig Type P: 40.3
FS E: 14.25 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 42.16 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 15.78 43.7 48.6 26.9 28.82 Draft: 6.25

Boat Name Alchera **Sail #** 28870
Boat Type J 120 Mod
Rating: 51 **DW Rating:** 559 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Modifications on file: Modifications for offshore singlehanded: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +3 sec/mi for small spinnaker, + 3 sec/mi for small headsail)

Rig Data:
Max Headsail I: 50.5 *Symmetric Spin?* No LOA: 40 Displacement: 13900
125 J: 14.5 SL: SSMG: SSF: SPL: LWL: 35 Ballast: 6000
Rig Type P: 46.5
FS E: 17.57 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 52 SLE: SLU: ASMG: ASF: Prop Type: FOLD
CARBON JSP: 21.55 49.99 57.96 30.6 34 Draft: 7

Boat Name Allegro Non Troppo **Sail #** 188
Boat Type Alerion Express 28 ODR
Rating: 168 **DW Rating:** 695 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30 *Symmetric Spin?* Yes LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33 29.75 17.5 17.5 9.75
FS E: 12.5 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 9.75 0 Draft: 4.5

Boat Name Anna Lu
Boat Type Merit 25
Rating: 168 DW Rating: 696 Certificate Date 1/7/2026
Displacement used for DW Rating: 3286
Certified PHRF Data on file?

Sail #
529

Rig Data:

Max Headsail I: 28.75
150 J: 9.66
Rig Type P: 28
FS E: 9.75
Mast Material ISP: 28.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.8 17.38 17.38 9.66
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 24.5
LWL: 20.5
Beam: 8
Draft: 3.98

Displacement: 3000
Ballast: 1050
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Another Girl
Boat Type Alerion Express 38-2
Rating: 90 DW Rating: 613 Certificate Date 1/22/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
20

Rig Data:

Max Headsail I: 42.98
90 J: 12.99
Rig Type P: 47.5
MS E: 18.25
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 38.3
LWL: 30.1
Beam: 10.3
Draft: 5.92

Displacement: 13000
Ballast: 5000
Engine: IB
Prop Type: Feath

Modifications on file: (mtg 4/28/11, Custom rating of 90 assigned. Custom rating includes penalty for powered sheet winches)

Boat Name Arcadia
Boat Type Custom Nash 28.5
Rating: 123 DW Rating: 596 Certificate Date 1/22/2026
Displacement used for DW Rating: 4327
Certified PHRF Data on file?

Sail #
3113

Rig Data:

Max Headsail I: 33
125 J: 10
Rig Type P: 32.5
FS E: 13
Mast Material ISP: 34
ALUMN JSP: 11

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
34.908 38.8 24.606 24.606

LOA: 28.5
LWL: 25.5
Beam: 9
Draft: 6.5

Displacement: 4327
Ballast: 1200
Engine: IB
Prop Type: FOLD

Modifications on file: (Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)
3

Boat Name Arsenal
Boat Type J 125
Rating: -12 DW Rating: 477 Certificate Date 1/7/2026
Displacement used for DW Rating: 9694
Certified PHRF Data on file?

Sail #
52125

Rig Data:

Max Headsail I: 48.622
125 J: 20.105
Rig Type P: 46.75
FS E: 17.979
Mast Material ISP: 52
CARBON JSP: 23.4

Symmetric Spin? No
SL: SSMG: SSF: SPL:
23.4
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
52.133 60.04 38.386 39.37

LOA: 41
LWL: 37
Beam: 10.6
Draft: 7.9

Displacement: 9350
Ballast: 4646
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name **Astra** **Sail #** 407
Boat Type Farr 400 ODR
Rating: -18 **DW Rating:** 480 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 8642
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 51.18
100 J: 14.6
Rig Type P: 52.98
FS E: 19.03
Mast Material ISP: 58.53
CARBON JSP: 22.38

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
55.38 66.4 38.46 37.5

LOA: 38.71 **Displacement:** 8642
LWL: 36.42 **Ballast:** 4806
Beam: 11.22 **Engine:** IB
Draft: 9.51 **Prop Type:** Feath

Boat Name **Bacchanal** **Sail #** 1180
Boat Type JPK 1180
Rating: 39 **DW Rating:** 554 **Certificate Date** 1/28/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: Powered Winches

Rig Data:

Max Headsail I: 51.54
95 J: 13.37
Rig Type P: 50.85
FS E: 18.41
Mast Material ISP: 57.28
CARBON JSP: 21.28

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
54.49 63.88 33.73 34.32

LOA: 38.68 **Displacement:** 13902
LWL: 34.35 **Ballast:**
Beam: 12.93 **Engine:** IB
Draft: 7.67 **Prop Type:** Fold

Boat Name **Bad Hare Day** **Sail #** 35
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 **DW Rating:** 594 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 20.75
150 J: 6.5
Rig Type P: 23.75
FS E: 10
Mast Material ISP: 20.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
21.6 14 14 8.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75 **Displacement:** 975
LWL: 20 **Ballast:** 440
Beam: 5.583 **Engine:** OB
Draft: 3.5 **Prop Type:** None

Boat Name **Bald Eagle** **Sail #** 347
Boat Type J 105 ODR w/ 5'BS
Rating: 78 **DW Rating:** 592 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.6 49 26.4 25.5

LOA: 34.5 **Displacement:** 7750
LWL: 29.5 **Ballast:** 3400
Beam: 11 **Engine:** IB
Draft: 6.5 **Prop Type:** FOLD

Boat Name Baleineau
Boat Type Ericson 34 Olson SM
Rating: 105 DW Rating: 638 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
42147

Rig Data:

Max Headsail I: 44
155 J: 13
Rig Type P: 38.8
MS E: 13
Mast Material ISP: 44
ALUMN JSP: 44

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
43.5 23.25 23.25 12.96
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 34
LWL: 28
Beam: 10.83
Draft: 6

Displacement: 10600
Ballast: 3650
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Bandit
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/22/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
118

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Basic Instinct
Boat Type Custom Elliott 10.50
Rating: 75 DW Rating: 580 Certificate Date 1/7/2026
Displacement used for DW Rating: 10220
Certified PHRF Data on file?

Sail #
8123

Rig Data:

Max Headsail I: 41
125 J: 12.5
Rig Type P: 44.2
FS E: 17.5
Mast Material ISP: 45.6
ALUMN JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
45.6 27 27 15
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41.25 49 27.35 27

LOA: 34.42
LWL: 31.83
Beam: 12.08
Draft: 7

Displacement: 10220
Ballast: 3000
Engine: IB
Prop Type: FOLD

Modifications on file: (mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from -6 sec/mi to -3 sec/mi, change rating from 63 to 66)(10/26/09, removed Asymmetric Spinnaker, change rating from 66 to 69)(Mtg 10/27/16, +3 sec/mi for non articulating sprit/no spl)(05/02/19, added spl back, remove +3 sec/mi credit)(Mtg 5/20/19, +3 sec/mi for 10% reduction in MSA)

Boat Name Bazinga
Boat Type Hobie 33 ODR
Rating: 87 DW Rating: 552 Certificate Date 1/15/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Sail #
7262

Rig Data:

Max Headsail I: 33.8
135 J: 12.4
Rig Type P: 35
FS E: 12.6
Mast Material ISP: 36.26
ALUMN JSP: 13

Symmetric Spin? No
SL: SSMG: SSF: SPL:
36.42 23.03 23 #####
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
34 38.8 23.2 23.2

LOA: 33
LWL: 30.5
Beam: 8
Draft: 5.5

Displacement: 4000
Ballast: 1800
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Bella **Sail #** 21
Boat Type Eagle 44 SD
Rating: 84 **DW Rating:** 601 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 11188
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 40.68
105 J: 13.81
Rig Type P: 46.4
FS E: 15.3
Mast Material ISP: 41
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 43.9
LWL: 29.1
Beam: 9.1
Draft: 4.5

Displacement: 11188
Ballast: 4188
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 5/20/24, -3 sec/mi for electric reel mainsheet winch)

Boat Name Bella **Sail #** 45
Boat Type Alerion Express Sport 33
Rating: 120 **DW Rating:** 648 **Certificate Date** 1/7/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 33.73
100 J: 11.39
Rig Type P: 38.17
FS E: 16
Mast Material ISP: 37.89
CARBON JSP: 12.96

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
31.7 34.1 20.8 21.2

LOA: 33
LWL: 26.3
Beam: 9.3
Draft: 5

Displacement: 8000
Ballast: 3300
Engine: IB
Prop Type: Fold

Modifications on file: Powered Winches

Boat Name Bella Luna **Sail #** 6697
Boat Type Islander 36 ODR
Rating: 147 **DW Rating:** 660 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 45
135 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.083
LWL: 28.25
Beam: 11.17
Draft: 6.083

Displacement: 13450
Ballast: 5820
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Bella Mia **Sail #** 61979
Boat Type Jeanneau Sun Odyssey 349 SD
Rating: 153 **DW Rating:** 632 **Certificate Date** 1/27/2026
Displacement used for DW Rating: 11795
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 43.57
110 J: 12.37
Rig Type P: 40.68
FS E: 13.62
Mast Material ISP: 44.8
ALUMN JSP: 14.88

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45 45 18 24

LOA: 33.92
LWL: 30.84
Beam: 11.29
Draft: 4.89

Displacement: 11795
Ballast: 3483
Engine: IB
Prop Type: Fixed_3

Modifications on file:

Boat Name Bewitched
Boat Type Merit 25
Rating: 168 DW Rating: 695 Certificate Date 1/9/2026
Displacement used for DW Rating: 3286
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 28.75 J: 9.66 P: 28 E: 9.75
Rig Type FS
Mast Material ALUMN
Symmetric Spin? Yes
Asymmetric Spin? No
LOA: 24.5
LWL: 20.5
Beam: 8
Draft: 4
Displacement: 3000
Ballast: 1050
Engine: OB
Prop Type: None

Boat Name Big Mac
Boat Type Westsail 32
Rating: 219 DW Rating: 682 Certificate Date 1/20/2026
Displacement used for DW Rating: 19500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 82 I: 44 J: 18.3 P: 38.25 E: 15.83
Rig Type CTR
Mast Material ALUMN
Symmetric Spin? No
Asymmetric Spin? Yes
LOA: 32
LWL: 27.5
Beam: 11
Draft: 5
Displacement: 19500
Ballast: 7000
Engine: IB
Prop Type: Feath

Boat Name Blue Martini
Boat Type Olson 911S
Rating: 126 DW Rating: 652 Certificate Date 1/6/2026
Displacement used for DW Rating: 7200
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 41.5 J: 12.33 P: 35.5 E: 11.83
Rig Type MS
Mast Material ALUMN
Symmetric Spin? Yes
Asymmetric Spin? NO
LOA: 29.91
LWL: 25
Beam: 10.33
Draft: 5.42
Displacement: 7200
Ballast: 3200
Engine: IB
Prop Type: Fold

Boat Name Blue Thing
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/16/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 28.5 J: 9 P: 28.5 E: 10.416
Rig Type FS
Mast Material ALUMN
Symmetric Spin? Yes
Asymmetric Spin? No
LOA: 27.25
LWL: 23.75
Beam: 8.166
Draft: 4.5
Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Bluebird **Sail #** 137
Boat Type Moore 24
Rating: 150 **DW Rating:** 629 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* NO Beam: 7.16 Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.08

Boat Name Bodacious + **Sail #** 48005
Boat Type 1D 48
Rating: -12 **DW Rating:** 505 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 17334
Certified PHRF Data on file?

Modifications on file: Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11, switched to J length SPL, switched to smaller symmetric & asymeric spinnaker, +9 sec/mi, change custom rating from -24 to -15)(Mtg 9/22/11, removed asymmetrical spinnakers, +3 sec./mi. Change custom rating from -15 to -12)(1/24/13, New rudder noted, NCTR)(Mtg 8/28/14, -3 sec/mi for 10% increase in symmetrical spinnaker area)(5/28/20, switched to 125% headsail, +3 sec/mi. Change custom rating from -15 to -12)

Rig Data:
Max Headsail I: 57.7 *Symmetric Spin?* Yes LOA: 48.3 Displacement: 19743
125 J: 16.7 SL: SSMG: SSF: SPL: LWL: 40.2 Ballast: 8818
Rig Type P: 61.3 66.7 33.1 32.6 16.7
FS E: 22.5 *Asymmetric Spin?* Yes Beam: 14.2 Engine: IB
Mast Material ISP: 68.3 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 16.7 65.7 67.7 30.1 30.1 Draft: 10.1

Boat Name Bombora **Sail #** 38047
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 632 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 2977
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.8 Ballast: 1100
Rig Type P: 28.5 28.5 17.7 17.7 9.83
FS E: 10.42 *Asymmetric Spin?* Yes Beam: 8.17 Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 26.97 31 14.67 16.73 Draft: 4.5

Boat Name Breakaway **Sail #** 180
Boat Type Ultimate 20 CM
Rating: 144 **DW Rating:** 631 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.08 *Symmetric Spin?* No LOA: 20.83 Displacement: 1350
114 J: 6.97 SL: SSMG: SSF: SPL: LWL: 18 Ballast: 450
Rig Type P: 27.33 0 0
FS E: 10.17 *Asymmetric Spin?* Yes Beam: 8.33 Engine: OB
Mast Material ISP: 27.58 SLE: SLU: ASMG: ASF: Prop Type: Fixed_3
CARBON JSP: 12.79 28.417 30.42 17.7 19.167 Draft: 5

Boat Name Bunnacula
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 590 Certificate Date 1/12/2026
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Sail #
17

Rig Data:

Max Headsail I: 20.5
150 J: 6.5
Rig Type P: 23.75
FS E: 10
Mast Material ISP: 20.5
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
22 13.9 13.7 8.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 20
Beam: 5.58
Draft: 3.5

Displacement: 975
Ballast: 440
Engine: OB
Prop Type: None

Modifications on file: Hiking straps and single trapeze

Boat Name Butcher
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 1/7/2026
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Sail #
32

Rig Data:

Max Headsail I: 38.67
100 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name C cubed
Boat Type Wyliecat 60
Rating: -39 DW Rating: 465 Certificate Date 1/27/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
38136

Rig Data:

Max Headsail I:
Rig Type P: 68.5
CAT E: 33.75
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 60
LWL: 53.33
Beam: 11.92
Draft: 11

Displacement: 16480
Ballast: 8841
Engine: IB
Prop Type: Fixed_2

Modifications on file: (mtg 11/30/21, Custom rating of -81 assigned)(Mtg 1/26/26, custom rating changed from -81 to -39 after review of rating appeal)

Boat Name Calypso
Boat Type J 92
Rating: 108 DW Rating: 605 Certificate Date 1/20/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Sail #
89

Rig Data:

Max Headsail I: 37
105 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 38.5
ALUMN JSP: 17

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41 45.2 24 26

LOA: 30
LWL: 26.5
Beam: 10
Draft: 5.9

Displacement: 5500
Ballast: 2275
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Carmelita **Sail #** 131
Boat Type Catalina 42-1/2
Rating: 105 DW Rating: 602 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 25500
Certified PHRF Data on file?
Modifications on file: Electric Winches

Rig Data:
Max Headsail I: 53 *Symmetric Spin?* Yes LOA: 41.83 Displacement: 22000
125 J: 16.42 SL: SSMG: SSF: SPL: LWL: 36 Ballast: 8300
Rig Type P: 46.75 49 29.55 29.55 16.42 Beam: 13.83 Engine: IB
MS E: 15.5 *Asymmetric Spin?* Yes Prop Type: FEATH
Mast Material ISP: 53 SLE: SLU: ASMG: ASF: Draft: 6.66
ALUMN JSP: 47.34 56.75 29.69 25.59

Boat Name Cascade **Sail #** 13
Boat Type Antrim 27 CM ODR
Rating: 75 DW Rating: 561 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 2931
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 28.69 *Symmetric Spin?* No LOA: 27.73 Displacement: 2900
116 J: 8.17 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1050
Rig Type P: 33.75 Beam: 9.25 Engine: OB
FS E: 14 *Asymmetric Spin?* Yes Prop Type: None
Mast Material ISP: 37.25 SLE: SLU: ASMG: ASF: Draft: 6
CARBON JSP: 15 38 44.2 20.1 23

Boat Name Chance **Sail #** 28484
Boat Type J 120 ALUM
Rating: 48 DW Rating: 550 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 15000
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 50.5 *Symmetric Spin?* No LOA: 40 Displacement: 13900
100 J: 14.5 SL: SSMG: SSF: SPL: LWL: 35 Ballast: 6000
Rig Type P: 46.3 Beam: 12 Engine: IB
FS E: 17.8 *Asymmetric Spin?* Yes Prop Type: FOLD
Mast Material ISP: 52 SLE: SLU: ASMG: ASF: Draft: 7
ALUMN JSP: 21.5 50.6 64.1 37.65 34.1

Boat Name Charisma **Sail #** 0
Boat Type Hunter 35 Legend WK
Rating: 138 DW Rating: 634 **Certificate Date** 1/26/2026
Displacement used for DW Rating: 12000
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 42 *Symmetric Spin?* No LOA: 35.58 Displacement: 12000
135 J: 12.17 SL: SSMG: SSF: SPL: LWL: 29.75 Ballast: 4600
Rig Type P: 44.08 Beam: 11.75 Engine: IB
MS E: 14.25 *Asymmetric Spin?* No Prop Type: Fixed_2
Mast Material ISP: SLE: SLU: ASMG: ASF: Draft: 4.5
ALUMN JSP:

Boat Name Checkered Past
Boat Type Custom Wyliecat 39
Rating: 102 DW Rating: 597 Certificate Date 12/16/2025
Displacement used for DW Rating: 12000
Certified PHRF Data on file?

Sail #
3

Rig Data:

Max Headsail I:
J:
P: 52
Rig Type CAT
E: 26.6
Mast Material
CARBON
ISP:
JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.83
LWL: 32
Beam: 11.5
Draft: 6.6

Displacement: 12000
Ballast: 6200
Engine: IB
Prop Type: FOLD

Modifications on file: Boat has been modified for handicapped sailing

Boat Name Chesapeake III
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 705 Certificate Date 1/7/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Sail #
142

Rig Data:

Max Headsail I: 30
J: 9.75
P: 33
Rig Type FS
E: 12.5
Mast Material
ALUMN
ISP: 30
JSP: 9.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Chinook
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 593 Certificate Date 1/15/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Sail #
639

Rig Data:

Max Headsail I: 40.6
J: 13.5
P: 41.5
Rig Type FS
E: 14.5
Mast Material
ALUMN
ISP: 42.1
JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.05 24.6 26

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Circe
Boat Type Freedom 40/40
Rating: 81 DW Rating: 604 Certificate Date 1/8/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
20

Rig Data:

Max Headsail I: 47.74
J: 12.89
P: 51.28
Rig Type FS
E: 18.85
Mast Material
CARBON
ISP: 48.24
JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
46.92 27.72 27.72 14.17
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 40.4
LWL: 35.1
Beam: 13.5
Draft: 6.9

Displacement: 23213
Ballast: 9700
Engine: IB
Prop Type: Feath

Modifications on file: (Mtg 1/20/20, - 3 sec/mi for OSP, -6 sec/mi for oversized spinnaker area)

Boat Name Citlali
Boat Type Olson 25
Rating: 159 DW Rating: 673 Certificate Date 1/7/2026
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 32 Symmetric Spin? Yes LOA: 25 Displacement: 3300
155 J: 9.583 SL: SSMG: SSF: SPL: LWL: 21.25 Ballast: 1300
Rig Type P: 28 32 17.28 17.24 9.583
MS E: 10 Asymmetric Spin? No Engine: OB
Mast Material ISP: 32 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Color Blind
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/15/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.25 Symmetric Spin? Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 Asymmetric Spin? No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.083

Boat Name Crazy Rhythm
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 618 Certificate Date 1/12/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Modifications on file: (Outboard Removed)

Rig Data:
Max Headsail I: 32.58 Symmetric Spin? Yes LOA: 27 Displacement: 3200
150 J: 10.75 SL: SSMG: SSF: SPL: LWL: 24 Ballast: 1600
Rig Type P: 28.166 32.74 19.4 19.4 10.75
MS E: 8.583 Asymmetric Spin? No Engine: OB
Mast Material ISP: 32.58 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Crinan II
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 647 Certificate Date 1/15/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Modifications on file: (Mtg 1/21/19, -3 sec/mi for square top mainsail)

Rig Data:
Max Headsail I: Symmetric Spin? No LOA: 30.5 Displacement: 5500
J: SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3050
Rig Type P: 39
CATBOAT E: 20 Asymmetric Spin? No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: FOLD
CARBON JSP: Draft: 5.25

Boat Name CruzSea Baby
Boat Type Beneteau First 10R ODR
Rating: 78 DW Rating: 612 Certificate Date 1/14/2026
Displacement used for DW Rating: 9908
Certified PHRF Data on file?

Sail #
52878

Rig Data:

Max Headsail I: 43.2
155 J: 12.07
Rig Type P: 42.25
FS E: 14.73
Mast Material ISP: 46.41
CARBON JSP: 16.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
48.03 52.16 27.95 28.93

LOA: 32.75
LWL: 28.7
Beam: 11
Draft: 6.55

Displacement: 9715
Ballast: 3528
Engine: IB
Prop Type: Fold

Modifications on file: (Rudder Modifications noted)

Boat Name Curie
Boat Type Beneteau 32S5
Rating: 138 DW Rating: 657 Certificate Date 1/20/2026
Displacement used for DW Rating: 9260
Certified PHRF Data on file?

Sail #
52868

Rig Data:

Max Headsail I: 38.39
150 J: 9.68
Rig Type P: 38.88
FS E: 13.78
Mast Material ISP: 38.39
ALUMN JSP: 9.68

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.98 17.3 17.3 9.6
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
32.75 35.75 18.4 17.3

LOA: 32.6
LWL: 27.83
Beam: 10.83
Draft: 6

Displacement: 9260
Ballast: 2980
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Current Affair
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/6/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
56

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Dancer
Boat Type Tiffany Jayne 34
Rating: 132 DW Rating: 647 Certificate Date 1/8/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Sail #
18216

Rig Data:

Max Headsail I: 34.75
135 J: 11.416
Rig Type P: 36.583
FS E: 14.166
Mast Material ISP: 34.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
34.75 19.92 19.92 #####
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 34
LWL: 25
Beam: 8
Draft: 5.5

Displacement: 7000
Ballast: 3010
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Dark Horse **Sail #** 101
Boat Type Olson 30 OB
Rating: 99 DW Rating: 584 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?
Modifications on file: (Mtg 4/25/18, New Rudder, NCTR)

Rig Data:
Max Headsail I: 36 *Symmetric Spin?* Yes LOA: 30 Displacement: 3600
155 J: 11.75 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1800
Rig Type P: 31.5 36 21.16 21.16 11.75
MS E: 10.75 *Asymmetric Spin?* Yes Beam: 9.33 Engine: OB
Mast Material ISP: 35.9 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 11.67 32.18 36.45 17.45 19.97 Draft: 5.08

Boat Name Dazzler **Sail #** 38349
Boat Type Wyliecat 30 OB
Rating: 123 DW Rating: 647 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?
Modifications on file: (Mtg 8/23/21, -3 sec/mi for square top mainsail)

Rig Data:
Max Headsail I: *Symmetric Spin?* No LOA: 30.5 Displacement: 5500
0 J: SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3050
Rig Type P: 39
CAT E: 20 *Asymmetric Spin?* No Beam: 9.5 Engine: OB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: Draft: 5.25

Boat Name Defiant **Sail #** 327
Boat Type J 70 ODR
Rating: 114 DW Rating: 611 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 1750
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 26.77 *Symmetric Spin?* No LOA: 22.78 Displacement: 1750
100 J: 7.68 SL: SSMG: SSF: SPL: LWL: 20.47 Ballast: 630
Rig Type P: 26.16
FS E: 9.44 *Asymmetric Spin?* Yes Beam: 7.38 Engine: OB
Mast Material ISP: 30.15 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 13.5 28.87 35.43 18.24 18.7 Draft: 4.92

Boat Name Diana **Sail #** 190
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 701 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 30 *Symmetric Spin?* No LOA: 28.2 Displacement: 5700
95 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.8 Ballast: 2200
Rig Type P: 33
FS E: 12.5 *Asymmetric Spin?* No Beam: 8.2 Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 4.5

Boat Name Dianne
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 28.5 J: 9 P: 28.5 E: 10.416
Rig Type FS
Mast Material ALUMN
Symmetric Spin? Yes
SL: 29 SSMG: 17.75 SSF: 17.75 SPL: 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 27.25 Displacement: 2450
LWL: 23.75 Ballast: 1100
Beam: 8.17 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Dragonsong
Boat Type Olson 30 OB
Rating: 99 DW Rating: 583 Certificate Date 1/12/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 36 J: 11.75 P: 31.5 E: 10.75
Rig Type MS
Mast Material ALUMN
Symmetric Spin? Yes
SL: 36 SSMG: 21.15 SSF: 21.15 SPL: 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 30 Displacement: 3600
LWL: 27.5 Ballast: 1800
Beam: 9.33 Engine: OB
Draft: 5.08 Prop Type: None

Boat Name Dream Catcher
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 Certificate Date 1/6/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 150 I: 26.25 J: 9.5 P: 28 E: 9.75
Rig Type FS
Mast Material ALUMN
Symmetric Spin? Yes
SL: 26.5 SSMG: 17 SSF: 16.8 SPL: 9.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 24 Displacement: 3100
LWL: 20 Ballast: 950
Beam: 8.92 Engine: OB
Draft: 4 Prop Type: None

Boat Name Duende
Boat Type Cal 40
Rating: 114 DW Rating: 638 Certificate Date 1/22/2026
Displacement used for DW Rating: 15239
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 46 J: 15.2 P: 40 E: 17.5
Rig Type MS
Mast Material ALUMN
Symmetric Spin? Yes
SL: 46 SSMG: 27 SSF: 27 SPL: 15.2
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 39.33 Displacement: 16000
LWL: 30 Ballast: 6000
Beam: 11 Engine: IB
Draft: 5.5 Prop Type: Fold

Boat Name Dulcinea
Boat Type Catalina 38
Rating: 120 DW Rating: 635 Certificate Date 1/15/2026
Displacement used for DW Rating: 16813
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 49.83
135 J: 15.5
Rig Type P: 44
MS E: 11.5
Mast Material ISP: 49.8
ALUMN JSP: 15.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
49.84 27.9 27.9 15
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.17 Displacement: 15900
LWL: 30.25 Ballast: 6850
Beam: 11.83 Engine: IB
Draft: 6.75 Prop Type: Fixed_2

Boat Name Dura Mater
Boat Type CAL 27-2 IB
Rating: 210 DW Rating: 723 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36
125 J: 12
Rig Type P: 30.83
MS E: 10.25
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
32.8 18.4 21.1 11.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 26.58 Displacement: 6700
LWL: 22.08 Ballast: 3100
Beam: 9.25 Engine: IB
Draft: 4.25 Prop Type: Fixed_2

Boat Name Eagle
Boat Type Express 37
Rating: 75 DW Rating: 587 Certificate Date 1/9/2026
Displacement used for DW Rating: 10207
Certified PHRF Data on file?

Modifications on file: Roller Furler

Rig Data:

Max Headsail I: 48.75
100 J: 14.33
Rig Type P: 42
MS E: 13.75
Mast Material ISP: 48.75
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
48 25.79 25.79 14.33
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 37.08 Displacement: 11000
LWL: 30.83 Ballast: 4500
Beam: 11.57 Engine: IB
Draft: 7.25 Prop Type: Feath

Boat Name Eagles Wing
Boat Type Catalina 30
Rating: 186 DW Rating: 695 Certificate Date 1/28/2026
Displacement used for DW Rating: 10200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41
110 J: 11.416
Rig Type P: 35
MS E: 11.5
Mast Material ISP: 41
ALUMN JSP: 13

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
11 10.5 15 6.15

LOA: 29.916 Displacement: 10200
LWL: 25 Ballast: 4200
Beam: 10.83 Engine: IB
Draft: 5.25 Prop Type: Fixed_2

Boat Name Eight Ball
Boat Type J 100 ODR
Rating: 78 DW Rating: 589 Certificate Date 1/20/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Sail #
8

Rig Data:

Max Headsail I: 38.5
95 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 43
CARBON JSP: 15.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40 48.39 22.58 22.56

LOA: 32 Displacement: 7250
LWL: 29 Ballast: 2450
Beam: 9.25 Engine: IB
Draft: 5.75 Prop Type: Fold

Modifications on file: (Boat does not comply with RRS 52)(Mtg 8/24/20, -6 sec/mi for powered captive winches)(Mtg 1/24/22, -6 sec/mi for increased I & J, +3 sec/mi for reduced spinnaker area)(8/3/22, switched back to class I & J, +6 sec/mi)(mtg 10/23/25, updated electronics penalty -9 sec/mi [covers all electronics on board], still has a +3 sec/mi credit for spinnakers)

Boat Name Elan
Boat Type Express 37
Rating: 72 DW Rating: 591 Certificate Date 1/7/2026
Displacement used for DW Rating: 10539
Certified PHRF Data on file?

Sail #
87700

Rig Data:

Max Headsail I: 48.75
155 J: 14.33
Rig Type P: 42
MS E: 13.75
Mast Material ISP: 48.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.79 25.79 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.083 Displacement: 11000
LWL: 30.833 Ballast: 4500
Beam: 11.57 Engine: IB
Draft: 7.25 Prop Type: FOLD

Modifications on file:

Boat Name Elise
Boat Type C&C 40-2 TM
Rating: 90 DW Rating: 604 Certificate Date 1/12/2026
Displacement used for DW Rating: 17100
Certified PHRF Data on file?

Sail #
518

Rig Data:

Max Headsail I: 53
150 J: 16.6
Rig Type P: 46.7
MS E: 13.3
Mast Material ISP: 55
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
53.5 29.8 29.8 16.6
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 39.58 Displacement: 17100
LWL: 31.5 Ballast: 7910
Beam: 12.67 Engine: IB
Draft: 7 Prop Type: Fold

Modifications on file:

Boat Name Enamored
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/15/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
19

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP: 9.75

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
26.6 17.5 17.5 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75 Displacement: 2050
LWL: 21.75 Ballast: 1025
Beam: 7.16 Engine: OB
Draft: 4.08 Prop Type: None

Modifications on file:

Boat Name Expeditious	Sail # 18478	Max Headsail 155	I: 48.75	Symmetric Spin? Yes	LOA: 37.08	Displacement: 11000
Boat Type Express 37			J: 14.33	SL: SSMG: SSF: SPL:	LWL: 30.83	Ballast: 4500
Rating: 72 DW Rating: 587 Certificate Date 1/22/2026		Rig Type MS	P: 42	48 25.5 25.4 14.33	Beam: 11.57	Engine: IB
Displacement used for DW Rating: 10207		Mast Material ALUMN	E: 13.75	Asymmetric Spin? No	Draft: 7.25	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 48.75	SLE: SLU: ASMG: ASF:		
			JSP:			
Modifications on file: INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.						

Boat Name eXpresso	Sail # 60874	Max Headsail 125	I: 59.46	Symmetric Spin? No	LOA: 43.6	Displacement: 21738
Boat Type XP-44			J: 16.3	SL: SSMG: SSF: SPL:	LWL: 39	Ballast: 8488
Rating: 18 DW Rating: 545 Certificate Date 1/16/2026		Rig Type FS	P: 57.74		Beam: 13.35	Engine: IB
Displacement used for DW Rating: 21738		Mast Material CARBON	E: 18.7	Asymmetric Spin? Yes	Draft: 8.86	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 64.86	SLE: SLU: ASMG: ASF:		
			JSP: 20.4	61.35 71.52 37.73 35.83		
Modifications on file: Extended sprit, deep rudder, hydraulic backstay						

Boat Name Fatuity	Sail # 48	Max Headsail 150	I: 26.25	Symmetric Spin? Yes	LOA: 23.75	Displacement: 2050
Boat Type Moore 24			J: 9.75	SL: SSMG: SSF: SPL:	LWL: 21.75	Ballast: 1025
Rating: 150 DW Rating: 629 Certificate Date 1/15/2026		Rig Type FS	P: 25	27 17.55 17.55 9.75	Beam: 7.16	Engine: OB
Displacement used for DW Rating: 2050		Mast Material ALUMN	E: 9.5	Asymmetric Spin? No	Draft: 4.083	Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 26.25	SLE: SLU: ASMG: ASF:		
			JSP:			
Modifications on file:						

Boat Name Feather	Sail # 23	Max Headsail 100	I: 38.5	Symmetric Spin? No	LOA: 32.8	Displacement: 6500
Boat Type J 100 ODR			J: 11.5	SL: SSMG: SSF: SPL:	LWL: 29	Ballast: 2500
Rating: 84 DW Rating: 594 Certificate Date 1/15/2026		Rig Type FS	P: 38		Beam: 9.25	Engine: IB
Displacement used for DW Rating: 7000		Mast Material CARBON	E: 13.5	Asymmetric Spin? Yes	Draft: 5.75	Prop Type: Feath
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 43	SLE: SLU: ASMG: ASF:		
			JSP: 15.9	38.22 48.69 26.31 24.77		
Modifications on file: Powered Halyard Winch						

Boat Name Feet Wet
Boat Type Antrim 27 CM ODR
Rating: 75 DW Rating: 556 Certificate Date 1/20/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Sail #
3

Rig Data:

Max Headsail I: 28.69
116 J: 8.17
Rig Type P: 33.75
FS E: 14
Mast Material ISP: 37.25
CARBON JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38 44.2 20.1 25.1

LOA: 27.73
LWL: 23.75
Beam: 9.25
Draft: 6

Displacement: 2900
Ballast: 1050
Engine: OB
Prop Type: None

Modifications on file: BOWSPRINT IS ARTICULATING

Boat Name Festina Lente
Boat Type Hanse 505
Rating: 42 DW Rating: 545 Certificate Date 1/6/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
17

Rig Data:

Max Headsail I: 64.14
104 J: 19.19
Rig Type P: 57.74
FS E: 19.69
Mast Material ISP: 64.3
ALUMN JSP: 21.69

Symmetric Spin? No
SL: SSMG: SSF: SPL:
18.8
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
60.1 66.01 34.55 33.4

LOA: 48.72
LWL: 44.42
Beam: 15.58
Draft: 7.87

Displacement: 36000
Ballast: 8818
Engine: IB
Prop Type: Fold

Modifications on file: Inner Forestay Added, NCTR (Mtg 6/24/24, added SPL, -3 sec/mi for articulation)

Boat Name Fidget
Boat Type J 80 ODR
Rating: 111 DW Rating: 606 Certificate Date 1/15/2026
Displacement used for DW Rating: 3223
Certified PHRF Data on file?

Sail #
369

Rig Data:

Max Headsail I: 30
150 J: 9.415
Rig Type P: 30
MS E: 12.416
Mast Material ISP: 33.25
ALUMN JSP: 15.666

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
31.996 39.162 23.156 25.16

LOA: 26.3
LWL: 22
Beam: 8.3
Draft: 4.9

Displacement: 2900
Ballast: 1400
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Final Final
Boat Type Beneteau First 30
Rating: 81 DW Rating: 583 Certificate Date 1/29/2026
Displacement used for DW Rating: 6700
Certified PHRF Data on file?

Sail #
38301

Rig Data:

Max Headsail I: 37.65
99 J: 14.3
Rig Type P: 39.37
MS E: 13.29
Mast Material ISP: 42.63
ALUMN JSP: 17.45

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
43.18 51.51 27 32.15

LOA: 30.87
LWL: 28.7
Beam: 9.82
Draft: 6.63

Displacement: 6700
Ballast: 2360
Engine: IB
Prop Type: Fold

Modifications on file: Rating of 81 Assigned 10/23/25

Boat Name Finistere
Boat Type Sabre 38-2
Rating: 114 DW Rating: 619 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 49.75
150 J: 14.5
Rig Type P: 42.67
MS E: 14.83
Mast Material ISP: 49.75
JSP: 14.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
49 26.1 26.1 14.42
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.67 Displacement: 16900
LWL: 31.42 Ballast: 6600
Beam: 12.33 Engine: IB
Draft: 6.5 Prop Type: FOLD

Boat Name Flexi-Flyer
Boat Type Soverel 33-2
Rating: 96 DW Rating: 593 Certificate Date 1/12/2026
Displacement used for DW Rating: 6463
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42.5
155 J: 12.8
Rig Type P: 41
MS E: 13
Mast Material ISP: 42.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
42.06 22.7 21.58 12.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33 Displacement: 5800
LWL: 30.5 Ballast: 2800
Beam: 11 Engine: IB
Draft: 5.85 Prop Type: FOLD

Boat Name Flying Colors
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/12/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75 Displacement: 2050
LWL: 21.75 Ballast: 1025
Beam: 7.16 Engine: OB
Draft: 4.083 Prop Type: None

Boat Name Flying Fish
Boat Type Olson 30 OB
Rating: 99 DW Rating: 584 Certificate Date 1/7/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36
150 J: 11.78
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.92
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35.6 21 20.2 11.6
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30 Displacement: 3600
LWL: 27.5 Ballast: 1800
Beam: 9.33 Engine: OB
Draft: 5.1 Prop Type: None

Boat Name Flying Green Dragon **Sail #**
56636
Boat Type Tartan 3500
Rating: 123 DW Rating: 632 **Certificate Date** 1/22/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 47 *Symmetric Spin?* No LOA: 35.17 Displacement: 12500
100 J: 13.75 SL: SSMG: SSF: SPL: LWL: 30 Ballast: 4200
Rig Type P: 41.4
MS E: 14.4 *Asymmetric Spin?* Yes Beam: 11.75 Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Draft: 6.5 Prop Type: Fixed_2
ALUMN JSP: 42.92 45.67 22.33 21.83

Boat Name Fog Dog **Sail #**
224
Boat Type Catalina 320
Rating: 165 DW Rating: **Certificate Date** 1/16/2026
Displacement used for DW Rating: 12719
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 43.58 *Symmetric Spin?* No LOA: 32.5 Displacement: 11300
115 J: 12.33 SL: SSMG: SSF: SPL: LWL: 28 Ballast: 4000
Rig Type P: 38
MS E: 13.25 *Asymmetric Spin?* No Beam: 11.75 Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Draft: 6 Prop Type: Fixed_3
ALUMN JSP:

Boat Name Frances **Sail #**
435
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 706 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30 *Symmetric Spin?* No LOA: 28.2 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.8 Ballast: 2200
Rig Type P: 33
FS E: 12.5 *Asymmetric Spin?* No Beam: 8.2 Engine: IB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Draft: 4.5 Prop Type: Fold
ALUMN JSP: 9.75

Boat Name Free **Sail #**
3002
Boat Type S&S 30
Rating: 144 DW Rating: 631 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 6000
Certified PHRF Data on file?

Modifications on file: Powered winches

Rig Data:
Max Headsail I: 43.7 *Symmetric Spin?* No LOA: 30.5 Displacement: 6500
95 J: 9.5 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 2400
Rig Type P: 40
FS E: 14 *Asymmetric Spin?* Yes Beam: 8.25 Engine: IB
Mast Material ISP: 43.58 SLE: SLU: ASMG: ASF: Draft: 5.5 Prop Type: Fold
ALUMN JSP: 9.5 37.5 43.2 15.8 16.7

Boat Name Freedom
Boat Type Worth 40
Rating: 96 DW Rating: 604 Certificate Date 1/6/2026
Displacement used for DW Rating: 21000
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 54
155 J: 16
Rig Type P: 47
MS E: 14
Mast Material ISP:
ALUMN JSP: 16
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
52 28.8 28.8 16
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 7.25
LOA: 40
LWL: 34.25
Beam: 12.5
Displacement: 21000
Ballast: 7800
Engine: IB
Prop Type: FOLD

Boat Name Frequent Flyer
Boat Type Mumm/Farr 30
Rating: 54 DW Rating: 552 Certificate Date 1/9/2026
Displacement used for DW Rating: 4561
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 38.2
105 J: 10.9
Rig Type P: 40.5
FS E: 14.6
Mast Material ISP: 44.9
CARBON JSP: 13.58
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44.58 25.25 24.67 13.58
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41.33 46.92 23.67 25.25
LOA: 30.9
LWL: 27.6
Beam: 10.1
Displacement: 4561
Ballast: 1997
Engine: IB
Prop Type: Fold

Boat Name Friendship
Boat Type Hanse 388
Rating: 99 DW Rating: 608 Certificate Date 1/20/2026
Displacement used for DW Rating: 18232
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 48.11
105 J: 14.2
Rig Type P: 45.11
FS E: 16.9
Mast Material ISP:
ALUMN JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 6.75
LOA: 37.42
LWL: 34.01
Beam: 12.82
Displacement: 18232
Ballast: 8100
Engine: IB
Prop Type: Fold

Boat Name Froeya
Boat Type Hanse 341/342
Rating: 141 DW Rating: 642 Certificate Date 1/9/2026
Displacement used for DW Rating: 12700
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 46
100 J: 12.2
Rig Type P: 42
FS E: 15
Mast Material ISP:
ALUMN JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 5.9
LOA: 34
LWL: 29.2
Beam: 11.2
Displacement: 11353
Ballast: 3395
Engine: IB
Prop Type: FOLD

Boat Name Froglips
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 Certificate Date 1/6/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.5
Rig Type P: 28
FS E: 9.75
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.5 17.13 17.03 9.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 24 Displacement: 3100
LWL: 20 Ballast: 965
Beam: 8.92 Engine: OB
Draft: 4 Prop Type: None

Boat Name Fulvia
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 705 Certificate Date 1/12/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 28.25 Displacement: 5700
LWL: 22.83 Ballast: 2200
Beam: 8.2 Engine: IB
Draft: 4.5 Prop Type: Fold

Boat Name Galaxsea
Boat Type Custom Nauticat 43.5
Rating: 180 DW Rating: 636 Certificate Date 1/8/2026
Displacement used for DW Rating: 35679
Certified PHRF Data on file?

Modifications on file: Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"

Rig Data:

Max Headsail I: 51
130 J: 20
Rig Type P: 45
KTCH E: 13.6
Mast Material ISP:
ALUMN JSP: 20.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
50.98 33.43 35.6 20
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50 52 25.6 29.2

LOA: 43.6 Displacement: 34000
LWL: 37.7 Ballast: 11000
Beam: 12.2 Engine: IB
Draft: 5.9 Prop Type: FEATH

Boat Name Gavilan
Boat Type Custom Wylie 39
Rating: 93 DW Rating: 613 Certificate Date 1/8/2026
Displacement used for DW Rating: 17900
Certified PHRF Data on file?

Modifications on file: (mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)

Rig Data:

Max Headsail I: 49
95 J: 14.5
Rig Type P: 43
MS E: 15.5
Mast Material ISP: 49
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48.64 26.6 26.6 14.5
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
47.08 48.39 18.47 24.6

LOA: 41.5 Displacement: 17900
LWL: 31.75 Ballast: 5920
Beam: 11.5 Engine: IB
Draft: 6.77 Prop Type: FEATH

Boat Name Genesis
Boat Type Beneteau 305
Rating: 162 DW Rating: 668 Certificate Date 1/23/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 39.04 *Symmetric Spin?* Yes LOA: 30.42 Displacement: 8500
125 J: 11.29 SL: SSMG: SSF: SPL: LWL: 26.17 Ballast: 2976
Rig Type P: 33.79 37.4 20.3 20.3 10.4
MS E: 11.25 *Asymmetric Spin?* NO Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 5.58

Boat Name Godzilla
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/22/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.75 17.75 9.83
FS E: 10.42 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Good And Plenty
Boat Type Soverel 33-2
Rating: 96 DW Rating: 574 Certificate Date 1/20/2026
Displacement used for DW Rating: 6500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 42.5 *Symmetric Spin?* Yes LOA: 33 Displacement: 5800
155 J: 12.75 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 2800
Rig Type P: 41 42.5 22.95 22.95 12.75
MS E: 13 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 41 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 12.75 Draft: 5.85

Boat Name Grande Cuvee
Boat Type Beneteau First 40
Rating: 57 DW Rating: 583 Certificate Date 1/27/2026
Displacement used for DW Rating: 18220
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 53 *Symmetric Spin?* No LOA: 40.16 Displacement: 18220
139 J: 15.08 SL: SSMG: SSF: SPL: LWL: 35 Ballast: 6610
Rig Type P: 51.2
FS E: 17.92 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 56.16 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 16.207 53.24 63.94 31.59 30.38 Draft: 8.04

Boat Name Green Buffalo
Boat Type CAL 40
Rating: 114 DW Rating: 634 Certificate Date 1/23/2026
Displacement used for DW Rating: 15148
Certified PHRF Data on file?

Modifications on file: Schumacher designed rudder - same as original

Rig Data:

Max Headsail I: 46.7
155 J: 15.2
Rig Type P: 39.8
MS E: 17.6
Mast Material ISP: 46.7
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
46.01 27.3 27.3 15.2
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 39.3
LWL: 30
Beam: 10.9
Draft: 5.8

Displacement: 15148
Ballast: 6000
Engine: IB
Prop Type: FEATH

Boat Name Grey Wulff
Boat Type Beneteau Oceanis 30.1
Rating: 150 DW Rating: 633 Certificate Date 1/20/2026
Displacement used for DW Rating: 8807
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36.75
105 J: 12.67
Rig Type P: 35.47
FS E: 10.73
Mast Material ISP: 37.43
ALUMN JSP: 14.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32.87 37.56 19.97 22.47

LOA: 31.3
LWL: 29.6
Beam: 9.81
Draft: 6.17

Displacement: 8807
Ballast: 2144
Engine: IB
Prop Type: Fold

Boat Name Greyhound
Boat Type Viper 830
Rating: 63 DW Rating: 549 Certificate Date 1/27/2026
Displacement used for DW Rating: 2500
Certified PHRF Data on file?

Modifications on file: Roller Furler

Rig Data:

Max Headsail I: 35.7
105 J: 10.1
Rig Type P: 35.7
MS E: 13.3
Mast Material ISP: 37.75
CARBON JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
33.75 44 22 23

LOA: 27.7
LWL: 25
Beam: 8.5
Draft: 7.16

Displacement: 2500
Ballast: 1543
Engine: OB
Prop Type: None

Boat Name Gypsy Lady
Boat Type CAL 34-1
Rating: 174 DW Rating: 678 Certificate Date 1/15/2026
Displacement used for DW Rating: 10213
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 39
155 J: 13.75
Rig Type P: 33.5
MS E: 14
Mast Material ISP: 39
ALUMN JSP: 13.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.29 24.75 24.75 13.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.3
LWL: 26
Beam: 10
Draft: 5

Displacement: 10000
Ballast: 3750
Engine: IB
Prop Type: FOLD

Boat Name H Pod
Boat Type J 100 ODR
Rating: 84 DW Rating: 586 Certificate Date 1/7/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 38.5 Symmetric Spin? No LOA: 32.8 Displacement: 7013
105 J: 11.5 SL: SSMG: SSF: SPL: LWL: 29 Ballast: 2450
Rig Type P: 38
FS E: 13.5 Asymmetric Spin? Yes Beam: 9.21 Engine: IB
Mast Material ISP: 43 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 15.9 39.12 49.13 26.08 25.02 Draft: 5.75

Boat Name H2Osprey
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 706 Certificate Date 1/8/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30 Symmetric Spin? NO LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33
FS E: 12.5 Asymmetric Spin? No Beam: 8.2 Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 4.5

Boat Name Heart of Gold
Boat Type Olson 911S
Rating: 126 DW Rating: 658 Certificate Date 1/6/2026
Displacement used for DW Rating: 7500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 41.5 Symmetric Spin? Yes LOA: 29.9 Displacement: 7200
150 J: 12.33 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3200
Rig Type P: 35.5 41.1 22.19 22.19 12.16
MS E: 11.83 Asymmetric Spin? No Beam: 10.3 Engine: IB
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 5.5

Boat Name Hei Hei
Boat Type Melges 24
Rating: 84 DW Rating: 568 Certificate Date 1/26/2026
Displacement used for DW Rating: 1783
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 27.85 Symmetric Spin? No LOA: 24 Displacement: 1650
110 J: 7.95 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 625
Rig Type P: 28.75 7.95
FS E: 12.416 Asymmetric Spin? Yes Beam: 8.166 Engine: OB
Mast Material ISP: 31.85 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 12 32.9 38 19.23 20.67 Draft: 5.25

Boat Name Heron
Boat Type C&C 32
Rating: 162 DW Rating: 684 Certificate Date 1/27/2026
Displacement used for DW Rating: 9680
Certified PHRF Data on file?

Sail #
32023

Rig Data:

Max Headsail I: 41.1
90 J: 12.8
Rig Type P: 35.3
MS E: 11.3
Mast Material ISP: 41
ALUMN JSP: 13.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
40.91 22.95 22.95 12.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
33.83 41.83 15.58 20.67

LOA: 31.5
LWL: 24.67
Beam: 10.25
Draft: 5.67

Displacement: 9680
Ballast: 3900
Engine: IB
Prop Type: Fixed_2

Modifications on file: (Mtg 1/26/26, +3 sec/mi for non-articulating spinnaker tack)

Boat Name High and Dry
Boat Type Santana 22
Rating: 234 DW Rating: 741 Certificate Date 1/22/2026
Displacement used for DW Rating: 2600
Certified PHRF Data on file?

Sail #
114

Rig Data:

Max Headsail I: 26
150 J: 8.5
Rig Type P: 21.75
MS E: 9.83
Mast Material ISP: 26
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26 15.44 15.44 8.58
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 22
LWL: 18.67
Beam: 7.83
Draft: 3.5

Displacement: 2600
Ballast: 1230
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Hijinks
Boat Type J 92
Rating: 108 DW Rating: 605 Certificate Date 1/16/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Sail #
90

Rig Data:

Max Headsail I: 37
125 J: 11.5
Rig Type P: 37.66
FS E: 13.22
Mast Material ISP: 38.5
ALUMN JSP: 17

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.85 45.4 23.55 26.51

LOA: 30
LWL: 26.5
Beam: 10
Draft: 5.9

Displacement: 5500
Ballast: 2275
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Hot Sheet
Boat Type Express 27 ODR
Rating: 129 DW Rating: 608 Certificate Date 1/15/2026
Displacement used for DW Rating: 2450
Certified PHRF Data on file?

Sail #
10

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Humble Vandal **Sail #** 64999
Boat Type J 92
Rating: 108 **DW Rating:** 602 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 37 *Symmetric Spin?* No LOA: 30 Displacement: 5500
125 J: 11.5 SL: SSMG: SSF: SPL: LWL: 26.5 Ballast: 2275
Rig Type P: 38
FS E: 13.5 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 38.5 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 17 40.8 45.4 25.1 26.5 Draft: 5.9

Boat Name Hygge **Sail #** 714
Boat Type BB-10
Rating: 135 **DW Rating:** 640 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 4956
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30.1 *Symmetric Spin?* YES LOA: 32.67 Displacement: 4956
110 J: 9.82 SL: SSMG: SSF: SPL: LWL: 23.92 Ballast: 2700
Rig Type P: 36.09 32.25 17.7 17.7 9 Engine: IB
FS E: 11.65 *Asymmetric Spin?* Yes Prop Type: Fold
Mast Material ISP: 30.33 SLE: SLU: ASMG: ASF: Draft: 4.8
ALUMN JSP: 9 28.17 31.5 14.42 17

Boat Name Inconceivable **Sail #** 9
Boat Type J 88
Rating: 81 **DW Rating:** 563 **Certificate Date** 1/15/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 38.67 *Symmetric Spin?* No LOA: 29.19 Displacement: 4990
104 J: 11.28 SL: SSMG: SSF: SPL: LWL: 26.84 Ballast: 1840
Rig Type P: 36.82
FS E: 12 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 46 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 18.05 40.84 47.83 27.32 29 Draft: 6.5

Boat Name Invictus **Sail #** 12
Boat Type Jeanneau Sun Fast 3600
Rating: 60 **DW Rating:** 580 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 10362
Certified PHRF Data on file?

Modifications on file: (Mtg 11/30/17, -3 sec/mi for oversized asymmetric spinnaker)(mtg 1/25/21, removed Asymmetric Spinnaker, added smaller symmetric spinnaker on a shorter pole. +3 sec/mi for smaller spinnaker area, +3 sec/mi for shorter spl, -3 sec/mi for articulation)(Mtg 1/24/22, -3 sec/mi for increased spinnaker area)

Rig Data:
Max Headsail I: 46.58 *Symmetric Spin?* Yes LOA: 35.42 Displacement: 10362
105 J: 13.83 SL: SSMG: SSF: SPL: LWL: 31.25 Ballast: 4850
Rig Type P: 44.25 47.9 29.85 29.85 16.32 Engine: IB
FS E: 15.08 *Asymmetric Spin?* No Prop Type: Feath
Mast Material ISP: 48 SLE: SLU: ASMG: ASF: Draft: 7
ALUMN JSP: 13.83 48.85 55.12 32.55 31.99

Boat Name 'io
Boat Type Antrim 27 C
Rating: 66 DW Rating: 543 Certificate Date 1/6/2026
Displacement used for DW Rating: 2518
Certified PHRF Data on file?

Sail #
38124

Rig Data:

Max Headsail I: 28.83
125 J: 8.17
Rig Type P: 33.75
FS E: 13.8
Mast Material ISP: 36.98
CARBON JSP: 15.22

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
35.26 42.35 23.19 22.86

LOA: 27.73 Displacement: 2500
LWL: 23.75 Ballast: 1225
Beam: 9.25 Engine: OB
Draft: 6 Prop Type: None

Modifications on file: Carbon Hull & Deck. (Mtg 1/20/20, -3 sec/mi for carbon mods)(Mtg 10/26/20, change penalty for carbon mods from -3 sec/mi to -9 sec/mi)(Mtg 5/23/22, new smaller mainsail, +3 sec/mi)(1/11/23, switching back to larger mainsail, remove +3 sec/mi credit)(3/22/24, back to smaller main sail, +3 sec/mi credit)(Mtg 4/29/24, -3 sec/mi for spinnaker area increase)

Boat Name lolani
Boat Type Hughes 48
Rating: 120 DW Rating: 600 Certificate Date 1/9/2026
Displacement used for DW Rating: 32000
Certified PHRF Data on file?

Sail #
38048

Rig Data:

Max Headsail I: 54.3
95 J: 18.2
Rig Type P: 48.2
YAWL E: 19
Mast Material ISP:
ALUMN JSP: 20.2

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
40.32 32.76 32.76 18.2
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
48.6 54 32.76 32.76

LOA: 48 Displacement: 32000
LWL: 35.1 Ballast: 14300
Beam: 11.1 Engine: IB
Draft: 6 Prop Type: FEATH

Modifications on file:

Boat Name Irish Rose
Boat Type Westsail 28
Rating: 246 DW Rating: 725 Certificate Date 1/9/2026
Displacement used for DW Rating: 13500
Certified PHRF Data on file?

Sail #
0

Rig Data:

Max Headsail I: 35.5
150 J: 17.3
Rig Type P: 31.5
MS E: 12.3
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.3 Displacement: 13500
LWL: 23.5 Ballast: 4200
Beam: 9.6 Engine: IB
Draft: 4.3 Prop Type: Fixed_3

Modifications on file:

Boat Name Jamani
Boat Type J 120 ALUM
Rating: 45 DW Rating: 543 Certificate Date 1/9/2026
Displacement used for DW Rating: 14799
Certified PHRF Data on file?

Sail #
52879

Rig Data:

Max Headsail I: 50.5
150 J: 14.5
Rig Type P: 46.5
FS E: 17.8
Mast Material ISP: 52
ALUMN JSP: 21.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50 64 37 34

LOA: 40 Displacement: 13900
LWL: 35 Ballast: 6000
Beam: 12 Engine: IB
Draft: 7 Prop Type: FOLD

Modifications on file:

Boat Name Jeannette
Sail # 40646
Boat Type Custom Frers 40 IOR 1 Tonner
Rating: 63 DW Rating: 572 Certificate Date 1/22/2026
Displacement used for DW Rating: 11918
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 47.2
100 J: 13.7
Rig Type P: 51.48
FS E: 18.76
Mast Material ISP: 13.7
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
46.69 24.66 24.66 13.7
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 39.5 Displacement: 11918
LWL: 33 Ballast: 6000
Beam: 12.6 Engine: IB
Draft: 8.1 Prop Type: FOLD

Modifications on file: (mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)

Boat Name Jet Stream
Sail # 9045
Boat Type Custom JS 9000
Rating: 60 DW Rating: 544 Certificate Date 1/22/2026
Displacement used for DW Rating: 2425
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 27.08
90 J: 9.5
Rig Type P: 30.84
FS E: 10.171
Mast Material ISP: 30.25
CARBON JSP: 15.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
30.1 35.8 20.1 21.8

LOA: 29.9 Displacement: 2425
LWL: 27.9 Ballast: 1543
Beam: 5.7 Engine: OB
Draft: 6.8 Prop Type: None

Modifications on file: (Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 63)(7/27/17, New mainsail, change rating from 63 to 60)

Boat Name JGPC
Sail # 134
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 583 Certificate Date 1/9/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.5 24.6 26

LOA: 34.5 Displacement: 7750
LWL: 29.5 Ballast: 3400
Beam: 11 Engine: IB
Draft: 6.5 Prop Type: FOLD

Modifications on file:

Boat Name JouJou
Sail # 87324
Boat Type Capo 30
Rating: 123 DW Rating: 658 Certificate Date 1/12/2026
Displacement used for DW Rating: 7200
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 41.7
120 J: 12.75
Rig Type P: 36
MS E: 11.5
Mast Material ISP: 41.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.5 21.5 21 12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30 Displacement: 7200
LWL: 25 Ballast: 3000
Beam: 10.33 Engine: IB
Draft: 5.43 Prop Type: Fold

Modifications on file: Roller Furler (Mtg 1/25/18, New Rudder Installed, NCTR)

Boat Name Joyride
Boat Type Express 34
Rating: 102 DW Rating: 624 Certificate Date 1/15/2026
Displacement used for DW Rating: 9129
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	44.25	<i>Symmetric Spin?</i>	Yes	LOA:	34	Displacement:	8000
115	J:	13	SL:	SSMG:	SSF:	SPL:	Ballast:	3800
Rig Type	P:	38.5	44	23.4	23.4	13	LWL:	28.33
MS	E:	12.83	<i>Asymmetric Spin?</i>			No	Beam:	10.33
Mast Material	ISP:	44.25	SLE:	SLU:	ASMG:	ASF:	Draft:	6.11
ALUMN	JSP:							Prop Type: FOLD

Boat Name Jubilant
Boat Type J 112e GP
Rating: 48 DW Rating: 583 Certificate Date 1/22/2026
Displacement used for DW Rating: 12339
Certified PHRF Data on file?

Modifications on file: (Mtg 4/29/24, -3 sec/mi for increased spinnaker area)

Rig Data:

Max Headsail	I:	49.02	<i>Symmetric Spin?</i>	No	LOA:	36	Displacement:	11814
105	J:	14.01	SL:	SSMG:	SSF:	SPL:	Ballast:	4195
Rig Type	P:	45.6	<i>Asymmetric Spin?</i>			Yes	LWL:	31.73
FS	E:	15.35	Beam:	11.81				
Mast Material	ISP:	52.36	SLE:	SLU:	ASMG:	ASF:	Draft:	7.28
CARBON	JSP:	20.11	50.52	54.99	33.3	32.217		Prop Type: Fold

Boat Name Kahoots
Boat Type Andrews 43
Rating: 18 DW Rating: 552 Certificate Date 1/6/2026
Displacement used for DW Rating: 16804
Certified PHRF Data on file?

Modifications on file: Roller Furler. (Mtg 1/21/19, custom rating assigned. As Sailed: 15)(Mtg 10/26/20, change custom rating from 15 to 21)(Mtg 1/24/22, added 26" sprit, -3 sec/mi. Change custom rating from 21 to 18)

Rig Data:

Max Headsail	I:	56.98	<i>Symmetric Spin?</i>	Yes	LOA:	43.48	Displacement:	15251
155	J:	16.5	SL:	SSMG:	SSF:	SPL:	Ballast:	6581
Rig Type	P:	50.09	56.3	29.7	28.92	18.7	LWL:	36.7
MS	E:	17.78	<i>Asymmetric Spin?</i>			Yes	Beam:	12.87
Mast Material	ISP:	57	SLE:	SLU:	ASMG:	ASF:	Draft:	8.86
ALUMN	JSP:	18.7	55.5	60.4	29	29.13		Prop Type: Fold

Boat Name Kangaroo Jockey
Boat Type J 70 ODR
Rating: 114 DW Rating: 611 Certificate Date 1/6/2026
Displacement used for DW Rating: 1750
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	26.77	<i>Symmetric Spin?</i>	No	LOA:	22.78	Displacement:	1750
100	J:	7.68	SL:	SSMG:	SSF:	SPL:	Ballast:	630
Rig Type	P:	26.16	<i>Asymmetric Spin?</i>			Yes	LWL:	20.47
FS	E:	9.44	Beam:	7.38				
Mast Material	ISP:	30.15	SLE:	SLU:	ASMG:	ASF:	Draft:	4.92
CARBON	JSP:	13.5	28.87	35.43	18.24	18.7		Prop Type: None

Boat Name Kapai
Boat Type Islander 36 ODR
Rating: 147 DW Rating: 663 Certificate Date 1/15/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 45 Symmetric Spin? Yes LOA: 36.08 Displacement: 13450
125 J: 14.48 SL: SSMG: SSF: SPL: LWL: 28.25 Ballast: 5500
Rig Type P: 39.25 44.5 25.83 25.83 14.48
MS E: 12.75 Asymmetric Spin? No Engine: IB
Mast Material ISP: 45 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 6

Boat Name Kavanha
Boat Type Jeanneau Sun Fast 3200
Rating: 81 DW Rating: 604 Certificate Date 1/15/2026
Displacement used for DW Rating: 7455
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.92 Symmetric Spin? YES LOA: 32.1 Displacement: 7496
110 J: 12.63 SL: SSMG: SSF: SPL: LWL: 28 Ballast: 2866
Rig Type P: 38.67 44.91 24.08 23.59 13.58
FS E: 13.58 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 43.77 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 13.61 41 41 24.5 24.5 Draft: 6.2

Boat Name Keaka
Boat Type Ericson 34 Olson TM
Rating: 102 DW Rating: 623 Certificate Date 1/9/2026
Displacement used for DW Rating: 10498
Certified PHRF Data on file?

Modifications on file: (Mtg 2/28/22, -9 sec/mi for oversized JSP -9 sec/mi for oversized spinnaker area, +3 sec/mi for non-articulation)(4/5/23, removed sprit and oversized asymmetric, +18 sec/mi. Removed +3 sec/mi credit for non-articulation)

Rig Data:

Max Headsail I: 46.77 Symmetric Spin? No LOA: 34 Displacement: 10600
125 J: 13.25 SL: SSMG: SSF: SPL: LWL: 28 Ballast: 3500
Rig Type P: 37.25
MS E: 13.5 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: 16.25 45.14 52.74 30.41 28.24 Draft: 6

Boat Name Kestrel
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 Certificate Date 1/12/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6 Symmetric Spin? NO LOA: 34.5 Displacement: 7750
100 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.5 Ballast: 3400
Rig Type P: 41.5
FS E: 14.5 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 19.07 39.8 49.5 24.6 26.2 Draft: 6.5

Boat Name Kincsem
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 595 Certificate Date 1/9/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.5 22.3 26.2

LOA: 34.5 Displacement: 7750
LWL: 29.5 Ballast: 3400
Beam: 11 Engine: IB
Draft: 6.5 Prop Type: Fold

Boat Name Kira
Boat Type Aerodyne 38 SD
Rating: 48 DW Rating: 534 Certificate Date 1/8/2026
Displacement used for DW Rating: 11850
Certified PHRF Data on file?

Modifications on file: Power Winches

Rig Data:

Max Headsail I: 50.82
120 J: 14.5
Rig Type P: 51.75
FS E: 16.5
Mast Material ISP: 57.25
ALUMN JSP: 20.83

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
58.5 65.5 40 39.5

LOA: 37.66 Displacement: 11850
LWL: 34.21 Ballast: 4150
Beam: 13 Engine: IB
Draft: 6 Prop Type: Fixed_2

Boat Name Kuai
Boat Type Melges 32 MOD
Rating: 27 DW Rating: 497 Certificate Date 1/16/2026
Displacement used for DW Rating: 3828
Certified PHRF Data on file?

Modifications on file: (Mtg 4/29/19, Class OB switched out, 50# lead brick added)

Rig Data:

Max Headsail I: 40.86
105 J: 10.7
Rig Type P: 44.05
FS E: 15.49
Mast Material ISP: 48.3
CARBON JSP: 18.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.9 55.75 31.31 31.82

LOA: 31.84 Displacement: 4200
LWL: 28.5 Ballast: 1600
Beam: 9.83 Engine: OB
Draft: 7 Prop Type: None

Boat Name Kwazy
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 595 Certificate Date 1/9/2026
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 20.416
150 J: 6.416
Rig Type P: 23
FS E: 10
Mast Material ISP: 20.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
22 14 14 8.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.58 Displacement: 975
LWL: 20 Ballast: 440
Beam: 5.42 Engine: NONE
Draft: 3.41 Prop Type: None

Boat Name L20 **Sail #** 18721
Boat Type J 29 7/8 OB
Rating: 123 **DW Rating:** 652 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 6244
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 35 *Symmetric Spin?* Yes LOA: 29.5 Displacement: 6000
150 J: 11.5 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 2100
Rig Type P: 38.8 35 20 20 12.2 Beam: 11 Engine: OB
FS E: 13 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 35 SLE: SLU: ASMG: ASF: Draft: 5.6
ALUMN JSP:

Boat Name La Viajera **Sail #** 56480
Boat Type J 109 ODR w/108^ m
Rating: 72 **DW Rating:** 598 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46.5 *Symmetric Spin?* No LOA: 35.25 Displacement: 10900
105 J: 13.3 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 3900
Rig Type P: 43.25 Beam: 11.5 Engine: IB
FS E: 15.5 *Asymmetric Spin?* Yes Prop Type: Fold
Mast Material ISP: 49.6 SLE: SLU: ASMG: ASF: Draft: 7
ALUMN JSP: 18.8 45.63 56.33 27.2 27.75

Boat Name Lady Bug **Sail #** 1541
Boat Type Cal 20
Rating: 273 **DW Rating:** 742 **Certificate Date** 1/26/2026
Displacement used for DW Rating: 1950
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 22 *Symmetric Spin?* Yes LOA: 20 Displacement: 1950
115 J: 7.33 SL: SSMG: SSF: SPL: LWL: 18.1 Ballast: 900
Rig Type P: 23 22 13.2 13.2 7.33 Beam: 7 Engine: OB
FS E: 10 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 22 SLE: SLU: ASMG: ASF: Draft: 3.33
ALUMN JSP: 7.33

Boat Name Lagnaipe **Sail #** 56502
Boat Type C&C 99
Rating: 111 **DW Rating:** 629 **Certificate Date** 1/29/2026
Displacement used for DW Rating: 10214
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46 *Symmetric Spin?* No LOA: 32.5 Displacement: 9250
88 J: 13 SL: SSMG: SSF: SPL: LWL: 29.12 Ballast: 3500
Rig Type P: 40.5 Beam: 10.84 Engine: IB
MS E: 13 *Asymmetric Spin?* No Prop Type: Fold
Mast Material ISP: SLE: SLU: ASMG: ASF: Draft: 5.4
ALUMN JSP:

Boat Name Laissez Les BonTempsRouler **Sail #** 38109
Boat Type Santa Cruz 52 SD
Rating: -6 **DW Rating:** 495 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 22549
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 64.13 **Symmetric Spin?** Yes **LOA:** 52.98 **Displacement:** 23452
155 **J:** 18.9 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 48 **Ballast:** 9000
Rig Type P: 57.5 63.91 34.19 33.89 18.91
MS **E:** 21 **Asymmetric Spin?** Yes **Beam:** 14 **Engine:** IB
Mast Material **ISP:** 64.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** Feath
CARBON **JSP:** 18.9 59.12 69.48 33.89 35 **Draft:** 7

Modifications on file: Shoal Draft (Mtg 1/25/18, Custom rating assigned, includes -3 sec/mi for main girths. As Sailed: -12)(Mtg 1/24/22, removed OSP, +3 sec/mi. Change custom rating from -12 to -9)(Mtg 2/28/22, updated draft from 8' to 7'. Custom rating changed from -9 to -6)

Boat Name Lanakila **Sail #** 168
Boat Type Beneteau First 27
Rating: 87 **DW Rating:** 592 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 3902
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 31.2 **Symmetric Spin?** No **LOA:** 26.25 **Displacement:** 3902
120 **J:** 12.2 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 25.9 **Ballast:** 1345
Rig Type P: 33.2
FS **E:** 11.4 **Asymmetric Spin?** Yes **Beam:** 8.3 **Engine:** ib
Mast Material **ISP:** 35.8 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** Fold
ALUMN **JSP:** 17.5 35.2 43 21.95 23.4 **Draft:** 5.7

Modifications on file:

Boat Name Lark **Sail #** 70061
Boat Type J 112e
Rating: 54 **DW Rating:** 576 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 11300
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 48.58 **Symmetric Spin?** No **LOA:** 36 **Displacement:** 11300
105 **J:** 14 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 31.76 **Ballast:** 3816
Rig Type P: 45.93
FS **E:** 15.5 **Asymmetric Spin?** Yes **Beam:** 11.81 **Engine:** IB
Mast Material **ISP:** 52 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** Fold
ALUMN **JSP:** 20.75 50.02 58.7 30.55 31.4 **Draft:** 6.9

Modifications on file: Electric Halyard Winch

Boat Name Latency **Sail #** 108
Boat Type J 99
Rating: 75 **DW Rating:** 592 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 8788
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 42.894 **Symmetric Spin?** No **LOA:** 32.6 **Displacement:** 8415
95 **J:** 12.598 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 28.6 **Ballast:** 3350
Rig Type P: 41.798
FS **E:** 14.288 **Asymmetric Spin?** Yes **Beam:** 11.18 **Engine:** IB
Mast Material **ISP:** 47.405 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** Fold
ALUMN **JSP:** 16.781 45.932 53.97 29.823 26.706 **Draft:** 6.54

Modifications on file:

Boat Name Lenora
Boat Type Hunter 33-2
Rating: 153 DW Rating: 648 Certificate Date 1/22/2026
Displacement used for DW Rating: 10400
Certified PHRF Data on file?

Sail #
60700

Rig Data:

Max Headsail I: 37.42
115 J: 10.83
Rig Type P: 36.46
FS E: 15.83
Mast Material ISP: 38.42
ALUMN JSP: 10.83

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
35.5 39.33 16.67 18.5

LOA: 33.5 Displacement: 10400
LWL: 29.42 Ballast: 3459
Beam: 11.17 Engine: IB
Draft: 5.5 Prop Type: Fold

Modifications on file:

Boat Name Liberty
Boat Type C&C 37
Rating: 111 DW Rating: 635 Certificate Date 1/22/2026
Displacement used for DW Rating: 15730
Certified PHRF Data on file?

Sail #
131

Rig Data:

Max Headsail I: 51
90 J: 15.75
Rig Type P: 45.16
MS E: 12.16
Mast Material ISP: 51
ALUMN JSP: 15.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45 50.33 26 25

LOA: 37.7 Displacement: 14300
LWL: 28.8 Ballast: 6000
Beam: 11.67 Engine: IB
Draft: 6.7 Prop Type: Fold

Modifications on file:

Boat Name Light'n Up
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/9/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
3

Rig Data:

Max Headsail I: 28.5
150 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25 Displacement: 2450
LWL: 23.75 Ballast: 1100
Beam: 8.17 Engine: OB
Draft: 4.5 Prop Type: None

Modifications on file:

Boat Name Lightspeed
Boat Type Custom Wylie 39
Rating: 69 DW Rating: 606 Certificate Date 1/16/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
52839

Rig Data:

Max Headsail I: 48
100 J: 14.5
Rig Type P: 46.5
MS E: 15
Mast Material ISP: 51.83
ALUMN JSP: 14.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48.2 25.7 25.7 14.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
49.11 53.576 28.14 26.7

LOA: 39.25 Displacement: 15300
LWL: 31.67 Ballast: 5100
Beam: 11.42 Engine: IB
Draft: 6.75 Prop Type: Fold

Modifications on file: (Mtg 1/17/08 +3sec/mi for fixed prop, as sailed 72)(mtg 3/18/10, change custom rating from 72 to 84)(Mtg 2/23/12, -3 sec/mi for folding prop, as sailed 81)(Mtg 11/4/24, -3 sec/mi for >MSA, -6 sec/mi for >ASA, -3 sec/mi for >ISP, -3sec/mi for carbon mast, +3 sec/mi for small headsail. Change custom rating from 81 to 69)

Boat Name Lilith
Boat Type Custom Wyliecat 39
Rating: 102 DW Rating: 598 Certificate Date 1/7/2026
Displacement used for DW Rating: 12000
Certified PHRF Data on file?

Sail #
7

Rig Data:

Max Headsail I:
J:
Rig Type P: 50.75
CAT E: 26.5
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 38.83 Displacement: 12000
LWL: 32 Ballast: 6200
Beam: 11.83 Engine: IB
Draft: 6.67 Prop Type: FOLD

Modifications on file: HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/5/93

Boat Name Lindo
Boat Type J 109 ODR w/108^ m
Rating: 72 DW Rating: 596 Certificate Date 1/8/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Sail #
195

Rig Data:

Max Headsail I: 46.5
110 J: 13.3
Rig Type P: 43.3
FS E: 15.5
Mast Material ISP: 49
ALUMN JSP: 18.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.63 56.33 27.2 27.75

LOA: 35.25 Displacement: 10900
LWL: 30.5 Ballast: 3900
Beam: 11.5 Engine: IB
Draft: 7 Prop Type: FOLD

Modifications on file:

Boat Name Lionheart
Boat Type Express 37
Rating: 72 DW Rating: 586 Certificate Date 1/30/2026
Displacement used for DW Rating: 10207
Certified PHRF Data on file?

Sail #
40780

Rig Data:

Max Headsail I: 48.9
150 J: 14.33
Rig Type P: 42
MS E: 13.9
Mast Material ISP: 48.9
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.79 25.79 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.33 Displacement: 11000
LWL: 30.83 Ballast: 4500
Beam: 11.5 Engine: IB
Draft: 7.25 Prop Type: Fold

Modifications on file:

Boat Name Liquid Asset
Boat Type Ranger 33
Rating: 150 DW Rating: 658 Certificate Date 1/20/2026
Displacement used for DW Rating: 10289
Certified PHRF Data on file?

Sail #
27707

Rig Data:

Max Headsail I: 41.5
150 J: 13.7
Rig Type P: 35
MS E: 13.75
Mast Material ISP: 41.5
ALUMN JSP: 13.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.5 24.6 24.6 13.7
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.17 Displacement: 10500
LWL: 26.25 Ballast: 4500
Beam: 9.58 Engine: IB
Draft: 5.17 Prop Type: Fold

Modifications on file:

Boat Name Little Bullet
Boat Type Beneteau First 27
Rating: 87 DW Rating: 591 Certificate Date 1/7/2026
Displacement used for DW Rating: 3902
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 31.2 Symmetric Spin? No LOA: 26.25 Displacement: 3902
120 J: 12.2 SL: SSMG: SSF: SPL: LWL: 25.9 Ballast: 1345
Rig Type P: 33.2
FS E: 11.4 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 35.8 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 17.5 35.2 43 21.95 23.4 Draft: 5.7

Boat Name Little My
Boat Type Laurinkoster L28
Rating: 228 DW Rating: 724 Certificate Date 1/12/2026
Displacement used for DW Rating: 7275
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 34.58 Symmetric Spin? No LOA: 27.36 Displacement: 7275
100 J: 9.34 SL: SSMG: SSF: SPL: LWL: 24.02 Ballast: 3527
Rig Type P: 31.67
MS E: 12.43 Asymmetric Spin? No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fixed_2
WOOD JSP: Draft: 4.43

Boat Name Lonestar
Boat Type Beneteau First 10R ODR MOD
Rating: 81 DW Rating: 607 Certificate Date 1/7/2026
Displacement used for DW Rating: 9908
Certified PHRF Data on file?

Modifications on file: (Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)(powered winch on cabin top)

Rig Data:
Max Headsail I: 43.2 Symmetric Spin? No LOA: 32.75 Displacement: 9715
140 J: 12.07 SL: SSMG: SSF: SPL: LWL: 28.7 Ballast: 3528
Rig Type P: 42.25
FS E: 14.73 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 46.41 SLE: SLU: ASMG: ASF: Prop Type: FOLD
CARBON JSP: 16.5 45.8 52.9 26.4 25.5 Draft: 6.55

Boat Name Loon
Boat Type Saffier SE37
Rating: 69 DW Rating: 567 Certificate Date 1/8/2026
Displacement used for DW Rating: 10582
Certified PHRF Data on file?

Modifications on file: Harken Rewind Electronic Winches

Rig Data:
Max Headsail I: 45.29 Symmetric Spin? No LOA: 39.37 Displacement: 10582
86 J: 14.21 SL: SSMG: SSF: SPL: LWL: 32.8 Ballast: 4520
Rig Type P: 42.65
FS E: 16.4 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 47.25 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 18.54 40.28 49.05 14.5 14.14 Draft: 6.89

Boat Name Lotta'tude
Boat Type Wyliecat 30 IB
Rating: 129 DW Rating: 648 Certificate Date 1/14/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Sail #
28716

Rig Data:

Max Headsail I:
0 J:
Rig Type P: 39.75
CAT E: 20.5
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.5
LWL: 25
Beam: 9.42
Draft: 5.25

Displacement: 5500
Ballast: 3050
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Lucky Duck
Boat Type J 90 Mod
Rating: 48 DW Rating: 530 Certificate Date 1/9/2026
Displacement used for DW Rating: 3400
Certified PHRF Data on file?

Sail #
38904

Rig Data:

Max Headsail I: 35.4
150 J: 10.5
Rig Type P: 35.8
FR E: 14.5
Mast Material ISP: 40
CARBON JSP: 18

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.7 49.8 28.1 28.8

LOA: 30
LWL: 27
Beam: 8.5
Draft: 6.5

Displacement: 3400
Ballast: 1865
Engine: OB
Prop Type: FOLD

Modifications on file: (Rudder changes noted, NCTR 1/13/03)(Added battery and kelp cutter 3-05)

Boat Name Luna Sea
Boat Type Islander 36 ODR
Rating: 144 DW Rating: 660 Certificate Date 1/14/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Sail #
420

Rig Data:

Max Headsail I: 45
135 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45 27 27 15
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.08
LWL: 28.25
Beam: 11.17
Draft: 6.08

Displacement: 18000
Ballast: 5450
Engine: IB
Prop Type: Feath

Modifications on file:

Boat Name Madame Blue
Boat Type Pretorian 35
Rating: 132 DW Rating: 624 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
83368

Rig Data:

Max Headsail I: 48.75
135 J: 14.75
Rig Type P: 42.5
MS E: 12
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
47.5 26 25.1 14.8
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 35.43
LWL: 30.33
Beam: 11.81
Draft: 6

Displacement: 13000
Ballast: 6613
Engine: IB
Prop Type: Feath

Modifications on file: Roller Furler

Boat Name Maiden California
Boat Type Olson 30 OB
Rating: 99 DW Rating: 582 Certificate Date 1/16/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file: New Rudder Noted, NCTR

Rig Data:

Max Headsail I: 35.92
145 J: 11.78
Rig Type P: 35.76
MS E: 9.84
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.16 21.16 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.08

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Boat Name Make Me Smile
Boat Type Express 27 ODR
Rating: 129 DW Rating: 604 Certificate Date 1/15/2026
Displacement used for DW Rating: 2410
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.5 17.7 17.7 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.8
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Mana Kai
Boat Type Jeanneau Sun Odyssey 349
Rating: 138 DW Rating: 627 Certificate Date 12/8/2025
Displacement used for DW Rating: 11795
Certified PHRF Data on file?

Modifications on file: (12/8/25, 3 sec/mi for square-top mainsail)

Rig Data:

Max Headsail I: 43.6
113 J: 12.37
Rig Type P: 40.68
FS E: 13.62
Mast Material ISP: 43.77
ALUMN JSP: 14.88

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
36.88 43.05 21.52 25.13

LOA: 33.8
LWL: 30.8
Beam: 11.25
Draft: 6.5

Displacement: 11795
Ballast: 3715
Engine: IB
Prop Type: Fold

Boat Name Mas!
Boat Type Moore 24
Rating: 150 DW Rating: 635 Certificate Date 1/23/2026
Displacement used for DW Rating: 2225
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17 17.25 9.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
25.1 28.4 17.3 17.6

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.08

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Mermug
Boat Type Beneteau 42S7 First DK SM
Rating: 72 DW Rating: 585 Certificate Date 1/22/2026
Displacement used for DW Rating: 18220
Certified PHRF Data on file?

Sail #
46612

Rig Data:

Max Headsail I: 50.89
125 J: 14.27
Rig Type P: 47.41
FS E: 17.22
Mast Material ISP: 50.89
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
50.21 25.6 25 14.27
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 42.6
LWL: 35.9
Beam: 13.6
Draft: 7.7

Displacement: 18220
Ballast: 6283
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name MIA
Boat Type Express 27 ODR
Rating: 129 DW Rating: 608 Certificate Date 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
70

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.5 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Minami Kaze
Boat Type Beneteau 361 Oceanis
Rating: 147 DW Rating: Certificate Date 1/15/2026
Displacement used for DW Rating: 13349
Certified PHRF Data on file?

Sail #
361

Rig Data:

Max Headsail I: 45.21
110 J: 13.94
Rig Type P: 38.39
MS E: 14.44
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.33
LWL: 31.08
Beam: 12.5
Draft: 5

Displacement: 13349
Ballast: 4156
Engine: IB
Prop Type: Fixed_3

Modifications on file:

Boat Name Mintaka 4
Boat Type Farr 38
Rating: 87 DW Rating: 591 Certificate Date 1/16/2026
Displacement used for DW Rating: 11939
Certified PHRF Data on file?

Sail #
18441

Rig Data:

Max Headsail I: 43.67
125 J: 13.67
Rig Type P: 44.9
FS E: 17.9
Mast Material ISP: 44
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45 23.8 23.8 13.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.25
LWL: 31.17
Beam: 12
Draft: 6.33

Displacement: 11850
Ballast: 4100
Engine: IB
Prop Type: FOLD

Modifications on file: (Mtg 8/26/25, +3 sec/mi for J length pole, +3 secmi for 10% smaller kite)

Boat Name Mirthmaker
Boat Type A 35
Rating: 75 DW Rating: 588 Certificate Date 1/15/2026
Displacement used for DW Rating: 10514
Certified PHRF Data on file?

Sail #
18250

Rig Data:

Max Headsail I: 44.22
105 J: 12.99
Rig Type P: 44.94
FS E: 14.66
Mast Material ISP: 51.06
CARBON JSP: 14.99

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
51.67 26.2 24.38 14.99
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.02 53.31 21.03 26.28

LOA: 34.7
LWL: 30.47
Beam: 11.6
Draft: 6.88

Displacement: 9810
Ballast: 4367
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 69 after appeal)

Boat Name Mojito
Boat Type J 112e
Rating: 54 DW Rating: 575 Certificate Date 1/8/2026
Displacement used for DW Rating: 11300
Certified PHRF Data on file?

Sail #
38150

Rig Data:

Max Headsail I: 48.58
105 J: 14.15
Rig Type P: 45.93
FS E: 15.5
Mast Material ISP: 52
CARBON JSP: 20.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
46 26.25 26.25 14.7
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.83 52.82 31.04 34.08

LOA: 36.06
LWL: 31.76
Beam: 11.81
Draft: 6.89

Displacement: 11300
Ballast: 3816
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Mojo
Boat Type J 35
Rating: 72 DW Rating: 598 Certificate Date 1/26/2026
Displacement used for DW Rating: 10000
Certified PHRF Data on file?

Sail #
18935

Rig Data:

Max Headsail I: 46.4
150 J: 14.7
Rig Type P: 41.75
MS E: 14.98
Mast Material ISP: 46.3
ALUMN JSP: 14.7

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
46 26.25 26.25 14.7
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 35.42
LWL: 30
Beam: 11.8
Draft: 6.9

Displacement: 10500
Ballast: 4400
Engine: IB
Prop Type: Feath

Modifications on file:

Boat Name Moonlight
Boat Type Express 27 ODR
Rating: 129 DW Rating: 604 Certificate Date 1/12/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
28059

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 16.5 17.6 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Moore's Law **Sail #** 50
Boat Type Moore 24
Rating: 150 **DW Rating:** 630 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.2
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.5 17.5 17.5 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75 **Displacement:** 2050
LWL: 21.75 **Ballast:** 1025
Beam: 7.16 **Engine:** OB
Draft: 4.08 **Prop Type:** None

Boat Name Moorigami **Sail #** 77
Boat Type Moore 24
Rating: 150 **DW Rating:** 629 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
24.4 28.2 17.3 18

LOA: 23.75 **Displacement:** 2050
LWL: 21.75 **Ballast:** 1025
Beam: 7.16 **Engine:** OB
Draft: 4.083 **Prop Type:** None

Boat Name Möve **Sail #** 138
Boat Type Pogo 40
Rating: -18 **DW Rating:** 478 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 10476
Certified PHRF Data on file?

Modifications on file: (Mtg 1/23/23, Custom Rating Assigned of -18. Rating assumes water ballast disabled)

Rig Data:

Max Headsail I: 50.728
110 J: 19.029
Rig Type P: 54.79
FS E: 16.404
Mast Material ISP: 58.848
CARBON JSP: 25.633

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
56.759 66.339 36.745 40.354

LOA: 40 **Displacement:** 9920
LWL: 39.245 **Ballast:** 3748
Beam: 14.8 **Engine:** IB
Draft: 9.8 **Prop Type:** Fold

Boat Name Mr Chocolate **Sail #** 6
Boat Type Saffier SE37
Rating: 69 **DW Rating:** 588 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 10582
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42.65
95 J: 14.44
Rig Type P: 42.7
FS E: 16.4
Mast Material ISP: 47.24
CARBON JSP: 18.54

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41.8 52.94 26.41 27

LOA: 36.1 **Displacement:** 10582
LWL: 32 **Ballast:** 4520
Beam: 11.4 **Engine:** IB
Draft: 6.89 **Prop Type:** Fold

Boat Name Mr McGregor	Sail # 8426	Max Headsail 150	I: 20.5	Symmetric Spin? Yes	LOA: 23.75	Displacement: 975
Boat Type Wylie Wabbit ODR W/Trap			J: 6.5	SL: SSMG: SSF: SPL: 22 13.9 13.7 8.5	LWL: 20	Ballast: 440
Rating: 126 DW Rating: 605 Certificate Date 12/16/2025		Rig Type FS	P: 23.75	Asymmetric Spin? No	Beam: 5.58	Engine: OB
Displacement used for DW Rating: 975		Mast Material ALUMN	E: 10	SLE: SLU: ASMG: ASF:	Draft: 3.5	Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 20.5			
			JSP:			

Modifications on file: INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.

Boat Name Muninn	Sail # 61802	Max Headsail 101	I: 46.42	Symmetric Spin? No	LOA: 36	Displacement: 12495
Boat Type Beneteau Farr First 36.7			J: 13.1	SL: SSMG: SSF: SPL:	LWL: 30.3	Ballast: 4034
Rating: 78 DW Rating: 614 Certificate Date 1/6/2026		Rig Type FS	P: 45.44	Asymmetric Spin? Yes	Beam: 11.4	Engine: IB
Displacement used for DW Rating: 12150		Mast Material ALUMN	E: 15.58	SLE: SLU: ASMG: ASF: 48.1 49.3 22 23.2	Draft: 7.2	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 46.59			
			JSP: 17.04			

Modifications on file: (Mtg 5/19/25, -9 sec/mi for 34% increase in JSP, +3 sec/mi for non-articulation)

Boat Name Music	Sail # 25352	Max Headsail 95	I: 48	Symmetric Spin? Yes	LOA: 37.6	Displacement: 14900
Boat Type Hunter 37 Legend WK			J: 13.6	SL: SSMG: SSF: SPL: 49.5 25.5 24.8 13	LWL: 31.4	Ballast: 6000
Rating: 111 DW Rating: 619 Certificate Date 1/9/2026		Rig Type FS	P: 48.72	Asymmetric Spin? No	Beam: 12.1	Engine: IB
Displacement used for DW Rating: 14900		Mast Material ALUMN	E: 15.35	SLE: SLU: ASMG: ASF:	Draft: 5	Prop Type: Fixed_2
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 48			
			JSP:			

Modifications on file: (mtg 5/22/08 +3 sec/mi for 110% headsail, +3 sec/mi for 2-blade fixed prop, -9sec/mi for oversized luff & girths on spinnaker)

Boat Name Mymble	Sail # 57141	Max Headsail 105	I: 43.37	Symmetric Spin? No	LOA: 32.6	Displacement: 8415
Boat Type J 99			J: 12.56	SL: SSMG: SSF: SPL:	LWL: 28.6	Ballast: 3350
Rating: 75 DW Rating: 605 Certificate Date 1/12/2026		Rig Type FS	P: 41.8	Asymmetric Spin? Yes	Beam: 11.18	Engine: IB
Displacement used for DW Rating: 8415		Mast Material ALUMN	E: 14.3	SLE: SLU: ASMG: ASF: 41.83 43.79 27.44 26.37	Draft: 6.54	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 47.25			
			JSP: 16.73			

Modifications on file: (Mtg 3/25/24, -3 sec/mi for tweener sail)(12/2/24, tweener sail removed +3 sec/mi)

Boat Name Mystic
Boat Type J 27
Rating: 126 DW Rating: 641 Certificate Date 1/22/2026
Displacement used for DW Rating: 3800
Certified PHRF Data on file?

Sail #
8577

Rig Data:

Max Headsail I: 30
155 J: 10.5
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 10.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.83 18.83 17.67 10.5
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
29 30.38 12.25 16.17

LOA: 27.5
LWL: 23
Beam: 8.5
Draft: 4.9

Displacement: 3800
Ballast: 1530
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Nancy
Boat Type Wyliecat 30 OB
Rating: 123 DW Rating: 643 Certificate Date 1/6/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Sail #
28890

Rig Data:

Max Headsail I:
Rig Type P: 39.66
CAT E: 19.75
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 5500
Ballast: 3050
Engine: OB
Prop Type: None

Modifications on file: (-3 sec/mi for square top main)

Boat Name Neja
Boat Type Dasher 32
Rating: 174 DW Rating: 672 Certificate Date 1/7/2026
Displacement used for DW Rating: 11323
Certified PHRF Data on file?

Sail #
7325

Rig Data:

Max Headsail I: 38.01
155 J: 12.59
Rig Type P: 33.22
MS E: 14.6
Mast Material ISP: 38.01
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
37.78 21.94 21.94 12.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 31.75
LWL: 26.75
Beam: 8.9
Draft: 5.75

Displacement: 11323
Ballast: 3600
Engine: IB
Prop Type: Fold

Modifications on file: 500 pounds less lead in keel than the Dasher Easom Boat Works built

Boat Name Nobody's Girl
Boat Type Moore 24
Rating: 150 DW Rating: 647 Certificate Date 1/6/2026
Displacement used for DW Rating: 2420
Certified PHRF Data on file?

Sail #
84

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP: 9.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2130
Ballast: 1000
Engine: OB
Prop Type: None

Modifications on file: (Mtg 3/25/24, new mainsail has oversized girths but no change to overall MSA: NCTR. -3 sec/mi for oversized spinnaker)(12/18/24, returned to stock Moore 24 configuration)

Boat Name Northern Bear **Sail #**
128
Boat Type J 100 ODR
Rating: 84 DW Rating: 581 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file: Hoyt Boom, NCTR

Rig Data:

Max Headsail	I:	38.5	<i>Symmetric Spin?</i>	No	LOA:	32.8	Displacement:	6500
90	J:	11.5	SL:	SSMG:	SSF:	SPL:	Ballast:	2450
Rig Type	P:	38			LWL:	29	Engine:	IB
FS	E:	13.5	<i>Asymmetric Spin?</i>	No	Beam:	9.25	Prop Type:	Fold
Mast Material	ISP:	43	SLE:	SLU:	ASMG:	ASF:		
CARBON	JSP:	12.7	38.35	49.41	24.3	25.02	Draft:	5.75

Boat Name Nuckelavee **Sail #**
208
Boat Type Melges 32 ODR
Rating: 27 DW Rating: 494 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 3988
Certified PHRF Data on file?

Modifications on file: (mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)(Mtg 5/21/18, +6 sec/mi for short ISP)(8/15/19, Boat returned to stock ODR configuration)

Rig Data:

Max Headsail	I:	40.86	<i>Symmetric Spin?</i>	No	LOA:	31.76	Displacement:	3988
105	J:	10.7	SL:	SSMG:	SSF:	SPL:	Ballast:	1600
Rig Type	P:	44.05			LWL:	28.5	Engine:	OB
FS	E:	15.49	<i>Asymmetric Spin?</i>	Yes	Beam:	9.83	Prop Type:	None
Mast Material	ISP:	48.3	SLE:	SLU:	ASMG:	ASF:		
CARBON	JSP:	18.7	46.9	55.75	31.3	31.8	Draft:	7

Boat Name O2 **Sail #**
52
Boat Type J 40
Rating: 72 DW Rating: 587 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 17564
Certified PHRF Data on file?

Modifications on file: (Mtg 1/14/25, -3 sec/mi for oversized spinnaker)

Rig Data:

Max Headsail	I:	50	<i>Symmetric Spin?</i>	YES	LOA:	40.35	Displacement:	17564
135	J:	14.67	SL:	SSMG:	SSF:	SPL:	Ballast:	6500
Rig Type	P:	44.25	50	28.13	28.13	15.5	LWL:	35.48
MS	E:	18	<i>Asymmetric Spin?</i>	No	Beam:	12.067	Engine:	IB
Mast Material	ISP:	50	SLE:	SLU:	ASMG:	ASF:	Prop Type:	Fold
ALUMN	JSP:	14.67			Draft:	6.47		

Boat Name Ohana **Sail #**
42
Boat Type Catalina 34 1&2
Rating: 153 DW Rating: 647 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	44	<i>Symmetric Spin?</i>	No	LOA:	34.5	Displacement:	11950
135	J:	13.5	SL:	SSMG:	SSF:	SPL:	Ballast:	5000
Rig Type	P:	38.5			LWL:	29.83	Engine:	IB
MS	E:	11.75	<i>Asymmetric Spin?</i>	No	Beam:	11.75	Prop Type:	Fixed_3
Mast Material	ISP:	44	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	13.5			Draft:	5.58		

Boat Name O'Mar
Boat Type Olson 25
Rating: 159 DW Rating: 657 Certificate Date 1/12/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 32 J: 9.583
Rig Type MS P: 28 E: 10
Mast Material ALUMN ISP: 32 JSP:
Symmetric Spin? Yes
Asymmetric Spin? No
LOA: 25 Displacement: 2900
LWL: 21.25 Ballast: 1300
Beam: 9 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Ondine
Boat Type Hanse 388
Rating: 102 DW Rating: Certificate Date 1/6/2026
Displacement used for DW Rating: 19092
Certified PHRF Data on file?

Modifications on file: +3 sec/mi for in-mast furling mainsail

Rig Data:
Max Headsail 95 I: 48.88 J: 14.14
Rig Type FS P: 46.92 E: 16.73
Mast Material ALUMN ISP: JSP:
Symmetric Spin? No
Asymmetric Spin? No
LOA: 37.42 Displacement: 19092
LWL: 34.08 Ballast: 6128
Beam: 12.83 Engine: IB
Draft: 6.75 Prop Type: Fold

Boat Name Orca
Boat Type J 90 M0D
Rating: 54 DW Rating: 536 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: (Mtg 4/28/11, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB, -3 sec/mi)(1/24/13, new rudder noted, NCTR)(Mtg 10/26/17, +3 sec/mi for smaller mainsail, +3 sec/mi for smaller asymmetrical)

Rig Data:
Max Headsail 100 I: 35.6 J: 10.5
Rig Type FR P: 38.85 E: 14.5
Mast Material CARBON ISP: 43.1 JSP: 18
Symmetric Spin? No
Asymmetric Spin? Yes
LOA: 30 Displacement: 3400
LWL: 27 Ballast: 1595
Beam: 8.5 Engine: OB
Draft: 6.5 Prop Type: FOLD

Boat Name Osprey
Boat Type Jeanneau Sun Odyssey 349
Rating: 147 DW Rating: 635 Certificate Date 1/14/2026
Displacement used for DW Rating: 11795
Certified PHRF Data on file?

Modifications on file: (1/13/20, +3 sec/mi for inmast furling mainsail, +3 sec/mi for MGM <50% of E)

Rig Data:
Max Headsail 110 I: 43.6 J: 12.67
Rig Type FS P: 40.68 E: 13.62
Mast Material ALUMN ISP: JSP:
Symmetric Spin? No
Asymmetric Spin? No
LOA: 32.75 Displacement: 11795
LWL: 30.84 Ballast: 3483
Beam: 11.29 Engine: IB
Draft: 6.5 Prop Type: Fold

Boat Name Osprey
Boat Type Sabre Spirit
Rating: 93 DW Rating: 621 Certificate Date 1/22/2026
Displacement used for DW Rating: 9600
Certified PHRF Data on file?

Sail #
227

Rig Data:

Max Headsail I: 45.5
90 J: 12.87
Rig Type P: 45.5
FS E: 16.55
Mast Material ISP: 51.2
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 36.67
LWL: 28.33
Beam: 10.42
Draft: 6.58

Displacement: 9600
Ballast: 4000
Engine: IB
Prop Type: Fold

Modifications on file: (Electric Winches)(1/20/23, -3 secmi for keel modification: added shoe)

Boat Name Outcast
Boat Type Farr 38
Rating: 78 DW Rating: 597 Certificate Date 1/12/2026
Displacement used for DW Rating: 11939
Certified PHRF Data on file?

Sail #
4823

Rig Data:

Max Headsail I: 43.67
150 J: 13.67
Rig Type P: 44.9
FS E: 17.9
Mast Material ISP: 46.2
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
44.13 26.07 24.6 14.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 38.25
LWL: 31.17
Beam: 12
Draft: 6.4

Displacement: 10600
Ballast: 4100
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Outsider
Boat Type Azzura 310
Rating: 57 DW Rating: 540 Certificate Date 1/12/2026
Displacement used for DW Rating: 4748
Certified PHRF Data on file?

Sail #
1000

Rig Data:

Max Headsail I: 35.35
105 J: 11.55
Rig Type P: 38.75
FS E: 13.25
Mast Material ISP: 43.33
CARBON JSP: 21.57

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.7 47.01 32.7 30.1

LOA: 30.75
LWL: 27.4
Beam: 10
Draft: 7.2

Displacement: 4850
Ballast: 2100
Engine: OB
Prop Type: Fixed_3

Modifications on file: 6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with outboard. Boat weighed with calibrated scale on 8/9/06 (Mtg 8/17/06 - +3 s/m for small headsail; -3 s/m for outboard)(Mtg 3/19/09, LWL changed noted, NCTR, boat now meets Sportboat classification)

Boat Name Oxymoron
Boat Type Moore 24
Rating: 150 DW Rating: 633 Certificate Date 1/16/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
106

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.2
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.25

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Painkiller
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/7/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Peaches
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/12/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.166
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Pelican
Boat Type Cape Dory 27
Rating: 231 DW Rating: Certificate Date 1/8/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 34.42
150 J: 11
Rig Type P: 29.75
MS E: 11.25
Mast Material ISP: 34.42
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.08
LWL: 20
Beam: 8.5
Draft: 4

Displacement: 7500
Ballast: 3000
Engine: IB
Prop Type: Fixed_2

Boat Name Pendragon
Boat Type Hanse 388
Rating: 99 DW Rating: Certificate Date 1/22/2026
Displacement used for DW Rating: 18232
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.9
87 J: 14.1
Rig Type P: 46.9
FS E: 16.7
Mast Material ISP: 50.9
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.42
LWL: 34.1
Beam: 12.83
Draft: 6.75

Displacement: 18232
Ballast: 5269
Engine: IB
Prop Type: Fold

Boat Name Pendragon **Sail #** 77177
Boat Type CUSTOM Davidson 44
Rating: 18 DW Rating: 525 Certificate Date 1/12/2026
Displacement used for DW Rating: 20255
Certified PHRF Data on file?

Rig Data:
Max Headsail I: 56.22 *Symmetric Spin?* Yes
120 J: 15.25 SL: SSMG: SSF: SPL:
Rig Type P: 58.21 63.33 32.67 33.83 20.17
MS E: 20.8 *Asymmetric Spin?* Yes
Mast Material ISP: 65.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: 20.92 58.58 65.57 26.17 31.75

LOA: 49.8 Displacement: 20200
LWL: 39 Ballast: 8000
Beam: 13.9 Engine: IB
Draft: 8.92 Prop Type: FOLD

Modifications on file: (Mtg 4/9/98, custom rating of 51 assigned)(Mtg 8/23/21, Boat Modified, including new rig and hull modifications, Custom Rating of 18 assigned)

Boat Name PICO **Sail #** 131
Boat Type J 99
Rating: 75 DW Rating: 602 Certificate Date 1/7/2026
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Rig Data:
Max Headsail I: 43.37 *Symmetric Spin?* No
105 J: 12.56 SL: SSMG: SSF: SPL:
Rig Type P: 41.8
FS E: 14.3 *Asymmetric Spin?* Yes
Mast Material ISP: 47.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: 16.73 44.62 52.25 26.24 25.79

LOA: 32.6 Displacement: 8415
LWL: 28.6 Ballast: 3417
Beam: 11.18 Engine: IB
Draft: 6.54 Prop Type: Fold

Modifications on file:

Boat Name Pirouette **Sail #** 93199
Boat Type Beneteau Farr First 36.7
Rating: 81 DW Rating: 614 Certificate Date 1/12/2026
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Rig Data:
Max Headsail I: 46.41 *Symmetric Spin?* Yes
155 J: 13.1 SL: SSMG: SSF: SPL:
Rig Type P: 45.4 45.8 23.5 23.5 13.1
FS E: 15.6 *Asymmetric Spin?* No
Mast Material ISP: 46.4 SLE: SLU: ASMG: ASF:
ALUMN JSP: 13.1

LOA: 36 Displacement: 12495
LWL: 30.3 Ballast: 4034
Beam: 11.4 Engine: IB
Draft: 7.3 Prop Type: Fold

Modifications on file:

Boat Name Placebo **Sail #** 115
Boat Type Soverel 33-2
Rating: 99 DW Rating: 573 Certificate Date 1/7/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Rig Data:
Max Headsail I: 42.5 *Symmetric Spin?* No
100 J: 12.75 SL: SSMG: SSF: SPL:
Rig Type P: 45.5 42.5 25.1 25.1 14
FS E: 13 *Asymmetric Spin?* Yes
Mast Material ISP: 42.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: 14.75 39.99 46.88 22.05 22.28

LOA: 29.92 Displacement: 5800
LWL: 30.5 Ballast: 2800
Beam: 11 Engine: IB
Draft: 5.85 Prop Type: Fold

Modifications on file: (Mtg 5/23/22, +3 sec/mi for no articulation, -3 sec/mi for sprit)

Boat Name Plus Sixteen
Boat Type Ericson 911S Olson
Rating: 135 DW Rating: 670 Certificate Date 1/7/2026
Displacement used for DW Rating: 8716
Certified PHRF Data on file?

Sail #
97707

Rig Data:

Max Headsail I: 41.5 Symmetric Spin? Yes LOA: 30 Displacement: 8500
125 J: 12.25 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3200
Rig Type P: 35.761 43.5 ##### 12.25
MS E: 11.811 Asymmetric Spin? Yes Beam: 10.33 Engine: IB
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Prop Type: FEATH
ALUMN JSP: 12.33 35.761 41.995 21.702 20.932 Draft: 5.42

Modifications on file:

Boat Name Polecat
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 614 Certificate Date 1/6/2026
Displacement used for DW Rating: 5965
Certified PHRF Data on file?

Sail #
5

Rig Data:

Max Headsail I: Symmetric Spin? No LOA: 30.5 Displacement: 5500
J: SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3050
Rig Type P: 40
CAT E: 20 Asymmetric Spin? No Beam: 9.416 Engine: IB
Mast Material ISP: 29.5 SLE: SLU: ASMG: ASF: Prop Type: FOLD
CARBON JSP: 12 29.3 32.8 18.4 21.6 Draft: 5.25

Modifications on file: (Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)(11/7/22, -3 sec/mi for square top mainsail)

Boat Name Poppy
Boat Type Mini Transat 6.5
Rating: 105 DW Rating: 579 Certificate Date 1/27/2026
Displacement used for DW Rating: 2297
Certified PHRF Data on file?

Sail #
703

Rig Data:

Max Headsail I: 28.4 Symmetric Spin? No LOA: 21.33 Displacement: 2297
130 J: 8.67 SL: SSMG: SSF: SPL: LWL: 21.33 Ballast: 970
Rig Type P: 32.02
FS E: 10.86 Asymmetric Spin? Yes Beam: 9.68 Engine: OB
Mast Material ISP: 34.61 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 17.29 37.56 45.27 24.51 28.97 Draft: 5.3

Modifications on file: (Mtg 1/26/26, custom rating of 105 assigned)

Boat Name Potential
Boat Type J 99
Rating: 75 DW Rating: 608 Certificate Date 1/20/2026
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Sail #
95

Rig Data:

Max Headsail I: 43.37 Symmetric Spin? No LOA: 32.61 Displacement: 8415
105 J: 12.56 SL: SSMG: SSF: SPL: LWL: 28.6 Ballast: 3350
Rig Type P: 41.8
FS E: 14.3 Asymmetric Spin? Yes Beam: 11.18 Engine: IB
Mast Material ISP: 47.25 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 16.73 45.28 47.41 17.52 28.25 Draft: 6.54

Modifications on file:

Boat Name Praxis
Boat Type J 9
Rating: 117 DW Rating: 620 Certificate Date 1/7/2026
Displacement used for DW Rating: 4250
Certified PHRF Data on file?

Sail #
15

Rig Data:

Max Headsail I: 33.5
105 J: 10
Rig Type P: 34
FS E: 13.36
Mast Material ISP: 35
ALUMN JSP: 12.43

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28
LWL: 25.4
Beam: 8.6
Draft: 4.9

Displacement: 4250
Ballast: 1950
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Pressure Drop
Boat Type Beneteau Farr First 36.7
Rating: 81 DW Rating: 614 Certificate Date 1/6/2026
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Sail #
52489

Rig Data:

Max Headsail I: 46.4
135 J: 13.1
Rig Type P: 45.4
FS E: 15.6
Mast Material ISP: 46.4
ALUMN JSP: 13.1

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45.8 23.5 23.5 13.1
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
43.63 46.25 23.13 23.29

LOA: 36
LWL: 30.3
Beam: 11.4
Draft: 7.3

Displacement: 12495
Ballast: 4034
Engine: IB
Prop Type: Fold

Modifications on file: Roller Furler

Boat Name Prime Number
Boat Type Tartan 4100 SD
Rating: 96 DW Rating: 602 Certificate Date 1/16/2026
Displacement used for DW Rating: 20400
Certified PHRF Data on file?

Sail #
38107

Rig Data:

Max Headsail I: 57
106 J: 15
Rig Type P: 47.75
MS E: 17.22
Mast Material ISP: 57
CARBON JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 41.25
LWL: 35.75
Beam: 13.5
Draft: 5.33

Displacement: 20400
Ballast: 8000
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Punk Dolphin
Boat Type Custom Wylie 38
Rating: 72 DW Rating: 596 Certificate Date 1/12/2026
Displacement used for DW Rating: 11495
Certified PHRF Data on file?

Sail #
18481

Rig Data:

Max Headsail I: 48
150 J: 14.33
Rig Type P: 43
MS E: 14
Mast Material ISP: 48
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.8 25 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38
LWL: 31
Beam: 11.6
Draft: 6.75

Displacement: 14400
Ballast: 5000
Engine: IB
Prop Type: FOLD

Modifications on file: (3/3/20, added 125% headsail, +3 sec/mi, change custom rating from 72 to 75)(1/3/25, switching back to 150% headsail, change custom rating from 75 to 72)

Boat Name Quiver
Boat Type Custom Nelson Marek 36
Rating: 45 DW Rating: 550 Certificate Date 1/26/2026
Displacement used for DW Rating: 7300
Certified PHRF Data on file?

Sail #
28669

Rig Data:

Max Headsail I: 43.85 Symmetric Spin? Yes
105 J: 12.5 SL: SSMG: SSF: SPL:
Rig Type P: 45.75 50.39 26.21 26.21 14.57
FS E: 16.47 Asymmetric Spin? Yes
Mast Material ISP: 51.9 SLE: SLU: ASMG: ASF:
CARBON JSP: 14.57 47.57 57.4 28.34 26.24

LOA: 35.6 Displacement: 7725
LWL: 29.32 Ballast: 3255
Beam: 10.3 Engine: IB
Draft: 7.6 Prop Type: FOLD

Modifications on file: (mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)

Boat Name Quixote
Boat Type Elan 40 DK
Rating: 66 DW Rating: 590 Certificate Date 1/15/2026
Displacement used for DW Rating: 15873
Certified PHRF Data on file?

Sail #
61504

Rig Data:

Max Headsail I: 50.03 Symmetric Spin? YES
120 J: 14.27 SL: SSMG: SSF: SPL:
Rig Type P: 49 49.7 26.3 23.9 14.27
MS E: 17.7 Asymmetric Spin? Yes
Mast Material ISP: 54 SLE: SLU: ASMG: ASF:
ALUMN JSP: 15.55 48 53.8 20.9 23

LOA: 39.01 Displacement: 15873
LWL: 33.6 Ballast: 5621
Beam: 12.4 Engine: IB
Draft: 8 Prop Type: Fold

Modifications on file: (Mtg , -3 sec/mi for masthead kite)

Boat Name Rahan
Boat Type Seascope First 36 SE
Rating: 48 DW Rating: 537 Certificate Date 1/27/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Sail #
3637

Rig Data:

Max Headsail I: 45.7 Symmetric Spin? No
106 J: 15.9 SL: SSMG: SSF: SPL:
Rig Type P: 48.24 0 0
FS E: 16.73 Asymmetric Spin? Yes
Mast Material ISP: 52.2 SLE: SLU: ASMG: ASF:
CARBON JSP: 22.95 50.52 60.04 32.48 32.84

LOA: 35.98 Displacement: 9428
LWL: 32.84 Ballast: 3317
Beam: 2.53 Engine: IB
Draft: 8.64 Prop Type: Fold

Modifications on file: Non Class Bowsprit (Mtg 1/26/26, provisional rating of 48 assigned)

Boat Name Rascal
Boat Type Custom Wilderness 30 SX
Rating: 105 DW Rating: 596 Certificate Date 1/9/2026
Displacement used for DW Rating: 4200
Certified PHRF Data on file?

Sail #
28175

Rig Data:

Max Headsail I: 36 Symmetric Spin? Yes
150 J: 11 SL: SSMG: SSF: SPL:
Rig Type P: 32 35.76 19.8 19.8 11
MS E: 11.5 Asymmetric Spin? No
Mast Material ISP: 36 SLE: SLU: ASMG: ASF:
ALUMN JSP: 36

LOA: 30 Displacement: 4200
LWL: 26.5 Ballast: 1650
Beam: 8.75 Engine: OB
Draft: 6 Prop Type: None

Modifications on file: SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 3" FRD-BLST 1800/1686, DRAFT 5/5.50 (5" FILLER TOP OF KEEL)2/15/96 MTG. (NOTE- SMW CANNOT EXCEED 19.8 mtg-5-17-2001)(Mtg 1/21/19, +3 sec/mi for 95% headsail, change custom rating to 108)(1/20/23, added 150% headsail back, -3 sec/mi, custom rating back to 105)

Boat Name Raven
Boat Type C&C 115 ODR
Rating: 63 DW Rating: 580 Certificate Date 1/16/2026
Displacement used for DW Rating: 13152
Certified PHRF Data on file?

Sail #
38108

Rig Data:

Max Headsail I: 52.17
106 J: 14.5
Rig Type P: 49.33
FS E: 16.33
Mast Material ISP: 52.17
CARBON JSP: 14.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
51.78 28.4 28.4 15.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
47.3 53.3 22.5 24.7

LOA: 37.75
LWL: 33
Beam: 11.92
Draft: 6.67

Displacement: 11800
Ballast: 4200
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Ravenette
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 1/29/2026
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Sail #
80

Rig Data:

Max Headsail I: 38.67
104 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Recidivist
Boat Type Custom Schumacher 39
Rating: 36 DW Rating: 572 Certificate Date 1/27/2026
Displacement used for DW Rating: 13000
Certified PHRF Data on file?

Sail #
3510

Rig Data:

Max Headsail I: 48.34
125 J: 14.03
Rig Type P: 50.91
FS E: 18.49
Mast Material ISP: 56.78
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.65 49.87 24.44 27.56

LOA: 39.81
LWL: 33.7
Beam: 12.12
Draft: 8.24

Displacement: 13000
Ballast: 5500
Engine: IB
Prop Type: FOLD

Modifications on file: ALUMINUM MAST REPLACED W/CARBON. MTG 4/9/98- CHANGED FROM 24 TO 27 PER MTG 8/24/2000 (Mtg 5/22/08, -9 sec/mi for oversized luffs, +3 sec/mi for smaller headsail)(mtg 6/19/08, added Swept Back Spreaders, Elimated Runners, +9 sec/mi for standard sized spinnaker)(5/14/09, switching back to masthead configuration/oversized spinnaker -9 sec/mi)(Mtg1/26/26, remmved MH spinaker, replaced with asymmetric, +9 sec/mi, +3 sec/mi for non-articulation, +3 sec/mi for smaller mainsail, change custom rating from 21 to 36)

Boat Name Red Cloud
Boat Type Farr 36
Rating: 99 DW Rating: 633 Certificate Date 12/16/2025
Displacement used for DW Rating: 9739
Certified PHRF Data on file?

Sail #
99

Rig Data:

Max Headsail I: 38.3
110 J: 12.6
Rig Type P: 41
FS E: 16.75
Mast Material ISP: 38.3
ALUMN JSP: 12.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
38.15 21.9 21.9 12.16
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36
LWL: 31.33
Beam: 11.92
Draft: 6.16

Displacement: 10430
Ballast: 3950
Engine: IB
Prop Type: Fold

Modifications on file: (550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)(2/20/20, removing masthead kite, reverting to stock Farr 36)(Mtg 4/29/24, engine moved aft, NCTR)(10/28/25, switching back to Masthead Kite, as sailed: 87)(12/16/25, removed Masthead Kite, back to stock configuration, as sailed: 99)

Boat Name Resilience
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 696 Certificate Date 1/8/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30 Symmetric Spin? YES LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33 29.96 16.73 16.73 9.55
FS E: 12.5 Asymmetric Spin? No Engine: IB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 9.75 Draft: 4.5

Boat Name Reverie
Boat Type J 109 ODR w/120^ m
Rating: 69 DW Rating: 600 Certificate Date 1/16/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 46.5 Symmetric Spin? No LOA: 32.25 Displacement: 10900
105 J: 13.3 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 3900
Rig Type P: 43.25
FS E: 15.5 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 49.6 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 18.8 44.21 60 30.21 27.6 Draft: 7

Boat Name Rhapsody
Boat Type Sabre Spirit
Rating: 93 DW Rating: 609 Certificate Date 1/12/2026
Displacement used for DW Rating: 9600
Certified PHRF Data on file?

Modifications on file: Halyard winches. (Mtg 1/24/22, -3 sec/mi for keel shoe, -3 sec/mi for increased ISP, +3 sec/mi for non-articulation)

Rig Data:
Max Headsail I: 45.5 Symmetric Spin? No LOA: 36.67 Displacement: 9600
104 J: 12.87 SL: SSMG: SSF: SPL: LWL: 28.33 Ballast: 4000
Rig Type P: 45.5
MS E: 16.55 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 49.5 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 12.87 49.2 55.92 21.24 21.12 Draft: 6.75

Boat Name Ripple
Boat Type Moore 24
Rating: 153 DW Rating: 631 Certificate Date 1/6/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.24 Symmetric Spin? YES LOA: 23.75 Displacement: 2050
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.6 17.55 17.55 9.75
FS E: 9.5 Asymmetric Spin? No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.083

Boat Name Rooster
Boat Type Melges 20
Rating: 111 DW Rating: 607 Certificate Date 1/12/2026
Displacement used for DW Rating: 1105
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 23.19 Symmetric Spin? No LOA: 20 Displacement: 1105
110 J: 7.05 SL: SSMG: SSF: SPL: LWL: 19.4 Ballast: 415
Rig Type P: 24.25
FS E: 9.84 Asymmetric Spin? Yes Engine: OB
Mast Material ISP: 27.2 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 10.95 26.25 29.78 17.65 18.8 Draft: 4.5

Boat Name Rufless
Boat Type J 125
Rating: -12 DW Rating: 492 Certificate Date 1/12/2026
Displacement used for DW Rating: 9781
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 49.16 Symmetric Spin? NO LOA: 41 Displacement: 8350
150 J: 14.8 SL: SSMG: SSF: SPL: LWL: 37 Ballast: 4646
Rig Type P: 46.68
FS E: 17.95 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 52.26 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 22.85 52.5 59.6 36.6 38.6 Draft: 7.9

Boat Name Rum Tum Tugger
Boat Type Beneteau First 10R ODR MOD
Rating: 81 DW Rating: 619 Certificate Date 1/22/2026
Displacement used for DW Rating: 10868
Certified PHRF Data on file?

Modifications on file: (mtg 9/23/10, +3 sec/mi for non-class smaller kite)

Rig Data:
Max Headsail I: 43.2 Symmetric Spin? No LOA: 32.75 Displacement: 9715
130 J: 12.07 SL: SSMG: SSF: SPL: LWL: 28.7 Ballast: 3528
Rig Type P: 42.25
FS E: 14.73 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 46.41 SLE: SLU: ASMG: ASF: Prop Type: FOLD
CARBON JSP: 16.5 42.78 51.08 27.72 27.56 Draft: 6.55

Boat Name Rumour
Boat Type Ericson 32-3
Rating: 162 DW Rating: 663 Certificate Date 1/15/2026
Displacement used for DW Rating: 9800
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 42 Symmetric Spin? Yes LOA: 32.5 Displacement: 9800
100 J: 13.75 SL: SSMG: SSF: SPL: LWL: 25.83 Ballast: 4200
Rig Type P: 36 39.83 22.7 22 13.75
MS E: 11.5 Asymmetric Spin? No Engine: IB
Mast Material ISP: 42 SLE: SLU: ASMG: ASF: Prop Type: Fixed_2
ALUMN JSP: 13.75 Draft: 6

Boat Name Safety Third
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/14/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
131

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 4.083

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Sailor Dog
Boat Type Catalina 34 1&2
Rating: 156 DW Rating: 652 Certificate Date 1/15/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Sail #
1798

Rig Data:

Max Headsail I: 44
110 J: 13.5
Rig Type P: 38.5
MS E: 12
Mast Material ISP: 44
ALUMN JSP: 13.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38 40.5 22.5 20.5

LOA: 34.5
LWL: 29.8
Beam: 11.7
Draft: 5.6

Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Feath

Modifications on file: In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi

Boat Name Salty Cat
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 526 Certificate Date 1/7/2026
Displacement used for DW Rating: 4800
Certified PHRF Data on file?

Sail #
28259

Rig Data:

Max Headsail I:
Rig Type P: 29
CT E: 20.7
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 4800
Ballast: 2800
Engine: IB
Prop Type: FOLD

Modifications on file: INSTALLED IB ENGINE JAN 99 (Mtg 1/21/19, -3 sec/mi for square top mainsail)

Boat Name Salty Hotel
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
60

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.83
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.17 30.35 17 17.39

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Saoirse
Boat Type Tripp 41
Rating: 24 DW Rating: 537 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
51597

Rig Data:

Max Headsail I: 55.5
100 J: 15.9
Rig Type P: 56.6
FS E: 19.25
Mast Material ISP: 58.25
CARBON JSP: 20.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
57.776 64.534 30.676 36.385

LOA: 41
LWL: 37.1
Beam: 12.5
Draft: 8.7

Displacement: 15270
Ballast: 5300
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 11/29/21, Custom Rating of 12 assigned)(1/24/22, -3 sec/mi for tweener sail. Change custom rating from 12 to 9)(04/25/22, removed tweener sail, rating changed from 9 back to 12)(Mtg 1/14/25, custom rating changed from 12 to 24 after boat review)

Boat Name Sapphire
Boat Type Alerion Express 33
Rating: 123 DW Rating: 657 Certificate Date 1/8/2026
Displacement used for DW Rating: 8700
Certified PHRF Data on file?

Sail #
0

Rig Data:

Max Headsail I: 33.73
100 J: 11.39
Rig Type P: 38.17
FS E: 16
Mast Material ISP: 37.89
CARBON JSP: 12.96

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
30.1 36 18.7 20

LOA: 33
LWL: 26.3
Beam: 9.25
Draft: 5

Displacement: 8700
Ballast: 3300
Engine: IB
Prop Type: Fold

Modifications on file: Powered Main Halyard Winch

Boat Name Sapphire
Boat Type Synergy 1000
Rating: 48 DW Rating: 537 Certificate Date 1/8/2026
Displacement used for DW Rating: 5027
Certified PHRF Data on file?

Sail #
38008

Rig Data:

Max Headsail I: 40.8
125 J: 12
Rig Type P: 42
FS E: 15.5
Mast Material ISP: 45.75
CARBON JSP: 16.4

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.2 52 28.8 28

LOA: 32.83
LWL: 29.17
Beam: 9.75
Draft: 7

Displacement: 4400
Ballast: 1850
Engine: IB
Prop Type: FOLD

Modifications on file: (Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)

Boat Name Schocktail
Boat Type Santana 525
Rating: 189 DW Rating: 691 Certificate Date 1/7/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Sail #
77963

Rig Data:

Max Headsail I: 26.5
150 J: 8.75
Rig Type P: 29
FS E: 10
Mast Material ISP: 26.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26 15.5 15.5 8.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 24.58
LWL: 18.5
Beam: 9.33
Draft: 4.25

Displacement: 2400
Ballast: 950
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Sea B
Sail # 38984
Boat Type Olson 25
Rating: 159 DW Rating: 661 Certificate Date 1/6/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?
Modifications on file: Roller Furler

Rig Data:
Max Headsail I: 32 Symmetric Spin? No LOA: 25 Displacement: 2900
155 J: 9.583 SL: SSMG: SSF: SPL: LWL: 21.25 Ballast: 1300
Rig Type P: 28
MS E: 10 Asymmetric Spin? No Engine: OB
Mast Material ISP: 32 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 9.58 Draft: 4.5

Boat Name Shake & Bake
Sail # 38135
Boat Type Farr X2
Rating: 45 DW Rating: 554 Certificate Date 1/12/2026
Displacement used for DW Rating: 5924
Certified PHRF Data on file?
Modifications on file: (Mtg 11/27/23, -9 sec/mi for water ballast. Boat rates 45 when water ballast is enabled, 54 when water ballast is disabled)

Rig Data:
Max Headsail I: 38.88 Symmetric Spin? No LOA: 30.18 Displacement: 5401
105 J: 14.11 SL: SSMG: SSF: SPL: LWL: 28.61 Ballast: 1973
Rig Type P: 40.03
FS E: 13.45 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 43.96 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 18.37 43.41 50.98 28.18 27.89 Draft: 6.89

Boat Name Shaman
Sail # 5166
Boat Type CAL 40
Rating: 114 DW Rating: 624 Certificate Date 1/12/2026
Displacement used for DW Rating: 16000
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 46 Symmetric Spin? Yes LOA: 39.5 Displacement: 15500
155 J: 15.17 SL: SSMG: SSF: SPL: LWL: 30.3 Ballast: 6000
Rig Type P: 40 45.7 27.1 26.4 15.1
MS E: 17.5 Asymmetric Spin? No Engine: IB
Mast Material ISP: 46 SLE: SLU: ASMG: ASF: Prop Type: FEATH
ALUMN JSP: Draft: 5.5

Boat Name Shark On Bluegrass
Sail # 49
Boat Type J 99
Rating: 66 DW Rating: 596 Certificate Date 1/12/2026
Displacement used for DW Rating: 8880
Certified PHRF Data on file?
Modifications on file: Mtg 08/25/25, -9 sec/mi when Water Ballast is enabled)

Rig Data:
Max Headsail I: 43.47 Symmetric Spin? No LOA: 32.6 Displacement: 8880
108 J: 12.56 SL: SSMG: SSF: SPL: LWL: 28.6 Ballast: 3350
Rig Type P: 41.8
FS E: 14.3 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 47.25 SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: 16.73 47.61 53.15 27.72 26.41 Draft: 6.54

Boat Name She Saifd Yes
Boat Type Beneteau 323 SD
Rating: 159 DW Rating: Certificate Date 1/26/2026
Displacement used for DW Rating: 9235
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 42.67 Symmetric Spin? No
105 J: 11.06 SL: SSMG: SSF: SPL:
Rig Type P: 38.91
MS E: 13.17 Asymmetric Spin? No
Mast Material ISP: SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 4.25
LOA: 32.83 Displacement: 9325
LWL: 29.17 Ballast: 2414
Beam: 10.75 Engine: IB
Prop Type: Fixed_3

Boat Name Siento El Viento
Boat Type C&C 29
Rating: 174 DW Rating: 699 Certificate Date 1/12/2026
Displacement used for DW Rating: 9200
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 39.5 Symmetric Spin? Yes
155 J: 12.8 SL: SSMG: SSF: SPL:
Rig Type P: 33.5 39 22 22 12.8
MS E: 10.1 Asymmetric Spin? No
Mast Material ISP: SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 5.25
LOA: 29.5 Displacement: 7500
LWL: 23.6 Ballast: 2700
Beam: 10.5 Engine: IB
Prop Type: Fold

Boat Name Simba
Boat Type Express 27 ODR
Rating: 129 DW Rating: 608 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 28.5 Symmetric Spin? Yes
155 J: 9 SL: SSMG: SSF: SPL:
Rig Type P: 28.5 29 17.5 17 9.833
FS E: 10.42 Asymmetric Spin? No
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 4.5
LOA: 27.25 Displacement: 2450
LWL: 23.75 Ballast: 1100
Beam: 8.17 Engine: OB
Prop Type: None

Boat Name Sir Edmund
Boat Type Custom Covey Island 49
Rating: 72 DW Rating: 567 Certificate Date 1/12/2026
Displacement used for DW Rating: 28116
Certified PHRF Data on file?

Modifications on file: (Mtg 4/29/23, Custom Rating of 72 assigned)(1/21/25, Custom rating changed from 72 to 69 when using 150% headsail)

Rig Data:
Max Headsail I: 51.16 Symmetric Spin? Yes
115 J: 15.91 SL: SSMG: SSF: SPL:
Rig Type P: 46.69 51.84 28.48 31.04 18.04
MS E: 12.78 Asymmetric Spin? Yes
Mast Material ISP: 51.11 SLE: SLU: ASMG: ASF:
CARBON JSP: 18.04 51.84 51.25 28.48 29.4
LOA: 48.75 Displacement: 28000
LWL: 42.51 Ballast: 13000
Beam: 13.16 Engine: IB
Prop Type: Feath
Draft: 9.19

Boat Name Sirocco Skye
Boat Type Tartan 101
Rating: 84 DW Rating: 588 Certificate Date 1/6/2026
Displacement used for DW Rating: 8600
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 47.6 Symmetric Spin? No LOA: 33 Displacement: 8600
105 J: 12.5 SL: SSMG: SSF: SPL: LWL: 29.1 Ballast: 3250
Rig Type P: 45.24
FS E: 14.83 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 50.12 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 16.5 46.6 55.3 29.1 28.8 Draft: 6.5

Boat Name Skeleton Key
Boat Type J 111
Rating: 36 DW Rating: 537 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: (Mtg 11/30/23, -9 sec/mi for 24% increase in spinnaker area)(10/8/24, removed oversized spinnakers, reverting to ODR)

Rig Data:
Max Headsail I: 48.37 Symmetric Spin? No LOA: 36.5 Displacement: 9500
105 J: 13.85 SL: SSMG: SSF: SPL: LWL: 32.7 Ballast: 3500
Rig Type P: 45.17
FS E: 14.5 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 51.4 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 20.08 46.88 59.05 31.8 31.8 Draft: 7.2

Boat Name Sketch
Boat Type Olson 25
Rating: 159 DW Rating: 673 Certificate Date 1/7/2026
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 32 Symmetric Spin? YES LOA: 25 Displacement: 3300
155 J: 9.583 SL: SSMG: SSF: SPL: LWL: 21.25 Ballast: 1300
Rig Type P: 28 32 17.25 17 9.583
MS E: 10 Asymmetric Spin? NO Engine: ob
Mast Material ISP: 32 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Sky
Boat Type J 80 ODR
Rating: 114 DW Rating: 618 Certificate Date 1/6/2026
Displacement used for DW Rating: 3223
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30 Symmetric Spin? No LOA: 26.25 Displacement: 2900
100 J: 9.145 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 1400
Rig Type P: 30
MS E: 12.416 Asymmetric Spin? Yes Engine: OB
Mast Material ISP: 33.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 15.57 31.996 39.162 23.156 25.16 Draft: 4.75

Boat Name Slainte
Boat Type Cal 20
Rating: 273 DW Rating: 743 Certificate Date 1/14/2026
Displacement used for DW Rating: 1950
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 115 I: 22 J: 7.33 P: 23 E: 9.833
Rig Type FS
Mast Material ALUMN
Symmetric Spin? Yes
SL: 22 SSMG: 13.2 SSF: 13.2 SPL: 7.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF: 0
LOA: 20
LWL: 18.08
Beam: 7
Draft: 3.33
Displacement: 1950
Ballast: 900
Engine: OB
Prop Type: None

Boat Name Sliver
Boat Type Hobie 33 ODR
Rating: 87 DW Rating: 551 Certificate Date 1/22/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 33.83 J: 12.4 P: 36.13 E: 12.5
Rig Type FS
Mast Material ALUMN
Symmetric Spin? YES
SL: 36.6 SSMG: 22.3 SSF: 22.3 SPL: 13
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 33
LWL: 30.5
Beam: 8
Draft: 5.5
Displacement: 4000
Ballast: 1900
Engine: OB
Prop Type: None

Boat Name S'Moore
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/12/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 155 I: 26.25 J: 9.75 P: 25 E: 9.5
Rig Type FS
Mast Material ALUMN
Symmetric Spin? Yes
SL: 26 SSMG: 17.55 SSF: 17.55 SPL: 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083
Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Sobrante
Boat Type Catalina 309 WK
Rating: 180 DW Rating: Certificate Date 1/12/2026
Displacement used for DW Rating: 10200
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 95 I: 42.75 J: 12 P: 38.75 E: 13.75
Rig Type FS
Mast Material ALUMN
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 32.75
LWL: 26.5
Beam: 11.5
Draft: 4.33
Displacement: 10200
Ballast: 4400
Engine: IB
Prop Type: Fold

Boat Name Soiree
Boat Type Beneteau Oceanis 49 SD
Rating: 87 DW Rating: 552 Certificate Date 1/22/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Sail #
38776

Rig Data:

Max Headsail I: 59.75
135 J: 18.42
Rig Type P: 51.67
FS E: 18.33
Mast Material ISP: 59.75
ALUMN JSP: 18.42

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50.72 55.73 26.75 29.41

LOA: 49.5
LWL: 43.67
Beam: 14.75
Draft: 5.75

Displacement: 30517
Ballast: 4800
Engine: IB
Prop Type: Feath

Modifications on file: Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)

Boat Name Solana
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 618 Certificate Date 1/9/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Sail #
21102

Rig Data:

Max Headsail I: 32.58
150 J: 10.75
Rig Type P: 28.25
MS E: 8.58
Mast Material ISP: 32.58
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.15 19.45 19.45 10.81
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3000
Ballast: 1500
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Soliton
Boat Type Synergy 1000
Rating: 60 DW Rating: 555 Certificate Date 1/8/2026
Displacement used for DW Rating: 4900
Certified PHRF Data on file?

Sail #
60412

Rig Data:

Max Headsail I: 40.75
105 J: 16.3
Rig Type P: 41.86
FS E: 15.33
Mast Material ISP: 40.8
CARBON JSP: 16.3

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.89 44.29 21.72 26.15

LOA: 32.83
LWL: 29.17
Beam: 9.75
Draft: 7

Displacement: 4800
Ballast: 2188
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 1/24/22, +3 sec/mi for switching to IB Sail Drive, +9 sec/mi for smaller spinnaker area, +3 sec/mi for shorter ISP/Switch to FS)

Boat Name Son of a Son
Boat Type J 70 ODR
Rating: 114 DW Rating: 613 Certificate Date 1/9/2026
Displacement used for DW Rating: 1750
Certified PHRF Data on file?

Sail #
586

Rig Data:

Max Headsail I: 26.77
100 J: 7.68
Rig Type P: 26.16
FS E: 9.44
Mast Material ISP: 30.15
CARBON JSP: 13.5

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.87 35.43 18.24 18.7

LOA: 22.75
LWL: 20.47
Beam: 7.38
Draft: 4.92

Displacement: 1750
Ballast: 630
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Sonata
Boat Type Laser 28
Rating: 138 DW Rating: 644 Certificate Date 1/22/2026
Displacement used for DW Rating: 4334
Certified PHRF Data on file?

Sail #
33685

Rig Data:

Max Headsail I: 31.1
125 J: 9.65
Rig Type P: 33.14
FS E: 12.96
Mast Material ISP: 31.73
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31.78 19.1 19.1 10.61
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.41
LWL: 23.62
Beam: 9.48
Draft: 4.98

Displacement: 4550
Ballast: 1500
Engine: IB
Prop Type: FOLD

Modifications on file: (Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP)

Boat Name Sparky
Boat Type Catalina 25 FK
Rating: 222 DW Rating: 714 Certificate Date 1/7/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Sail #
1498

Rig Data:

Max Headsail I: 29
145 J: 10.5
Rig Type P: 24.66
MS E: 9.58
Mast Material ISP: 29
ALUMN JSP: 10.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.66 16.5 16.41 10.5
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
25.5 29.9 15.5 17.9

LOA: 25
LWL: 22.16
Beam: 8
Draft: 4

Displacement: 4550
Ballast: 1900
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Special Edition
Boat Type Custom Wilderness 30
Rating: 96 DW Rating: 573 Certificate Date 1/14/2026
Displacement used for DW Rating: 4600
Certified PHRF Data on file?

Sail #
8258

Rig Data:

Max Headsail I: 39.083
125 J: 11.75
Rig Type P: 34.333
FS E: 11.5
Mast Material ISP: 39.083
CARBON JSP: 14.083

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39 25.4 24.5 #####
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.75
LWL: 27.75
Beam: 8.75
Draft: 6

Displacement: 4600
Ballast: 1800
Engine: OB
Prop Type: FOLD

Modifications on file: Added Masthead Halyards for spin/Jips, replaced inboard with Outboard open Transom (12/17/92) Mtg-. 1/18/90 RTNG 102.) (1998 rtg =96) (New Inboard = +3; Foretriangle is 11.75 = +6, jib=150%, Carbon Mast= -3; Keel = -6 mgt 3/8/05)(3/15/16, now has Outboard Motor, -3 sec/mi)

Boat Name Speedwell
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 1/8/2026
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Sail #
20

Rig Data:

Max Headsail I: 38.67
105 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Feath

Modifications on file:

Boat Name Spindrift V
Boat Type Express 37
Rating: 75 DW Rating: 592 Certificate Date 1/12/2026
Displacement used for DW Rating: 11158
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 48.75 *Symmetric Spin?* Yes LOA: 37.08 Displacement: 11000
115 J: 14.33 SL: SSMG: SSF: SPL: LWL: 30.83 Ballast: 4500
Rig Type P: 42 48 25.7 25.7 14.33
MS E: 13.75 *Asymmetric Spin?* Yes Beam: 11.57 Engine: IB
Mast Material ISP: 48.75 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 14.33 45.28 50.2 26.25 24.1 Draft: 7.25

Boat Name Splash!
Boat Type CAL 27-2 IB
Rating: 210 DW Rating: 716 Certificate Date 1/12/2026
Displacement used for DW Rating: 6700
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 36 *Symmetric Spin?* Yes LOA: 26.58 Displacement: 6700
120 J: 12 SL: SSMG: SSF: SPL: LWL: 22.08 Ballast: 3100
Rig Type P: 30.833 35.33 21.6 21.6 12
MS E: 10.25 *Asymmetric Spin?* No Beam: 9.33 Engine: IB
Mast Material ISP: 36 SLE: SLU: ASMG: ASF: Prop Type: Fixed_2
ALUMN JSP: Draft: 4.25

Boat Name Starbuck
Boat Type Custom Black Soo 30
Rating: 138 DW Rating: 585 Certificate Date 1/6/2026
Displacement used for DW Rating: 4500
Certified PHRF Data on file?

Modifications on file: (Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +3 sec/mi for small headsail. As Sailed 144)(Mtg 8/26/19, added 21.6% oversized A-Sail, -9 sec/mi. As Sailed: 135)(1/12/21, reduced A-sail area by 2%, changed Asail penalty from -9 to -6 sec/mi. As sailed: 138)

Rig Data:
Max Headsail I: 30 *Symmetric Spin?* Yes LOA: 31 Displacement: 4500
120 J: 13 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1800
Rig Type P: 25 31 22.1 23.2 13
MS E: 11.73 *Asymmetric Spin?* Yes Beam: 6.8 Engine: OB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 13 36.1 41.8 22.15 23.9 Draft: 6.4

Boat Name Starkite
Boat Type Catalina 30
Rating: 180 DW Rating: 688 Certificate Date 1/16/2026
Displacement used for DW Rating: 10200
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 41 *Symmetric Spin?* Yes LOA: 29.92 Displacement: 10200
155 J: 11.416 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 4200
Rig Type P: 35 40 20.7 19.87 11.5
MS E: 11.5 *Asymmetric Spin?* No Beam: 10.83 Engine: IB
Mast Material ISP: 41 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 5.25

Boat Name Starlight
Boat Type Catalina 27 TM IB
Rating: 207 DW Rating: Certificate Date 1/6/2026
Displacement used for DW Rating: 6850
Certified PHRF Data on file?

Sail #
61801

Rig Data:

Max Headsail I: 36
110 J: 12.2
Rig Type P: 29.66
MS E: 9.66
Mast Material ISP: 34.4
ALUMN JSP: 11.25

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 26.83
LWL: 21.75
Beam: 8.83
Draft: 4.416

Displacement: 6850
Ballast: 2700
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Sterling
Boat Type Catalina 34 1&2
Rating: 147 DW Rating: 638 Certificate Date 1/22/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Sail #
1269

Rig Data:

Max Headsail I: 44
130 J: 13.5
Rig Type P: 38.5
MS E: 12
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 35.66
LWL: 29.84
Beam: 11.75
Draft: 5.56

Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name StFYC J80-1
Boat Type J 80 ODR
Rating: 114 DW Rating: 605 Certificate Date 1/16/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Sail #
127

Rig Data:

Max Headsail I: 31.5
100 J: 9.415
Rig Type P: 30
MS E: 12.42
Mast Material ISP: 33.25
ALUMN JSP: 15.67

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32 39.16 23.16 25.16

LOA: 26.25
LWL: 22
Beam: 8.2
Draft: 4.75

Displacement: 2900
Ballast: 1400
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Stink Eye
Boat Type Laser 28
Rating: 135 DW Rating: 643 Certificate Date 1/9/2026
Displacement used for DW Rating: 4334
Certified PHRF Data on file?

Sail #
133

Rig Data:

Max Headsail I: 31.73
100 J: 9.65
Rig Type P: 33.14
MS E: 12.3
Mast Material ISP: 33.2
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.5 18 18 9.4
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32 37 17 19

LOA: 28.42
LWL: 23.62
Beam: 9.48
Draft: 5

Displacement: 4050
Ballast: 1500
Engine: OB
Prop Type: FOLD

Modifications on file: (Mtg 1/25/18, -3 sec/mi for mainsail girths, -3 sec/mi for change to OB motor, -3 sec/mi for oversized spinnaker girth)

Boat Name Such Fast
Boat Type 1D 35
Rating: 39 DW Rating: 539 Certificate Date 1/29/2026
Displacement used for DW Rating: 6715
Certified PHRF Data on file?

Sail #
35020

Rig Data:

Max Headsail I: 42.49
108 J: 12.52
Rig Type P: 44.26
FS E: 18.47
Mast Material ISP: 44.78
CARBON JSP: 14.76

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44.62 26.54 26.98 14.91
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
43.6 48.13 25.2 27.99

LOA: 35
LWL: 31.5
Beam: 10.9
Draft: 7.58

Displacement: 6715
Ballast: 2660
Engine: IB
Prop Type: Fold

Modifications on file: 1 cabin-top powered winch (Mtg 3/27/23, -6 sec/mi for OSP)(Mtg 12/8/25, switched to class pole, remove -6 sec/mi penalty for OSP. +3 sec/mi for small mainsail)

Boat Name Sugoi
Boat Type Beneteau Oceanis 41
Rating: 114 DW Rating: 583 Certificate Date 1/12/2026
Displacement used for DW Rating: 19350
Certified PHRF Data on file?

Sail #
0

Rig Data:

Max Headsail I: 52.06
115 J: 17
Rig Type P: 49.25
MS E: 15.5
Mast Material ISP: 48.8
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.18 55.74 26.75 27.77

LOA: 40.75
LWL: 37.33
Beam: 13.75
Draft: 6.7

Displacement: 19350
Ballast: 5070
Engine: IB
Prop Type: Feath

Modifications on file: (+3 sec/mi for in-mast furling mainsail. +3 sec/mi for MGM < 50% of E)

Boat Name Summer Wind
Boat Type Harbor 20
Rating: 210 DW Rating: 733 Certificate Date 1/29/2026
Displacement used for DW Rating: 1800
Certified PHRF Data on file?

Sail #
224

Rig Data:

Max Headsail I: 25.75
95 J: 7
Rig Type P: 26
FS E: 10
Mast Material ISP: 25.75
ALUMN JSP: 7.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 20
LWL: 17.17
Beam: 7
Draft: 3.5

Displacement: 1800
Ballast: 900
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Sun Dragon
Boat Type Jeanneau Sun Fast 3300
Rating: 63 DW Rating: 584 Certificate Date 1/9/2026
Displacement used for DW Rating: 7716
Certified PHRF Data on file?

Sail #
33070

Rig Data:

Max Headsail I: 40.91
100 J: 13.78
Rig Type P: 39.39
FS E: 14.59
Mast Material ISP: 44.23
CARBON JSP: 17.55

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.37 50.31 28.81 30.54

LOA: 32.78
LWL: 29.16
Beam: 11.18
Draft: 6.41

Displacement: 7716
Ballast: 3086
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Super Booty II
Boat Type Columbia 22
Rating: 267 DW Rating: 660 Certificate Date 1/16/2026
Displacement used for DW Rating: 2200
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.58 Symmetric Spin? Yes LOA: 22 Displacement: 2200
100 J: 8.38 SL: SSMG: SSF: SPL: LWL: 21.5 Ballast: 1100
Rig Type P: 23.5 26.25 13.5 14 8.38
MS E: 10.25 Asymmetric Spin? No Engine: OB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 3.17

Boat Name Surf Rat
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 618 Certificate Date 1/8/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 32.583 Symmetric Spin? YES LOA: 27 Displacement: 3000
150 J: 10.75 SL: SSMG: SSF: SPL: LWL: 24 Ballast: 1500
Rig Type P: 28.25 32.74 19.4 19.4 10.75
MS E: 8.58 Asymmetric Spin? No Engine: OB
Mast Material ISP: 32.58 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Surprise!
Boat Type Alerion Express 38-1
Rating: 111 DW Rating: 614 Certificate Date 1/15/2026
Displacement used for DW Rating: 12586
Certified PHRF Data on file?

Modifications on file: Power Winches. (mtg 9/24/18, Custom rating assigned. 114 As Sailed)(Mtg 6/24/19, removed mizzen, added a larger headsail with mid-girth 56% of LP. Change custom rating from 114 to 111)

Rig Data:
Max Headsail I: 43.5 Symmetric Spin? No LOA: 38.4 Displacement: 12400
148 J: 14 SL: SSMG: SSF: SPL: LWL: 30.1 Ballast: 4200
Rig Type P: 44.5 14.5
FS E: 15.8 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 45.8 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 14 38.6 49 26.6 25.5 Draft: 5.8

Boat Name Surprise!
Boat Type Ranger 23 TM
Rating: 210 DW Rating: Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30 Symmetric Spin? No LOA: 23 Displacement: 3400
155 J: 9.75 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 1500
Rig Type P: 25.75
MH E: 9.17 Asymmetric Spin? No Engine: OB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 3.75

Boat Name Sweet De **Sail #** 254
Boat Type Alerion Express 28 ODR
Rating: 168 **DW Rating:** 703 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file: (Mtg 2/24/20, +6 Sec/mi for class jib)

Rig Data:

Max Headsail I: 30 **Symmetric Spin?** No **LOA:** 28.25
90 J: 9.75 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 22.83
Rig Type P: 33
FS E: 12.5 **Asymmetric Spin?** Yes **Beam:** 8.2
Mast Material **ISP:** 30 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4.5
ALUMN **JSP:** 9.75 27.44 31.5 15.43 15.73

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Sweet Pea **Sail #** 195
Boat Type Islander 30-2
Rating: 186 **DW Rating:** 684 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 8600
Certified PHRF Data on file?

Modifications on file: (Mtg 9/30/19, -6 sec/mi for genoa)(7/29/20, removed 185% genoa)

Rig Data:

Max Headsail I: 38.5 **Symmetric Spin?** Yes **LOA:** 30
155 J: 12.58 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 24.58
Rig Type P: 32.5 38.6 22.5 22.5 12.42
MS E: 11.58 **Asymmetric Spin?** Yes **Beam:** 10
Mast Material **ISP:** 38.42 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 5
ALUMN **JSP:** 31.68 35 22.64 17.69

Displacement: 8600
Ballast: 3500
Engine: IB
Prop Type: FOLD

Boat Name Swift Ness **Sail #** 101
Boat Type J 111
Rating: 36 **DW Rating:** 547 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 9300
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.37 **Symmetric Spin?** No **LOA:** 36.5
105 J: 13.85 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 32.7
Rig Type P: 45.17
FS E: 14.5 **Asymmetric Spin?** Yes **Beam:** 10.8
Mast Material **ISP:** 51.4 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 7.2
CARBON **JSP:** 20.08 46.88 59.05 31.8 31.8

Displacement: 9300
Ballast: 3500
Engine: IB
Prop Type: Fold

Boat Name Synchronicity **Sail #** 68
Boat Type Olson 25
Rating: 159 **DW Rating:** 674 **Certificate Date** 1/14/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 32 **Symmetric Spin?** Yes **LOA:** 25
155 J: 9.583 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 21.25
Rig Type P: 28 32 17.28 17.28 9.583
MS E: 10 **Asymmetric Spin?** No **Beam:** 9
Mast Material **ISP:** 32 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4.5
ALUMN **JSP:** 9.6

Displacement: 3300
Ballast: 1300
Engine: OB
Prop Type: None

Boat Name Take Five
Boat Type Cape Fear 38 R
Rating: 51 DW Rating: 563 Certificate Date 1/27/2026
Displacement used for DW Rating: 12400
Certified PHRF Data on file?

Sail #
52538

Rig Data:

Max Headsail I: 50
104 J: 13.75
Rig Type P: 48
FS E: 17.2
Mast Material ISP: 54
ALUMN JSP: 16

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
54.05 59 31.04 30.24

LOA: 37.75
LWL: 34
Beam: 11
Draft: 7.2

Displacement: 12400
Ballast: 5075
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 1/26/26, - 9 sec/mi for 25% oversized asymmetric spinnaker)

Boat Name Take Five More
Boat Type Ericson 911S Olson
Rating: 135 DW Rating: 671 Certificate Date 1/8/2026
Displacement used for DW Rating: 8716
Certified PHRF Data on file?

Sail #
38132

Rig Data:

Max Headsail I: 41.5
95 J: 12.33
Rig Type P: 35.5
MS E: 11.92
Mast Material ISP: 41.5
ALUMN JSP: 12.33

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
42 21.6 20 12.25
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.92
LWL: 25
Beam: 10.33
Draft: 5.4

Displacement: 8100
Ballast: 3200
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Tangaroa
Boat Type J 109 ODR w/108^ m
Rating: 72 DW Rating: 603 Certificate Date 1/8/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Sail #
311

Rig Data:

Max Headsail I: 46.5
100 J: 13.3
Rig Type P: 43.25
FS E: 15.5
Mast Material ISP: 49
ALUMN JSP: 18.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.63 56.33 27.2 27.75

LOA: 32.25
LWL: 30.5
Beam: 11.5
Draft: 7

Displacement: 10900
Ballast: 3900
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Tango
Boat Type Catalina 34 1&2
Rating: 150 DW Rating: 650 Certificate Date 1/14/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Sail #
1689

Rig Data:

Max Headsail I: 44
120 J: 13.5
Rig Type P: 38.5
MS E: 12
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
35 41 20 21

LOA: 35.67
LWL: 29.83
Beam: 11.75
Draft: 5.58

Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Feath

Modifications on file:

Boat Name TAZ!!
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/6/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.3 Displacement: 2450
150 J: 9 SL: SSMG: SSF: SPL: LWL: 23.8 Ballast: 1100
Rig Type P: 28.5 28.58 13 17.75 9.83
FS E: 10.42 *Asymmetric Spin?* No Beam: 8.17 Engine: NONE
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name The Flying Tiger
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/15/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.6 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No Beam: 7.16 Engine: OB
Mast Material ISP: 26.2 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.08

Boat Name The Mighty Windsong
Boat Type International Folkboat OB
Rating: 228 DW Rating: 805 Certificate Date 1/15/2026
Displacement used for DW Rating: 10817
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26 *Symmetric Spin?* Yes LOA: 25.75 Displacement: 5000
155 J: 8.3 SL: SSMG: SSF: SPL: LWL: 19.75 Ballast: 2750
Rig Type P: 28.8 27.13 14.89 14.92 8.36
MS E: 11.2 *Asymmetric Spin?* No Beam: 7.5 Engine: OB
Mast Material ISP: 26 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 8.3 Draft: 4

Boat Name Three Fisted Rat Boy
Boat Type Santana 22
Rating: 237 DW Rating: 740 Certificate Date 1/12/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26 *Symmetric Spin?* YES LOA: 22 Displacement: 2600
125 J: 8.5 SL: SSMG: SSF: SPL: LWL: 18.67 Ballast: 1230
Rig Type P: 21.75 26 15.44 15.44 8.58
MS E: 9.83 *Asymmetric Spin?* No Beam: 7.83 Engine: OB
Mast Material ISP: 26 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 8.58 Draft: 3.5

Boat Name Tivoli	Sail #	Max Headsail	I:	60.82	<i>Symmetric Spin?</i> No	LOA:	49.5	Displacement:	26988
Boat Type Beneteau Oceanis 50	50045	110	J:	18.43	SL: SSMG: SSF: SPL:	LWL:	43.67	Ballast:	9477
Rating: 75 DW Rating: 538 Certificate Date 1/9/2026		Rig Type	P:	55.77		Beam:	14.75	Engine:	IB
Displacement used for DW Rating: 26988		FS	E:	18.73	<i>Asymmetric Spin?</i> Yes	Draft:	5.75	Prop Type:	Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	60	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:	18.43	57.78 65.96 32.94 33.08				
Modifications on file: (Mtg 1/23/23, +3 sec/mi for in-mast furling mainsail)(Mtg 5/20/24, -3 sec/mi for oversized asymmetric)									

Boat Name Toon Town	Sail #	Max Headsail	I:	26.08	<i>Symmetric Spin?</i> No	LOA:	20.8	Displacement:	1350
Boat Type Ultimate 20 CM	178	150	J:	7	SL: SSMG: SSF: SPL:	LWL:	18	Ballast:	450
Rating: 141 DW Rating: 622 Certificate Date 1/8/2026		Rig Type	P:	27.33		Beam:	8.3	Engine:	OB
Displacement used for DW Rating: 1350		FS	E:	10.17	<i>Asymmetric Spin?</i> Yes	Draft:	5	Prop Type:	None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	27.58	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	12.79	28.4 31.4 17.7 19.2				
Modifications on file:									

Boat Name Topper II	Sail #	Max Headsail	I:	26.25	<i>Symmetric Spin?</i> Yes	LOA:	23.75	Displacement:	2050
Boat Type Moore 24	71	150	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	21.75	Ballast:	1025
Rating: 150 DW Rating: 629 Certificate Date 1/23/2026		Rig Type	P:	25	27 17.55 17.55 9.75	Beam:	7.16	Engine:	OB
Displacement used for DW Rating: 2050		FS	E:	9.5	<i>Asymmetric Spin?</i> Yes	Draft:	4.083	Prop Type:	None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:						
Modifications on file:									

Boat Name Tortuga	Sail #	Max Headsail	I:	31.2	<i>Symmetric Spin?</i> No	LOA:	32	Displacement:	19500
Boat Type Westsail 32	207	110	J:	18.4	SL: SSMG: SSF: SPL:	LWL:	27.6	Ballast:	7000
Rating: 219 DW Rating: 691 Certificate Date 1/12/2026		Rig Type	P:	39.7		Beam:	11	Engine:	IB
Displacement used for DW Rating: 19500		CTR	E:	14.5	<i>Asymmetric Spin?</i> No	Draft:	5	Prop Type:	FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:		SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:						
Modifications on file:									

Boat Name Tramp Boat
Boat Type Farr 10/20 ODR
Rating: 117 DW Rating: 615 Certificate Date 1/9/2026
Displacement used for DW Rating: 8176
Certified PHRF Data on file?

Sail #
18430

Rig Data:

Max Headsail I: 37.75
150 J: 11.67
Rig Type P: 39.5
FS E: 15.42
Mast Material ISP: 39.67
ALUMN JSP: 12.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.7 20.34 20.34 12.82
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.92
LWL: 28.42
Beam: 10.5
Draft: 5.75

Displacement: 8176
Ballast: 3100
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name True Love
Boat Type Spencer 1330
Rating: 114 DW Rating: 604 Certificate Date 1/15/2026
Displacement used for DW Rating: 32006
Certified PHRF Data on file?

Sail #
61052

Rig Data:

Max Headsail I: 58.213
153 J: 17.97
Rig Type P: 52.2
MS E: 15.471
Mast Material ISP: 58.954
CARBON JSP: 22.23

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
57.74 32.94 32.94 18.22
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 44.34
LWL: 37.142
Beam: 13.021
Draft: 7.386

Displacement: 32006
Ballast: 10000
Engine: IB
Prop Type: Fold

Modifications on file: New Rudder, NCTR. (Mtg 1/20/20, custom rating assigned of 105)(Mtg 8/25/25, ORC certificate sumitted, custom rating changed from 105 to 114)

Boat Name Tule Fog
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
18178

Rig Data:

Max Headsail I: 29
155 J: 9
Rig Type P: 29
FS E: 10
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.3
LWL: 23.8
Beam: 8.166
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Twelve Bar Blues
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 Certificate Date 1/8/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Sail #
87

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.01 48.69 25.79 27.89

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Twin Fin **Sail #** 275
Boat Type Open 5.7 ODR
Rating: 138 DW Rating: 601 **Certificate Date** 1/29/2026
Displacement used for DW Rating: 992
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 21.52 *Symmetric Spin?* No
117 J: 7.3 SL: SSMG: SSF: SPL:
Rig Type P: 25.33
FS E: 10.24 *Asymmetric Spin?* Yes
Mast Material ISP: 27.9 SLE: SLU: ASMG: ASF:
ALUMN JSP: 12.3 20.6 25.8 17.9 17.5

LOA: 18.7 Displacement: 992
LWL: 18.7 Ballast: 405
Beam: 8.3 Engine: OB
Draft: 5.7 Prop Type: None

Boat Name U Betcha **Sail #** 172
Boat Type Ultimate 20
Rating: 144 DW Rating: 622 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 22.8 *Symmetric Spin?* No
100 J: 7 SL: SSMG: SSF: SPL:
Rig Type P: 27.5
FS E: 10.33 *Asymmetric Spin?* Yes
Mast Material ISP: 27.58 SLE: SLU: ASMG: ASF:
ALUMN JSP: 13 28.4 31.3 17.6 19.2

LOA: 20.83 Displacement: 1350
LWL: 18 Ballast: 450
Beam: 8.166 Engine: OB
Draft: 5 Prop Type: None

Boat Name UHOO! **Sail #** 62
Boat Type Ultimate 20
Rating: 144 DW Rating: 609 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 22.8 *Symmetric Spin?* No
100 J: 7 SL: SSMG: SSF: SPL:
Rig Type P: 27.5
FS E: 10.33 *Asymmetric Spin?* Yes
Mast Material ISP: 27.58 SLE: SLU: ASMG: ASF:
ALUMN JSP: 13 28.4 31.3 17.6 19.2

LOA: 20.8 Displacement: 1100
LWL: 18 Ballast: 450
Beam: 8.166 Engine: OB
Draft: 5 Prop Type: None

Boat Name Uno Dos **Sail #** 11
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 647 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Modifications on file: (mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)((mtg 3/24/25, -3 sec/mi penalty for oversized main)

Rig Data:

Max Headsail I: 0 *Symmetric Spin?* No
J: 0 SL: SSMG: SSF: SPL:
Rig Type P: 39.75
CATBOAT E: 20.5 *Asymmetric Spin?* No
Mast Material ISP: 29 SLE: SLU: ASMG: ASF:
CARBON JSP: 10 25 31.5 22.5 18.8

LOA: 30.5 Displacement: 5500
LWL: 25 Ballast: 3050
Beam: 9.5 Engine: IB
Draft: 5.25 Prop Type: FEATH

Boat Name Ventana **Sail #** 38130
Boat Type Beneteau Oceanis 46.1 SM
Rating: 57 **DW Rating:** 535 **Certificate Date** 1/15/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 58.17
105 J: 18.67
Rig Type P: 54.33
FS E: 18.5
Mast Material ISP: 58.17
ALUMN JSP: 21.67

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
57.68 64.17 30.18 34.25

LOA: 44.75
LWL: 43.42
Beam: 14.75
Draft: 7.75

Displacement: 23356
Ballast: 6028
Engine: IB
Prop Type: Fold

Modifications on file: Powered Winches. (1/13/20, +3 secmi for in-mast furling mainsail)

Boat Name Venture **Sail #** 543
Boat Type C&C 33
Rating: 165 **DW Rating:** 653 **Certificate Date** 1/7/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 43
100 J: 14
Rig Type P: 37.25
MS E: 10.75
Mast Material ISP: 43
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
14
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
36 40.2 24.2 24.2

LOA: 32.75
LWL: 26.42
Beam: 10.5
Draft: 5.5

Displacement: 9800
Ballast: 4075
Engine: IB
Prop Type: Feath

Modifications on file: Powered Halyard Winch (1/3/23, +3 sec/mi for in-mast furling mainsail, +3 sec/mi for mgm <50% of E)

Boat Name Vera Cruz **Sail #** 38133
Boat Type Jeanneau Sun Odyssey 349
Rating: 138 **DW Rating:** 652 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 11738
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 43.71
1152 J: 12.37
Rig Type P: 40.19
FS E: 13.42
Mast Material ISP: 44.8
ALUMN JSP: 14.88

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.27 46.45 23.3 26.78

LOA: 32.75
LWL: 30.83
Beam: 11.25
Draft: 6.5

Displacement: 11738
Ballast: 3483
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 8/23/21, -3 sec/mi for square-top main)

Boat Name Westerly **Sail #** 4205
Boat Type Morgan 36 4/6
Rating: 120 **DW Rating:** 631 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 11900
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 47.5
95 J: 13.58
Rig Type P: 41.83
MS E: 12.58
Mast Material ISP: 47.5
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 36
LWL: 29.4
Beam: 11.8
Draft: 6.6

Displacement: 11900
Ballast: 5000
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Wicked
Boat Type Melges 32 ODR
Rating: 27 DW Rating: 491 Certificate Date 1/15/2026
Displacement used for DW Rating: 3828
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.86
105 J: 10.7
Rig Type P: 44.05
FS E: 15.49
Mast Material ISP: 48.3
CARBON JSP: 18.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.9 55.75 31.31 31.83

LOA: 31.76 Displacement: 3800
LWL: 28.5 Ballast: 1600
Beam: 9.83 Engine: OB
Draft: 7 Prop Type: None

Boat Name Wiki Wiki
Boat Type Moore 24
Rating: 150 DW Rating: 632 Certificate Date 1/6/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.5 17.5 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75 Displacement: 2050
LWL: 21.75 Ballast: 1025
Beam: 7.16 Engine: OB
Draft: 4.083 Prop Type: None

Boat Name Wildcard
Boat Type Santa Cruz 37
Rating: 27 DW Rating: 521 Certificate Date 1/7/2026
Displacement used for DW Rating: 9339
Certified PHRF Data on file?

Modifications on file: (Mtg 1/26/16, new keel box & rudder noted, NCTR)

Rig Data:

Max Headsail I: 47.1
105 J: 13.4
Rig Type P: 47
FS E: 17
Mast Material ISP: 52.17
CARBON JSP: 19

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50.85 59.7 33.3 33.3

LOA: 37 Displacement: 8662
LWL: 34.75 Ballast: 3730
Beam: 10.64 Engine: IB
Draft: 7.5 Prop Type: FOLD

Boat Name Wilder
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 624 Certificate Date 1/6/2026
Displacement used for DW Rating: 3440
Certified PHRF Data on file?

Modifications on file: Elliptical Rudder

Rig Data:

Max Headsail I: 32.7
155 J: 10.9
Rig Type P: 28.2
MS E: 8.7
Mast Material ISP: 32.58
ALUMN JSP: 10.9

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.8 19.6 17.59 10.9
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32.38 34.28 18.99 18.01

LOA: 27 Displacement: 3300
LWL: 24 Ballast: 1600
Beam: 8 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Wile E Coyote **Sail #** 11
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 **Symmetric Spin?** Yes **LOA:** 27.25 **Displacement:** 2450
150 **J:** 9 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 23.75 **Ballast:** 1100
Rig Type P: 28.5 29 17.7 17.7 9.833
FS **E:** 10.416 **Asymmetric Spin?** No **Beam:** 8.17 **Engine:** OB
Mast Material **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4.5 **Prop Type:** None
ALUMN **JSP:**

Boat Name Will O The Wind **Sail #** 27
Boat Type Hunter 27 IB
Rating: 210 **DW Rating:** **Certificate Date** 1/6/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 37.55 **Symmetric Spin?** NO **LOA:** 27.1 **Displacement:** 7000
120 **J:** 10.85 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 22 **Ballast:** 3000
Rig Type P: 31.9
MS **E:** 9.4 **Asymmetric Spin?** No **Beam:** 9.25 **Engine:** IB
Mast Material **ISP:** **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** Fixed_2
ALUMN **JSP:** **Draft:** 4.25

Boat Name Willow **Sail #** 38300
Boat Type Wauquiez 40s Centurion
Rating: 72 **DW Rating:** 579 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 18960
Certified PHRF Data on file?

Modifications on file: (mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)(1 powered cabin top Halyard winch, NCTR)(Electric backstay adjuster, NCTR)(1/3/23, +3 sec/mi for non-articulation)

Rig Data:

Max Headsail I: 51.5 **Symmetric Spin?** No **LOA:** 41.17 **Displacement:** 18960
110 **J:** 14.17 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 36.4 **Ballast:** 6085
Rig Type P: 49.21 50.73 25.54 25.54 14.17
FS **E:** 19.3 **Asymmetric Spin?** Yes **Beam:** 12.66 **Engine:** IB
Mast Material **ISP:** 51.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** FEATH
ALUMN **JSP:** 46.75 52.8 27.66 28.54 **Draft:** 7.75

Boat Name Willpower **Sail #** 7606
Boat Type Peterson 42
Rating: 54 **DW Rating:** 592 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 18000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 57 **Symmetric Spin?** NO **LOA:** 42 **Displacement:** 18000
100 **J:** 17.6 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 34 **Ballast:** 8000
Rig Type P: 50
MS **E:** 16.2 **Asymmetric Spin?** No **Beam:** 12 **Engine:** IB
Mast Material **ISP:** **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** Fold
ALUMN **JSP:** **Draft:** 7.75

Boat Name Wind Dancer **Sail #**
29
Boat Type J 99
Rating: 75 DW Rating: 599 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 43.47
105 J: 12.56
Rig Type P: 41.8
FS E: 14.3
Mast Material ISP: 47.25
ALUMN JSP: 16.73

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.2 53.5 27.85 26

LOA: 32.6 Displacement: 8415
LWL: 28.6 Ballast: 3480
Beam: 11.18 Engine: IB
Draft: 6.54 Prop Type: Fold

Boat Name Wind Mate **Sail #**
1805
Boat Type Catalina 34 1&2
Rating: 150 DW Rating: 648 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44
120 J: 13.5
Rig Type P: 38.5
MS E: 11.75
Mast Material ISP: 44
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.5 44 24 22.25

LOA: 34.5 Displacement: 11950
LWL: 29.83 Ballast: 5000
Beam: 11.75 Engine: IB
Draft: 5.58 Prop Type: Fold

Boat Name Windcatcher **Sail #**
38015
Boat Type Islander 36 NCPHRF
Rating: 153 DW Rating: 663 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 45
110 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP: 14.48

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.08 Displacement: 13450
LWL: 28.25 Ballast: 5450
Beam: 11.17 Engine: IB
Draft: 6.08 Prop Type: Fixed_2

Boat Name Windsome **Sail #**
140
Boat Type J 100 ODR
Rating: 81 DW Rating: 584 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file: (Mtg 2/28/22, -3 sec/mi for increased spinnaker area)

Rig Data:

Max Headsail I: 38.5
100 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 43
CARBON JSP: 15.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.82 49.41 26.9 26.81

LOA: 32.8 Displacement: 6500
LWL: 29 Ballast: 2450
Beam: 9.25 Engine: IB
Draft: 5.75 Prop Type: Fold

Boat Name Wolfpack	Sail # 3001	Max Headsail 150	I: 38.5	Symmetric Spin? No	LOA: 30	Displacement: 3300
Boat Type Donovan 30			J: 11.6	SL: SSMG: SSF: SPL:	LWL: 25	Ballast: 1330
Rating: 87	DW Rating: 575	Certificate Date 1/15/2026	Rig Type MS	Asymmetric Spin? Yes	Beam: 10.75	Engine: OB
Displacement used for DW Rating: 3470			E: 10.66	SLE: SLU: ASMG: ASF:	Draft: 5.67	Prop Type: None
Certified PHRF Data on file? <input checked="" type="checkbox"/>		Mast Material ALUMN	JSP: 11.6	37 41.25 19.4 20.65		
Modifications on file: (Mtg 6/26/14, New Rudder, NCTR)(Mtg 1/26/16, +3 sec/mi for smaller "E")						

Boat Name Wolpertinger	Sail # 47952	Max Headsail 155	I: 32.583	Symmetric Spin? Yes	LOA: 26.85	Displacement: 3000
Boat Type Santa Cruz 27 MOD			J: 10.75	SL: SSMG: SSF: SPL:	LWL: 23.39	Ballast: 1450
Rating: 135	DW Rating: 618	Certificate Date 1/27/2026	Rig Type MS	Asymmetric Spin? Yes	Beam: 8	Engine: OB
Displacement used for DW Rating: 3200			E: 8.53	SLE: SLU: ASMG: ASF:	Draft: 4.5	Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material ALUMN	JSP: 11.9	32.1 21.6 21.6 11.75 30.1 34.8 20.5		
Modifications on file: New rudder noted NCTR. (Mtg 5/11/04, -3 for oversized spinnaker midgirth; -3 sec/mi for OSP)						

Boat Name Wowla	Sail # 14	Max Headsail 125	I: 38.5	Symmetric Spin? No	LOA: 32.8	Displacement: 6500
Boat Type J 100 ODR			J: 11.5	SL: SSMG: SSF: SPL:	LWL: 29	Ballast: 2500
Rating: 84	DW Rating: 599	Certificate Date 1/9/2026	Rig Type FS	Asymmetric Spin? Yes	Beam: 9.3	Engine: IB
Displacement used for DW Rating: 7000			E: 13.5	SLE: SLU: ASMG: ASF:	Draft: 5.8	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material CARBON	JSP: 12	0 0 42 47.1 23.4 22.3		
Modifications on file: powered winch for mainsail hoist						

Boat Name Wreckless	Sail # 77449	Max Headsail 155	I: 35.89	Symmetric Spin? Yes	LOA: 25.9	Displacement: 4920
Boat Type Capo 26			J: 10.63	SL: SSMG: SSF: SPL:	LWL: 21.76	Ballast: 1964
Rating: 156	DW Rating: 692	Certificate Date 1/9/2026	Rig Type SL	Asymmetric Spin? No	Beam: 9.38	Engine: OB
Displacement used for DW Rating:			E: 10.01	SLE: SLU: ASMG: ASF:	Draft: 4.56	Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	JSP:			
Modifications on file: SPL REDUCED TO "J" 99". 1194# BALAST IN THE KEEL, 770 # IN THE HULL						

Boat Name Wysiwyg
Boat Type Olson 30 OB
Rating: 99 DW Rating: 583 Certificate Date 1/15/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36
155 J: 11.75
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.16 21.16 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.083

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Boat Name Yemaya
Boat Type Leigh 30
Rating: 210 DW Rating: 721 Certificate Date 1/27/2026
Displacement used for DW Rating: 9100
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36.5
150 J: 12.33
Rig Type P: 31.67
MS E: 12.33
Mast Material ISP: 36.5
ALUMN JSP: 12.33

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.67
LWL: 23.33
Beam: 9.58
Draft: 4.58

Displacement: 9100
Ballast: 4400
Engine: IB
Prop Type: Fixed_3

Boat Name Yeti
Boat Type Express 27
Rating: 129 DW Rating: 633 Certificate Date 1/16/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5
140 J: 9
Rig Type P: 28.5
FS E: 10.4
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.6 17.7 17.7 9.83
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
26.51 30.5 16.4 17.77

LOA: 27.25
LWL: 23.75
Beam: 8.16
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Yippee!!
Boat Type Ranger 23
Rating: 216 DW Rating: 730 Certificate Date 1/15/2026
Displacement used for DW Rating: 3400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.5
150 J: 9.7
Rig Type P: 24
MS E: 9.17
Mast Material ISP: 27.5
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
27.6 17.4 17.4 9.7
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23
LWL: 20
Beam: 7.9
Draft: 3.75

Displacement: 3400
Ballast: 1500
Engine: OB
Prop Type: None

Boat Name Young Betty
Boat Type Express 27 ODR
Rating: 129 DW Rating: 630 Certificate Date 1/22/2026
Displacement used for DW Rating: 2798
Certified PHRF Data on file?

Sail #
8448

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.8 17.8 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.166
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file: New Rudder, NCTR

Boat Name Zaff
Boat Type J 92
Rating: 105 DW Rating: 597 Certificate Date 1/15/2026
Displacement used for DW Rating: 5645
Certified PHRF Data on file?

Sail #
56272

Rig Data:

Max Headsail I: 37
155 J: 11.5
Rig Type P: 37.75
FS E: 13.25
Mast Material ISP: 39
ALUMN JSP: 17

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.6 45.8 28.9 29.5

LOA: 30
LWL: 25.8
Beam: 10
Draft: 5.9

Displacement: 5500
Ballast: 2275
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 2/26/18, -3 sec/mi for increased ISP and oversized main girths)(Mtg 5/21/18, +3 sec/mi for small asymmetric spinnaker)

Boat Name Zeehond
Boat Type Newport 30-2
Rating: 174 DW Rating: 677 Certificate Date 1/6/2026
Displacement used for DW Rating: 8500
Certified PHRF Data on file?

Sail #
707

Rig Data:

Max Headsail I: 39.5
150 J: 12.125
Rig Type P: 34
MS E: 10.25
Mast Material ISP: 39.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.25 21.78 21.75 #####
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 25
Beam: 10.5
Draft: 4.75

Displacement: 8500
Ballast: 2600
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Zena
Boat Type North Star 727 Farr
Rating: 192 DW Rating: 714 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
28824

Rig Data:

Max Headsail I: 24.4
155 J: 7.8
Rig Type P: 25.7
FS E: 10.9
Mast Material ISP: 24.4
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
24.34 14 14 7.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
0

LOA: 23.1
LWL: 19.7
Beam: 8.3
Draft: 4.6

Displacement: 2700
Ballast: 900
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Zenaida **Sail #**
38079
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 695 Certificate Date 1/8/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I: 30	<i>Symmetric Spin?</i> Yes	LOA: 28.25	Displacement: 5700
95	J: 9.75	SL: SSMG: SSF: SPL:	LWL: 22.83	Ballast: 2200
Rig Type	P: 33	29.96 17.55 15.77 9.75	Beam: 8.2	Engine: IB
FS	E: 12.5	<i>Asymmetric Spin?</i> No	Draft: 4.5	Prop Type: FOLD
Mast Material	ISP:	SLE: SLU: ASMG: ASF:		
ALUMN	JSP:			

Boat Name Zephyros **Sail #**
45
Boat Type Beneteau First 30
Rating: 105 DW Rating: 589 Certificate Date 1/12/2026
Displacement used for DW Rating: 8267
Certified PHRF Data on file?

Modifications on file: High Aspect Rudders

Rig Data:

Max Headsail	I: 41.66	<i>Symmetric Spin?</i> No	LOA: 31.7	Displacement: 8267
105	J: 13.78	SL: SSMG: SSF: SPL:	LWL: 27.5	Ballast: 2403
Rig Type	P: 40.2		Beam: 10.5	Engine: IB
FS	E: 14.25	<i>Asymmetric Spin?</i> Yes	Draft: 6.25	Prop Type: Fold
Mast Material	ISP: 42.16	SLE: SLU: ASMG: ASF:		
ALUMN	JSP: 15.7	40.5 45.6 23.8 25.98		