

NCPHRF - CURRENT FLEET ROSTER

This Roster lists the boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 5/19/2026

Boat Name 61 **Sail #** 61
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 606 **Certificate Date** 1/15/2026
 Displacement used for DW Rating: 2510
 Certified PHRF Data on file?

Rig Data:

Max Headsail I: 28.5 **Symmetric Spin?** YES **LOA:** 27.25 **Displacement:** 2450
 150 **J:** 9 **SL: SSMG: SSF: SPL:**
Rig Type P: 28.5 28.5 17.75 17.75 9.833 **LWL:** 23.75 **Ballast:** 1100
 FS **E:** 10.416 **Asymmetric Spin?** No **Beam:** 8.17 **Engine:** OB
Mast Material ISP: 28.5 **SLE: SLU: ASMG: ASF:** **Prop Type:** None
 ALUMN **JSP:** **Draft:** 4.5

Modifications on file:

Boat Name A Day Off **Sail #** 61991
Boat Type Santana 22
Rating: 237 **DW Rating:** 742 **Certificate Date** 3/18/2026
 Displacement used for DW Rating: 2600
 Certified PHRF Data on file?

Rig Data:

Max Headsail I: 26 **Symmetric Spin?** YES **LOA:** 22 **Displacement:** 2600
 100 **J:** 8.5 **SL: SSMG: SSF: SPL:**
Rig Type P: 21.75 26 15.44 15.44 8.583 **LWL:** 18.67 **Ballast:** 1230
 MS **E:** 9.833 **Asymmetric Spin?** No **Beam:** 7.83 **Engine:** OB
Mast Material ISP: 26 **SLE: SLU: ASMG: ASF:** **Prop Type:** None
 ALUMN **JSP:** **Draft:** 3.5

Modifications on file:

Boat Name Abigail Morgan **Sail #** 18394
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 606 **Certificate Date** 1/20/2026
 Displacement used for DW Rating: 2510
 Certified PHRF Data on file?

Rig Data:

Max Headsail I: 28.5 **Symmetric Spin?** Yes **LOA:** 27.25 **Displacement:** 2450
 150 **J:** 9 **SL: SSMG: SSF: SPL:**
Rig Type P: 28.5 ##### 17.75 17.4 9.833 **LWL:** 23.75 **Ballast:** 1100
 FS **E:** 10.416 **Asymmetric Spin?** No **Beam:** 8.166 **Engine:** OB
Mast Material ISP: 28.5 **SLE: SLU: ASMG: ASF:** **Prop Type:** None
 ALUMN **JSP:** **Draft:** 4.5

Modifications on file:

Boat Name About Time
Boat Type X-412
Rating: 66 DW Rating: 579 Certificate Date 1/15/2026
Displacement used for DW Rating: 16314
Certified PHRF Data on file?

Modifications on file: Electric Main Halyard winch, roller furler

Rig Data:

Max Headsail I: 53.84
125 J: 16.01
Rig Type P: 47.24
MS E: 15.41
Mast Material ISP: 53.84
ALUMN JSP: 49.6 53.8 25.4 26.9

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
53.36 28.82 28.82 16
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.6 53.8 25.4 26.9

LOA: 41
LWL: 34.2
Beam: 12.7
Draft: 6.9

Displacement: 16314
Ballast: 7716
Engine: IB
Prop Type: FOLD

Boat Name Abracadabra
Boat Type Antrim 27 CM ODR
Rating: 75 DW Rating: 568 Certificate Date 1/22/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Modifications on file: BOWSPRINT IS ARTICULATING

Rig Data:

Max Headsail I: 28.69
116 J: 8.17
Rig Type P: 33.75
FS E: 14
Mast Material ISP: 37.25
CARBON JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38 44.2 20.1 25.1

LOA: 27.73
LWL: 23.75
Beam: 9.25
Draft: 6

Displacement: 2900
Ballast: 1050
Engine: OB
Prop Type: None

Boat Name Absinthe
Boat Type Moore 24
Rating: 150 DW Rating: 644 Certificate Date 2/10/2026
Displacement used for DW Rating: 2485
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Accelerando
Boat Type Moore 24
Rating: 150 DW Rating: 654 Certificate Date 4/26/2026
Displacement used for DW Rating: 2519
Certified PHRF Data on file?

Modifications on file: High Aspect Rudder, NCTR

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP: 9.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.3 9.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
24.44 28.2 17.55 17.3

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.08

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Acey Deucy
Boat Type J 44
Rating: 21 DW Rating: 562 Certificate Date 1/7/2026
Displacement used for DW Rating: 23350
Certified PHRF Data on file?

Modifications on file: Electric Winches

Rig Data:
Max Headsail I: 60.606 Symmetric Spin? Yes LOA: 44.83 Displacement: 22770
155 J: 17.08 SL: SSMG: SSF: SPL: LWL: 38.58 Ballast: 9000
Rig Type P: 53.51 59.8 30.8 30.8 ##### Engine: IB
MS E: 19.41 Asymmetric Spin? Yes Beam: 13.67
Mast Material ISP: 60.416 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 55.9 63.8 27.8 27 Draft: 8.14

Boat Name Ad Lib
Boat Type Aphrodite 101
Rating: 144 DW Rating: 650 Certificate Date 1/8/2026
Displacement used for DW Rating: 7490
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 36.83 Symmetric Spin? Yes LOA: 32.75 Displacement: 6160
100 J: 11.81 SL: SSMG: SSF: SPL: LWL: 26.33 Ballast: 3527
Rig Type P: 39.33 35.6 21.3 19.6 11.9 Engine: IB
FS E: 11.48 Asymmetric Spin? No Beam: 7.92
Mast Material ISP: 32.23 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 5.42

Boat Name Adrenalin
Boat Type Santa Cruz 50
Rating: -9 DW Rating: 488 Certificate Date 4/10/2026
Displacement used for DW Rating: 20525
Certified PHRF Data on file?

Modifications on file: (Mtg 4/23/15, +6 sec/mi for 20% decrease in spinnaker area, change custom rating from -15 to -9)

Rig Data:
Max Headsail I: 62.85 Symmetric Spin? No LOA: 51.45 Displacement: 21000
155 J: 19 SL: SSMG: SSF: SPL: LWL: 47.77 Ballast: 8000
Rig Type P: 55.6 20.9 Engine: IB
MS E: 18.2 Asymmetric Spin? Yes Beam: 12.25
Mast Material ISP: 62.8 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 20.9 60.1 67.95 36.96 36.81 Draft: 9.12

Boat Name Advantage 3
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 Certificate Date 1/12/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 40.6 Symmetric Spin? No LOA: 34.5 Displacement: 7750
100 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.5 Ballast: 3400
Rig Type P: 41.5 Engine: IB
FS E: 14.5 Asymmetric Spin? Yes Beam: 11
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 19.07 38.6 49 26.4 25.5 Draft: 6.5

Boat Name Adventure
Boat Type Catalina 36
Rating: 147 DW Rating: 654 Certificate Date 4/30/2026
Displacement used for DW Rating: 15996
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44.75
155 J: 14.33
Rig Type P: 39
MS E: 12
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 36.33
LWL: 30.25
Beam: 11.92
Draft: 5.83

Displacement: 15000
Ballast: 6000
Engine: IB
Prop Type: Fixed_3

Boat Name Aegea
Boat Type Sabre 38-2
Rating: 114 DW Rating: 623 Certificate Date 1/6/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 49.75
130 J: 14.5
Rig Type P: 43.5
MS E: 15.06
Mast Material ISP: 49.75
ALUMN JSP: 14.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
JSP:

LOA: 38.67
LWL: 31.42
Beam: 12.33
Draft: 6.5

Displacement: 16900
Ballast: 6600
Engine: IB
Prop Type: Fold

Boat Name Aerie
Boat Type CS 36
Rating: 123 DW Rating: 641 Certificate Date 1/27/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 49
155 J: 15
Rig Type P: 42.75
MS E: 12.75
Mast Material ISP: 49
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48.65 25.5 25.5 15
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 36.5
LWL: 29.25
Beam: 11.5
Draft: 6.25

Displacement: 15500
Ballast: 6500
Engine: IB
Prop Type: Fold

Boat Name Ahi
Boat Type Santana 35
Rating: 114 DW Rating: 639 Certificate Date 2/26/2026
Displacement used for DW Rating: 9277
Certified PHRF Data on file?

Modifications on file: (Mtg 6/27/13, new rudder noted, NCTR)

Rig Data:

Max Headsail I: 39
155 J: 12.85
Rig Type P: 42
FS E: 14.25
Mast Material ISP: 39
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39 23.13 22.5 12.85
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 35
LWL: 26.5
Beam: 11.92
Draft: 6.25

Displacement: 8500
Ballast: 3300
Engine: IB
Prop Type: Fold

Boat Name Ahi
Boat Type Santana 22
Rating: 234 DW Rating: 741 Certificate Date 1/20/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I: 26	<i>Symmetric Spin?</i> Yes	LOA: 22	Displacement: 2600
155	J: 8.5	SL: SSMG: SSF: SPL:	LWL: 18.67	Ballast: 1230
Rig Type	P: 21.75	26 15.44 15.44 8.583	Beam: 7.83	Engine: OB
MS	E: 9.833	<i>Asymmetric Spin?</i> No	Draft: 3.5	Prop Type: None
Mast Material	ISP: 26	SLE: SLU: ASMG: ASF:		
ALUMN	JSP:			

Boat Name Akumu
Boat Type B-25 ODR
Rating: 138 DW Rating: 599 Certificate Date 4/1/2026
Displacement used for DW Rating: 2450
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I: 28	<i>Symmetric Spin?</i> YES	LOA: 25	Displacement: 2000
125	J: 8.5	SL: SSMG: SSF: SPL:	LWL: 21.25	Ballast: 800
Rig Type	P: 28	37.66 17.1 16.75 9.83	Beam: 8.33	Engine: OB
MS	E: 11	<i>Asymmetric Spin?</i> No	Draft: 5	Prop Type: None
Mast Material	ISP: 32	SLE: SLU: ASMG: ASF:		
ALUMN	JSP:			

Boat Name Akyaa
Boat Type Hobie 33 ODR
Rating: 87 DW Rating: 543 Certificate Date 1/15/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Modifications on file: (mtg 8/19/10, -3 sec/mi for sprit)

Rig Data:

Max Headsail	I: 33.6	<i>Symmetric Spin?</i> Yes	LOA: 37	Displacement: 4260
90	J: 12.4	SL: SSMG: SSF: SPL:	LWL: 30.83	Ballast: 1800
Rig Type	P: 35.3	36 23 23 13.12	Beam: 8	Engine: OB
MS	E: 12.5	<i>Asymmetric Spin?</i> No	Draft: 5.5	Prop Type: None
Mast Material	ISP: 36.5	SLE: SLU: ASMG: ASF:		
ALUMN	JSP: 16.2			

Boat Name Ala Moana
Boat Type Beneteau First 30
Rating: 99 DW Rating: 616 Certificate Date 1/16/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I: 41.66	<i>Symmetric Spin?</i> No	LOA: 31.7	Displacement: 8267
120	J: 13.78	SL: SSMG: SSF: SPL:	LWL: 27.6	Ballast: 2403
Rig Type	P: 40.3		Beam: 10.5	Engine: IB
FS	E: 14.25	<i>Asymmetric Spin?</i> Yes	Draft: 6.25	Prop Type: Fold
Mast Material	ISP: 42.16	SLE: SLU: ASMG: ASF:		
ALUMN	JSP: 15.78	43.7 48.6 26.9 28.82		

Boat Name **Albacore** Sail # 18325
Boat Type Santana 22 ODR
Rating: 234 DW Rating: 739 Certificate Date 2/10/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	25.67	<i>Symmetric Spin?</i>	Yes	LOA:	22	Displacement:	2600
150	J:	8.58	SL:	SSMG:	SSF:	SPL:	Ballast:	1230
Rig Type	P:	21.75	26	15.44	15.44	8.58	LWL:	18.67
MS	E:	9.83	<i>Asymmetric Spin?</i>			No	Beam:	7.83
Mast Material	ISP:	25.67	SLE:	SLU:	ASMG:	ASF:	Draft:	3.5
ALUMN	JSP:	8.58						

Boat Name **Alchemy** Sail # 18252
Boat Type Olson 25
Rating: 159 DW Rating: 673 Certificate Date 4/26/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	32	<i>Symmetric Spin?</i>	Yes	LOA:	25	Displacement:	3300
155	J:	9.583	SL:	SSMG:	SSF:	SPL:	Ballast:	1300
Rig Type	P:	28	32	17.25	17	9.583	LWL:	21.25
MS	E:	10	<i>Asymmetric Spin?</i>			No	Beam:	9
Mast Material	ISP:	32	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:							

Boat Name **Alchera** Sail # 28870
Boat Type J 120 Mod
Rating: 51 DW Rating: 559 Certificate Date 1/12/2026
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Modifications on file: Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +3 sec/mi for small spinnaker, + 3 sec/mi for small headsail)

Rig Data:

Max Headsail	I:	50.5	<i>Symmetric Spin?</i>	No	LOA:	40	Displacement:	13900
125	J:	14.5	SL:	SSMG:	SSF:	SPL:	Ballast:	6000
Rig Type	P:	46.5					LWL:	35
FS	E:	17.57	<i>Asymmetric Spin?</i>			Yes	Beam:	12
Mast Material	ISP:	52	SLE:	SLU:	ASMG:	ASF:	Draft:	7
CARBON	JSP:	21.55	49.99	57.96	30.6	34		

Boat Name **Allegro Non Troppo** Sail # 188
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 695 Certificate Date 1/7/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	30	<i>Symmetric Spin?</i>	Yes	LOA:	28.25	Displacement:	5700
90	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	2200
Rig Type	P:	33	29.75	17.5	17.5	9.75	LWL:	22.83
FS	E:	12.5	<i>Asymmetric Spin?</i>			No	Beam:	8.2
Mast Material	ISP:	30	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:	9.75						

Boat Name Alpha
Boat Type S&S 47 (Stevens 47)
Rating: 96 DW Rating: 596 Certificate Date 3/18/2026
Displacement used for DW Rating: 30000
Certified PHRF Data on file?

Sail #
8502

Rig Data:

Max Headsail I: 53.58
95 J: 18.75
Rig Type P: 47.9
MS E: 17.39
Mast Material ISP: 53.58
ALUMN JSP: 18.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
54.3 33.7 33.7 18.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50.4 52 17 28

LOA: 47.75
LWL: 34.5
Beam: 11.67
Draft: 6.25

Displacement: 30000
Ballast: 13000
Engine: IB
Prop Type: FOLD

Modifications on file: (mtg 4/28/25, -3 sec/mi for tweener)

Boat Name Andiamo
Boat Type Catalina 36-2
Rating: 153 DW Rating: 650 Certificate Date 3/18/2026
Displacement used for DW Rating: 14200
Certified PHRF Data on file?

Sail #
2168

Rig Data:

Max Headsail I: 44.75
115 J: 14.33
Rig Type P: 39
MS E: 13
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
37 43 24 29

LOA: 36
LWL: 30.25
Beam: 11.9
Draft: 5.8

Displacement: 14200
Ballast: 6000
Engine: IB
Prop Type: Fixed_3

Modifications on file: In-Mast Furling Mainsail, +3 sec/mi

Boat Name Andiamo
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 695 Certificate Date 4/30/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Sail #
97

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29.5 17.5 17.5 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Anna Lu
Boat Type Merit 25
Rating: 168 DW Rating: 696 Certificate Date 1/7/2026
Displacement used for DW Rating: 3286
Certified PHRF Data on file?

Sail #
529

Rig Data:

Max Headsail I: 28.75
150 J: 9.66
Rig Type P: 28
FS E: 9.75
Mast Material ISP: 28.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.8 17.38 17.38 9.66
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 24.5
LWL: 20.5
Beam: 8
Draft: 3.98

Displacement: 3000
Ballast: 1050
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Another Girl	Sail #	Max Headsail	I:	42.98	<i>Symmetric Spin?</i> No	LOA:	38.3	Displacement: 13000
Boat Type Alerion Express 38-2	20	90	J:	12.99	SL: SSMG: SSF: SPL:	LWL:	30.1	Ballast: 5000
Rating: 90 DW Rating: 613 Certificate Date 1/22/2026		Rig Type	P:	47.5		Beam:	10.3	Engine: IB
Displacement used for DW Rating:		MS	E:	18.25	<i>Asymmetric Spin?</i> No	Draft:	5.92	Prop Type: Feath
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:		SLE: SLU: ASMG: ASF:			
		CARBON	JSP:					

Modifications on file: (mtg 4/28/11, Custom rating of 90 assigned. Custom rating includes penalty for powered sheet winches)

Boat Name Antares	Sail #	Max Headsail	I:	38.5	<i>Symmetric Spin?</i> Yes	LOA:	30	Displacement: 8600
Boat Type Islander 30-2	6237	155	J:	12.58	SL: SSMG: SSF: SPL:	LWL:	24.58	Ballast: 3600
Rating: 186 DW Rating: 684 Certificate Date 4/1/2026		Rig Type	P:	32.5	38 22.7 22.92 #####	Beam:	10	Engine: IB
Displacement used for DW Rating:		MS	E:	11.58	<i>Asymmetric Spin?</i> No	Draft:	5	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	38.416	SLE: SLU: ASMG: ASF:			
		ALUMN	JSP:					

Modifications on file:

Boat Name Aquavit	Sail #	Max Headsail	I:	52.42	<i>Symmetric Spin?</i> No	LOA:	42.17	Displacement: 18541
Boat Type Jeanneau 42i P	7381	125	J:	15.92	SL: SSMG: SSF: SPL:	LWL:	38.08	Ballast: 5556
Rating: 69 DW Rating: 555 Certificate Date 2/10/2026		Rig Type	P:	50.92		Beam:	13.67	Engine: IB
Displacement used for DW Rating:		FS	E:	14.67	<i>Asymmetric Spin?</i> Yes	Draft:	7.67	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	52.42	SLE: SLU: ASMG: ASF:			
		ALUMN	JSP:	19.75	49.58 56.92 33.42 33.42			

Modifications on file:

Boat Name Arcadia	Sail #	Max Headsail	I:	33	<i>Symmetric Spin?</i> No	LOA:	28.5	Displacement: 4327
Boat Type Custom Nash 28.5	3113	125	J:	10	SL: SSMG: SSF: SPL:	LWL:	25.5	Ballast: 1200
Rating: 123 DW Rating: 596 Certificate Date 1/22/2026		Rig Type	P:	32.5		Beam:	9	Engine: IB
Displacement used for DW Rating: 4327		FS	E:	13	<i>Asymmetric Spin?</i> Yes	Draft:	6.5	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	34	SLE: SLU: ASMG: ASF:			
		ALUMN	JSP:	11	34.908 38.8 24.606 24.606			

Modifications on file: (Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)

Boat Name Argo 4
Boat Type J 125
Rating: -15 DW Rating: 480 Certificate Date 5/19/2026
Displacement used for DW Rating: 9398
Certified PHRF Data on file?

Sail #
45700

Rig Data:

Max Headsail I: 49
155 J: 14.8
Rig Type P: 48.5
FS E: 18
Mast Material ISP: 52.1
CARBON JSP: 22.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
53.58 59.8 38.62 41.44

LOA: 41
LWL: 37
Beam: 10.6
Draft: 7.9

Displacement: 9383
Ballast: 4646
Engine: IB
Prop Type: Fold

Modifications on file: Keel & Rudder Kelp Cutter, Drive Kelp Reflector (Mtg 5/20/24, -3 sec/mi for 10% oversized asymmetric spinnaker)(05/13/25, New Rudder, NCTR)

Boat Name Arsenal
Boat Type J 125
Rating: -12 DW Rating: 477 Certificate Date 1/7/2026
Displacement used for DW Rating: 9694
Certified PHRF Data on file?

Sail #
52125

Rig Data:

Max Headsail I: 48.622
125 J: 20.105
Rig Type P: 46.75
FS E: 17.979
Mast Material ISP: 52
CARBON JSP: 23.4

Symmetric Spin? No
SL: SSMG: SSF: SPL:
23.4
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
52.133 60.04 38.386 39.37

LOA: 41
LWL: 37
Beam: 10.6
Draft: 7.9

Displacement: 9350
Ballast: 4646
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Astra
Boat Type Farr 400 ODR
Rating: -12 DW Rating: 478 Certificate Date 4/30/2026
Displacement used for DW Rating: 8642
Certified PHRF Data on file?

Sail #
407

Rig Data:

Max Headsail I: 51.18
100 J: 14.6
Rig Type P: 52.98
FS E: 19.03
Mast Material ISP: 58.53
CARBON JSP: 22.38

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
55.38 66.4 38.46 37.5

LOA: 38.71
LWL: 36.42
Beam: 11.22
Draft: 9.51

Displacement: 8642
Ballast: 4806
Engine: IB
Prop Type: Feath

Modifications on file:

Boat Name Athesa
Boat Type Hallberg Rassy 31 Monson
Rating: 195 DW Rating: 703 Certificate Date 4/30/2026
Displacement used for DW Rating: 9250
Certified PHRF Data on file?

Sail #
0

Rig Data:

Max Headsail I: 37.8
150 J: 11.9
Rig Type P: 32.8
MS E: 11.5
Mast Material ISP: 37.8
ALUMN JSP: 11.9

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
37.24 20.84 20.84 11.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.75
LWL: 24.67
Beam: 9.42
Draft: 4.58

Displacement: 9250
Ballast: 4200
Engine: IB
Prop Type: Fixed_3

Modifications on file:

Boat Name Azulla **Sail #** 28908
Boat Type Elan 40 DK
Rating: 69 **DW Rating:** 592 **Certificate Date** 4/30/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file: (Formerly Tupelo Honey)

Rig Data:
Max Headsail I: 48.89 *Symmetric Spin?* Yes LOA: 39.04 Displacement: 17600
105 J: 14.21 SL: SSMG: SSF: SPL: LWL: 34.07 Ballast: 5621
Rig Type P: 48.82 49.43 25.57 24.6 14.15
FS E: 17.23 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 50.05 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 14.21 Draft: 7.87

Boat Name Azure **Sail #** 72
Boat Type CAL 40
Rating: 114 **DW Rating:** 635 **Certificate Date** 3/18/2026
Displacement used for DW Rating: 15680
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 46 *Symmetric Spin?* Yes LOA: 39.333 Displacement: 15500
150 J: 15.17 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 6000
Rig Type P: 40 46.5 27.3 27 15.17
MS E: 17.5 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 46 SLE: SLU: ASMG: ASF: Prop Type: FEATH
ALUMN JSP: Draft: 5.5

Boat Name Bacchanal **Sail #** 1180
Boat Type JPK 1180
Rating: 39 **DW Rating:** 554 **Certificate Date** 1/28/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file: Powered Winches

Rig Data:
Max Headsail I: 51.54 *Symmetric Spin?* No LOA: 38.68 Displacement: 13902
95 J: 13.37 SL: SSMG: SSF: SPL: LWL: 34.35 Ballast:
Rig Type P: 50.85
FS E: 18.41 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 57.28 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 21.28 54.49 63.88 33.73 34.32 Draft: 7.67

Boat Name Bad Hare Day **Sail #** 35
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 **DW Rating:** 594 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 975
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 20.75 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 975
150 J: 6.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 440
Rig Type P: 23.75 21.6 14 14 8.5
FS E: 10 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 20.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 3.5

Boat Name Bald Eagle **Sail #**
347
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6 *Symmetric Spin?* No
100 J: 13.5 SL: SSMG: SSF: SPL:
Rig Type P: 41.5
FS E: 14.5 *Asymmetric Spin?* Yes
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF:
ALUMN JSP: 19.07 38.6 49 26.4 25.5

LOA: 34.5 Displacement: 7750
LWL: 29.5 Ballast: 3400
Beam: 11 Engine: IB
Draft: 6.5 Prop Type: FOLD

Boat Name Baleineau **Sail #**
42147
Boat Type Ericson 34 Olson SM
Rating: 105 DW Rating: 638 **Certificate Date** 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44 *Symmetric Spin?* Yes
155 J: 13 SL: SSMG: SSF: SPL:
Rig Type P: 38.8 43.5 23.25 23.25 12.96
MS E: 13 *Asymmetric Spin?* No
Mast Material ISP: 44 SLE: SLU: ASMG: ASF:
ALUMN JSP: 44

LOA: 34 Displacement: 10600
LWL: 28 Ballast: 3650
Beam: 10.83 Engine: IB
Draft: 6 Prop Type: FOLD

Boat Name Bandit **Sail #**
118
Boat Type Moore 24
Rating: 150 DW Rating: 630 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes
150 J: 9.75 SL: SSMG: SSF: SPL:
Rig Type P: 25 26.6 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 23.75 Displacement: 2050
LWL: 21.75 Ballast: 1025
Beam: 7.16 Engine: OB
Draft: 4.083 Prop Type: None

Boat Name Basic Instinct **Sail #**
8123
Boat Type Custom Elliott 10.50
Rating: 75 DW Rating: 580 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 10220
Certified PHRF Data on file?

Modifications on file: (mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from -6 sec/mi to -3 sec/mi, change rating from 63 to 66)(10/26/09, removed Asymmetric Spinnaker, change rating from 66 to 69)(Mtg 10/27/16, +3 sec/mi for non articulating sprit/no spl)(05/02/19, added spl back, remove +3 sec/mi credit)(Mtg 5/20/19, +3 sec/mi for 10% reduction in MSA)

Rig Data:

Max Headsail I: 41 *Symmetric Spin?* No
125 J: 12.5 SL: SSMG: SSF: SPL:
Rig Type P: 44.2 45.6 27 27 15
FS E: 17.5 *Asymmetric Spin?* Yes
Mast Material ISP: 45.6 SLE: SLU: ASMG: ASF:
ALUMN JSP: 15 41.25 49 27.35 27

LOA: 34.42 Displacement: 10220
LWL: 31.83 Ballast: 3000
Beam: 12.08 Engine: IB
Draft: 7 Prop Type: FOLD

Boat Name Bazinga
Boat Type Hobie 33 ODR
Rating: 87 DW Rating: 552 Certificate Date 1/15/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 33.8
135 J: 12.4
Rig Type P: 35
FS E: 12.6
Mast Material ISP: 36.26
ALUMN JSP: 13

Symmetric Spin? No
SL: SSMG: SSF: SPL:
36.42 23.03 23 #####
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
34 38.8 23.2 23.2

LOA: 33 Displacement: 4000
LWL: 30.5 Ballast: 1800
Beam: 8 Engine: OB
Draft: 5.5 Prop Type: None

Boat Name Bella
Boat Type Alerion Express Sport 33
Rating: 120 DW Rating: 648 Certificate Date 1/7/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: Powered Winches

Rig Data:

Max Headsail I: 33.73
100 J: 11.39
Rig Type P: 38.17
FS E: 16
Mast Material ISP: 37.89
CARBON JSP: 12.96

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
31.7 34.1 20.8 21.2

LOA: 33 Displacement: 8000
LWL: 26.3 Ballast: 3300
Beam: 9.3 Engine: IB
Draft: 5 Prop Type: Fold

Boat Name Bella
Boat Type Eagle 44 SD
Rating: 84 DW Rating: 601 Certificate Date 1/15/2026
Displacement used for DW Rating: 11188
Certified PHRF Data on file?

Modifications on file: (Mtg 5/20/24, -3 sec/mi for electric reel mainsheet winch)

Rig Data:

Max Headsail I: 40.68
105 J: 13.81
Rig Type P: 46.4
FS E: 15.3
Mast Material ISP: 41
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 43.9 Displacement: 11188
LWL: 29.1 Ballast: 4188
Beam: 9.1 Engine: IB
Draft: 4.5 Prop Type: Fold

Boat Name Bella Luna
Boat Type Islander 36 ODR
Rating: 147 DW Rating: 660 Certificate Date 1/16/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 45
135 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.083 Displacement: 13450
LWL: 28.25 Ballast: 5820
Beam: 11.17 Engine: IB
Draft: 6.083 Prop Type: Fixed_2

Boat Name Bella Mia **Sail #** 61979
Boat Type Jeanneau Sun Odyssey 349 SD
Rating: 153 **DW Rating:** 632 **Certificate Date** 1/27/2026
Displacement used for DW Rating: 11795
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	43.57	<i>Symmetric Spin?</i>	No	LOA:	33.92	Displacement:	11795
110	J:	12.37	SL:	SSMG: SSF: SPL:	LWL:	30.84	Ballast:	3483
Rig Type	P:	40.68			Beam:	11.29	Engine:	IB
FS	E:	13.62	<i>Asymmetric Spin?</i>	Yes	Draft:	4.89	Prop Type:	Fixed_3
Mast Material	ISP:	44.8	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	14.88	45	45 18 24				

Boat Name Belle **Sail #** 0
Boat Type Harbor 20
Rating: 210 **DW Rating:** 748 **Certificate Date** 5/8/2026
Displacement used for DW Rating: 1800
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	25.75	<i>Symmetric Spin?</i>	No	LOA:	20	Displacement:	1800
90	J:	7	SL:	SSMG: SSF: SPL:	LWL:	17.17	Ballast:	900
Rig Type	P:	26			Beam:	7	Engine:	OB
FS	E:	10	<i>Asymmetric Spin?</i>	No	Draft:	3.5	Prop Type:	None
Mast Material	ISP:	25.75	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:							

Boat Name Bewitched **Sail #** 8177
Boat Type Merit 25
Rating: 168 **DW Rating:** 695 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 3286
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	28.75	<i>Symmetric Spin?</i>	Yes	LOA:	24.5	Displacement:	3000
155	J:	9.66	SL:	SSMG: SSF: SPL:	LWL:	20.5	Ballast:	1050
Rig Type	P:	28	29	17.39 17.39 9.66	Beam:	8	Engine:	OB
FS	E:	9.75	<i>Asymmetric Spin?</i>	No	Draft:	4	Prop Type:	None
Mast Material	ISP:	28.75	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:							

Boat Name Big Mac **Sail #** 280
Boat Type Westsail 32
Rating: 219 **DW Rating:** 682 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 19500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	44	<i>Symmetric Spin?</i>	No	LOA:	32	Displacement:	19500
82	J:	18.3	SL:	SSMG: SSF: SPL:	LWL:	27.5	Ballast:	7000
Rig Type	P:	38.25			Beam:	11	Engine:	IB
CTR	E:	15.83	<i>Asymmetric Spin?</i>	Yes	Draft:	5	Prop Type:	Feath
Mast Material	ISP:	42.42	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	18.17	41.04	44.71 13.05 11.28				

Boat Name Blond Fury **Sail #** 27007
Boat Type Custom Santa Cruz 52
Rating: -18 **DW Rating:** 490 **Certificate Date** 4/30/2026
Displacement used for DW Rating: 22000
Certified PHRF Data on file?

Modifications on file: (Mtg 4/29/26, custom rating of -18 assigned)

Rig Data:

Max Headsail	I:	64	<i>Symmetric Spin?</i>	No	LOA:	53	Displacement:	22000
125	J:	18.99	SL:	SSMG:	SSF:	SPL:	Ballast:	9100
Rig Type	P:	57.82			LWL:	46.5	Engine:	IB
MS	E:	21.01	<i>Asymmetric Spin?</i>	Yes	Beam:	14	Prop Type:	FEATH
Mast Material	ISP:	64.1	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:		61.68	69.35	38.68	39.4	Draft:	9

Boat Name Bloom County **Sail #** 18151
Boat Type Custom Mancebo 31
Rating: 66 **DW Rating:** 551 **Certificate Date** 3/24/2026
Displacement used for DW Rating: 4397
Certified PHRF Data on file?

Modifications on file: (Mtg 2/23/26, New larger rig with a 23% increase in JSP, 40% increase in spinnaker area, and 21% increase in mainsail area from previous configuration. New Custom Rating of 66 assigned)

Rig Data:

Max Headsail	I:	40.5	<i>Symmetric Spin?</i>	No	LOA:	31	Displacement:	4470
155	J:	10.118	SL:	SSMG:	SSF:	SPL:	Ballast:	1700
Rig Type	P:	39.27			LWL:	27.5	Engine:	OB
FS	E:	11.22	<i>Asymmetric Spin?</i>	Yes	Beam:	9.816	Prop Type:	None
Mast Material	ISP:	44.05	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	16	42.94	51.01	27.55	26.54	Draft:	7.162

Boat Name Blue Martini **Sail #** 41279
Boat Type Olson 911S
Rating: 126 **DW Rating:** 652 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 7200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	41.5	<i>Symmetric Spin?</i>	Yes	LOA:	29.91	Displacement:	7200
155	J:	12.33	SL:	SSMG:	SSF:	SPL:	Ballast:	3200
Rig Type	P:	35.5	42.97	22.14	22.14	12.33	LWL:	25
MS	E:	11.83	<i>Asymmetric Spin?</i>	NO	Beam:	10.33	Engine:	IB
Mast Material	ISP:	41.5	SLE:	SLU:	ASMG:	ASF:	Prop Type:	Fold
ALUMN	JSP:				Draft:	5.42		

Boat Name Blue Star **Sail #** 156
Boat Type Sabre 36-2
Rating: 111 **DW Rating:** **Certificate Date** 4/1/2026
Displacement used for DW Rating: 14800
Certified PHRF Data on file?

Modifications on file: Adjustable backstay

Rig Data:

Max Headsail	I:	48.5	<i>Symmetric Spin?</i>	No	LOA:	36.17	Displacement:	13800
150	J:	13.46	SL:	SSMG:	SSF:	SPL:	Ballast:	5520
Rig Type	P:	41.6			LWL:	30.42	Engine:	IB
MS	E:	14.83	<i>Asymmetric Spin?</i>	No	Beam:	12	Prop Type:	Fold
Mast Material	ISP:	48.5	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	13.46			Draft:	6.5		

Boat Name Blue Thing **Sail #** 8
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 28.5 **Symmetric Spin?** Yes **LOA:** 27.25 **Displacement:** 2450
155 **J:** 9 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 23.75 **Ballast:** 1100
Rig Type P: 28.5 29 17.75 17.75 9.833
FS **E:** 10.416 **Asymmetric Spin?** No **Beam:** 8.166 **Engine:** OB
Mast Material **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** None
ALUMN **JSP:** **Draft:** 4.5

Modifications on file:

Boat Name Bluebird **Sail #** 137
Boat Type Moore 24
Rating: 150 **DW Rating:** 629 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 26.25 **Symmetric Spin?** Yes **LOA:** 23.75 **Displacement:** 2050
150 **J:** 9.75 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 21.75 **Ballast:** 1025
Rig Type P: 25 27 17.55 17.55 9.75
FS **E:** 9.5 **Asymmetric Spin?** NO **Beam:** 7.16 **Engine:** OB
Mast Material **ISP:** 26.25 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** None
ALUMN **JSP:** **Draft:** 4.08

Modifications on file:

Boat Name BOB **Sail #** 350
Boat Type Melges 24
Rating: 84 **DW Rating:** 568 **Certificate Date** 5/1/2026
Displacement used for DW Rating: 1783
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 27.85 **Symmetric Spin?** No **LOA:** 24 **Displacement:** 1750
100 **J:** 7.95 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 22 **Ballast:** 650
Rig Type P: 28.75 7.95
FS **E:** 12.416 **Asymmetric Spin?** Yes **Beam:** 8.166 **Engine:** OB
Mast Material **ISP:** 31.85 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** None
CARBON **JSP:** 12 32.9 38 19.23 20.67 **Draft:** 5.25

Modifications on file:

Boat Name Bodacious + **Sail #** 48005
Boat Type 1D 48
Rating: -12 **DW Rating:** 505 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 17334
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 57.7 **Symmetric Spin?** Yes **LOA:** 48.3 **Displacement:** 19743
125 **J:** 16.7 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 40.2 **Ballast:** 8818
Rig Type P: 61.3 66.7 33.1 32.6 16.7
FS **E:** 22.5 **Asymmetric Spin?** Yes **Beam:** 14.2 **Engine:** IB
Mast Material **ISP:** 68.3 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** Fold
CARBON **JSP:** 16.7 65.7 67.7 30.1 30.1 **Draft:** 10.1

Modifications on file: Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11, switched to J length SPL, switched to smaller symmetric & asymeric spinnaker, +9 sec/mi, change custom rating from -24 to -15)(Mtg 9/22/11, removed asymmetrical spinnakers, +3 sec./mi. Change custom rating from -15 to -12)(1/24/13, New rudder noted, NCTR)(Mtg 8/28/14, -3 sec/mi for 10% increase in symmetrical spinnaker area)(5/28/20, switched to 125% headsail, +3 sec/mi. Change custom rating from -15 to -12)

Boat Name Bombora **Sail #** 38047
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 632 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 2977
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450
155	J:	9	SL:	SSMG:	SSF:	SPL:	Ballast:	1100
Rig Type	P:	28.5	28.5	17.7	17.7	9.83	LWL:	23.8
FS	E:	10.42	<i>Asymmetric Spin?</i>			Yes	Beam:	8.17
Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:		26.97	31	14.67	16.73	Draft:	4.5

Boat Name Breakaway **Sail #** 180
Boat Type Ultimate 20 CM
Rating: 144 **DW Rating:** 631 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	26.08	<i>Symmetric Spin?</i>	No	LOA:	20.83	Displacement:	1350
114	J:	6.97	SL:	SSMG:	SSF:	SPL:	Ballast:	450
Rig Type	P:	27.33	0	0	LWL:	18	Engine:	OB
FS	E:	10.17	<i>Asymmetric Spin?</i>			Yes	Beam:	8.33
Mast Material	ISP:	27.58	SLE:	SLU:	ASMG:	ASF:	Prop Type:	Fixed_3
CARBON	JSP:	12.79	28.417	30.42	17.7	19.167	Draft:	5

Boat Name Bunnacula **Sail #** 17
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 **DW Rating:** 590 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Modifications on file: Hiking straps and single trapeze

Rig Data:

Max Headsail	I:	20.5	<i>Symmetric Spin?</i>	YES	LOA:	23.75	Displacement:	975
150	J:	6.5	SL:	SSMG:	SSF:	SPL:	Ballast:	440
Rig Type	P:	23.75	22	13.9	13.7	8.5	LWL:	20
FS	E:	10	<i>Asymmetric Spin?</i>			No	Beam:	5.58
Mast Material	ISP:	20.5	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:						Draft:	3.5

Boat Name Butcher **Sail #** 32
Boat Type J 88
Rating: 81 **DW Rating:** 575 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	38.67	<i>Symmetric Spin?</i>	No	LOA:	29.19	Displacement:	4990	
100	J:	11.28	SL:	SSMG:	SSF:	SPL:	Ballast:	1840	
Rig Type	P:	36.82	<i>Asymmetric Spin?</i>				Yes	Beam:	9.5
FS	E:	12	SLE:	SLU:	ASMG:	ASF:	Prop Type:	Fold	
Mast Material	ISP:	46	40.84	47.83	27.32	29	Draft:	6.5	
CARBON	JSP:	18.05							

Boat Name C cubed
Boat Type Wyliecat 60
Rating: -39 DW Rating: 465 Certificate Date 1/27/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
38136

Rig Data:

Max Headsail I:
Rig Type J:
CAT P: 68.5
Mast Material E: 33.75
CARBON ISP:
JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 60
LWL: 53.33
Beam: 11.92
Draft: 11

Displacement: 16480
Ballast: 8841
Engine: IB
Prop Type: Fixed_2

Modifications on file: (mtg 11/30/21, Custom rating of -81 assigned)(Mtg 1/26/26, custom rating changed from -81 to -39 after review of rating appeal)

Boat Name Calypso
Boat Type J 92
Rating: 108 DW Rating: 605 Certificate Date 1/20/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Sail #
89

Rig Data:

Max Headsail I: 37
105 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 38.5
ALUMN JSP: 17

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41 45.2 24 26

LOA: 30
LWL: 26.5
Beam: 10
Draft: 5.9

Displacement: 5500
Ballast: 2275
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Can O' Whoopass
Boat Type CAL 20
Rating: 273 DW Rating: 743 Certificate Date 2/17/2026
Displacement used for DW Rating: 1950
Certified PHRF Data on file?

Sail #
624

Rig Data:

Max Headsail I: 22
115 J: 7.33
Rig Type P: 23
FS E: 10
Mast Material ISP: 22
ALUMN JSP: 7.33

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
22 13.2 13.2 7.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 20
LWL: 18.1
Beam: 7
Draft: 3.33

Displacement: 2000
Ballast: 900
Engine: OB
Prop Type: None

Modifications on file: (mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)

Boat Name Caprice
Boat Type Beneteau Oceanis 34.1
Rating: 138 DW Rating: 616 Certificate Date 4/24/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
38143

Rig Data:

Max Headsail I: 42.1
106 J: 12
Rig Type P: 41.6
FS E: 13.8
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.1 44.9 25 26.08

LOA: 35.4
LWL: 32.2
Beam: 11.9
Draft: 6.7

Displacement: 12046
Ballast: 3482
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Carmelita **Sail #** 131
Boat Type Catalina 42-1/2
Rating: 105 **DW Rating:** 602 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 25500
Certified PHRF Data on file?
Modifications on file: Electric Winches

Rig Data:

Max Headsail I: 53 **Symmetric Spin?** Yes **LOA:** 41.83 **Displacement:** 22000
125 **J:** 16.42 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 36 **Ballast:** 8300
Rig Type P: 46.75 49 29.55 29.55 16.42 **Beam:** 13.83 **Engine:** IB
MS **E:** 15.5 **Asymmetric Spin?** Yes **Prop Type:** FEATH
Mast Material **ISP:** 53 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 6.66
ALUMN **JSP:** 47.34 56.75 29.69 25.59

Boat Name Cascade **Sail #** 13
Boat Type Antrim 27 CM ODR
Rating: 75 **DW Rating:** 561 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 2931
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 28.69 **Symmetric Spin?** No **LOA:** 27.73 **Displacement:** 2900
116 **J:** 8.17 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 23.75 **Ballast:** 1050
Rig Type P: 33.75 **Asymmetric Spin?** Yes **Engine:** OB
FS **E:** 14 **Prop Type:** None
Mast Material **ISP:** 37.25 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 6
CARBON **JSP:** 15 38 44.2 20.1 23

Boat Name Chance **Sail #** 421
Boat Type Alerion Express 28 ODR
Rating: 168 **DW Rating:** 705 **Certificate Date** 3/3/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 30 **Symmetric Spin?** No **LOA:** 28.25 **Displacement:** 5700
90 **J:** 9.75 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 22.83 **Ballast:** 2200
Rig Type P: 33 **Asymmetric Spin?** No **Engine:** IB
FS **E:** 12.5 **Prop Type:** Fold
Mast Material **ISP:** 30 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4.5
ALUMN **JSP:** 9.75

Boat Name Chance **Sail #** 28484
Boat Type J 120 ALUM
Rating: 48 **DW Rating:** 550 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 15000
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 50.5 **Symmetric Spin?** No **LOA:** 40 **Displacement:** 13900
100 **J:** 14.5 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 35 **Ballast:** 6000
Rig Type P: 46.3 **Asymmetric Spin?** Yes **Engine:** IB
FS **E:** 17.8 **Prop Type:** FOLD
Mast Material **ISP:** 52 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 7
ALUMN **JSP:** 21.5 50.6 64.1 37.65 34.1

Boat Name Charisma **Sail #** 0
Boat Type Hunter 35 Legend WK
Rating: 138 DW Rating: 634 **Certificate Date** 1/26/2026
Displacement used for DW Rating: 12000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42
135 J: 12.17
Rig Type P: 44.08
MS E: 14.25
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 35.58 Displacement: 12000
LWL: 29.75 Ballast: 4600
Beam: 11.75 Engine: IB
Draft: 4.5 Prop Type: Fixed_2

Boat Name Checkered Past **Sail #** 3
Boat Type Custom Wyliecat 39
Rating: 102 DW Rating: 597 **Certificate Date** 12/16/2025
Displacement used for DW Rating: 12000
Certified PHRF Data on file?

Modifications on file: Boat has been modified for handicapped sailing

Rig Data:

Max Headsail I:
Rig Type P: 52
CAT E: 26.6
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 38.83 Displacement: 12000
LWL: 32 Ballast: 6200
Beam: 11.5 Engine: IB
Draft: 6.6 Prop Type: FOLD

Boat Name Chesapeake III **Sail #** 142
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 705 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 28.25 Displacement: 5700
LWL: 22.83 Ballast: 2200
Beam: 8.2 Engine: IB
Draft: 4.5 Prop Type: Fold

Boat Name Chinook **Sail #** 639
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 593 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.05 24.6 26

LOA: 34.5 Displacement: 7750
LWL: 29.5 Ballast: 3400
Beam: 11 Engine: IB
Draft: 6.5 Prop Type: FOLD

Boat Name Circe
Boat Type Freedom 40/40
Rating: 81 DW Rating: 604 Certificate Date 1/8/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
20

Rig Data:

Max Headsail I: 47.74
150 J: 12.89
Rig Type P: 51.28
FS E: 18.85
Mast Material ISP: 48.24
CARBON JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
46.92 27.72 27.72 14.17
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 40.4
LWL: 35.1
Beam: 13.5
Draft: 6.9

Displacement: 23213
Ballast: 9700
Engine: IB
Prop Type: Feath

Modifications on file: (Mtg 1/20/20, - 3 sec/mi for OSP, -6 sec/mi for oversized spinnaker area)

Boat Name Citlali
Boat Type Olson 25
Rating: 159 DW Rating: 673 Certificate Date 1/7/2026
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Sail #
18336

Rig Data:

Max Headsail I: 32
155 J: 9.583
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32 17.28 17.24 9.583
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25
LWL: 21.25
Beam: 9
Draft: 4.5

Displacement: 3300
Ballast: 1300
Engine: OB
Prop Type: None

Modifications on file:

Boat Name City Lights
Boat Type Custom Santa Cruz 52 SD
Rating: -6 DW Rating: 490 Certificate Date 3/3/2026
Displacement used for DW Rating: 21729
Certified PHRF Data on file?

Sail #
28552

Rig Data:

Max Headsail I: 64.98
155 J: 18.871
Rig Type P: 57.5
MS E: 21.001
Mast Material ISP: 65.41
ALUMN JSP: 20.472

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
63.89 34 34 #####
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
62.434 69.193 38.681 37.139

LOA: 53
LWL: 18.232
Beam: 14
Draft: 7

Displacement: 24577
Ballast:
Engine: IB
Prop Type: FOLD

Modifications on file: Base=-15, Shoal Draft = +9, Stock Aluminum Mast, Full Cruising Layout - Standard Size Spinnaker (Norm note 4/28/03)

Boat Name Clean Sweep
Boat Type Olson 25
Rating: 159 DW Rating: 675 Certificate Date 3/27/2026
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Sail #
28609

Rig Data:

Max Headsail I: 32
155 J: 9.583
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31.73 17.24 16.55 9.583
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25
LWL: 21.25
Beam: 9
Draft: 4.5

Displacement: 3300
Ballast: 1300
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Color Blind
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/15/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 Symmetric Spin? Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75 Beam: 7.16 Engine: OB
FS E: 9.5 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083
ALUMN JSP:

Boat Name Committed
Boat Type Melges 24
Rating: 84 DW Rating: 568 Certificate Date 2/26/2026
Displacement used for DW Rating: 1783
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.85 Symmetric Spin? No LOA: 24 Displacement: 1750
110 J: 7.98 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 625
Rig Type P: 28.75 7.95 Beam: 8.166 Engine: OB
FS E: 12.416 Asymmetric Spin? Yes Prop Type: None
Mast Material ISP: 31.85 SLE: SLU: ASMG: ASF: Draft: 5.25
CARBON JSP: 12 32.9 38 19.23 20.67

Boat Name Concussion
Boat Type Olson 30 OB
Rating: 99 DW Rating: 589 Certificate Date 4/28/2026
Displacement used for DW Rating: 4428
Certified PHRF Data on file?

Modifications on file: Elliptical Rudder

Rig Data:

Max Headsail I: 36 Symmetric Spin? Yes LOA: 30 Displacement: 3600
155 J: 11.75 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1800
Rig Type P: 31.5 36 21.16 21.16 11.75 Beam: 9.33 Engine: OB
MS E: 10.75 Asymmetric Spin? Yes Prop Type: None
Mast Material ISP: 35.9 SLE: SLU: ASMG: ASF: Draft: 5.08
ALUMN JSP: 11.67 33.3 37.73 21 21.82

Boat Name Corinna
Boat Type Allied Princess 36
Rating: 213 DW Rating: 670 Certificate Date 3/27/2026
Displacement used for DW Rating: 14400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41 Symmetric Spin? No LOA: 36 Displacement: 14400
120 J: 12.6 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 5000
Rig Type P: 36 Beam: 11 Engine: IB
KTCH E: 14 Asymmetric Spin? No Prop Type: Fixed_3
Mast Material ISP: SLE: SLU: ASMG: ASF: Draft: 4.5
ALUMN JSP:

Boat Name Crazy Rhythm
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 618 Certificate Date 1/12/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Modifications on file: (Outboard Removed)

Rig Data:

Max Headsail I: 32.58 Symmetric Spin? Yes LOA: 27 Displacement: 3200
150 J: 10.75 SL: SSMG: SSF: SPL: LWL: 24 Ballast: 1600
Rig Type P: 28.166 32.74 19.4 19.4 10.75
MS E: 8.583 Asymmetric Spin? No Engine: OB
Mast Material ISP: 32.58 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Crews Nest
Boat Type Catalina 34 1&2
Rating: 147 DW Rating: 639 Certificate Date 3/18/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 44 Symmetric Spin? Yes LOA: 35.67 Displacement: 11950
130 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.83 Ballast: 5000
Rig Type P: 38.5 42 24 23.5 13.5
MS E: 12 Asymmetric Spin? No Engine: IB
Mast Material ISP: 44 SLE: SLU: ASMG: ASF: Prop Type: FEATH
ALUMN JSP: 13.5 Draft: 5.58

Boat Name Crinan II
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 647 Certificate Date 1/15/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Modifications on file: (Mtg 1/21/19, -3 sec/mi for square top mainsail)

Rig Data:

Max Headsail I: Symmetric Spin? No LOA: 30.5 Displacement: 5500
J: SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3050
Rig Type P: 39
CATBOAT E: 20 Asymmetric Spin? No Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: FOLD
CARBON JSP: Draft: 5.25

Boat Name CruzSea Baby
Boat Type Beneteau First 10R ODR
Rating: 78 DW Rating: 612 Certificate Date 1/14/2026
Displacement used for DW Rating: 9908
Certified PHRF Data on file?

Modifications on file: (Rudder Modifications noted)

Rig Data:

Max Headsail I: 43.2 Symmetric Spin? No LOA: 32.75 Displacement: 9715
155 J: 12.07 SL: SSMG: SSF: SPL: LWL: 28.7 Ballast: 3528
Rig Type P: 42.25
FS E: 14.73 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 46.41 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 16.5 48.03 52.16 27.95 28.93 Draft: 6.55

Boat Name Cuckoo
Boat Type Bird ODR
Rating: 204 DW Rating: 710 Certificate Date 2/20/2026
Displacement used for DW Rating: 8900
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 20.25 *Symmetric Spin?* No LOA: 30.083 Displacement: 8900
155 J: 9.5 SL: SSMG: SSF: SPL: LWL: 24.25 Ballast: 5000
Rig Type P: 32
MS E: 20.5 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 20.25 SLE: SLU: ASMG: ASF: Prop Type: None
WOOD JSP: Draft: 5.25

Boat Name Curie
Boat Type Beneteau 32S5
Rating: 138 DW Rating: 657 Certificate Date 1/20/2026
Displacement used for DW Rating: 9260
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 38.39 *Symmetric Spin?* Yes LOA: 32.6 Displacement: 9260
150 J: 9.68 SL: SSMG: SSF: SPL: LWL: 27.83 Ballast: 2980
Rig Type P: 38.88 39.98 17.3 17.3 9.6 Engine: IB
FS E: 13.78 *Asymmetric Spin?* No Prop Type: FOLD
Mast Material ISP: 38.39 SLE: SLU: ASMG: ASF:
ALUMN JSP: 9.68 32.75 35.75 18.4 17.3 Draft: 6

Boat Name Current Affair
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/6/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100
Rig Type P: 28.5 29 17.75 17.75 9.83 Engine: OB
FS E: 10.42 *Asymmetric Spin?* No Prop Type: None
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 4.5

Boat Name Dancer
Boat Type Tiffany Jayne 34
Rating: 132 DW Rating: 647 Certificate Date 1/8/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 34.75 *Symmetric Spin?* Yes LOA: 34 Displacement: 7000
135 J: 11.416 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3010
Rig Type P: 36.583 34.75 19.92 19.92 ##### Engine: IB
FS E: 14.166 *Asymmetric Spin?* No Prop Type: FOLD
Mast Material ISP: 34.75 SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 5.5

Boat Name Dark Horse **Sail #** 101
Boat Type Olson 30 OB
Rating: 99 **DW Rating:** 584 **Certificate Date** 2/12/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file: (Mtg 4/25/18, New Rudder, NCTR)

Rig Data:

Max Headsail I: 36 **Symmetric Spin?** Yes **LOA:** 30 **Displacement:** 3600
140 **J:** 11.75 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 27.5 **Ballast:** 1800
Rig Type P: 31.5 36 21.16 21.16 11.75 **Beam:** 9.33 **Engine:** OB
MS **E:** 10.75 **Asymmetric Spin?** Yes **Prop Type:** None
Mast Material **ISP:** 35.9 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 5.08
ALUMN **JSP:** 11.67 32.18 36.45 17.45 19.97

Boat Name Dazzler **Sail #** 38349
Boat Type Wyliecat 30 OB
Rating: 123 **DW Rating:** 647 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Modifications on file: (Mtg 8/23/21, -3 sec/mi for square top mainsail)

Rig Data:

Max Headsail I: **Symmetric Spin?** No **LOA:** 30.5 **Displacement:** 5500
0 **J:** **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 25 **Ballast:** 3050
Rig Type P: 39 **Asymmetric Spin?** No **Engine:** OB
CAT **E:** 20 **Prop Type:** None
Mast Material **ISP:** **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 5.25
CARBON **JSP:**

Boat Name Defiant **Sail #** 327
Boat Type J 70 ODR
Rating: 114 **DW Rating:** 611 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 1750
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.77 **Symmetric Spin?** No **LOA:** 22.78 **Displacement:** 1750
100 **J:** 7.68 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 20.47 **Ballast:** 630
Rig Type P: 26.16 **Asymmetric Spin?** Yes **Engine:** OB
FS **E:** 9.44 **Prop Type:** None
Mast Material **ISP:** 30.15 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4.92
CARBON **JSP:** 13.5 28.87 35.43 18.24 18.7

Boat Name Defiant **Sail #** 54574
Boat Type J 133 CM MOD
Rating: 30 **DW Rating:** 557 **Certificate Date** 5/8/2026
Displacement used for DW Rating: 20000
Certified PHRF Data on file?

Modifications on file: (mtg 11/30/23, +6 sec/mi for small spinnaker, +6 sec/mi for no sprit, -3 sec/mi for articulation, -3 sec/mi for 145% headsail)

Rig Data:

Max Headsail I: 57 **Symmetric Spin?** Yes **LOA:** 43 **Displacement:** 18000
145 **J:** 17.25 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 37.83 **Ballast:** 7250
Rig Type P: 53.9 59 33.5 32.75 18.17 **Engine:** IB
FS **E:** 18.519 **Asymmetric Spin?** Yes **Prop Type:** Fold
Mast Material **ISP:** 60.4 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 7.5
CARBON **JSP:** 18.17 57.2 62.9 32.1 34.5

Boat Name DFZ **Sail #** 103
Boat Type Moore 24
Rating: 150 **DW Rating:** 629 **Certificate Date** 4/10/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	2050
150	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	1025
Rig Type	P:	25	27	17.55	17.55	9.75	LWL:	21.75
FS	E:	9.5	<i>Asymmetric Spin?</i>			No	Beam:	7.16
Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:	Draft:	4.083
ALUMN	JSP:						Prop Type:	None

Boat Name Diana **Sail #** 190
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 **DW Rating:** 701 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	30	<i>Symmetric Spin?</i>	No	LOA:	28.2	Displacement:	5700	
95	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	2200	
Rig Type	P:	33				LWL:	22.8	Engine:	IB
FS	E:	12.5	<i>Asymmetric Spin?</i>			No	Beam:	8.2	
Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:	Draft:	4.5	
ALUMN	JSP:						Prop Type:	FOLD	

Boat Name Dianne **Sail #** 0
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450
155	J:	9	SL:	SSMG:	SSF:	SPL:	Ballast:	1100
Rig Type	P:	28.5	29	17.75	17.75	9.833	LWL:	23.75
FS	E:	10.416	<i>Asymmetric Spin?</i>			No	Beam:	8.17
Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:						Prop Type:	None

Boat Name Double Down **Sail #** 18480
Boat Type Custom Schumacher 30
Rating: 123 **DW Rating:** 654 **Certificate Date** 5/1/2026
Displacement used for DW Rating: 7854
Certified PHRF Data on file?

Modifications on file: Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast-Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after performance review)

Rig Data:

Max Headsail	I:	41.37	<i>Symmetric Spin?</i>	Yes	LOA:	29.92	Displacement:	7854
150	J:	12.16	SL:	SSMG:	SSF:	SPL:	Ballast:	3650
Rig Type	P:	35.5	40.75	21.75	21.35	12.08	LWL:	26
MS	E:	12	<i>Asymmetric Spin?</i>			No	Beam:	10.65
Mast Material	ISP:	41.5	SLE:	SLU:	ASMG:	ASF:	Draft:	6.17
ALUMN	JSP:						Prop Type:	FOLD

Boat Name Dragonsong
Boat Type Olson 30 OB
Rating: 99 DW Rating: 583 Certificate Date 1/12/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36
155 J: 11.75
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.15 21.15 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.08

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Boat Name Dream
Boat Type Sceptre 41
Rating: 129 DW Rating: 592 Certificate Date 4/28/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 53
90 J: 17.67
Rig Type P: 47
MS E: 13
Mast Material ISP: 53
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
53 29.5 28 17.67
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
45.17 48.67 26.17 28

LOA: 41
LWL: 36
Beam: 12.67
Draft: 6.08

Displacement: 21500
Ballast: 8700
Engine: IB
Prop Type: Fold

Boat Name Dream Catcher
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 Certificate Date 1/6/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.5
Rig Type P: 28
FS E: 9.75
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.5 17 16.8 9.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 24
LWL: 20
Beam: 8.92
Draft: 4

Displacement: 3100
Ballast: 950
Engine: OB
Prop Type: None

Boat Name Duende
Boat Type Cal 40
Rating: 114 DW Rating: 638 Certificate Date 1/22/2026
Displacement used for DW Rating: 15239
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46
155 J: 15.2
Rig Type P: 40
MS E: 17.5
Mast Material ISP: 46
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
46 27 27 15.2
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 39.33
LWL: 30
Beam: 11
Draft: 5.5

Displacement: 16000
Ballast: 6000
Engine: IB
Prop Type: Fold

Boat Name Dulcinea **Sail #** 88
Boat Type Catalina 38
Rating: 120 **DW Rating:** 635 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 16813
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 49.83
135 J: 15.5
Rig Type P: 44
MS E: 11.5
Mast Material ISP: 49.8
ALUMN JSP: 15.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
49.84 27.9 27.9 15
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.17
LWL: 30.25
Beam: 11.83
Draft: 6.75

Displacement: 15900
Ballast: 6850
Engine: IB
Prop Type: Fixed_2

Boat Name Dura Mater **Sail #** 616
Boat Type CAL 27-2 IB
Rating: 210 **DW Rating:** 723 **Certificate Date** 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 36
125 J: 12
Rig Type P: 30.83
MS E: 10.25
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
32.8 18.4 21.1 11.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 26.58
LWL: 22.08
Beam: 9.25
Draft: 4.25

Displacement: 6700
Ballast: 3100
Engine: IB
Prop Type: Fixed_2

Boat Name Eagle **Sail #** 40237
Boat Type Express 37
Rating: 75 **DW Rating:** 587 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 10207
Certified PHRF Data on file?

Modifications on file: Roller Furler

Rig Data:

Max Headsail I: 48.75
100 J: 14.33
Rig Type P: 42
MS E: 13.75
Mast Material ISP: 48.75
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
48 25.79 25.79 14.33
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 37.08
LWL: 30.83
Beam: 11.57
Draft: 7.25

Displacement: 11000
Ballast: 4500
Engine: IB
Prop Type: Feath

Boat Name Eagles Wing **Sail #** 1317
Boat Type Catalina 30
Rating: 186 **DW Rating:** 695 **Certificate Date** 1/28/2026
Displacement used for DW Rating: 10200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41
110 J: 11.416
Rig Type P: 35
MS E: 11.5
Mast Material ISP: 41
ALUMN JSP: 13

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
11 10.5 15 6.15

LOA: 29.916
LWL: 25
Beam: 10.83
Draft: 5.25

Displacement: 10200
Ballast: 4200
Engine: IB
Prop Type: Fixed_2

Boat Name Eight Ball
Boat Type J 100 ODR
Rating: 78 DW Rating: 589 Certificate Date 1/20/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Sail #
8

Rig Data:

Max Headsail I: 38.5
95 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 43
CARBON JSP: 15.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40 48.39 22.58 22.56

LOA: 32
LWL: 29
Beam: 9.25
Draft: 5.75
Displacement: 7250
Ballast: 2450
Engine: IB
Prop Type: Fold

Modifications on file: (Boat does not comply with RRS 52)(Mtg 8/24/20, -6 sec/mi for powered captive winches)(Mtg 1/24/22, -6 sec/mi for increased I & J, +3 sec/mi for reduced spinnaker area)(8/3/22, switched back to class I & J, +6 sec/mi)(mtg 10/23/25, updated electronics penalty -9 sec/mi [covers all electronics on board], still has a +3 sec/mi credit for spinnakers)

Boat Name Elan
Boat Type Express 37
Rating: 72 DW Rating: 591 Certificate Date 1/7/2026
Displacement used for DW Rating: 10539
Certified PHRF Data on file?

Sail #
87700

Rig Data:

Max Headsail I: 48.75
155 J: 14.33
Rig Type P: 42
MS E: 13.75
Mast Material ISP: 48.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.79 25.79 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.083
LWL: 30.833
Beam: 11.57
Draft: 7.25
Displacement: 11000
Ballast: 4500
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Eldamar
Boat Type Catalina 28-2 TM WK
Rating: 204 DW Rating: Certificate Date 2/10/2026
Displacement used for DW Rating: 8600
Certified PHRF Data on file?

Sail #
1

Rig Data:

Max Headsail I: 39.5
120 J: 10.8
Rig Type P: 34
MS E: 10.75
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.5
LWL: 23.83
Beam: 10.17
Draft: 3.83
Displacement: 8600
Ballast: 3500
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Elise
Boat Type C&C 40-2 TM
Rating: 90 DW Rating: 604 Certificate Date 1/12/2026
Displacement used for DW Rating: 17100
Certified PHRF Data on file?

Sail #
518

Rig Data:

Max Headsail I: 53
150 J: 16.6
Rig Type P: 46.7
MS E: 13.3
Mast Material ISP: 55
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
53.5 29.8 29.8 16.6
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 39.58
LWL: 31.5
Beam: 12.67
Draft: 7
Displacement: 17100
Ballast: 7910
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Enamored
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/15/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.25 Symmetric Spin? YES LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.6 17.5 17.5 9.75
FS E: 9.5 Asymmetric Spin? No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 9.75 Draft: 4.08

Boat Name Encore
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 Certificate Date 4/10/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 40.6 Symmetric Spin? No LOA: 34.5 Displacement: 7750
100 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.5 Ballast: 3400
Rig Type P: 41.5
FS E: 14.5 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 19.07 38.52 49.2 25.75 27.89 Draft: 6.5

Boat Name Envolee
Boat Type Figaro II
Rating: 54 DW Rating: 563 Certificate Date 1/7/2026
Displacement used for DW Rating: 7183
Certified PHRF Data on file?

Modifications on file: (mtg 4/27/17, water ballast disabled, +6 sec/mi)(5/23/18, Water Ballast Enabled, -6 sec/mi)(7/12/19, -3 sec/mi for sprit)(2/12/25, removed sprit and asymmetric spinnaker, +3 sec/mi. Boat rates 54 with water ballast enable, 60 with water ballast disabled)

Rig Data:
Max Headsail I: 42.75 Symmetric Spin? Yes LOA: 32.18 Displacement: 6724
104 J: 12.42 SL: SSMG: SSF: SPL: LWL: 32 Ballast: 2425
Rig Type P: 42.67 43.96 23.62 23.63 13.85
FS E: 15.42 Asymmetric Spin? No Engine: IB
Mast Material ISP: 42.75 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 13.85 45.67 49.67 18.33 24.08 Draft: 6.5

Boat Name Eos
Boat Type Cal 34-2
Rating: 171 DW Rating: 664 Certificate Date 1/9/2026
Displacement used for DW Rating: 9500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 41.25 Symmetric Spin? No LOA: 33.25 Displacement: 9500
130 J: 13.75 SL: SSMG: SSF: SPL: LWL: 26 Ballast: 3750
Rig Type P: 35.5
MS E: 11 Asymmetric Spin? No Engine: IB
Mast Material ISP: 41.25 SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: 13.75 Draft: 5

Boat Name Ergo **Sail #** 40428
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 606 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes
155 J: 9 SL: SSMG: SSF: SPL:
Rig Type P: 28.5 28.5 17.7 17.7 9.83
FS E: 10.416 *Asymmetric Spin?* Yes
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: 26.97 31 14.67 16.73

LOA: 27.25 **Displacement:** 2450
LWL: 23.75 **Ballast:** 1100
Beam: 8.075 **Engine:** OB
Draft: 4.5 **Prop Type:** None

Boat Name Essential Business **Sail #** 613
Boat Type International Folkboat OB
Rating: 231 **DW Rating:** 790 **Certificate Date** 2/20/2026
Displacement used for DW Rating: 10817
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 25 *Symmetric Spin?* No
95 J: 8.25 SL: SSMG: SSF: SPL:
Rig Type P: 28.75
S E: 11.166 *Asymmetric Spin?* No
Mast Material ISP: 26 SLE: SLU: ASMG: ASF:
JSP: Draft: 4

LOA: 25.75 **Displacement:** 5500
LWL: 19.75 **Ballast:** 2750
Beam: 7.416 **Engine:** OB
Draft: 4 **Prop Type:** None

Boat Name E-Ticket **Sail #** 119
Boat Type Moorings 38 SD
Rating: 117 **DW Rating:** 610 **Certificate Date** 4/28/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)

Rig Data:

Max Headsail I: 47.5 *Symmetric Spin?* Yes
155 J: 13.9 SL: SSMG: SSF: SPL:
Rig Type P: 41.7 47.6 25.4 23.8 13.9
MS E: 15 *Asymmetric Spin?* No
Mast Material ISP: 47.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: 13.9

LOA: 38.4 **Displacement:** 13700
LWL: 31.33 **Ballast:** 5400
Beam: 12.5 **Engine:** IB
Draft: 4.8 **Prop Type:** Fold

Boat Name Evenstar **Sail #** 6404
Boat Type Ranger 23
Rating: 216 **DW Rating:** 725 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 3400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.54 *Symmetric Spin?* Yes
150 J: 9.75 SL: SSMG: SSF: SPL:
Rig Type P: 24 27.7 17.46 17.46 9.7
MS E: 9.2 *Asymmetric Spin?* No
Mast Material ISP: 27.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: 9.7

LOA: 23.67 **Displacement:** 3400
LWL: 20 **Ballast:** 1500
Beam: 7.92 **Engine:** OB
Draft: 3.9 **Prop Type:** None

Boat Name Expeditious	Sail # 18478	Max Headsail 155	I: 48.75	Symmetric Spin? Yes	LOA: 37.08	Displacement: 11000
Boat Type Express 37			J: 14.33	SL: SSMG: SSF: SPL:	LWL: 30.83	Ballast: 4500
Rating: 72 DW Rating: 587 Certificate Date 1/22/2026		Rig Type MS	P: 42	48 25.5 25.4 14.33	Beam: 11.57	Engine: IB
Displacement used for DW Rating: 10207		Mast Material ALUMN	E: 13.75	Asymmetric Spin? No	Draft: 7.25	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 48.75	SLE: SLU: ASMG: ASF:		
			JSP:			
Modifications on file: INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.						

Boat Name eXpresso	Sail # 60874	Max Headsail 125	I: 59.46	Symmetric Spin? No	LOA: 43.6	Displacement: 21738
Boat Type XP-44			J: 16.3	SL: SSMG: SSF: SPL:	LWL: 39	Ballast: 8488
Rating: 18 DW Rating: 545 Certificate Date 1/16/2026		Rig Type FS	P: 57.74		Beam: 13.35	Engine: IB
Displacement used for DW Rating: 21738		Mast Material CARBON	E: 18.7	Asymmetric Spin? Yes	Draft: 8.86	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 64.86	SLE: SLU: ASMG: ASF:		
			JSP: 20.4	61.35 71.52 37.73 35.83		
Modifications on file: Extended sprit, deep rudder, hydraulic backstay						

Boat Name Falkor	Sail # 87863	Max Headsail 155	I: 32	Symmetric Spin? Yes	LOA: 25	Displacement: 3300
Boat Type Olson 25			J: 9.583	SL: SSMG: SSF: SPL:	LWL: 21.25	Ballast: 1300
Rating: 159 DW Rating: 674 Certificate Date 2/20/2026		Rig Type MS	P: 28	31 17.28 17.28 9.583	Beam: 9	Engine: OB
Displacement used for DW Rating: 3300		Mast Material ALUMN	E: 10	Asymmetric Spin? No	Draft: 4.5	Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 32	SLE: SLU: ASMG: ASF:		
			JSP:			
Modifications on file:						

Boat Name Fatuity	Sail # 48	Max Headsail 150	I: 26.25	Symmetric Spin? Yes	LOA: 23.75	Displacement: 2050
Boat Type Moore 24			J: 9.75	SL: SSMG: SSF: SPL:	LWL: 21.75	Ballast: 1025
Rating: 150 DW Rating: 629 Certificate Date 1/15/2026		Rig Type FS	P: 25	27 17.55 17.55 9.75	Beam: 7.16	Engine: OB
Displacement used for DW Rating: 2050		Mast Material ALUMN	E: 9.5	Asymmetric Spin? No	Draft: 4.083	Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 26.25	SLE: SLU: ASMG: ASF:		
			JSP:			
Modifications on file:						

Boat Name Feather **Sail #** 23
Boat Type J 100 ODR
Rating: 84 **DW Rating:** 594 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file: Powered Halyard Winch

Rig Data:
Max Headsail I: 38.5 *Symmetric Spin?* No LOA: 32.8 Displacement: 6500
100 J: 11.5 SL: SSMG: SSF: SPL: LWL: 29 Ballast: 2500
Rig Type P: 38
FS E: 13.5 *Asymmetric Spin?* Yes Beam: 9.25 Engine: IB
Mast Material ISP: 43 SLE: SLU: ASMG: ASF: Prop Type: Feath
CARBON JSP: 15.9 38.22 48.69 26.31 24.77 Draft: 5.75

Boat Name Feet Wet **Sail #** 3
Boat Type Antrim 27 CM ODR
Rating: 75 **DW Rating:** 556 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Modifications on file: BOWSPRINT IS ARTICULATING

Rig Data:
Max Headsail I: 28.69 *Symmetric Spin?* No LOA: 27.73 Displacement: 2900
116 J: 8.17 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1050
Rig Type P: 33.75
FS E: 14 *Asymmetric Spin?* Yes Beam: 9.25 Engine: OB
Mast Material ISP: 37.25 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 15 38 44.2 20.1 25.1 Draft: 6

Boat Name Festina Lente **Sail #** 17
Boat Type Hanse 505
Rating: 42 **DW Rating:** 545 **Certificate Date** 1/6/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: Inner Forestay Added, NCTR (Mtg 6/24/24, added SPL, -3 sec/mi for articulation)

Rig Data:
Max Headsail I: 64.14 *Symmetric Spin?* No LOA: 48.72 Displacement: 36000
104 J: 19.19 SL: SSMG: SSF: SPL: LWL: 44.42 Ballast: 8818
Rig Type P: 57.74 18.8
FS E: 19.69 *Asymmetric Spin?* Yes Beam: 15.58 Engine: IB
Mast Material ISP: 64.3 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 21.69 60.1 66.01 34.55 33.4 Draft: 7.87

Boat Name Fidget **Sail #** 369
Boat Type J 80 ODR
Rating: 111 **DW Rating:** 606 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 3223
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30 *Symmetric Spin?* No LOA: 26.3 Displacement: 2900
150 J: 9.415 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 1400
Rig Type P: 30
MS E: 12.416 *Asymmetric Spin?* Yes Beam: 8.3 Engine: OB
Mast Material ISP: 33.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 15.666 31.996 39.162 23.156 25.16 Draft: 4.9

Boat Name Final Final
Boat Type Beneteau First 30
Rating: 81 DW Rating: 583 Certificate Date 1/29/2026
Displacement used for DW Rating: 6700
Certified PHRF Data on file?

Modifications on file: Rating of 81 Assigned 10/23/25

Rig Data:

Max Headsail I: 37.65 *Symmetric Spin?* No LOA: 30.87 Displacement: 6700
99 J: 14.3 SL: SSMG: SSF: SPL: LWL: 28.7 Ballast: 2360
Rig Type P: 39.37
MS E: 13.29 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 42.63 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 17.45 43.18 51.51 27 32.15 Draft: 6.63

Boat Name Finistere
Boat Type Sabre 38-2
Rating: 114 DW Rating: 619 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 49.75 *Symmetric Spin?* Yes LOA: 38.67 Displacement: 16900
150 J: 14.5 SL: SSMG: SSF: SPL: LWL: 31.42 Ballast: 6600
Rig Type P: 42.67 49 26.1 26.1 14.42
MS E: 14.83 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 49.75 SLE: SLU: ASMG: ASF: Prop Type: FOLD
JSP: 14.5 Draft: 6.5

Boat Name Firefly
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 2/20/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.083

Boat Name Flashgirl
Boat Type Custom Wylie 39
Rating: 57 DW Rating: 597 Certificate Date 4/30/2026
Displacement used for DW Rating: 13500
Certified PHRF Data on file?

Modifications on file: (Mtg 4/29/26, new custom rating of 57 assigned)

Rig Data:

Max Headsail I: 46.9 *Symmetric Spin?* Yes LOA: 39.25 Displacement: 13500
101 J: 14.3 SL: SSMG: SSF: SPL: LWL: 32 Ballast: 3600
Rig Type P: 49 46.75 25.74 25.74 14.3
MS E: 16.6 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Feath
ALUMN JSP: 44.3 47.7 20.8 27.11 Draft: 9

Boat Name Flexi-Flyer **Sail #** 18282
Boat Type Soverel 33-2
Rating: 96 **DW Rating:** 593 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 6463
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 42.5 *Symmetric Spin?* Yes LOA: 33 Displacement: 5800
155 J: 12.8 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 2800
Rig Type P: 41 42.06 22.7 21.58 12.75
MS E: 13 *Asymmetric Spin?* No Beam: 11 Engine: IB
Mast Material ISP: 42.5 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 5.85

Boat Name Flight Risk **Sail #** 650
Boat Type Thompson 650
Rating: 102 **DW Rating:** 583 **Certificate Date** 5/1/2026
Displacement used for DW Rating: 1692
Certified PHRF Data on file?

Modifications on file: (mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)

Rig Data:
Max Headsail I: 26.67 *Symmetric Spin?* No LOA: 22.3 Displacement: 1692
100 J: 8.86 SL: SSMG: SSF: SPL: LWL: 19.8 Ballast: 660
Rig Type P: 28.29
FS E: 10.4 *Asymmetric Spin?* Yes Beam: 8.16 Engine: OB
Mast Material ISP: 28.25 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 14.86 33.6 37.79 19.5 20.58 Draft: 5.9

Boat Name Fly **Sail #** 67
Boat Type J 88
Rating: 81 **DW Rating:** 563 **Certificate Date** 4/28/2026
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 38.67 *Symmetric Spin?* No LOA: 29.19 Displacement: 4990
104 J: 11.28 SL: SSMG: SSF: SPL: LWL: 26.84 Ballast: 1840
Rig Type P: 36.82
FS E: 12 *Asymmetric Spin?* Yes Beam: 9.5 Engine: IB
Mast Material ISP: 46 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 18.05 40.84 47.83 37.32 29 Draft: 6.5

Boat Name Flying Colors **Sail #** 30
Boat Type Moore 24
Rating: 150 **DW Rating:** 629 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.25 *Symmetric Spin?* YES LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No Beam: 7.16 Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.083

Boat Name Flying Fish
Boat Type Olson 30 OB
Rating: 99 DW Rating: 584 Certificate Date 1/7/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 150 I: 36 J: 11.78 P: 31.5 E: 10.75
Rig Type MS
Mast Material ALUMN
Symmetric Spin? Yes
Asymmetric Spin? No
LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.1
Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Boat Name Flying Green Dragon
Boat Type Tartan 3500
Rating: 123 DW Rating: 632 Certificate Date 1/22/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 100 I: 47 J: 13.75 P: 41.4 E: 14.4
Rig Type MS
Mast Material ALUMN
Symmetric Spin? No
Asymmetric Spin? Yes
LOA: 35.17
LWL: 30
Beam: 11.75
Draft: 6.5
Displacement: 12500
Ballast: 4200
Engine: IB
Prop Type: Fixed_2

Boat Name Fog Dog
Boat Type Catalina 320
Rating: 165 DW Rating: Certificate Date 1/16/2026
Displacement used for DW Rating: 12719
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 115 I: 43.58 J: 12.33 P: 38 E: 13.25
Rig Type MS
Mast Material ALUMN
Symmetric Spin? No
Asymmetric Spin? No
LOA: 32.5
LWL: 28
Beam: 11.75
Draft: 6
Displacement: 11300
Ballast: 4000
Engine: IB
Prop Type: Fixed_3

Boat Name Fortitude
Boat Type Catalina 42-1/2
Rating: 105 DW Rating: 602 Certificate Date 3/18/2026
Displacement used for DW Rating: 25500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 120 I: 53 J: 16.42 P: 46.75 E: 15.42
Rig Type MS
Mast Material ALUMN
Symmetric Spin? No
Asymmetric Spin? No
LOA: 41.83
LWL: 36
Beam: 13.83
Draft: 6.67
Displacement: 20800
Ballast: 8300
Engine: IB
Prop Type: Fold

Boat Name Frances **Sail #** 435
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 **DW Rating:** 706 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.2
LWL: 22.8
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Free **Sail #** 3002
Boat Type S&S 30
Rating: 144 **DW Rating:** 631 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 6000
Certified PHRF Data on file?

Modifications on file: Powered winches

Rig Data:

Max Headsail I: 43.7
95 J: 9.5
Rig Type P: 40
FS E: 14
Mast Material ISP: 43.58
ALUMN JSP: 9.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
37.5 43.2 15.8 16.7

LOA: 30.5
LWL: 27.5
Beam: 8.25
Draft: 5.5

Displacement: 6500
Ballast: 2400
Engine: IB
Prop Type: Fold

Boat Name Freedom **Sail #** 18230
Boat Type Worth 40
Rating: 96 **DW Rating:** 620 **Certificate Date** 3/24/2026
Displacement used for DW Rating: 20394
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 54
155 J: 16
Rig Type P: 47
MS E: 14
Mast Material ISP:
ALUMN JSP: 16

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
52 28.8 28.8 16
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 40
LWL: 34.25
Beam: 12.5
Draft: 7.25

Displacement: 21000
Ballast: 7800
Engine: IB
Prop Type: FOLD

Boat Name Frequent Flyer **Sail #** 52
Boat Type Mumm/Farr 30
Rating: 54 **DW Rating:** 552 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 4561
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 38.2
105 J: 10.9
Rig Type P: 40.5
FS E: 14.6
Mast Material ISP: 44.9
CARBON JSP: 13.58

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44.58 25.25 24.67 13.58
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41.33 46.92 23.67 25.25

LOA: 30.9
LWL: 27.6
Beam: 10.1
Draft: 6.9

Displacement: 4561
Ballast: 1997
Engine: IB
Prop Type: Fold

Boat Name Friendship
Boat Type Hanse 388
Rating: 99 DW Rating: 608 Certificate Date 1/20/2026
Displacement used for DW Rating: 18232
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.11
105 J: 14.2
Rig Type P: 45.11
FS E: 16.9
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 37.42
LWL: 34.01
Beam: 12.82
Draft: 6.75

Displacement: 18232
Ballast: 8100
Engine: IB
Prop Type: Fold

Boat Name Froeya
Boat Type Hanse 341/342
Rating: 141 DW Rating: 642 Certificate Date 1/9/2026
Displacement used for DW Rating: 12700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46
100 J: 12.2
Rig Type P: 42
FS E: 15
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 34
LWL: 29.2
Beam: 11.2
Draft: 5.9

Displacement: 11353
Ballast: 3395
Engine: IB
Prop Type: FOLD

Boat Name Froglips
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 Certificate Date 1/6/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.5
Rig Type P: 28
FS E: 9.75
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.5 17.13 17.03 9.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 24
LWL: 20
Beam: 8.92
Draft: 4

Displacement: 3100
Ballast: 965
Engine: OB
Prop Type: None

Boat Name Fulvia
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 705 Certificate Date 1/12/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Boat Name Further
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 3/27/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
39

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 4.083

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Fury
Boat Type Baltic 42 DP
Rating: 72 DW Rating: 602 Certificate Date 4/30/2026
Displacement used for DW Rating: 23440
Certified PHRF Data on file?

Sail #
43366

Rig Data:

Max Headsail I: 54.88
140 J: 17.68
Rig Type P: 50
MS E: 13.89
Mast Material ISP: 56
ALUMN JSP: 18.68

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
51.5 60.62 33.13 31.96

LOA: 41.94
LWL: 34.42
Beam: 13.34
Draft: 7.92

Displacement: 18400
Ballast: 8060
Engine: IB
Prop Type: FOLD

Modifications on file: (Mtg 4/29/26, -3 sec/mi for oversized spinnaker area, +3 sec/mi for non-articulation)

Boat Name Galaxsea
Boat Type Custom Nauticat 43.5
Rating: 180 DW Rating: 636 Certificate Date 1/8/2026
Displacement used for DW Rating: 35679
Certified PHRF Data on file?

Sail #
28743

Rig Data:

Max Headsail I: 51
130 J: 20
Rig Type P: 45
KTCH E: 13.6
Mast Material ISP:
ALUMN JSP: 20.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
50.98 33.43 35.6 20
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50 52 25.6 29.2

LOA: 43.6
LWL: 37.7
Beam: 12.2
Draft: 5.9

Displacement: 34000
Ballast: 11000
Engine: IB
Prop Type: FEATH

Modifications on file: Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"

Boat Name Gavilan
Boat Type Olson 25
Rating: 159 DW Rating: 673 Certificate Date 3/27/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Sail #
99

Rig Data:

Max Headsail I: 32
155 J: 9.583
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP: 9.6

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
31.5 17.25 17.25 9.583
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.6 31.6 15.7 16.1

LOA: 25
LWL: 21.25
Beam: 9
Draft: 4.5

Displacement: 3300
Ballast: 1300
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Gavilan
Boat Type Custom Wylie 39
Rating: 93 DW Rating: 613 Certificate Date 1/8/2026
Displacement used for DW Rating: 17900
Certified PHRF Data on file?

Sail #
28439

Rig Data:

Max Headsail I: 49
95 J: 14.5
Rig Type P: 43
MS E: 15.5
Mast Material ISP: 49
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48.64 26.6 26.6 14.5
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
47.08 48.39 18.47 24.6

LOA: 41.5
LWL: 31.75
Beam: 11.5
Draft: 6.77

Displacement: 17900
Ballast: 5920
Engine: IB
Prop Type: FEATH

Modifications on file: (mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)

Boat Name Genesis
Boat Type Beneteau 305
Rating: 162 DW Rating: 668 Certificate Date 1/23/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
38305

Rig Data:

Max Headsail I: 39.04
125 J: 11.29
Rig Type P: 33.79
MS E: 11.25
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
37.4 20.3 20.3 10.4
Asymmetric Spin? NO
SLE: SLU: ASMG: ASF:

LOA: 30.42
LWL: 26.17
Beam: 10.5
Draft: 5.58

Displacement: 8500
Ballast: 2976
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Gig
Boat Type Humboldt 30 IB
Rating: 108 DW Rating: 608 Certificate Date 2/10/2026
Displacement used for DW Rating: 5400
Certified PHRF Data on file?

Sail #
18112

Rig Data:

Max Headsail I: 37.5
149 J: 11.5
Rig Type P: 41.5
FS E: 13.75
Mast Material ISP: 37.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
37 20.7 20.2 11.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 26.66
Beam: 10.5
Draft: 5.75

Displacement: 5400
Ballast: 2222
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Godzilla
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/22/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
59

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Golden Moon
Boat Type Express 37
Rating: 72 DW Rating: 587 Certificate Date 3/3/2026
Displacement used for DW Rating: 10207
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.75 *Symmetric Spin?* Yes LOA: 37 Displacement: 11000
155 J: 14.33 SL: SSMG: SSF: SPL: LWL: 30.83 Ballast: 4500
Rig Type P: 42 48.27 25.79 25.79 14.33
MS E: 13.75 *Asymmetric Spin?* No Beam: 11.57 Engine: IB
Mast Material ISP: 48.75 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 46 49.8 25 29.5 Draft: 7.25

Boat Name Good And Plenty
Boat Type Soverel 33-2
Rating: 96 DW Rating: 574 Certificate Date 1/20/2026
Displacement used for DW Rating: 6500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42.5 *Symmetric Spin?* Yes LOA: 33 Displacement: 5800
155 J: 12.75 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 2800
Rig Type P: 41 42.5 22.95 22.95 12.75
MS E: 13 *Asymmetric Spin?* No Beam: 11 Engine: IB
Mast Material ISP: 41 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 12.75 Draft: 5.85

Boat Name Good Deal
Boat Type Cal 31
Rating: 165 DW Rating: Certificate Date 3/23/2026
Displacement used for DW Rating: 9170
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.5 *Symmetric Spin?* No LOA: 31.5 Displacement: 9170
150 J: 13.42 SL: SSMG: SSF: SPL: LWL: 25.75 Ballast: 3600
Rig Type P: 35
MS E: 12 *Asymmetric Spin?* No Beam: 10 Engine: IB
Mast Material ISP: 23.42 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 5

Boat Name Grande Cuvee
Boat Type Beneteau First 40
Rating: 57 DW Rating: 583 Certificate Date 1/27/2026
Displacement used for DW Rating: 18220
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 53 *Symmetric Spin?* No LOA: 40.16 Displacement: 18220
139 J: 15.08 SL: SSMG: SSF: SPL: LWL: 35 Ballast: 6610
Rig Type P: 51.2
FS E: 17.92 *Asymmetric Spin?* Yes Beam: 12.6 Engine: IB
Mast Material ISP: 56.16 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 16.207 53.24 63.94 31.59 30.38 Draft: 8.04

Boat Name Green Buffalo **Sail #** 8538
Boat Type CAL 40
Rating: 114 **DW Rating:** 634 **Certificate Date** 1/23/2026
Displacement used for DW Rating: 15148
Certified PHRF Data on file?

Modifications on file: Schumacher designed rudder - same as original

Rig Data:

Max Headsail	I:	46.7	<i>Symmetric Spin?</i>	Yes	LOA:	39.3	Displacement:	15148
155	J:	15.2	SL:	SSMG: SSF: SPL:	LWL:	30	Ballast:	6000
Rig Type	P:	39.8	46.01 27.3 27.3 15.2		Beam:	10.9	Engine:	IB
MS	E:	17.6	<i>Asymmetric Spin?</i>	No	Draft:	5.8	Prop Type:	FEATH
Mast Material	ISP:	46.7	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:							

Boat Name Grey Wulff **Sail #** 238
Boat Type Beneteau Oceanis 30.1
Rating: 150 **DW Rating:** 633 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 8807
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	36.75	<i>Symmetric Spin?</i>	No	LOA:	31.3	Displacement:	8807
105	J:	12.67	SL:	SSMG: SSF: SPL:	LWL:	29.6	Ballast:	2144
Rig Type	P:	35.47			Beam:	9.81	Engine:	IB
FS	E:	10.73	<i>Asymmetric Spin?</i>	Yes	Draft:	6.17	Prop Type:	Fold
Mast Material	ISP:	37.43	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	14.07	32.87 37.56 19.97 22.47					

Boat Name Greyhound **Sail #** 50951
Boat Type Viper 830
Rating: 63 **DW Rating:** 549 **Certificate Date** 1/27/2026
Displacement used for DW Rating: 2500
Certified PHRF Data on file?

Modifications on file: Roller Furler

Rig Data:

Max Headsail	I:	35.7	<i>Symmetric Spin?</i>	No	LOA:	27.7	Displacement:	2500
105	J:	10.1	SL:	SSMG: SSF: SPL:	LWL:	25	Ballast:	1543
Rig Type	P:	35.7			Beam:	8.5	Engine:	OB
MS	E:	13.3	<i>Asymmetric Spin?</i>	Yes	Draft:	7.16	Prop Type:	None
Mast Material	ISP:	37.75	SLE:	SLU: ASMG: ASF:				
CARBON	JSP:	15	33.75 44 22 23					

Boat Name Gypsy Lady **Sail #** 7507
Boat Type CAL 34-1
Rating: 174 **DW Rating:** 678 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 10213
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail	I:	39	<i>Symmetric Spin?</i>	Yes	LOA:	33.3	Displacement:	10000
155	J:	13.75	SL:	SSMG: SSF: SPL:	LWL:	26	Ballast:	3750
Rig Type	P:	33.5	39.29 24.75 24.75 13.75		Beam:	10	Engine:	IB
MS	E:	14	<i>Asymmetric Spin?</i>	No	Draft:	5	Prop Type:	FOLD
Mast Material	ISP:	39	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	13.75						

Boat Name H Pod **Sail #** 165
Boat Type J 100 ODR
Rating: 84 **DW Rating:** 586 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 38.5 *Symmetric Spin?* No LOA: 32.8 Displacement: 7013
105 J: 11.5 SL: SSMG: SSF: SPL: LWL: 29 Ballast: 2450
Rig Type P: 38
FS E: 13.5 *Asymmetric Spin?* Yes Beam: 9.21 Engine: IB
Mast Material ISP: 43 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 15.9 39.12 49.13 26.08 25.02 Draft: 5.75

Boat Name H2Osprey **Sail #** 173
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 **DW Rating:** 706 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30 *Symmetric Spin?* NO LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33
FS E: 12.5 *Asymmetric Spin?* No Beam: 8.2 Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 4.5

Boat Name Hang 20 **Sail #** 48
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 631 **Certificate Date** 3/3/2026
Displacement used for DW Rating: 2939
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450
125 J: 9 SL: SSMG: SSF: SPL: LWL: 23.8 Ballast: 1100
Rig Type P: 28.5 28.5 17.7 17.7 9.83
FS E: 10.42 *Asymmetric Spin?* Yes Beam: 8.17 Engine: OB
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 27.17 30.35 17 17.39 Draft: 4.5

Boat Name Hare-O-Dynamic **Sail #** 47
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 **DW Rating:** 590 **Certificate Date** 4/26/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.

Rig Data:

Max Headsail I: 20.5 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 975
150 J: 6.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 440
Rig Type P: 23.75 22 13.9 13.7 8.5
FS E: 10 *Asymmetric Spin?* No Beam: 5.583 Engine: OB
Mast Material ISP: 20.5 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 3.5

Boat Name Heart of Gold
Boat Type Olson 911S
Rating: 126 DW Rating: 658 Certificate Date 1/6/2026
Displacement used for DW Rating: 7500
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.5 Symmetric Spin? Yes LOA: 29.9 Displacement: 7200
150 J: 12.33 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3200
Rig Type P: 35.5 41.1 22.19 22.19 12.16 Beam: 10.3 Engine: IB
MS E: 11.83 Asymmetric Spin? No Prop Type: FOLD
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Draft: 5.5
ALUMN JSP:

Boat Name Hei Hei
Boat Type Melges 24
Rating: 84 DW Rating: 568 Certificate Date 1/26/2026
Displacement used for DW Rating: 1783
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.85 Symmetric Spin? No LOA: 24 Displacement: 1650
110 J: 7.95 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 625
Rig Type P: 28.75 7.95 Engine: OB
FS E: 12.416 Asymmetric Spin? Yes Prop Type: None
Mast Material ISP: 31.85 SLE: SLU: ASMG: ASF: Draft: 5.25
CARBON JSP: 12 32.9 38 19.23 20.67

Boat Name Heron
Boat Type C&C 32
Rating: 162 DW Rating: 684 Certificate Date 1/27/2026
Displacement used for DW Rating: 9680
Certified PHRF Data on file?

Modifications on file: (Mtg 1/26/26, +3 sec/mi for non-articulating spinnaker tack)

Rig Data:

Max Headsail I: 41.1 Symmetric Spin? No LOA: 31.5 Displacement: 9680
90 J: 12.8 SL: SSMG: SSF: SPL: LWL: 24.67 Ballast: 3900
Rig Type P: 35.3 40.91 22.95 22.95 12.75 Beam: 10.25 Engine: IB
MS E: 11.3 Asymmetric Spin? Yes Prop Type: Fixed_2
Mast Material ISP: 41 SLE: SLU: ASMG: ASF: Draft: 5.67
ALUMN JSP: 13.5 33.83 41.83 15.58 20.67

Boat Name High and Dry
Boat Type Santana 22
Rating: 234 DW Rating: 741 Certificate Date 1/22/2026
Displacement used for DW Rating: 2600
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26 Symmetric Spin? Yes LOA: 22 Displacement: 2600
150 J: 8.5 SL: SSMG: SSF: SPL: LWL: 18.67 Ballast: 1230
Rig Type P: 21.75 26 15.44 15.44 8.58 Beam: 7.83 Engine: OB
MS E: 9.83 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 26 SLE: SLU: ASMG: ASF: Draft: 3.5
ALUMN JSP:

Boat Name Hijinks **Sail #** 90
Boat Type J 92
Rating: 108 **DW Rating:** 605 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 37 **Symmetric Spin?** No
125 J: 11.5 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 37.66
FS E: 13.22 **Asymmetric Spin?** Yes
Mast Material ISP: 38.5 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN JSP: 17 40.85 45.4 23.55 26.51

LOA: 30 **Displacement:** 5500
LWL: 26.5 **Ballast:** 2275
Beam: 10 **Engine:** IB
Draft: 5.9 **Prop Type:** Fold

Boat Name Hot Sheet **Sail #** 10
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 608 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 2450
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 **Symmetric Spin?** YES
155 J: 9 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 28.5 29 17.75 17.75 9.83
FS E: 10.42 **Asymmetric Spin?** No
Mast Material ISP: 28.5 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN JSP: **Draft:** 4.5

LOA: 27.25 **Displacement:** 2450
LWL: 23.75 **Ballast:** 1100
Beam: 8.17 **Engine:** OB
Draft: 4.5 **Prop Type:** None

Boat Name Humble Vandal **Sail #** 64999
Boat Type J 92
Rating: 108 **DW Rating:** 602 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 37 **Symmetric Spin?** No
125 J: 11.5 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 38
FS E: 13.5 **Asymmetric Spin?** Yes
Mast Material ISP: 38.5 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN JSP: 17 40.8 45.4 25.1 26.5

LOA: 30 **Displacement:** 5500
LWL: 26.5 **Ballast:** 2275
Beam: 10 **Engine:** IB
Draft: 5.9 **Prop Type:** Fold

Boat Name Hygge **Sail #** 714
Boat Type BB-10
Rating: 135 **DW Rating:** 640 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 4956
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 30.1 **Symmetric Spin?** YES
110 J: 9.82 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 36.09 32.25 17.7 17.7 9
FS E: 11.65 **Asymmetric Spin?** Yes
Mast Material ISP: 30.33 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN JSP: 9 28.17 31.5 14.42 17

LOA: 32.67 **Displacement:** 4956
LWL: 23.92 **Ballast:** 2700
Beam: 7.55 **Engine:** IB
Draft: 4.8 **Prop Type:** Fold

Boat Name Hypatia
Boat Type Solaris 47
Rating: 27 DW Rating: 542 Certificate Date 4/14/2026
Displacement used for DW Rating: 29321
Certified PHRF Data on file?

Sail #
70777

Rig Data:

Max Headsail I: 64.31
88 J: 17.96
Rig Type P: 62.5
FS E: 21.33
Mast Material ISP: 68
ALUMN JSP: 20

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
58.25 66.5 24.75 33

LOA: 47.8
LWL: 43.9
Beam: 14.1
Draft: 8.2

Displacement: 29321
Ballast: 9000
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 4/26/21, Custom Rating Assigned. Includes -3 sec/mi penalty for electric sheeting winches, manually eased. As Sailed: 15)(mtg 8/25/25, custom rating changed from 15 to 27)

Boat Name Imagination
Boat Type Bavaria 40
Rating: 108 DW Rating: 599 Certificate Date 2/26/2026
Displacement used for DW Rating: 17417
Certified PHRF Data on file?

Sail #
38140

Rig Data:

Max Headsail I: 47.25
111 J: 14.58
Rig Type P: 44.46
FS E: 15.58
Mast Material ISP: 48
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
46.97 26.2 26.2 14.58
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
44 48 22 20

LOA: 40.94
LWL: 35.93
Beam: 13.1
Draft: 6.4

Displacement: 17417
Ballast: 6283
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Inconceivable
Boat Type J 88
Rating: 81 DW Rating: 563 Certificate Date 1/15/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
9

Rig Data:

Max Headsail I: 38.67
104 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Invictus
Boat Type Jeanneau Sun Fast 3600
Rating: 60 DW Rating: 580 Certificate Date 1/12/2026
Displacement used for DW Rating: 10362
Certified PHRF Data on file?

Sail #
12

Rig Data:

Max Headsail I: 46.58
105 J: 13.83
Rig Type P: 44.25
FS E: 15.08
Mast Material ISP: 48
ALUMN JSP: 13.83

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
47.9 29.85 29.85 16.32
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
48.85 55.12 32.55 31.99

LOA: 35.42
LWL: 31.25
Beam: 11.67
Draft: 7

Displacement: 10362
Ballast: 4850
Engine: IB
Prop Type: Feath

Modifications on file: (Mtg 11/30/17, -3 sec/mi for oversized asymmetric spinnaker)(mtg 1/25/21, removed Asymmetric Spinnaker, added smaller symmetric spinnaker on a shorter pole. +3 sec/mi for smaller spinnaker area, +3 sec/mi for shorter spl, -3 sec/mi for articulation)(Mtg 1/24/22, -3 sec/mi for increased spinnaker area)

Boat Name 'io
Boat Type Antrim 27 C
Rating: 60 DW Rating: 540 Certificate Date 4/30/2026
Displacement used for DW Rating: 2518
Certified PHRF Data on file?

Sail #
38124

Rig Data:

Max Headsail I: 36.98
125 J: 12.13
Rig Type P: 33.75
FS E: 13.8
Mast Material ISP: 36.98
CARBON JSP: 15.22

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
36.29 40.94 22.51 23.56

LOA: 27.73 Displacement: 2500
LWL: 23.75 Ballast: 1225
Beam: 9.25 Engine: OB
Draft: 6 Prop Type: None

Modifications on file: Carbon Hull & Deck. (Mtg 1/20/20, -3 sec/mi for carbon mods)(Mtg 10/26/20, change penalty for carbon mods from -3 sec/mi to -6 sec/mi)(Mtg 4/29/24, -3 sec/mi for spinnaker area increase)(Mtg 4/29/26, -6 sec/mi for J0)

Boat Name lolani
Boat Type Hughes 48
Rating: 120 DW Rating: 600 Certificate Date 4/17/2026
Displacement used for DW Rating: 32000
Certified PHRF Data on file?

Sail #
38048

Rig Data:

Max Headsail I: 54.3
135 J: 18.2
Rig Type P: 48.2
YAWL E: 19
Mast Material ISP:
ALUMN JSP: 20.2

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
40.32 32.76 32.76 18.2
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
48.6 54 32.76 32.76

LOA: 48 Displacement: 32000
LWL: 35.1 Ballast: 14300
Beam: 11.1 Engine: IB
Draft: 6 Prop Type: FEATH

Modifications on file:

Boat Name Irish Rose
Boat Type Westsail 28
Rating: 246 DW Rating: 725 Certificate Date 1/9/2026
Displacement used for DW Rating: 13500
Certified PHRF Data on file?

Sail #
0

Rig Data:

Max Headsail I: 35.5
150 J: 17.3
Rig Type P: 31.5
MS E: 12.3
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28.3 Displacement: 13500
LWL: 23.5 Ballast: 4200
Beam: 9.6 Engine: IB
Draft: 4.3 Prop Type: Fixed_3

Modifications on file:

Boat Name Jacqueline
Boat Type Freedom 30 SD
Rating: 174 DW Rating: 688 Certificate Date 2/10/2026
Displacement used for DW Rating: 7660
Certified PHRF Data on file?

Sail #
3

Rig Data:

Max Headsail I: 28.4
J: 9.8
Rig Type P: 35.2
CAT E: 13.9
Mast Material ISP:
CARBON JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31.4 14 16.7 9
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30 Displacement: 7660
LWL: 25.42 Ballast: 3150
Beam: 10.8 Engine: IB
Draft: 4.5 Prop Type: Fixed_2

Modifications on file:

Boat Name Jam Jam **Sail #**
90
Boat Type Yankee 30-1 SM
Rating: 192 **DW Rating:** 708 **Certificate Date** 5/8/2026
 Displacement used for DW Rating:
 Certified PHRF Data on file?
Modifications on file: (mtg 4/28/11, +3 sec/mi for engine modifications)

Rig Data:

Max Headsail	I:	37.5	<i>Symmetric Spin?</i>	Yes	LOA:	30	Displacement:	8900
100	J:	12.75	SL:	SSMG:	SSF:	SPL:	Ballast:	4180
Rig Type	P:	34.5	35	19.5	22.5	12.75	LWL:	23
MS	E:	9.75	<i>Asymmetric Spin?</i>			No	Beam:	9
Mast Material	ISP:	37.5	SLE:	SLU:	ASMG:	ASF:	Draft:	5.1
ALUMN	JSP:						Prop Type:	Fixed_3

Boat Name Jamani **Sail #**
52879
Boat Type J 120 ALUM
Rating: 45 **DW Rating:** 543 **Certificate Date** 1/9/2026
 Displacement used for DW Rating: 14799
 Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail	I:	50.5	<i>Symmetric Spin?</i>	No	LOA:	40	Displacement:	13900
150	J:	14.5	SL:	SSMG:	SSF:	SPL:	Ballast:	6000
Rig Type	P:	46.5	<i>Asymmetric Spin?</i>			Yes	Beam:	12
FS	E:	17.8	SLE:	SLU:	ASMG:	ASF:	Draft:	7
Mast Material	ISP:	52	50	64	37	34	Prop Type:	FOLD
ALUMN	JSP:	21.5						

Boat Name Jarlen **Sail #**
28528
Boat Type J 35
Rating: 72 **DW Rating:** 597 **Certificate Date** 4/30/2026
 Displacement used for DW Rating: 10000
 Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail	I:	46.333	<i>Symmetric Spin?</i>	Yes	LOA:	35.42	Displacement:	10500
150	J:	14.583	SL:	SSMG:	SSF:	SPL:	Ballast:	4400
Rig Type	P:	41.416	46	26	26	#####	LWL:	30
MS	E:	14	<i>Asymmetric Spin?</i>			No	Beam:	11.67
Mast Material	ISP:	46.3	SLE:	SLU:	ASMG:	ASF:	Draft:	6.75
ALUMN	JSP:						Prop Type:	FOLD

Boat Name Javelin **Sail #**
3
Boat Type J 125
Rating: -12 **DW Rating:** 481 **Certificate Date** 5/19/2026
 Displacement used for DW Rating: 9407
 Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail	I:	48.9	<i>Symmetric Spin?</i>	No	LOA:	41	Displacement:	9407
155	J:	14.7	SL:	SSMG:	SSF:	SPL:	Ballast:	4500
Rig Type	P:	46.43	<i>Asymmetric Spin?</i>			Yes	Beam:	10.6
MS	E:	17.98	SLE:	SLU:	ASMG:	ASF:	Draft:	7.9
Mast Material	ISP:	52	52.55	61.67	37.86	37.89	Prop Type:	FOLD
ALUMN	JSP:	23.1						

Boat Name Jeannette
Sail # 87944
Boat Type Dufour Arpege 30
Rating: 198 **DW Rating:** 709 **Certificate Date** 5/1/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file: (Mtg 4/24/23, -3 sec/mi for oversized spinnaker)

Rig Data:
Max Headsail I: 37 *Symmetric Spin?* No LOA: 30 Displacement: 7700
125 J: 10.5 SL: SSMG: SSF: SPL: LWL: 22.7 Ballast: 3050
Rig Type P: 31
MS E: 11.8 *Asymmetric Spin?* Yes Beam: 9.92 Engine: IB
Mast Material ISP: 37 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 10.5 31.16 37.4 20.73 21.52 Draft: 4.5

Boat Name Jeannette
Sail # 40646
Boat Type Custom Frers 40 IOR 1 Tonner
Rating: 63 **DW Rating:** 572 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 11918
Certified PHRF Data on file?
Modifications on file: (mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)

Rig Data:
Max Headsail I: 47.2 *Symmetric Spin?* Yes LOA: 39.5 Displacement: 11918
100 J: 13.7 SL: SSMG: SSF: SPL: LWL: 33 Ballast: 6000
Rig Type P: 51.48 46.69 24.66 24.66 13.7
FS E: 18.76 *Asymmetric Spin?* No Beam: 12.6 Engine: IB
Mast Material ISP: 13.7 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 8.1

Boat Name Jet Stream
Sail # 9045
Boat Type Custom JS 9000
Rating: 60 **DW Rating:** 544 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 2425
Certified PHRF Data on file?
Modifications on file: (Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 63)(7/27/17, New mainsail, change rating from 63 to 60)

Rig Data:
Max Headsail I: 27.08 *Symmetric Spin?* No LOA: 29.9 Displacement: 2425
90 J: 9.5 SL: SSMG: SSF: SPL: LWL: 27.9 Ballast: 1543
Rig Type P: 30.84
FS E: 10.171 *Asymmetric Spin?* Yes Beam: 5.7 Engine: OB
Mast Material ISP: 30.25 SLE: SLU: ASMG: ASF: Prop Type: None
CARBON JSP: 15.5 30.1 35.8 20.1 21.8 Draft: 6.8

Boat Name JGPC
Sail # 134
Boat Type J 105 ODR w/ 5'BS
Rating: 78 **DW Rating:** 583 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 40.6 *Symmetric Spin?* No LOA: 34.5 Displacement: 7750
100 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.5 Ballast: 3400
Rig Type P: 41.5
FS E: 14.5 *Asymmetric Spin?* Yes Beam: 11 Engine: IB
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 19.07 39.8 49.5 24.6 26 Draft: 6.5

Boat Name JouJou
Boat Type Capo 30
Rating: 123 DW Rating: 658 Certificate Date 1/12/2026
Displacement used for DW Rating: 7200
Certified PHRF Data on file?

Sail #
87324

Rig Data:

Max Headsail I: 41.7
120 J: 12.75
Rig Type P: 36
MS E: 11.5
Mast Material ISP: 41.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.5 21.5 21 12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 30
LWL: 25
Beam: 10.33
Draft: 5.43

Displacement: 7200
Ballast: 3000
Engine: IB
Prop Type: Fold

Modifications on file: Roller Furler (Mtg 1/25/18, New Rudder Installed, NCTR)

Boat Name Joyride
Boat Type Express 34
Rating: 102 DW Rating: 624 Certificate Date 1/15/2026
Displacement used for DW Rating: 9129
Certified PHRF Data on file?

Sail #
41382

Rig Data:

Max Headsail I: 44.25
115 J: 13
Rig Type P: 38.5
MS E: 12.83
Mast Material ISP: 44.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44 23.4 23.4 13
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 34
LWL: 28.33
Beam: 10.33
Draft: 6.11

Displacement: 8000
Ballast: 3800
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name J-Tripper
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 576 Certificate Date 4/28/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
135

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.71 48.88 23.26 25

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Jubilant
Boat Type J 112e GP
Rating: 48 DW Rating: 583 Certificate Date 4/28/2026
Displacement used for DW Rating: 12339
Certified PHRF Data on file?

Sail #
39581

Rig Data:

Max Headsail I: 49.02
105 J: 14.01
Rig Type P: 45.6
FS E: 15.35
Mast Material ISP: 52.36
CARBON JSP: 20.11

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50.52 54.99 33.3 32.217

LOA: 36
LWL: 31.73
Beam: 11.81
Draft: 7.28

Displacement: 11814
Ballast: 4195
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 4/29/24, -3 sec/mi for increased spinnaker area)

Boat Name Kahoots
Boat Type Andrews 43
Rating: 18 DW Rating: 552 Certificate Date 1/6/2026
Displacement used for DW Rating: 16804
Certified PHRF Data on file?

Sail #
87477

Rig Data:

Max Headsail I: 56.98
155 J: 16.5
Rig Type P: 50.09
MS E: 17.78
Mast Material ISP: 57
ALUMN JSP: 18.7

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
56.3 29.7 28.92 18.7
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
55.5 60.4 29 29.13

LOA: 43.48 Displacement: 15251
LWL: 36.7 Ballast: 6581
Beam: 12.87 Engine: IB
Draft: 8.86 Prop Type: Fold

Modifications on file: Roller Furler. (Mtg 1/21/19, custom rating assigned. As Sailed: 15)(Mtg 10/26/20, change custom rating from 15 to 21)(Mtg 1/24/22, added 26" sprit, -3 sec/mi. Change custom rating from 21 to 18)

Boat Name Kangaroo Jockey
Boat Type J 70 ODR
Rating: 114 DW Rating: 611 Certificate Date 1/6/2026
Displacement used for DW Rating: 1750
Certified PHRF Data on file?

Sail #
29

Rig Data:

Max Headsail I: 26.77
100 J: 7.68
Rig Type P: 26.16
FS E: 9.44
Mast Material ISP: 30.15
CARBON JSP: 13.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.87 35.43 18.24 18.7

LOA: 22.78 Displacement: 1750
LWL: 20.47 Ballast: 630
Beam: 7.38 Engine: OB
Draft: 4.92 Prop Type: None

Modifications on file:

Boat Name Kapai
Boat Type Islander 36 ODR
Rating: 147 DW Rating: 663 Certificate Date 1/15/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Sail #
438

Rig Data:

Max Headsail I: 45
125 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.08 Displacement: 13450
LWL: 28.25 Ballast: 5500
Beam: 11.17 Engine: IB
Draft: 6 Prop Type: FOLD

Modifications on file:

Boat Name Kavanha
Boat Type Jeanneau Sun Fast 3200
Rating: 81 DW Rating: 604 Certificate Date 1/15/2026
Displacement used for DW Rating: 7455
Certified PHRF Data on file?

Sail #
7932

Rig Data:

Max Headsail I: 41.92
110 J: 12.63
Rig Type P: 38.67
FS E: 13.58
Mast Material ISP: 43.77
ALUMN JSP: 13.61

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
44.91 24.08 23.59 13.58
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41 41 24.5 24.5

LOA: 32.1 Displacement: 7496
LWL: 28 Ballast: 2866
Beam: 11.5 Engine: IB
Draft: 6.2 Prop Type: Fold

Modifications on file:

Boat Name Keaka	Sail # 3	Max Headsail 125	I: 46.77	Symmetric Spin? No	LOA: 34	Displacement: 10600
Boat Type Ericson 34 Olson TM			J: 13.25	SL: SSMG: SSF: SPL:	LWL: 28	Ballast: 3500
Rating: 102 DW Rating: 623 Certificate Date 1/9/2026		Rig Type MS	P: 37.25	Asymmetric Spin? Yes	Beam: 10.83	Engine: IB
Displacement used for DW Rating: 10498		Mast Material ALUMN	ISP:	SLE: SLU: ASMG: ASF:	Draft: 6	Prop Type: Feath
Certified PHRF Data on file? <input checked="" type="checkbox"/>			JSP: 16.25	45.14 52.74 30.41 28.24		

Modifications on file: (Mtg 2/28/22, -9 sec/mi for oversized JSP -9 sec/mi for oversized spinnaker area, +3 sec/mi for non-articulation)(4/5/23, removed sprit and oversized asymmetric, +18 sec/mi. Removed +3 sec/mi credit for non-articulation)

Boat Name Kestrel	Sail # 312	Max Headsail 100	I: 40.6	Symmetric Spin? NO	LOA: 34.5	Displacement: 7750
Boat Type J 105 ODR w/ 5'BS			J: 13.5	SL: SSMG: SSF: SPL:	LWL: 29.5	Ballast: 3400
Rating: 78 DW Rating: 592 Certificate Date 1/12/2026		Rig Type FS	P: 41.5	Asymmetric Spin? Yes	Beam: 11	Engine: IB
Displacement used for DW Rating: 8472		Mast Material ALUMN	ISP: 42.1	SLE: SLU: ASMG: ASF:	Draft: 6.5	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			JSP: 19.07	39.8 49.5 24.6 26.2		

Modifications on file:

Boat Name Kincsem	Sail # 125	Max Headsail 100	I: 40.6	Symmetric Spin? No	LOA: 34.5	Displacement: 7750
Boat Type J 105 ODR w/ 5'BS			J: 13.5	SL: SSMG: SSF: SPL:	LWL: 29.5	Ballast: 3400
Rating: 78 DW Rating: 595 Certificate Date 1/9/2026		Rig Type FS	P: 41.5	Asymmetric Spin? Yes	Beam: 11	Engine: IB
Displacement used for DW Rating: 8472		Mast Material ALUMN	ISP: 42.1	SLE: SLU: ASMG: ASF:	Draft: 6.5	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			JSP: 19.07	39.8 49.5 22.3 26.2		

Modifications on file:

Boat Name Kira	Sail # 38104	Max Headsail 120	I: 50.82	Symmetric Spin? No	LOA: 37.66	Displacement: 11850
Boat Type Aerodyne 38 SD			J: 14.5	SL: SSMG: SSF: SPL:	LWL: 34.21	Ballast: 4150
Rating: 48 DW Rating: 534 Certificate Date 1/8/2026		Rig Type FS	P: 51.75	Asymmetric Spin? Yes	Beam: 13	Engine: IB
Displacement used for DW Rating: 11850		Mast Material ALUMN	ISP: 57.25	SLE: SLU: ASMG: ASF:	Draft: 6	Prop Type: Fixed_2
Certified PHRF Data on file? <input type="checkbox"/>			JSP: 20.83	58.5 65.5 40 39.5		

Modifications on file: Power Winches

Boat Name Kookaburra
Boat Type Bird ODR
Rating: 204 DW Rating: Certificate Date 3/3/2026
Displacement used for DW Rating: 8900
Certified PHRF Data on file?

Sail #
3

Rig Data:

Max Headsail I: 20.25
100 J: 9.5
Rig Type P: 32
MS E: 20.5
Mast Material ISP: 20.25
WOOD JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 30.083 Displacement: 8900
LWL: 24.25 Ballast: 5000
Beam: 7.666 Engine: OB
Draft: 5.25 Prop Type: None

Modifications on file:

Boat Name Kuai
Boat Type Melges 32 MOD
Rating: 27 DW Rating: 497 Certificate Date 1/16/2026
Displacement used for DW Rating: 3828
Certified PHRF Data on file?

Sail #
7676

Rig Data:

Max Headsail I: 40.86
105 J: 10.7
Rig Type P: 44.05
FS E: 15.49
Mast Material ISP: 48.3
CARBON JSP: 18.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.9 55.75 31.31 31.82

LOA: 31.84 Displacement: 4200
LWL: 28.5 Ballast: 1600
Beam: 9.83 Engine: OB
Draft: 7 Prop Type: None

Modifications on file: (Mtg 4/29/19, Class OB switched out, 50# lead brick added)

Boat Name Kwazy
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 595 Certificate Date 1/9/2026
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Sail #
26

Rig Data:

Max Headsail I: 20.416
150 J: 6.416
Rig Type P: 23
FS E: 10
Mast Material ISP: 20.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
22 14 14 8.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.58 Displacement: 975
LWL: 20 Ballast: 440
Beam: 5.42 Engine: NONE
Draft: 3.41 Prop Type: None

Modifications on file:

Boat Name Kynntana
Boat Type Freedom 38
Rating: 141 DW Rating: 645 Certificate Date 4/28/2026
Displacement used for DW Rating: 15041
Certified PHRF Data on file?

Sail #
38086

Rig Data:

Max Headsail I: 33.34
108 J: 11.5
Rig Type P: 45.5
FS E: 16.57
Mast Material ISP: 34.1
CARBON JSP: 11.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32.5 34 16 17

LOA: 38.42 Displacement: 14370
LWL: 30.58 Ballast: 6500
Beam: 12.5 Engine: IB
Draft: 5.6 Prop Type: Fold

Modifications on file:

Boat Name L20 **Sail #** 18721
Boat Type J 29 7/8 OB
Rating: 123 **DW Rating:** 652 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 6244
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 35
150 J: 11.5
Rig Type P: 38.8
FS E: 13
Mast Material ISP: 35
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35 20 20 12.2
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.5
LWL: 25
Beam: 11
Draft: 5.6

Displacement: 6000
Ballast: 2100
Engine: OB
Prop Type: None

Boat Name La Dolce Vita **Sail #** 64
Boat Type J 32
Rating: 120 **DW Rating:** 641 **Certificate Date** 4/1/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file: (Mtg 8/22/13, -6 sec/mi for sprit)

Rig Data:

Max Headsail I: 39.2
155 J: 11
Rig Type P: 38.5
FS E: 15.5
Mast Material ISP: 40.5
ALUMN JSP: 13

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.5 43 19.7 19.7

LOA: 32.4
LWL: 29
Beam: 11
Draft: 6

Displacement: 10000
Ballast: 3840
Engine: IB
Prop Type: Feath

Boat Name La Viajera **Sail #** 56480
Boat Type J 109 ODR w/108^ m
Rating: 72 **DW Rating:** 598 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46.5
105 J: 13.3
Rig Type P: 43.25
FS E: 15.5
Mast Material ISP: 49.6
ALUMN JSP: 18.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.63 56.33 27.2 27.75

LOA: 35.25
LWL: 30.5
Beam: 11.5
Draft: 7

Displacement: 10900
Ballast: 3900
Engine: IB
Prop Type: Fold

Boat Name Lady Bug **Sail #** 1541
Boat Type Cal 20
Rating: 273 **DW Rating:** 742 **Certificate Date** 1/26/2026
Displacement used for DW Rating: 1950
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 22
115 J: 7.33
Rig Type P: 23
FS E: 10
Mast Material ISP: 22
ALUMN JSP: 7.33

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
22 13.2 13.2 7.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 20
LWL: 18.1
Beam: 7
Draft: 3.33

Displacement: 1950
Ballast: 900
Engine: OB
Prop Type: None

Boat Name Lagnaippe **Sail #** 56502
Boat Type C&C 99
Rating: 111 **DW Rating:** 629 **Certificate Date** 1/29/2026
Displacement used for DW Rating: 10214
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46
88 J: 13
Rig Type P: 40.5
MS E: 13
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 32.5 Displacement: 9250
LWL: 29.12 Ballast: 3500
Beam: 10.84 Engine: IB
Draft: 5.4 Prop Type: Fold

Boat Name Laissez Les BonTempsRouler **Sail #** 38109
Boat Type Santa Cruz 52 SD
Rating: -6 **DW Rating:** 495 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 22549
Certified PHRF Data on file?

Modifications on file: Shoal Draft (Mtg 1/25/18, Custom rating assigned, includes -3 sec/mi for main girths. As Sailed: -12)(Mtg 1/24/22, removed OSP, +3 sec/mi. Change custom rating from -12 to -9)(Mtg 2/28/22, updated draft from 8' to 7'. Custom rating changed from -9 to -6)

Rig Data:

Max Headsail I: 64.13
155 J: 18.9
Rig Type P: 57.5
MS E: 21
Mast Material ISP: 64.5
CARBON JSP: 18.9

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
JSP: 18.9

LOA: 52.98 Displacement: 23452
LWL: 48 Ballast: 9000
Beam: 14 Engine: IB
Draft: 7 Prop Type: Feath

Boat Name Lanakila **Sail #** 168
Boat Type Beneteau First 27
Rating: 87 **DW Rating:** 592 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 3902
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 31.2
120 J: 12.2
Rig Type P: 33.2
FS E: 11.4
Mast Material ISP: 35.8
ALUMN JSP: 17.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
JSP: 17.5

LOA: 26.25 Displacement: 3902
LWL: 25.9 Ballast: 1345
Beam: 8.3 Engine: ib
Draft: 5.7 Prop Type: Fold

Boat Name Lark **Sail #** 70061
Boat Type J 112e
Rating: 54 **DW Rating:** 576 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 11300
Certified PHRF Data on file?

Modifications on file: Electric Halyard Winch

Rig Data:

Max Headsail I: 48.58
105 J: 14
Rig Type P: 45.93
FS E: 15.5
Mast Material ISP: 52
ALUMN JSP: 20.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
JSP: 20.75

LOA: 36 Displacement: 11300
LWL: 31.76 Ballast: 3816
Beam: 11.81 Engine: IB
Draft: 6.9 Prop Type: Fold

Boat Name Latency **Sail #** 108
Boat Type J 99
Rating: 75 **DW Rating:** 592 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 8788
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 42.894 *Symmetric Spin?* No LOA: 32.6 Displacement: 8415
95 J: 12.598 SL: SSMG: SSF: SPL: LWL: 28.6 Ballast: 3350
Rig Type P: 41.798
FS E: 14.288 *Asymmetric Spin?* Yes Beam: 11.18 Engine: IB
Mast Material ISP: 47.405 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 16.781 45.932 53.97 29.823 26.706 Draft: 6.54

Boat Name Lenora **Sail #** 60700
Boat Type Hunter 33-2
Rating: 153 **DW Rating:** 648 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 10400
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 37.42 *Symmetric Spin?* No LOA: 33.5 Displacement: 10400
115 J: 10.83 SL: SSMG: SSF: SPL: LWL: 29.42 Ballast: 3459
Rig Type P: 36.46
FS E: 15.83 *Asymmetric Spin?* Yes Beam: 11.17 Engine: IB
Mast Material ISP: 38.42 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 10.83 35.5 39.33 16.67 18.5 Draft: 5.5

Boat Name Liberte **Sail #** 0
Boat Type Beneteau Oceanis 46.1 SM
Rating: 54 **DW Rating:** 533 **Certificate Date** 5/1/2026
Displacement used for DW Rating: 23356
Certified PHRF Data on file?

Modifications on file: (Mtg 5/20/24, +3 sec/mi for in-mast furling mainsail, -3 sec/mi for electric sheeting winches)(mtg 6/30/25, -3 sec/mi for oversized spinnaker area)

Rig Data:
Max Headsail I: 58.14 *Symmetric Spin?* No LOA: 44.75 Displacement: 23356
109 J: 18.7 SL: SSMG: SSF: SPL: LWL: 43.42 Ballast: 6028
Rig Type P: 54.36
FS E: 18.47 *Asymmetric Spin?* Yes Beam: 14.75 Engine: IB
Mast Material ISP: 58.17 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 21.67 55.68 65.35 34.71 34.97 Draft: 7.75

Boat Name Liberty **Sail #** 131
Boat Type C&C 37
Rating: 111 **DW Rating:** 635 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 15730
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 51 *Symmetric Spin?* No LOA: 37.7 Displacement: 14300
90 J: 15.75 SL: SSMG: SSF: SPL: LWL: 28.8 Ballast: 6000
Rig Type P: 45.16
MS E: 12.16 *Asymmetric Spin?* Yes Beam: 11.67 Engine: IB
Mast Material ISP: 51 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 15.75 45 50.33 26 25 Draft: 6.7

Boat Name Lickety Split
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 619 Certificate Date 2/20/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Sail #
76

Rig Data:

Max Headsail I: 32.58
152 J: 10.75
Rig Type P: 28.25
MS E: 8.58
Mast Material ISP: 32.58
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.75 19.4 19.4 10.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3000
Ballast: 1600
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Light'n Up
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/9/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
3

Rig Data:

Max Headsail I: 28.5
150 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Lightspeed
Boat Type Custom Wylie 39
Rating: 69 DW Rating: 606 Certificate Date 1/16/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
52839

Rig Data:

Max Headsail I: 48
100 J: 14.5
Rig Type P: 46.5
MS E: 15
Mast Material ISP: 51.83
ALUMN JSP: 14.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48.2 25.7 25.7 14.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
49.11 53.576 28.14 26.7

LOA: 39.25
LWL: 31.67
Beam: 11.42
Draft: 6.75

Displacement: 15300
Ballast: 5100
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 1/17/08 +3sec/mi for fixed prop, as sailed 72)(mtg 3/18/10, change custom rating from 72 to 84)(Mtg 2/23/12, -3 sec/mi for folding prop, as sailed 81)(Mtg 11/4/24, -3 sec/mi for >MSA, -6 sec/mi for >ASA, -3 sec/mi for >ISP, -3sec/mi for carbon mast, +3 sec/mi for small headsail. Change custom rating from 81 to 69)

Boat Name Lilith
Boat Type Custom Wyliecat 39
Rating: 102 DW Rating: 598 Certificate Date 1/7/2026
Displacement used for DW Rating: 12000
Certified PHRF Data on file?

Sail #
7

Rig Data:

Max Headsail I:
Rig Type P: 50.75
CAT E: 26.5
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.83
LWL: 32
Beam: 11.83
Draft: 6.67

Displacement: 12000
Ballast: 6200
Engine: IB
Prop Type: FOLD

Modifications on file: HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/5/93

Boat Name Linda Carol
Boat Type Catalina 320
Rating: 159 DW Rating: 669 Certificate Date 2/20/2026
Displacement used for DW Rating: 12719
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 47.58 Symmetric Spin? No LOA: 32.5 Displacement: 11300
125 J: 12.33 SL: SSMG: SSF: SPL: LWL: 28 Ballast: 4000
Rig Type P: 38
MS E: 13.25 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: SLE: SLU: ASMG: ASF: Beam: 11.75 Prop Type: Fold
ALUMN JSP: 38.63 42.92 19.92 20.96 Draft: 6.25

Boat Name Lindo
Boat Type J 109 ODR w/108^ m
Rating: 72 DW Rating: 596 Certificate Date 1/8/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 46.5 Symmetric Spin? No LOA: 35.25 Displacement: 10900
110 J: 13.3 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 3900
Rig Type P: 43.3
FS E: 15.5 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 49 SLE: SLU: ASMG: ASF: Beam: 11.5 Prop Type: FOLD
ALUMN JSP: 18.8 45.63 56.33 27.2 27.75 Draft: 7

Boat Name Lionheart
Boat Type Express 37
Rating: 72 DW Rating: 586 Certificate Date 1/30/2026
Displacement used for DW Rating: 10207
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 48.9 Symmetric Spin? Yes LOA: 37.33 Displacement: 11000
150 J: 14.33 SL: SSMG: SSF: SPL: LWL: 30.83 Ballast: 4500
Rig Type P: 42 48 25.79 25.79 14.33
MS E: 13.9 Asymmetric Spin? No Engine: IB
Mast Material ISP: 48.9 SLE: SLU: ASMG: ASF: Beam: 11.5 Prop Type: Fold
ALUMN JSP: Draft: 7.25

Boat Name Liquid Asset
Boat Type Ranger 33
Rating: 150 DW Rating: 658 Certificate Date 1/20/2026
Displacement used for DW Rating: 10289
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail I: 41.5 Symmetric Spin? Yes LOA: 33.17 Displacement: 10500
150 J: 13.7 SL: SSMG: SSF: SPL: LWL: 26.25 Ballast: 4500
Rig Type P: 35 41.5 24.6 24.6 13.7
MS E: 13.75 Asymmetric Spin? No Engine: IB
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Beam: 9.58 Prop Type: Fold
ALUMN JSP: 13.67 Draft: 5.17

Boat Name Little Bullet
Boat Type Beneteau First 27
Rating: 87 DW Rating: 591 Certificate Date 1/7/2026
Displacement used for DW Rating: 3902
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 31.2
120 J: 12.2
Rig Type P: 33.2
FS E: 11.4
Mast Material ISP: 35.8
CARBON JSP: 17.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
35.2 43 21.95 23.4

LOA: 26.25 Displacement: 3902
LWL: 25.9 Ballast: 1345
Beam: 8.3 Engine: IB
Draft: 5.7 Prop Type: Fold

Boat Name Little Duece Sloop
Boat Type West Wight Potter 19
Rating: 360 DW Rating: 772 Certificate Date 2/24/2026
Displacement used for DW Rating: 1850
Certified PHRF Data on file?

Modifications on file: (Mtg 2/23/26, Custom rating of 360 assigned)

Rig Data:

Max Headsail I: 24
100 J: 7.05
Rig Type P: 22.5
FS E: 8
Mast Material ISP: 24.98
ALUMN JSP: 9.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
23.95 27.23 12.73 14.76

LOA: 19 Displacement: 1850
LWL: 16.3 Ballast: 570
Beam: 7.5 Engine: OB
Draft: 4.08 Prop Type: None

Boat Name Little My
Boat Type Laurinkoster L28
Rating: 228 DW Rating: 724 Certificate Date 1/12/2026
Displacement used for DW Rating: 7275
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 34.58
100 J: 9.34
Rig Type P: 31.67
MS E: 12.43
Mast Material ISP:
WOOD JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.36 Displacement: 7275
LWL: 24.02 Ballast: 3527
Beam: 8.2 Engine: IB
Draft: 4.43 Prop Type: Fixed_2

Boat Name Livin The Dream
Boat Type Beneteau Oceanis 43 DK
Rating: 105 DW Rating: 572 Certificate Date 3/24/2026
Displacement used for DW Rating: 19566
Certified PHRF Data on file?

Modifications on file: Self-Tacking Jib. (Mtg 3/23/26, +3 sec/mi for in-mast furling mainsail)

Rig Data:

Max Headsail I: 51.75
91 J: 15.33
Rig Type P: 47.5
FS E: 15.75
Mast Material ISP: 53.97
ALUMN JSP: 18.85

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
47.6 51.9 29.7 27.8

LOA: 43 Displacement: 19566
LWL: 38.08 Ballast: 5456
Beam: 13.5 Engine: IB
Draft: 6.58 Prop Type: Fold

Boat Name Living Happy **Sail #**
38818
Boat Type Beneteau 311
Rating: 165 **DW Rating:** 621 **Certificate Date** 3/3/2026
Displacement used for DW Rating: 7716
Certified PHRF Data on file?
Modifications on file: Roller Furler

Rig Data:

Max Headsail	I:	40.35	<i>Symmetric Spin?</i>	YES	LOA:	32.25	Displacement:	7716
125	J:	11.35	SL:	SSMG:	SSF:	SPL:	Ballast:	2425
Rig Type	P:	36.5	39.1	20.08	20.08	11.35	LWL:	28.67
FS	E:	13.1	<i>Asymmetric Spin?</i>			Yes	Beam:	10.5
Mast Material	ISP:	39	SLE:	SLU:	ASMG:	ASF:	Draft:	4.67
ALUMN	JSP:	11	36.8	40.1	19.58	22	Prop Type:	Fold

Boat Name Loca Motion **Sail #**
18410
Boat Type Express 37
Rating: 72 **DW Rating:** 587 **Certificate Date** 4/28/2026
Displacement used for DW Rating: 10307
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail	I:	48.75	<i>Symmetric Spin?</i>	Yes	LOA:	37.08	Displacement:	10540
155	J:	14.33	SL:	SSMG:	SSF:	SPL:	Ballast:	4500
Rig Type	P:	42	48	25.74	25.74	14.33	LWL:	30.83
MS	E:	13.75	<i>Asymmetric Spin?</i>			No	Beam:	11.57
Mast Material	ISP:	48.75	SLE:	SLU:	ASMG:	ASF:	Draft:	7.25
ALUMN	JSP:	14.33						

Boat Name Lonestar **Sail #**
40
Boat Type Beneteau First 10R ODR MOD
Rating: 81 **DW Rating:** 607 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 9908
Certified PHRF Data on file?
Modifications on file: (Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)(powered winch on cabin top)

Rig Data:

Max Headsail	I:	43.2	<i>Symmetric Spin?</i>	No	LOA:	32.75	Displacement:	9715
140	J:	12.07	SL:	SSMG:	SSF:	SPL:	Ballast:	3528
Rig Type	P:	42.25					LWL:	28.7
FS	E:	14.73	<i>Asymmetric Spin?</i>			Yes	Beam:	11
Mast Material	ISP:	46.41	SLE:	SLU:	ASMG:	ASF:	Draft:	6.55
CARBON	JSP:	16.5	45.8	52.9	26.4	25.5	Prop Type:	FOLD

Boat Name Loon **Sail #**
8
Boat Type Saffier SE37
Rating: 69 **DW Rating:** 567 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 10582
Certified PHRF Data on file?
Modifications on file: Harken Rewind Electronic Winches

Rig Data:

Max Headsail	I:	45.29	<i>Symmetric Spin?</i>	No	LOA:	39.37	Displacement:	10582
86	J:	14.21	SL:	SSMG:	SSF:	SPL:	Ballast:	4520
Rig Type	P:	42.65					LWL:	32.8
FS	E:	16.4	<i>Asymmetric Spin?</i>			Yes	Beam:	11.32
Mast Material	ISP:	47.25	SLE:	SLU:	ASMG:	ASF:	Draft:	6.89
CARBON	JSP:	18.54	40.28	49.05	14.5	14.14	Prop Type:	Fold

Boat Name Lotta'tude
Boat Type Wyliecat 30 IB
Rating: 129 DW Rating: 648 Certificate Date 1/14/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 0
Rig Type CAT
Mast Material CARBON
I: 39.75
J: 20.5
E: 20.5
ISP: 20.5
JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 30.5
LWL: 25
Beam: 9.42
Draft: 5.25
Displacement: 5500
Ballast: 3050
Engine: IB
Prop Type: FOLD

Boat Name Love Handles
Boat Type Catalina 38
Rating: 120 DW Rating: 645 Certificate Date 2/10/2026
Displacement used for DW Rating: 16813
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 125
Rig Type MS
Mast Material ALUMN
I: 49.83
J: 15.5
P: 44
E: 11.5
ISP: 49.8
JSP: 15.5
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
LOA: 38.17
LWL: 30.25
Beam: 11.83
Draft: 6.75
Displacement: 17200
Ballast: 6850
Engine: IB
Prop Type: Fold

Boat Name Lucky Duck
Boat Type J 90 Mod
Rating: 48 DW Rating: 530 Certificate Date 1/9/2026
Displacement used for DW Rating: 3400
Certified PHRF Data on file?

Modifications on file: (Rudder changes noted, NCTR 1/13/03)(Added battery and kelp cutter 3-05)

Rig Data:
Max Headsail 150
Rig Type FR
Mast Material CARBON
I: 35.4
J: 10.5
P: 35.8
E: 14.5
ISP: 40
JSP: 18
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
LOA: 30
LWL: 27
Beam: 8.5
Draft: 6.5
Displacement: 3400
Ballast: 1865
Engine: OB
Prop Type: FOLD

Boat Name Luna Sea
Boat Type Islander 36 ODR
Rating: 144 DW Rating: 660 Certificate Date 1/14/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 135
Rig Type MS
Mast Material ALUMN
I: 45
J: 14.48
P: 39.25
E: 12.75
ISP: 45
JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 36.08
LWL: 28.25
Beam: 11.17
Draft: 6.08
Displacement: 18000
Ballast: 5450
Engine: IB
Prop Type: Feath

Boat Name Madame Blue
Boat Type Pretorian 35
Rating: 132 DW Rating: 624 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file: Roller Furler

Sail #
83368

Rig Data:

Max Headsail I: 48.75
135 J: 14.75
Rig Type P: 42.5
MS E: 12
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
47.5 26 25.1 14.8
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 35.43
LWL: 30.33
Beam: 11.81
Draft: 6

Displacement: 13000
Ballast: 6613
Engine: IB
Prop Type: Feath

Boat Name Magic Bus
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 4/10/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?
Modifications on file:

Sail #
41

Rig Data:

Max Headsail I: 28.5
150 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.5 17.9 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Maiden California
Boat Type Olson 30 OB
Rating: 99 DW Rating: 582 Certificate Date 1/16/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?
Modifications on file: New Rudder Noted, NCTR

Sail #
28219

Rig Data:

Max Headsail I: 35.92
145 J: 11.78
Rig Type P: 35.76
MS E: 9.84
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.16 21.16 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.08

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Boat Name Main Squeeze
Boat Type Express 37
Rating: 72 DW Rating: 588 Certificate Date 5/12/2026
Displacement used for DW Rating: 10207
Certified PHRF Data on file?
Modifications on file:

Sail #
18539

Rig Data:

Max Headsail I: 48.75
150 J: 14.33
Rig Type P: 42
MS E: 13.9
Mast Material ISP: 48.75
ALUMN JSP: 14.33

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
48 25.79 25.79 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.08
LWL: 30.83
Beam: 11.57
Draft: 7.25

Displacement: 9500
Ballast: 4500
Engine: IB
Prop Type: Fold

Boat Name Make Me Smile
Boat Type Express 27 ODR
Rating: 129 DW Rating: 604 Certificate Date 1/15/2026
Displacement used for DW Rating: 2410
Certified PHRF Data on file?

Sail #
91

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.5 17.7 17.7 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.8
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Malaya
Boat Type Custom Wylie 45
Rating: 123 DW Rating: 609 Certificate Date 4/30/2026
Displacement used for DW Rating: 34000
Certified PHRF Data on file?

Sail #
61721

Rig Data:

Max Headsail I: 54.75
0 J: 17.25
Rig Type P: 49
CTR E: 17.75
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 45.25
LWL: 36
Beam: 12.25
Draft: 6.5

Displacement: 34000
Ballast: 10000
Engine: IB
Prop Type: None

Modifications on file: (Mtg 4/24/23, Custom Rating of 120 assigned)(Mtg 4/29/26, custom rating changed from 120 to 123 after updated displacement)

Boat Name Mana Kai
Boat Type Jeanneau Sun Odyssey 349
Rating: 138 DW Rating: 627 Certificate Date 12/8/2025
Displacement used for DW Rating: 11795
Certified PHRF Data on file?

Sail #
#####

Rig Data:

Max Headsail I: 43.6
113 J: 12.37
Rig Type P: 40.68
FS E: 13.62
Mast Material ISP: 43.77
ALUMN JSP: 14.88

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
36.88 43.05 21.52 25.13

LOA: 33.8
LWL: 30.8
Beam: 11.25
Draft: 6.5

Displacement: 11795
Ballast: 3715
Engine: IB
Prop Type: Fold

Modifications on file: (12/8/25, 3 sec/mi for square-top mainsail)

Boat Name Margay
Boat Type Wyliecat 30 OB
Rating: 126 DW Rating: 646 Certificate Date 2/26/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
46756

Rig Data:

Max Headsail I:
Rig Type P: 39.8
CAT E: 20
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.3

Displacement: 5500
Ballast: 3050
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Mas Que Nada **Sail #** 285
Boat Type Harbor 20
Rating: 204 DW Rating: 729 Certificate Date 4/28/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Rig Data:

Max Headsail	I:	25.75	<i>Symmetric Spin?</i>	Yes	LOA:	20	Displacement:	1800
90	J:	7	SL:	SSMG:	SSF:	SPL:	Ballast:	900
Rig Type	P:	26	25.35	13.86	13.86	7.7	LWL:	17.2
FS	E:	10	<i>Asymmetric Spin?</i>			No	Beam:	7
Mast Material	ISP:	25.75	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:	7.7				0	Draft:	3.5

Modifications on file: (Mtg 3/29/21, -3 sec/mi for 10% oversized spin pole, -3 sec/mi for 10% increase in spin area)

Boat Name Mas!
Boat Type Moore 24
Rating: 150 DW Rating: 635 Certificate Date 1/23/2026
Displacement used for DW Rating: 2225
Certified PHRF Data on file?

Rig Data:

Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	2050
150	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	1025
Rig Type	P:	25	26.6	17	17.25	9.75	LWL:	21.75
FS	E:	9.5	<i>Asymmetric Spin?</i>			Yes	Beam:	7.16
Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:		25.1	28.4	17.3	17.6	Draft:	4.08

Modifications on file:

Boat Name Maverick **Sail #** 132
Boat Type J 80 ODR
Rating: 114 DW Rating: 615 Certificate Date 5/12/2026
Displacement used for DW Rating: 3223
Certified PHRF Data on file?

Rig Data:

Max Headsail	I:	31.5	<i>Symmetric Spin?</i>	No	LOA:	26.25	Displacement:	2900
100	J:	9.42	SL:	SSMG:	SSF:	SPL:	Ballast:	1400
Rig Type	P:	30					LWL:	22
FS	E:	12.42	<i>Asymmetric Spin?</i>			Yes	Beam:	8.3
Mast Material	ISP:	33.25	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:	15.67	31.33	39.5	25.9	22.75	Draft:	4.75

Modifications on file:

Boat Name Meanie **Sail #** 10000
Boat Type Custom Botin 52
Rating: -105 DW Rating: 422 Certificate Date 5/19/2026
Displacement used for DW Rating: 16323
Certified PHRF Data on file?

Rig Data:

Max Headsail	I:	68.14	<i>Symmetric Spin?</i>	No	LOA:	51.97	Displacement:	15893
94	J:	20.24	SL:	SSMG:	SSF:	SPL:	Ballast:	
Rig Type	P:	68.89					LWL:	51.28
MS	E:	22.97	<i>Asymmetric Spin?</i>			Yes	Beam:	14.67
Mast Material	ISP:	76.61	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:	29.71	74.96	86.38	44.45	46.58	Draft:	11.6

Modifications on file: (Mtg 4/28/25, Custom rating of -120 assigned, includes penalty for captive power winches)(Mtg 5/18/26, Custom rating changed from -120 to -105)

Boat Name Med Viking II	Sail # 7423	Max Headsail 134	I: 62.5	Symmetric Spin? No	LOA: 49.1	Displacement: 30644
Boat Type Jeanneau Sun Odyssey 519			J: 19.5	SL: SSMG: SSF: SPL: 62.19 35 35 20.5	LWL: 45.67	Ballast: 9480
Rating: 36 DW Rating: 535 Certificate Date 2/20/2026		Rig Type MS	P: 57.4	Asymmetric Spin? Yes	Beam: 15.33	Engine: IB
Displacement used for DW Rating: 30644		Mast Material ALUMN	E: 19.7		Draft: 7.42	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 62	SLE: SLU: ASMG: ASF: 53.35 61.5 30.6 30.6		
Modifications on file: (Mtg 2/29/24, +3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)						

Boat Name MeepMeep	Sail # 86	Max Headsail 145	I: 31.5	Symmetric Spin? No	LOA: 26.25	Displacement: 3296
Boat Type J 80 ODR			J: 9.42	SL: SSMG: SSF: SPL: 62.19 35 35 20.5	LWL: 22	Ballast: 1400
Rating: 111 DW Rating: 617 Certificate Date 4/28/2026		Rig Type MS	P: 30	Asymmetric Spin? Yes	Beam: 8.2	Engine: OB
Displacement used for DW Rating: 3223		Mast Material ALUMN	E: 12.416		Draft: 4.75	Prop Type: None
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 33.25	SLE: SLU: ASMG: ASF: 32.5 40 22.9 24.2		
Modifications on file:						

Boat Name Merlin	Sail # 74	Max Headsail 104	I: 43.37	Symmetric Spin? No	LOA: 32.6	Displacement: 8415
Boat Type J 99			J: 12.56	SL: SSMG: SSF: SPL: 62.19 35 35 20.5	LWL: 28.6	Ballast: 3350
Rating: 72 DW Rating: 588 Certificate Date 4/1/2026		Rig Type FS	P: 41.8	Asymmetric Spin? Yes	Beam: 11.18	Engine: IB
Displacement used for DW Rating: 8415		Mast Material ALUMN	E: 14.3		Draft: 6.54	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>			ISP: 47.25	SLE: SLU: ASMG: ASF: 45.4 51.96 28.93 28.34		
Modifications on file: Kelp Cutter (Mtg 4/28/25, -3 sec/mi for 5% oversized main)						

Boat Name Merlin	Sail # 8955	Max Headsail 146	I: 71.89	Symmetric Spin? No	LOA: 68.6	Displacement: 24363
Boat Type Custom Lee 68			J: 23.03	SL: SSMG: SSF: SPL: 62.19 35 35 20.5	LWL: 64	Ballast: 10484
Rating: -87 DW Rating: 416 Certificate Date 5/19/2026		Rig Type MS	P: 67.02	Asymmetric Spin? Yes	Beam: 12.17	Engine: IB
Displacement used for DW Rating: 23931		Mast Material CARBON	E: 25.37		Draft: 10.65	Prop Type: FOLD
Certified PHRF Data on file? <input checked="" type="checkbox"/>			ISP: 74.28	SLE: SLU: ASMG: ASF: 70.7 79.39 46.68 49.77		
Modifications on file: (Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, New custom rating: -87 as sailed)						

Boat Name Mermug
Boat Type Beneteau 42S7 First DK SM
Rating: 72 DW Rating: 585 Certificate Date 1/22/2026
Displacement used for DW Rating: 18220
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 50.89
125 J: 14.27
Rig Type P: 47.41
FS E: 17.22
Mast Material ISP: 50.89
ALUMN JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
50.21 25.6 25 14.27
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
44.83 52 24 25.5

LOA: 42.6 Displacement: 18220
LWL: 35.9 Ballast: 6283
Beam: 13.6 Engine: IB
Draft: 7.7 Prop Type: FOLD

Boat Name MIA
Boat Type Express 27 ODR
Rating: 129 DW Rating: 608 Certificate Date 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.5 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25 Displacement: 2450
LWL: 23.75 Ballast: 1100
Beam: 8.17 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Minami Kaze
Boat Type Beneteau 361 Oceanis
Rating: 147 DW Rating: Certificate Date 1/15/2026
Displacement used for DW Rating: 13349
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 45.21
110 J: 13.94
Rig Type P: 38.39
MS E: 14.44
Mast Material ISP:
ALUMN JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.33 Displacement: 13349
LWL: 31.08 Ballast: 4156
Beam: 12.5 Engine: IB
Draft: 5 Prop Type: Fixed_3

Boat Name Mintaka 4
Boat Type Farr 38
Rating: 87 DW Rating: 591 Certificate Date 1/16/2026
Displacement used for DW Rating: 11939
Certified PHRF Data on file?

Modifications on file: (Mtg 8/26/25, +3 sec/mi for J length pole, +3 secmi for 10% smaller kite)

Rig Data:

Max Headsail I: 43.67
125 J: 13.67
Rig Type P: 44.9
FS E: 17.9
Mast Material ISP: 44
ALUMN JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45 23.8 23.8 13.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38.25 Displacement: 11850
LWL: 31.17 Ballast: 4100
Beam: 12 Engine: IB
Draft: 6.33 Prop Type: FOLD

Boat Name Mirthmaker
Boat Type J 24 ODR
Rating: 168 DW Rating: 694 Certificate Date 2/20/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 Symmetric Spin? YES LOA: 24 Displacement: 3100
150 J: 9.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 965
Rig Type P: 28 26.5 17 16.8 9.5 Beam: 8.916 Engine: OB
FS E: 9.75 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4
ALUMN JSP:

Boat Name Mirthmaker
Boat Type A 35
Rating: 75 DW Rating: 588 Certificate Date 1/15/2026
Displacement used for DW Rating: 10514
Certified PHRF Data on file?

Modifications on file: (Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 69 after appeal)

Rig Data:

Max Headsail I: 44.22 Symmetric Spin? Yes LOA: 34.7 Displacement: 9810
105 J: 12.99 SL: SSMG: SSF: SPL: LWL: 30.47 Ballast: 4367
Rig Type P: 44.94 51.67 26.2 24.38 14.99 Beam: 11.6 Engine: IB
FS E: 14.66 Asymmetric Spin? Yes Prop Type: Fold
Mast Material ISP: 51.06 SLE: SLU: ASMG: ASF: Draft: 6.88
CARBON JSP: 14.99 49.02 53.31 21.03 26.28

Boat Name Mistral
Boat Type Beneteau Farr First 36.7
Rating: 81 DW Rating: 614 Certificate Date 3/27/2026
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 46.4 Symmetric Spin? Yes LOA: 35 Displacement: 12495
155 J: 13.1 SL: SSMG: SSF: SPL: LWL: 30.3 Ballast: 4034
Rig Type P: 45.4 45.8 23.47 22.07 13.1 Beam: 11.6 Engine: IB
FS E: 15.6 Asymmetric Spin? No Prop Type: FOLD
Mast Material ISP: 46.4 SLE: SLU: ASMG: ASF: Draft: 7.2
ALUMN JSP: 13.1

Boat Name Mojito
Boat Type J 112e
Rating: 54 DW Rating: 575 Certificate Date 1/8/2026
Displacement used for DW Rating: 11300
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.58 Symmetric Spin? No LOA: 36.06 Displacement: 11300
105 J: 14.15 SL: SSMG: SSF: SPL: LWL: 31.76 Ballast: 3816
Rig Type P: 45.93 Beam: 11.81 Engine: IB
FS E: 15.5 Asymmetric Spin? Yes Prop Type: Fold
Mast Material ISP: 52 SLE: SLU: ASMG: ASF: Draft: 6.89
CARBON JSP: 20.75 49.83 52.82 31.04 34.08

Boat Name Mojo
Boat Type J 35
Rating: 72 DW Rating: 598 Certificate Date 1/26/2026
Displacement used for DW Rating: 10000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail 150
Rig Type MS
Mast Material ALUMN
I: 46.4
J: 14.7
P: 41.75
E: 14.98
ISP: 46.3
JSP: 14.7
Symmetric Spin? Yes
SL: 46 SSMG: 26.25 SSF: 26.25 SPL: 14.7
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 35.42
LWL: 30
Beam: 11.8
Draft: 6.9
Displacement: 10500
Ballast: 4400
Engine: IB
Prop Type: Feath

Boat Name Moonlight
Boat Type Express 27 ODR
Rating: 129 DW Rating: 604 Certificate Date 1/12/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail 155
Rig Type FS
Mast Material ALUMN
I: 28.5
J: 9
P: 28.5
E: 10.416
ISP: 28.5
JSP:
Symmetric Spin? Yes
SL: 29 SSMG: 16.5 SSF: 17.6 SPL: 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5
Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Moore's Law
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/9/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail 150
Rig Type FS
Mast Material ALUMN
I: 26.25
J: 9.75
P: 25
E: 9.5
ISP: 26.2
JSP:
Symmetric Spin? Yes
SL: 26.5 SSMG: 17.5 SSF: 17.5 SPL: 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.08
Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Moorigami
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/7/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail 150
Rig Type FS
Mast Material ALUMN
I: 26.25
J: 9.75
P: 25
E: 9.5
ISP: 26.25
JSP:
Symmetric Spin? Yes
SL: 27 SSMG: 17.55 SSF: 17.55 SPL: 9.75
Asymmetric Spin? Yes
SLE: 24.4 SLU: 28.2 ASMG: 17.3 ASF: 18
LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083
Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Motley U
Boat Type Ultimate 24 ODR
Rating: 111 DW Rating: 591 Certificate Date 3/18/2026
Displacement used for DW Rating: 2040
Certified PHRF Data on file?

Sail #
2

Rig Data:

Max Headsail I: 28.04
110 J: 7.82
Rig Type P: 31
FS E: 11.35
Mast Material ISP: 30.8
CARBON JSP: 14.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.8 35.5 21.3 21.3

LOA: 24.38
LWL: 21.17
Beam: 8.48
Draft: 5.52

Displacement: 2040
Ballast: 750
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Motorcycle Irene
Boat Type Express 27
Rating: 129 DW Rating: 617 Certificate Date 2/20/2026
Displacement used for DW Rating: 2719
Certified PHRF Data on file?

Sail #
28137

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.833
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.17 30.35 17.9 17.39

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file: New Rudder, NCTR

Boat Name Möve
Boat Type Pogo 40
Rating: -18 DW Rating: 478 Certificate Date 1/22/2026
Displacement used for DW Rating: 10476
Certified PHRF Data on file?

Sail #
138

Rig Data:

Max Headsail I: 50.728
110 J: 19.029
Rig Type P: 54.79
FS E: 16.404
Mast Material ISP: 58.848
CARBON JSP: 25.633

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
56.759 66.339 36.745 40.354

LOA: 40
LWL: 39.245
Beam: 14.8
Draft: 9.8

Displacement: 9920
Ballast: 3748
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 1/23/23, Custom Rating Assigned of -18. Rating assumes water ballast disabled)

Boat Name Mr Chocolate
Boat Type Saffier SE37
Rating: 69 DW Rating: 588 Certificate Date 1/6/2026
Displacement used for DW Rating: 10582
Certified PHRF Data on file?

Sail #
6

Rig Data:

Max Headsail I: 42.65
95 J: 14.44
Rig Type P: 42.7
FS E: 16.4
Mast Material ISP: 47.24
CARBON JSP: 18.54

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41.8 52.94 26.41 27

LOA: 36.1
LWL: 32
Beam: 11.4
Draft: 6.89

Displacement: 10582
Ballast: 4520
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Mr McGregor
Boat Type Wylie Wabbit ODR W/Trap
Rating: 126 DW Rating: 605 Certificate Date 12/16/2025
Displacement used for DW Rating: 975
Certified PHRF Data on file?

Sail #
8426

Rig Data:

Max Headsail I: 20.5
150 J: 6.5
Rig Type P: 23.75
FS E: 10
Mast Material ISP: 20.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
22 13.9 13.7 8.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 20
Beam: 5.58
Draft: 3.5

Displacement: 975
Ballast: 440
Engine: OB
Prop Type: None

Modifications on file: INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.

Boat Name Mudshark
Boat Type Express 37
Rating: 72 DW Rating: 593 Certificate Date 4/10/2026
Displacement used for DW Rating: 11814
Certified PHRF Data on file?

Sail #
28052

Rig Data:

Max Headsail I: 48.75
155 J: 14.33
Rig Type P: 42
MS E: 13.75
Mast Material ISP: 48.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.08
LWL: 30.83
Beam: 11.57
Draft: 7.25

Displacement: 11000
Ballast: 4500
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Muninn
Boat Type Beneteau Farr First 36.7
Rating: 78 DW Rating: 614 Certificate Date 1/6/2026
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Sail #
61802

Rig Data:

Max Headsail I: 46.42
101 J: 13.1
Rig Type P: 45.44
FS E: 15.58
Mast Material ISP: 46.59
ALUMN JSP: 17.04

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
48.1 49.3 22 23.2

LOA: 36
LWL: 30.3
Beam: 11.4
Draft: 7.2

Displacement: 12495
Ballast: 4034
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 5/19/25, -9 sec/mi for 34% increase in JSP, +3 sec/mi for non-articulation)

Boat Name Music
Boat Type Hunter 37 Legend WK
Rating: 111 DW Rating: 619 Certificate Date 1/9/2026
Displacement used for DW Rating: 14900
Certified PHRF Data on file?

Sail #
25352

Rig Data:

Max Headsail I: 48
95 J: 13.6
Rig Type P: 48.72
FS E: 15.35
Mast Material ISP: 48
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
49.5 25.5 24.8 13
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.6
LWL: 31.4
Beam: 12.1
Draft: 5

Displacement: 14900
Ballast: 6000
Engine: IB
Prop Type: Fixed_2

Modifications on file: (mtg 5/22/08 +3 sec/mi for 110% headsail, +3 sec/mi for 2-blade fixed prop, -9sec/mi for oversized luff & girths on spinnaker)

Boat Name Mymble Sail # 57141
Boat Type J 99
Rating: 75 DW Rating: 605 Certificate Date 1/12/2026 *Rig Data:*
 Displacement used for DW Rating: 8415
 Certified PHRF Data on file?

Max Headsail	I:	43.37	<i>Symmetric Spin?</i>	No	LOA:	32.6	Displacement:	8415
	J:	12.56	SL:	SSMG:	SSF:	SPL:	Ballast:	3350
Rig Type	P:	41.8			LWL:	28.6	Engine:	IB
FS	E:	14.3	<i>Asymmetric Spin?</i>	Yes	Beam:	11.18	Prop Type:	Fold
Mast Material	ISP:	47.25	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	16.73	41.83	43.79	27.44	26.37	Draft:	6.54

Modifications on file: (Mtg 3/25/24, -3 sec/mi for tweener sail)(12/2/24, tweener sail removed +3 sec/mi)

Boat Name Mystic Sail # 8577
Boat Type J 27
Rating: 126 DW Rating: 641 Certificate Date 1/22/2026 *Rig Data:*
 Displacement used for DW Rating: 3800
 Certified PHRF Data on file?

Max Headsail	I:	30	<i>Symmetric Spin?</i>	Yes	LOA:	27.5	Displacement:	3800
	J:	10.5	SL:	SSMG:	SSF:	SPL:	Ballast:	1530
Rig Type	P:	33	28.83	18.83	17.67	10.5	LWL:	23
FS	E:	12.5	<i>Asymmetric Spin?</i>	Yes	Beam:	8.5	Engine:	OB
Mast Material	ISP:	30	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:	10.5	29	30.38	12.25	16.17	Draft:	4.9

Modifications on file:

Boat Name Nancy Sail # 28890
Boat Type Wyliecat 30 OB
Rating: 123 DW Rating: 643 Certificate Date 1/6/2026 *Rig Data:*
 Displacement used for DW Rating: 5500
 Certified PHRF Data on file?

Max Headsail	I:	39.66	<i>Symmetric Spin?</i>	No	LOA:	30.5	Displacement:	5500
	J:	19.75	SL:	SSMG:	SSF:	SPL:	Ballast:	3050
Rig Type	P:	19.75			LWL:	25	Engine:	OB
CAT	E:	19.75	<i>Asymmetric Spin?</i>	No	Beam:	9.5	Prop Type:	None
Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:		
CARBON	JSP:				Draft:	5.25		

Modifications on file: (-3 sec/mi for square top main)

Boat Name National Biscuit Sail # 8573
Boat Type Custom Schumacher 35
Rating: 87 DW Rating: 607 Certificate Date 5/1/2026 *Rig Data:*
 Displacement used for DW Rating: 8700
 Certified PHRF Data on file?

Max Headsail	I:	41.9	<i>Symmetric Spin?</i>	Yes	LOA:	35.416	Displacement:	8700
	J:	12.43	SL:	SSMG:	SSF:	SPL:	Ballast:	3850
Rig Type	P:	44.43	41.52	22.37	22.37	12.43	LWL:	29
MS	E:	14	<i>Asymmetric Spin?</i>	No	Beam:	11.25	Engine:	IB
Mast Material	ISP:	41.9	SLE:	SLU:	ASMG:	ASF:	Prop Type:	FOLD
ALUMN	JSP:				Draft:	6.416		

Modifications on file: (Mtg 12/9/24, +3 sec/mi for shortened "E", change custom rating from 84 to 87)

Boat Name Neja
Boat Type Dasher 32
Rating: 174 DW Rating: 672 Certificate Date 1/7/2026
Displacement used for DW Rating: 11323
Certified PHRF Data on file?

Sail #
7325

Rig Data:

Max Headsail I: 38.01
155 J: 12.59
Rig Type P: 33.22
MS E: 14.6
Mast Material ISP: 38.01
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
37.78 21.94 21.94 12.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 31.75
LWL: 26.75
Beam: 8.9
Draft: 5.75

Displacement: 11323
Ballast: 3600
Engine: IB
Prop Type: Fold

Modifications on file: 500 pounds less lead in keel than the Dasher Easom Boat Works built

Boat Name New Wave
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 2/20/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
18433

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP: 9.8

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.833
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.1 31.8 17.1 18.5

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Nikkicai
Boat Type Catalina 320
Rating: 159 DW Rating: 677 Certificate Date 4/15/2026
Displacement used for DW Rating: 12719
Certified PHRF Data on file?

Sail #
179

Rig Data:

Max Headsail I: 43.58
110 J: 12.33
Rig Type P: 37.5
MS E: 13.25
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 32.5
LWL: 28
Beam: 11.75
Draft: 6

Displacement: 11300
Ballast: 4000
Engine: IB
Prop Type: Feath

Modifications on file:

Boat Name Nobody's Girl
Boat Type Moore 24
Rating: 150 DW Rating: 647 Certificate Date 1/6/2026
Displacement used for DW Rating: 2420
Certified PHRF Data on file?

Sail #
84

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP: 9.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.5
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2130
Ballast: 1000
Engine: OB
Prop Type: None

Modifications on file: (Mtg 3/25/24, new mainsail has oversized girths but no change to overall MSA: NCTR. -3 sec/mi for oversized spinnaker)(12/18/24, returned to stock Moore 24 configuration)

Boat Name Obsession **Sail #** 56987
Boat Type Beneteau 440 Oceanis
Rating: 99 **DW Rating:** 595 **Certificate Date** 2/10/2026
 Displacement used for DW Rating: 22610
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 135
 Rig Type MS
 Mast Material ALUMN

I: 53.15
 J: 15.09
 P: 47.5
 E: 17.06
 ISP: 53.15
 JSP: 15.09

Symmetric Spin? No
Asymmetric Spin? Yes

LOA: 44
 LWL: 36.5
 Beam: 13.8
 Draft: 5.92

Displacement: 20500
 Ballast: 7055
 Engine: IB
 Prop Type: Feath

Modifications on file: Two cabin top powered winches (Mtg 3/25/24, -3 sec/mi for oversized spinnaker)

Boat Name Ohana **Sail #** 42
Boat Type Catalina 34 1&2
Rating: 153 **DW Rating:** 647 **Certificate Date** 1/14/2026
 Displacement used for DW Rating: 13606
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 135
 Rig Type MS
 Mast Material ALUMN

I: 44
 J: 13.5
 P: 38.5
 E: 11.75
 ISP: 44
 JSP: 13.5

Symmetric Spin? No
Asymmetric Spin? No

LOA: 34.5
 LWL: 29.83
 Beam: 11.75
 Draft: 5.58

Displacement: 11950
 Ballast: 5000
 Engine: IB
 Prop Type: Fixed_3

Modifications on file:

Boat Name O'Mar **Sail #** 28258
Boat Type Olson 25
Rating: 159 **DW Rating:** 657 **Certificate Date** 1/12/2026
 Displacement used for DW Rating: 2900
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 155
 Rig Type MS
 Mast Material ALUMN

I: 32
 J: 9.583
 P: 28
 E: 10
 ISP: 32
 JSP:

Symmetric Spin? Yes
Asymmetric Spin? No

LOA: 25
 LWL: 21.25
 Beam: 9
 Draft: 4.5

Displacement: 2900
 Ballast: 1300
 Engine: OB
 Prop Type: None

Modifications on file:

Boat Name Onda Blue **Sail #** 61704
Boat Type Solaris 44
Rating: 33 **DW Rating:** 548 **Certificate Date** 3/24/2026
 Displacement used for DW Rating: 27008
 Certified PHRF Data on file?

Rig Data:
 Max Headsail 110
 Rig Type MS
 Mast Material CARBON

I: 59.64
 J: 17.17
 P: 58.9
 E: 20.17
 ISP: 65.22
 JSP: 20.81

Symmetric Spin? No
Asymmetric Spin? Yes

LOA: 47.79
 LWL: 42.54
 Beam: 13.7
 Draft: 8.03

Displacement: 27008
 Ballast: 10800
 Engine: IB
 Prop Type: Feath

Modifications on file:

Boat Name Ondine
Boat Type Hanse 388
Rating: 102 DW Rating: Certificate Date 1/6/2026
Displacement used for DW Rating: 19092
Certified PHRF Data on file?

Sail #
38388

Rig Data:

Max Headsail I: 48.88
95 J: 14.14
Rig Type P: 46.92
FS E: 16.73
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 37.42
LWL: 34.08
Beam: 12.83
Draft: 6.75

Displacement: 19092
Ballast: 6128
Engine: IB
Prop Type: Fold

Modifications on file: +3 sec/mi for in-mast furling mainsail

Boat Name Orca
Boat Type J 90 M0D
Rating: 48 DW Rating: 542 Certificate Date 5/19/2026
Displacement used for DW Rating: 3526
Certified PHRF Data on file?

Sail #
50090

Rig Data:

Max Headsail I: 35.6
100 J: 10.5
Rig Type P: 38.85
FR E: 14.5
Mast Material ISP: 43.1
CARBON JSP: 17.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
7.3
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.1 47 22.95 26.25

LOA: 30
LWL: 27
Beam: 8.5
Draft: 6.5

Displacement: 3400
Ballast: 1595
Engine: OB
Prop Type: FOLD

Modifications on file: (Mtg 4/28/11, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB, -3 sec/mi)(1/24/13, new rudder noted, NCTR)(Mtg 10/26/17, +3 sec/mi for smaller mainsail, +3 sec/mi for smaller asymmetrical)(Mtg 5/18/26, -6 sec/mi for J0)

Boat Name Osprey
Boat Type Jeanneau Sun Odyssey 349
Rating: 147 DW Rating: 635 Certificate Date 1/14/2026
Displacement used for DW Rating: 11795
Certified PHRF Data on file?

Sail #
61302

Rig Data:

Max Headsail I: 43.6
110 J: 12.67
Rig Type P: 40.68
FS E: 13.62
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 32.75
LWL: 30.84
Beam: 11.29
Draft: 6.5

Displacement: 11795
Ballast: 3483
Engine: IB
Prop Type: Fold

Modifications on file: (1/13/20, +3 sec/mi for inmast furling mainsail, +3 secmi for MGM <50% of E)

Boat Name Osprey
Boat Type Sabre Spirit
Rating: 93 DW Rating: 621 Certificate Date 1/22/2026
Displacement used for DW Rating: 9600
Certified PHRF Data on file?

Sail #
227

Rig Data:

Max Headsail I: 45.5
90 J: 12.87
Rig Type P: 45.5
FS E: 16.55
Mast Material ISP: 51.2
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.67
LWL: 28.33
Beam: 10.42
Draft: 6.58

Displacement: 9600
Ballast: 4000
Engine: IB
Prop Type: Fold

Modifications on file: (Electric Winches)(1/20/23, -3 secmi for keel modification: added shoe)

Boat Name Outcast
Boat Type Farr 38
Rating: 78 DW Rating: 597 Certificate Date 1/12/2026
Displacement used for DW Rating: 11939
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 43.67 Symmetric Spin? YES LOA: 38.25 Displacement: 10600
150 J: 13.67 SL: SSMG: SSF: SPL: LWL: 31.17 Ballast: 4100
Rig Type P: 44.9 44.13 26.07 24.6 14.5
FS E: 17.9 Asymmetric Spin? No Engine: IB
Mast Material ISP: 46.2 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 6.4

Boat Name Outsider
Boat Type Azzura 310
Rating: 57 DW Rating: 540 Certificate Date 1/12/2026
Displacement used for DW Rating: 4748
Certified PHRF Data on file?

Modifications on file: 6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)(MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with outboard. Boat weighed with calibrated scale on 8/9/06 (Mtg 8/17/06 - +3 s/m for small headsail; -3 s/m for outboard)(Mtg 3/19/09, LWL changed noted, NCTR, boat now meets Sportboat classification)

Rig Data:
Max Headsail I: 35.35 Symmetric Spin? No LOA: 30.75 Displacement: 4850
105 J: 11.55 SL: SSMG: SSF: SPL: LWL: 27.4 Ballast: 2100
Rig Type P: 38.75
FS E: 13.25 Asymmetric Spin? Yes Engine: OB
Mast Material ISP: 43.33 SLE: SLU: ASMG: ASF: Prop Type: Fixed_3
CARBON JSP: 21.57 39.7 47.01 32.7 30.1 Draft: 7.2

Boat Name Oxyoron
Boat Type Moore 24
Rating: 150 DW Rating: 633 Certificate Date 1/16/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.25 Symmetric Spin? Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.6 17.55 17.55 9.75
FS E: 9.5 Asymmetric Spin? No Engine: OB
Mast Material ISP: 26.2 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.25

Boat Name Pacifico
Boat Type Santa Cruz 27
Rating: 144 DW Rating: 618 Certificate Date 2/20/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 32.583 Symmetric Spin? Yes LOA: 27 Displacement: 3000
125 J: 10.75 SL: SSMG: SSF: SPL: LWL: 24 Ballast: 1500
Rig Type P: 28.25 32.74 19.4 19.4 10.75
MS E: 8.583 Asymmetric Spin? No Engine: OB
Mast Material ISP: 32.583 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4.5

Boat Name Painkiller
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/7/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?
Modifications on file:

Sail #
33

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75 Displacement: 2050
LWL: 21.75 Ballast: 1025
Beam: 7.16 Engine: OB
Draft: 4.083 Prop Type: None

Boat Name Paramour
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 2/26/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?
Modifications on file:

Sail #
75

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75 Displacement: 2050
LWL: 21.75 Ballast: 1025
Beam: 7.16 Engine: OB
Draft: 4.083 Prop Type: None

Boat Name Peaches
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/12/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?
Modifications on file:

Sail #
18364

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.75 17.75 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25 Displacement: 2450
LWL: 23.75 Ballast: 1100
Beam: 8.166 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Pelagic
Boat Type Beneteau 310 SD
Rating: 156 DW Rating: 620 Certificate Date 2/20/2026
Displacement used for DW Rating: 7054
Certified PHRF Data on file?
Modifications on file:

Sail #
0

Rig Data:

Max Headsail I: 37.04
100 J: 10.83
Rig Type P: 36.8
FS E: 12.25
Mast Material ISP: 37.1
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36.3 21 20.7 11.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 31 Displacement: 7054
LWL: 28.66 Ballast: 2400
Beam: 10.6 Engine: IB
Draft: 4.25 Prop Type: FOLD

Boat Name Pelican
Boat Type Cape Dory 27
Rating: 231 DW Rating: Certificate Date 1/8/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
20304

Rig Data:

Max Headsail I: 34.42
150 J: 11
Rig Type P: 29.75
MS E: 11.25
Mast Material ISP: 34.42
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 27.08 Displacement: 7500
LWL: 20 Ballast: 3000
Beam: 8.5 Engine: IB
Draft: 4 Prop Type: Fixed_2

Modifications on file:

Boat Name Pendragon
Boat Type Hanse 388
Rating: 99 DW Rating: Certificate Date 1/22/2026
Displacement used for DW Rating: 18232
Certified PHRF Data on file?

Sail #
430

Rig Data:

Max Headsail I: 48.9
87 J: 14.1
Rig Type P: 46.9
FS E: 16.7
Mast Material ISP: 50.9
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 37.42 Displacement: 18232
LWL: 34.1 Ballast: 5269
Beam: 12.83 Engine: IB
Draft: 6.75 Prop Type: Fold

Modifications on file:

Boat Name Pendragon
Boat Type CUSTOM Davidson 44
Rating: 18 DW Rating: 525 Certificate Date 1/12/2026
Displacement used for DW Rating: 20255
Certified PHRF Data on file?

Sail #
77177

Rig Data:

Max Headsail I: 56.22
120 J: 15.25
Rig Type P: 58.21
MS E: 20.8
Mast Material ISP: 65.25
ALUMN JSP: 20.92

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
63.33 32.67 33.83 20.17
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
58.58 65.57 26.17 31.75

LOA: 49.8 Displacement: 20200
LWL: 39 Ballast: 8000
Beam: 13.9 Engine: IB
Draft: 8.92 Prop Type: FOLD

Modifications on file: (Mtg 4/9/98, custom rating of 51 assigned)(Mtg 8/23/21, Boat Modified, including new rig and hull modifications, Custom Rating of 18 assigned)

Boat Name Peregrine
Boat Type J 120 Carbon
Rating: 45 DW Rating: 557 Certificate Date 3/3/2026
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Sail #
25487

Rig Data:

Max Headsail I: 50.5
150 J: 14.5
Rig Type P: 46.5
FS E: 17.8
Mast Material ISP: 52
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
52.5 64 36.96 35.1

LOA: 40 Displacement: 13900
LWL: 35 Ballast: 6000
Beam: 12 Engine: IB
Draft: 7 Prop Type: Fold

Modifications on file:

Boat Name Phantom
Boat Type J 24 ODR
Rating: 168 DW Rating: 695 Certificate Date 4/1/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 24 Displacement: 3100
150 J: 9.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 950
Rig Type P: 28 26.5 17.13 17.03 9.5
FS E: 9.75 *Asymmetric Spin?* No Engine: OB
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 4

Boat Name Phat Jack
Boat Type Express 37
Rating: 72 DW Rating: 587 Certificate Date 2/26/2026
Displacement used for DW Rating: 10207
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 48.75 *Symmetric Spin?* Yes LOA: 37.08 Displacement: 11000
150 J: 14.33 SL: SSMG: SSF: SPL: LWL: 30.83 Ballast: 4500
Rig Type P: 42 48 25.7 25.7 14.33
MS E: 13.75 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 48.75 SLE: SLU: ASMG: ASF: Prop Type: FEATH
ALUMN JSP: Draft: 7.25

Boat Name PICO
Boat Type J 99
Rating: 75 DW Rating: 602 Certificate Date 4/28/2026
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 43.37 *Symmetric Spin?* No LOA: 32.6 Displacement: 8415
105 J: 12.56 SL: SSMG: SSF: SPL: LWL: 28.6 Ballast: 3417
Rig Type P: 41.8
FS E: 14.3 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 47.25 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 16.73 45.93 54.13 29.33 25.49 Draft: 6.54

Boat Name Pirouette
Boat Type Beneteau Farr First 36.7
Rating: 81 DW Rating: 614 Certificate Date 1/12/2026
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 46.41 *Symmetric Spin?* Yes LOA: 36 Displacement: 12495
155 J: 13.1 SL: SSMG: SSF: SPL: LWL: 30.3 Ballast: 4034
Rig Type P: 45.4 45.8 23.5 23.5 13.1
FS E: 15.6 *Asymmetric Spin?* No Engine: IB
Mast Material ISP: 46.4 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 13.1 Draft: 7.3

Boat Name Placebo **Sail #** 115
Boat Type Soverel 33-2
Rating: 99 DW Rating: 573 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 42.5 *Symmetric Spin?* No
100 J: 12.75 SL: SSMG: SSF: SPL:
Rig Type P: 45.5 42.5 25.1 25.1 14
FS E: 13 *Asymmetric Spin?* Yes
Mast Material ISP: 42.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: 14.75 39.99 46.88 22.05 22.28

LOA: 29.92 Displacement: 5800
LWL: 30.5 Ballast: 2800
Beam: 11 Engine: IB
Draft: 5.85 Prop Type: Fold

Modifications on file: (Mtg 5/23/22, +3 sec/mi for no articulation, -3 sec/mi for sprit)

Boat Name Plus Sixteen **Sail #** 97707
Boat Type Ericson 911S Olson
Rating: 135 DW Rating: 670 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 8716
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 41.5 *Symmetric Spin?* Yes
125 J: 12.25 SL: SSMG: SSF: SPL:
Rig Type P: 35.761 43.5 ##### ##### 12.25
MS E: 11.811 *Asymmetric Spin?* Yes
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: 12.33 35.761 41.995 21.702 20.932

LOA: 30 Displacement: 8500
LWL: 25 Ballast: 3200
Beam: 10.33 Engine: IB
Draft: 5.42 Prop Type: FEATH

Modifications on file:

Boat Name Polecat **Sail #** 5
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 614 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 5965
Certified PHRF Data on file?

Rig Data:

Max Headsail I: *Symmetric Spin?* No
J: SL: SSMG: SSF: SPL:
Rig Type P: 40
CAT E: 20 *Asymmetric Spin?* No
Mast Material ISP: 29.5 SLE: SLU: ASMG: ASF:
CARBON JSP: 12 29.3 32.8 18.4 21.6

LOA: 30.5 Displacement: 5500
LWL: 25 Ballast: 3050
Beam: 9.416 Engine: IB
Draft: 5.25 Prop Type: FOLD

Modifications on file: (Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetric, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)(11/7/22, -3 sec/mi for square top mainsail)

Boat Name Poppy **Sail #** 703
Boat Type Mini Transat 6.5
Rating: 105 DW Rating: 579 **Certificate Date** 1/27/2026
Displacement used for DW Rating: 2297
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 28.4 *Symmetric Spin?* No
130 J: 8.67 SL: SSMG: SSF: SPL:
Rig Type P: 32.02
FS E: 10.86 *Asymmetric Spin?* Yes
Mast Material ISP: 34.61 SLE: SLU: ASMG: ASF:
ALUMN JSP: 17.29 37.56 45.27 24.51 28.97

LOA: 21.33 Displacement: 2297
LWL: 21.33 Ballast: 970
Beam: 9.68 Engine: OB
Draft: 5.3 Prop Type: None

Modifications on file: (Mtg 1/26/26, custom rating of 105 assigned)

Boat Name Potential
Boat Type J 99
Rating: 75 DW Rating: 604 Certificate Date 2/12/2026
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 43.37
105 J: 12.56
Rig Type P: 41.8
FS E: 14.3
Mast Material ISP: 47.25
ALUMN JSP: 16.73

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
44.62 49.54 25.39 28.22

LOA: 32.61 Displacement: 8415
LWL: 28.6 Ballast: 3350
Beam: 11.18 Engine: IB
Draft: 6.54 Prop Type: Fold

Boat Name Praxis
Boat Type J 9
Rating: 117 DW Rating: 620 Certificate Date 1/7/2026
Displacement used for DW Rating: 4250
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 33.5
105 J: 10
Rig Type P: 34
FS E: 13.36
Mast Material ISP: 35
ALUMN JSP: 12.43

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 28 Displacement: 4250
LWL: 25.4 Ballast: 1950
Beam: 8.6 Engine: IB
Draft: 4.9 Prop Type: Fold

Boat Name Pressure Drop
Boat Type Beneteau Farr First 36.7
Rating: 81 DW Rating: 614 Certificate Date 1/6/2026
Displacement used for DW Rating: 12150
Certified PHRF Data on file?

Modifications on file: Roller Furler

Rig Data:

Max Headsail I: 46.4
135 J: 13.1
Rig Type P: 45.4
FS E: 15.6
Mast Material ISP: 46.4
ALUMN JSP: 13.1

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45.8 23.5 23.5 13.1
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
43.63 46.25 23.13 23.29

LOA: 36 Displacement: 12495
LWL: 30.3 Ballast: 4034
Beam: 11.4 Engine: IB
Draft: 7.3 Prop Type: Fold

Boat Name Prime Number
Boat Type Tartan 4100 SD
Rating: 96 DW Rating: 602 Certificate Date 1/16/2026
Displacement used for DW Rating: 20400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 57
106 J: 15
Rig Type P: 47.75
MS E: 17.22
Mast Material ISP: 57
CARBON JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 41.25 Displacement: 20400
LWL: 35.75 Ballast: 8000
Beam: 13.5 Engine: IB
Draft: 5.33 Prop Type: Fold

Boat Name Pronto
Boat Type Beneteau First 10R
Rating: 84 DW Rating: 627 Certificate Date 4/26/2026
Displacement used for DW Rating: 9908
Certified PHRF Data on file?

Sail #
52905

Rig Data:

Max Headsail I: 43.25
95 J: 12.08
Rig Type P: 42.25
FS E: 14.73
Mast Material ISP: 46.41
CARBON JSP: 16.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
37 41 23.2 14.9

LOA: 32.75
LWL: 28.7
Beam: 11
Draft: 6.55

Displacement: 9715
Ballast: 3528
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Psycho Tiller
Boat Type Jeanneau Sun Fast 32i
Rating: 144 DW Rating: 674 Certificate Date 4/30/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
23

Rig Data:

Max Headsail I: 39.2
110 J: 11.1
Rig Type P: 36.7
FS E: 12.2
Mast Material ISP: 38.1
ALUMN JSP: 10.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
38.4 17.1 15.8 11.1
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 31.5
LWL: 27.11
Beam: 10.9
Draft: 6.6

Displacement: 9680
Ballast: 2491
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Punk Dolphin
Boat Type Custom Wylie 38
Rating: 72 DW Rating: 596 Certificate Date 1/12/2026
Displacement used for DW Rating: 11495
Certified PHRF Data on file?

Sail #
18481

Rig Data:

Max Headsail I: 48
150 J: 14.33
Rig Type P: 43
MS E: 14
Mast Material ISP: 48
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48 25.8 25 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38
LWL: 31
Beam: 11.6
Draft: 6.75

Displacement: 14400
Ballast: 5000
Engine: IB
Prop Type: FOLD

Modifications on file: (3/3/20, added 125% headsail, +3 sec/mi, change custom rating from 72 to 75)(1/3/25, switching back to 150% headsail, change custom rating from 75 to 72)

Boat Name QE 3
Boat Type Tartan 10
Rating: 129 DW Rating: 628 Certificate Date 3/18/2026
Displacement used for DW Rating: 7005
Certified PHRF Data on file?

Sail #
8049

Rig Data:

Max Headsail I: 35
125 J: 12
Rig Type P: 40.25
FS E: 13.75
Mast Material ISP: 35
ALUMN JSP: 0

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35 21.6 21.6 12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.16
LWL: 27
Beam: 9.25
Draft: 5.83

Displacement: 6700
Ballast: 3340
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Quiver
Boat Type Santa Cruz 40
Rating: 57 DW Rating: 537 Certificate Date 5/15/2026
Displacement used for DW Rating: 10500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 52 Symmetric Spin? YES LOA: 40 Displacement: 10500
155 J: 16 SL: SSMG: SSF: SPL: LWL: 36 Ballast: 5500
Rig Type P: 45.5 51.59 28.8 28.6 16 Beam: 12 Engine: IB
MS E: 14 Asymmetric Spin? No Prop Type: Fold
Mast Material ISP: 52 SLE: SLU: ASMG: ASF: Draft: 7
ALUMN JSP: 16

Boat Name Quiver
Boat Type Custom Nelson Marek 36
Rating: 45 DW Rating: 550 Certificate Date 1/26/2026
Displacement used for DW Rating: 7300
Certified PHRF Data on file?

Modifications on file: (mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)

Rig Data:
Max Headsail I: 43.85 Symmetric Spin? Yes LOA: 35.6 Displacement: 7725
105 J: 12.5 SL: SSMG: SSF: SPL: LWL: 29.32 Ballast: 3255
Rig Type P: 45.75 50.39 26.21 26.21 14.57 Beam: 10.3 Engine: IB
FS E: 16.47 Asymmetric Spin? Yes Prop Type: FOLD
Mast Material ISP: 51.9 SLE: SLU: ASMG: ASF: Draft: 7.6
CARBON JSP: 14.57 47.57 57.4 28.34 26.24

Boat Name Quixote
Boat Type Elan 40 DK
Rating: 66 DW Rating: 590 Certificate Date 1/15/2026
Displacement used for DW Rating: 15873
Certified PHRF Data on file?

Modifications on file: (Mtg , -3 sec/mi for masthead kite)

Rig Data:
Max Headsail I: 50.03 Symmetric Spin? YES LOA: 39.01 Displacement: 15873
120 J: 14.27 SL: SSMG: SSF: SPL: LWL: 33.6 Ballast: 5621
Rig Type P: 49 49.7 26.3 23.9 14.27 Beam: 12.4 Engine: IB
MS E: 17.7 Asymmetric Spin? Yes Prop Type: Fold
Mast Material ISP: 54 SLE: SLU: ASMG: ASF: Draft: 8
ALUMN JSP: 15.55 48 53.8 20.9 23

Boat Name Rafiki
Boat Type Wilderness 30 SX FR IB
Rating: 126 DW Rating: 585 Certificate Date 2/3/2026
Displacement used for DW Rating: 4200
Certified PHRF Data on file?

Modifications on file: (Mtg 1/22/23, -3 sec/mi for sugar scoop)

Rig Data:
Max Headsail I: 34.08 Symmetric Spin? Yes LOA: 31.67 Displacement: 4200
125 J: 11.75 SL: SSMG: SSF: SPL: LWL: 27.75 Ballast: 2150
Rig Type P: 34.33 34.24 21.15 21.15 11.75 Beam: 8.67 Engine: OB
MS E: 11.5 Asymmetric Spin? No Prop Type: None
Mast Material ISP: 34.1 SLE: SLU: ASMG: ASF: Draft: 5
ALUMN JSP: 11.8

Boat Name Ragtime **Sail #** 7960
Boat Type Custom Spencer 65
Rating: -66 **DW Rating:** 420 **Certificate Date** 5/8/2026
Displacement used for DW Rating: 23451
Certified PHRF Data on file?

Modifications on file: (Mtg 5/19/25, Custom Rating of -66 assigned)

Rig Data:
Max Headsail I: 65.39 *Symmetric Spin?* No LOA: 64.74 Displacement: 23451
100 J: 22.24 SL: SSMG: SSF: SPL: LWL: 55.7 Ballast: 10500
Rig Type P: 67 25.92
FS E: 22.35 *Asymmetric Spin?* Yes Beam: 11.83 Engine: IB
Mast Material ISP: 74.02 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 25.92 70.5 77.36 41.54 38.32 Draft: 10.72

Boat Name Rahan **Sail #** 3637
Boat Type Seascape First 36 SE
Rating: 48 **DW Rating:** 537 **Certificate Date** 1/27/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file: Non Class Bowsprit (Mtg 1/26/26, provisional rating of 48 assigned)

Rig Data:
Max Headsail I: 45.7 *Symmetric Spin?* No LOA: 35.98 Displacement: 9428
106 J: 15.9 SL: SSMG: SSF: SPL: LWL: 32.84 Ballast: 3317
Rig Type P: 48.24 0 0
FS E: 16.73 *Asymmetric Spin?* Yes Beam: 2.53 Engine: IB
Mast Material ISP: 52.2 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 22.95 50.52 60.04 32.48 32.84 Draft: 8.64

Boat Name Rascal **Sail #** 28175
Boat Type Custom Wilderness 30 SX
Rating: 105 **DW Rating:** 596 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 4200
Certified PHRF Data on file?

Modifications on file: SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 3" FRD-BLST 1800/1686, DRAFT 5/5.50 (5" FILLER TOP OF KEEL) 2/15/96 MTG. (NOTE- SMW CANNOT EXCEED 19.8 mtg-5-17-2001)(Mtg 1/21/19, +3 sec/mi for 95% headsail, change custom rating to 108)(1/20/23, added 150% headsail back, -3 sec/mi, custom rating back to 105)

Rig Data:
Max Headsail I: 36 *Symmetric Spin?* Yes LOA: 30 Displacement: 4200
150 J: 11 SL: SSMG: SSF: SPL: LWL: 26.5 Ballast: 1650
Rig Type P: 32 35.76 19.8 19.8 11
MS E: 11.5 *Asymmetric Spin?* No Beam: 8.75 Engine: OB
Mast Material ISP: 36 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: Draft: 6

Boat Name Raven **Sail #** 38073
Boat Type Beneteau First 35
Rating: 75 **DW Rating:** 600 **Certificate Date** 2/20/2026
Displacement used for DW Rating: 12125
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 47.24 *Symmetric Spin?* Yes LOA: 36.32 Displacement: 12125
108 J: 13.12 SL: SSMG: SSF: SPL: LWL: 30.6 Ballast: 3681
Rig Type P: 45.93 51.31 26.25 25.46 14.73
FS E: 14.75 *Asymmetric Spin?* No Beam: 12.76 Engine: IB
Mast Material ISP: 51.48 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: Draft: 7.25

Boat Name Raven
Boat Type C&C 115 ODR
Rating: 63 DW Rating: 580 Certificate Date 4/7/2026
Displacement used for DW Rating: 13152
Certified PHRF Data on file?

Sail #
38108

Rig Data:

Max Headsail I: 52.17
106 J: 14.5
Rig Type P: 49.33
FS E: 16.33
Mast Material ISP: 52.17
CARBON JSP: 14.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
51.78 28.4 28.4 15.8
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
47.3 53.3 22.5 24.7

LOA: 37.75 Displacement: 11800
LWL: 33 Ballast: 4200
Beam: 11.92 Engine: IB
Draft: 6.67 Prop Type: Fold

Modifications on file:

Boat Name Ravenette
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 1/29/2026
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Sail #
80

Rig Data:

Max Headsail I: 38.67
104 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.84 47.83 27.32 29

LOA: 29.19 Displacement: 4990
LWL: 26.84 Ballast: 1840
Beam: 9.5 Engine: IB
Draft: 6.5 Prop Type: Fold

Modifications on file:

Boat Name Recidivist
Boat Type Custom Schumacher 39
Rating: 33 DW Rating: 565 Certificate Date 5/1/2026
Displacement used for DW Rating: 13000
Certified PHRF Data on file?

Sail #
3510

Rig Data:

Max Headsail I: 48.34
125 J: 14.03
Rig Type P: 50.91
FS E: 18.49
Mast Material ISP: 56.78
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.65 49.87 24.44 27.56

LOA: 39.81 Displacement: 13000
LWL: 33.7 Ballast: 5500
Beam: 12.12 Engine: IB
Draft: 8.24 Prop Type: FOLD

Modifications on file: ALUMINUM MAST REPLACED W/CARBON. MTG 4/9/98- CHANGED FROM 24 TO 27 PER MTG 8/24/2000 (Mtg 5/22/08, -9 sec/mi for oversized luffs, +3 sec/mi for smaller headsail)(mtg 6/19/08, added Swept Back Spreaders, Elimated Runners, +9 sec/mi for standard sized spinnaker)(5/14/09, switching back to masthead configuration/oversized spinnaker -9 sec/mi)(Mtg1/26/26, remmoved MH spinaker, replaced with asymmetric, +9 sec/mi, +3 sec/mi for smaller mainsail, change custom rating from 21 to 36)

Boat Name Red Cloud
Boat Type Farr 36
Rating: 99 DW Rating: 633 Certificate Date 12/16/2025
Displacement used for DW Rating: 9739
Certified PHRF Data on file?

Sail #
99

Rig Data:

Max Headsail I: 38.3
110 J: 12.6
Rig Type P: 41
FS E: 16.75
Mast Material ISP: 38.3
ALUMN JSP: 12.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
38.15 21.9 21.9 12.16
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36 Displacement: 10430
LWL: 31.33 Ballast: 3950
Beam: 11.92 Engine: IB
Draft: 6.16 Prop Type: Fold

Modifications on file: (550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)(2/20/20, removing masthead kite, reverting to stock Farr 36)(Mtg 4/29/24, engine moved aft, NCTR)(10/28/25, switching back to Masthead Kite, as sailed: 87)(12/16/25, removed Masthead Kite, back to stock configuration, as sailed: 99)

Boat Name Resilience
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 696 Certificate Date 1/8/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30 Symmetric Spin? YES LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33 29.96 16.73 16.73 9.55
FS E: 12.5 Asymmetric Spin? No Engine: IB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 9.75 Draft: 4.5

Boat Name Revelry
Boat Type Catalina 42-1/2
Rating: 105 DW Rating: 614 Certificate Date 3/27/2026
Displacement used for DW Rating: 25500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 53 Symmetric Spin? No LOA: 41.833 Displacement: 20500
125 J: 16.416 SL: SSMG: SSF: SPL: LWL: 36 Ballast: 8300
Rig Type P: 46.75
MS E: 15.416 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 53 SLE: SLU: ASMG: ASF: Prop Type: FEATH
ALUMN JSP: 16.416 47.4 52.7 26 27.5 Draft: 6.83

Boat Name Reverie
Boat Type J 111
Rating: 36 DW Rating: 545 Certificate Date 4/24/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 48.37 Symmetric Spin? No LOA: 36.5 Displacement: 9300
105 J: 13.85 SL: SSMG: SSF: SPL: LWL: 32.7 Ballast: 3500
Rig Type P: 45.17
FS E: 14.5 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 51.4 SLE: SLU: ASMG: ASF: Prop Type: Fold
CARBON JSP: 20.08 48.88 59.05 31.86 31.86 Draft: 7.2

Boat Name Reverie
Boat Type J 109 ODR w/120^ m
Rating: 69 DW Rating: 600 Certificate Date 1/16/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 46.5 Symmetric Spin? No LOA: 32.25 Displacement: 10900
105 J: 13.3 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 3900
Rig Type P: 43.25
FS E: 15.5 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 49.6 SLE: SLU: ASMG: ASF: Prop Type: Fold
ALUMN JSP: 18.8 44.21 60 30.21 27.6 Draft: 7

Boat Name Rhapsody
Boat Type Sabre Spirit
Rating: 93 DW Rating: 609 Certificate Date 1/12/2026
Displacement used for DW Rating: 9600
Certified PHRF Data on file?

Sail #
88

Rig Data:

Max Headsail I: 45.5
104 J: 12.87
Rig Type P: 45.5
MS E: 16.55
Mast Material ISP: 49.5
ALUMN JSP: 12.87

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.2 55.92 21.24 21.12

LOA: 36.67
LWL: 28.33
Beam: 10.42
Draft: 6.75

Displacement: 9600
Ballast: 4000
Engine: IB
Prop Type: Fold

Modifications on file: Halyard winches. (Mtg 1/24/22, -3 sec/mi for keel shoe, -3 sec/mi for increased ISP, +3 sec/mi for non-articulation)

Boat Name Ripple
Boat Type Moore 24
Rating: 153 DW Rating: 631 Certificate Date 1/6/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
18

Rig Data:

Max Headsail I: 26.24
90 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Rocinante
Boat Type C&C 32
Rating: 162 DW Rating: 685 Certificate Date 5/15/2026
Displacement used for DW Rating: 9680
Certified PHRF Data on file?

Sail #
824

Rig Data:

Max Headsail I: 41.12
110 J: 12.75
Rig Type P: 35.25
MS E: 11.33
Mast Material ISP: 41
ALUMN JSP: 12.75

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
40.9 22.9 22.9 12.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 31.5
LWL: 24.67
Beam: 10.25
Draft: 5.67

Displacement: 9680
Ballast: 3900
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Rooster
Boat Type Melges 20
Rating: 111 DW Rating: 607 Certificate Date 1/12/2026
Displacement used for DW Rating: 1105
Certified PHRF Data on file?

Sail #
225

Rig Data:

Max Headsail I: 23.19
110 J: 7.05
Rig Type P: 24.25
FS E: 9.84
Mast Material ISP: 27.2
CARBON JSP: 10.95

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
26.25 29.78 17.65 18.8

LOA: 20
LWL: 19.4
Beam: 7
Draft: 4.5

Displacement: 1105
Ballast: 415
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Roxanne
Boat Type Tartan 4100 SD TM
Rating: 90 DW Rating: 590 Certificate Date 3/18/2026
Displacement used for DW Rating: 20400
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 57 Symmetric Spin? No LOA: 41.3 Displacement: 20400
135 J: 15 SL: SSMG: SSF: SPL: LWL: 35.9 Ballast: 8000
Rig Type P: 50.1
MS E: 18 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 57 SLE: SLU: ASMG: ASF: Beam: 13.6 Prop Type: Feath
ALUMN JSP: 15 53 58.9 27.7 27 Draft: 5.4

Boat Name Rufless
Boat Type J 125
Rating: -12 DW Rating: 484 Certificate Date 5/19/2026
Displacement used for DW Rating: 9506
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 49.16 Symmetric Spin? NO LOA: 41 Displacement: 9506
150 J: 14.8 SL: SSMG: SSF: SPL: LWL: 37 Ballast: 4646
Rig Type P: 46.68
FS E: 17.95 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 52.26 SLE: SLU: ASMG: ASF: Beam: 10.6 Prop Type: Fold
CARBON JSP: 22.85 52.55 61.68 37.14 37.89 Draft: 7.9

Boat Name Rum Tum Tugger
Boat Type Beneteau First 10R ODR MOD
Rating: 81 DW Rating: 619 Certificate Date 1/22/2026
Displacement used for DW Rating: 10868
Certified PHRF Data on file?

Modifications on file: (mtg 9/23/10, +3 sec/mi for non-class smaller kite)

Rig Data:
Max Headsail I: 43.2 Symmetric Spin? No LOA: 32.75 Displacement: 9715
130 J: 12.07 SL: SSMG: SSF: SPL: LWL: 28.7 Ballast: 3528
Rig Type P: 42.25
FS E: 14.73 Asymmetric Spin? Yes Engine: IB
Mast Material ISP: 46.41 SLE: SLU: ASMG: ASF: Beam: 11 Prop Type: FOLD
CARBON JSP: 16.5 42.78 51.08 27.72 27.56 Draft: 6.55

Boat Name Rumour
Boat Type Ericson 32-3
Rating: 162 DW Rating: 663 Certificate Date 1/15/2026
Displacement used for DW Rating: 9800
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 42 Symmetric Spin? Yes LOA: 32.5 Displacement: 9800
100 J: 13.75 SL: SSMG: SSF: SPL: LWL: 25.83 Ballast: 4200
Rig Type P: 36 39.83 22.7 22 13.75
MS E: 11.5 Asymmetric Spin? No Engine: IB
Mast Material ISP: 42 SLE: SLU: ASMG: ASF: Beam: 10.83 Prop Type: Fixed_2
ALUMN JSP: 13.75 Draft: 6

Boat Name Safety Third
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/14/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Sailor Dog
Boat Type Catalina 34 1&2
Rating: 156 DW Rating: 652 Certificate Date 1/15/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file: In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi

Rig Data:

Max Headsail I: 44
110 J: 13.5
Rig Type P: 38.5
MS E: 12
Mast Material ISP: 44
ALUMN JSP: 13.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38 40.5 22.5 20.5

LOA: 34.5
LWL: 29.8
Beam: 11.7
Draft: 5.6

Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Feath

Boat Name Salty Cat
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 526 Certificate Date 1/7/2026
Displacement used for DW Rating: 4800
Certified PHRF Data on file?

Modifications on file: INSTALLED IB ENGINE JAN 99 (Mtg 1/21/19, -3 sec/mi for square top mainsail)

Rig Data:

Max Headsail I:
J:
Rig Type P: 29
CT E: 20.7
Mast Material ISP:
CARBON JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 4800
Ballast: 2800
Engine: IB
Prop Type: FOLD

Boat Name Salty Hotel
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.83
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.17 30.35 17 17.39

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Saoirse
Boat Type Tripp 41
Rating: 24 DW Rating: 537 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
51597

Rig Data:

Max Headsail I: 55.5
100 J: 15.9
Rig Type P: 56.6
FS E: 19.25
Mast Material ISP: 58.25
CARBON JSP: 20.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
57.776 64.534 30.676 36.385

LOA: 41
LWL: 37.1
Beam: 12.5
Draft: 8.7

Displacement: 15270
Ballast: 5300
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 11/29/21, Custom Rating of 12 assigned)(1/24/22, -3 sec/mi for tweener sail. Change custom rating from 12 to 9)(04/25/22, removed tweener sail, rating changed from 9 back to 12)(Mtg 1/14/25, custom rating changed from 12 to 24 after boat review)

Boat Name Sapphire
Boat Type Alerion Express 33
Rating: 123 DW Rating: 657 Certificate Date 1/8/2026
Displacement used for DW Rating: 8700
Certified PHRF Data on file?

Sail #
0

Rig Data:

Max Headsail I: 33.73
100 J: 11.39
Rig Type P: 38.17
FS E: 16
Mast Material ISP: 37.89
CARBON JSP: 12.96

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
30.1 36 18.7 20

LOA: 33
LWL: 26.3
Beam: 9.25
Draft: 5

Displacement: 8700
Ballast: 3300
Engine: IB
Prop Type: Fold

Modifications on file: Powered Main Halyard Winch

Boat Name Sapphire
Boat Type Synergy 1000
Rating: 48 DW Rating: 537 Certificate Date 1/8/2026
Displacement used for DW Rating: 5027
Certified PHRF Data on file?

Sail #
38008

Rig Data:

Max Headsail I: 40.8
125 J: 12
Rig Type P: 42
FS E: 15.5
Mast Material ISP: 45.75
CARBON JSP: 16.4

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.2 52 28.8 28

LOA: 32.83
LWL: 29.17
Beam: 9.75
Draft: 7

Displacement: 4400
Ballast: 1850
Engine: IB
Prop Type: FOLD

Modifications on file: (Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)

Boat Name Schocktail
Boat Type Santana 525
Rating: 189 DW Rating: 691 Certificate Date 1/7/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Sail #
77963

Rig Data:

Max Headsail I: 26.5
150 J: 8.75
Rig Type P: 29
FS E: 10
Mast Material ISP: 26.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26 15.5 15.5 8.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 24.58
LWL: 18.5
Beam: 9.33
Draft: 4.25

Displacement: 2400
Ballast: 950
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Sea B
Sail # 38984
Boat Type Olson 25
Rating: 159 DW Rating: 661 Certificate Date 1/6/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?
Modifications on file: Roller Furler

Rig Data:

Max Headsail I: 32
155 J: 9.583
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP: 9.58

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25 Displacement: 2900
LWL: 21.25 Ballast: 1300
Beam: 9 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Sea Jay
Sail # 104
Boat Type Olson 25
Rating: 159 DW Rating: 659 Certificate Date 3/27/2026
Displacement used for DW Rating: 3000
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 32
155 J: 9.6
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP: 9.6

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32 17.25 17 9.583
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25 Displacement: 3000
LWL: 21.25 Ballast: 1300
Beam: 9 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Sea Saw
Sail # 102
Boat Type Henderson 30
Rating: 48 DW Rating: 524 Certificate Date 3/23/2026
Displacement used for DW Rating:
Certified PHRF Data on file?
Modifications on file:

Rig Data:

Max Headsail I: 37.11
155 J: 11.04
Rig Type P: 38.28
FS E: 14.29
Mast Material ISP: 42.26
CARBON JSP: 18.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
41.99 49.98 27.23 31.89

LOA: 30.83 Displacement: 3850
LWL: 27.75 Ballast: 1750
Beam: 9.92 Engine: OB
Draft: 7 Prop Type: None

Boat Name Serenade
Sail #
Boat Type Sabre Spirit
Rating: 93 DW Rating: 613 Certificate Date 4/26/2026
Displacement used for DW Rating: 10500
Certified PHRF Data on file?
Modifications on file: (Mtg 3/30/20, -3 secmi for keel modification: added shoe)

Rig Data:

Max Headsail I: 45.5
108 J: 12.87
Rig Type P: 45.5
FS E: 16.55
Mast Material ISP: 45.5
CARBON JSP: 12.87

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
44.92 23.17 22.24 12.87
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
45.2 53.6 23.9 23

LOA: 36.67 Displacement: 10500
LWL: 28.33 Ballast: 3740
Beam: 10.42 Engine: IB
Draft: 6.58 Prop Type: Fold

Boat Name SFYC 1 Sail # 1
Boat Type RS 21
Rating: 114 DW Rating: 634 Certificate Date 2/20/2026
Displacement used for DW Rating: 1455
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 24.11 *Symmetric Spin?* NO
92 J: 7.64 SL: SSMG: SSF: SPL:
Rig Type P: 25.59
MS E: 9.94 *Asymmetric Spin?* Yes
Mast Material ISP: 28.68 SLE: SLU: ASMG: ASF:
CARBON JSP: 11.43 27.5 33.46 17.55 17.71

LOA: 20.98 Displacement: 1455
LWL: 18.67 Ballast: 731
Beam: 7.32 Engine: IB
Draft: 4.4 Prop Type: Fold

Boat Name SFYC 2 Sail # 2
Boat Type RS 21
Rating: 114 DW Rating: 634 Certificate Date 2/20/2026
Displacement used for DW Rating: 1455
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 24.11 *Symmetric Spin?* No
92 J: 7.64 SL: SSMG: SSF: SPL:
Rig Type P: 25.59
MS E: 9.94 *Asymmetric Spin?* Yes
Mast Material ISP: 28.68 SLE: SLU: ASMG: ASF:
CARBON JSP: 11.43 27.5 33.46 17.55 17.71

LOA: 20.98 Displacement: 1455
LWL: 18.67 Ballast: 731
Beam: 7.32 Engine: IB
Draft: 4.4 Prop Type: Fold

Boat Name SFYC 3 Sail # 3
Boat Type RS 21
Rating: 114 DW Rating: 634 Certificate Date 2/20/2026
Displacement used for DW Rating: 1455
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 24.11 *Symmetric Spin?* No
92 J: 7.64 SL: SSMG: SSF: SPL:
Rig Type P: 25.59
MS E: 9.94 *Asymmetric Spin?* Yes
Mast Material ISP: 28.68 SLE: SLU: ASMG: ASF:
CARBON JSP: 11.43 27.5 33.46 17.55 17.71

LOA: 20.98 Displacement: 1455
LWL: 18.67 Ballast: 731
Beam: 7.32 Engine: IB
Draft: 4.4 Prop Type: Fold

Boat Name SFYC 4 Sail # 4
Boat Type RS 21
Rating: 114 DW Rating: 634 Certificate Date 2/20/2026
Displacement used for DW Rating: 1455
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 24.11 *Symmetric Spin?* No
92 J: 7.64 SL: SSMG: SSF: SPL:
Rig Type P: 25.59
MS E: 9.94 *Asymmetric Spin?* Yes
Mast Material ISP: 28.68 SLE: SLU: ASMG: ASF:
CARBON JSP: 11.43 27.5 33.46 17.55 17.71

LOA: 20.98 Displacement: 1455
LWL: 18.67 Ballast: 731
Beam: 7.32 Engine: IB
Draft: 4.4 Prop Type: Fold

Boat Name SFYC 5
Boat Type RS 21
Rating: 114 DW Rating: 634 Certificate Date 2/20/2026
Displacement used for DW Rating: 1455
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 24.11
92 J: 7.64
Rig Type P: 25.59
MS E: 9.94
Mast Material ISP: 28.68
CARBON JSP: 11.43

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.5 33.46 17.55 17.71

LOA: 20.98
LWL: 18.67
Beam: 7.32
Draft: 4.4

Displacement: 1455
Ballast: 731
Engine: IB
Prop Type: Fold

Boat Name SFYC 6
Boat Type RS 21
Rating: 114 DW Rating: 634 Certificate Date 2/20/2026
Displacement used for DW Rating: 1455
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 24.11
92 J: 7.64
Rig Type P: 25.59
MS E: 9.94
Mast Material ISP: 28.68
CARBON JSP: 11.43

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.5 33.46 17.55 17.71

LOA: 20.98
LWL: 18.67
Beam: 7.32
Draft: 4.4

Displacement: 1455
Ballast: 731
Engine: IB
Prop Type: Fold

Boat Name Shack
Boat Type Beneteau 305
Rating: 162 DW Rating: 667 Certificate Date 3/18/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 39.33
125 J: 11.38
Rig Type P: 33.58
MS E: 11.08
Mast Material ISP: 39.33
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39 20.43 20.43 11.38
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30.416
LWL: 26.166
Beam: 10.5
Draft: 5.583

Displacement: 8500
Ballast: 2954
Engine: IB
Prop Type: FOLD

Boat Name Shadowfax
Boat Type Olson 25
Rating: 159 DW Rating: 675 Certificate Date 3/27/2026
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 32
155 J: 9.6
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31.7 17.25 17.25 9.583
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 25
LWL: 21.25
Beam: 9
Draft: 4.5

Displacement: 3300
Ballast: 1300
Engine: OB
Prop Type: None

Boat Name Shake & Bake
Boat Type Farr X2
Rating: 45 DW Rating: 554 Certificate Date 1/12/2026
Displacement used for DW Rating: 5924
Certified PHRF Data on file?

Sail #
38135

Rig Data:

Max Headsail I: 38.88
105 J: 14.11
Rig Type P: 40.03
FS E: 13.45
Mast Material ISP: 43.96
CARBON JSP: 18.37

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
43.41 50.98 28.18 27.89

LOA: 30.18
LWL: 28.61
Beam: 10.33
Draft: 6.89

Displacement: 5401
Ballast: 1973
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 11/27/23, -9 sec/mi for water ballast. Boat rates 45 when water ballast is enabled, 54 when water ballast is disabled)

Boat Name Shaman
Boat Type CAL 40
Rating: 114 DW Rating: 624 Certificate Date 1/12/2026
Displacement used for DW Rating: 16000
Certified PHRF Data on file?

Sail #
5166

Rig Data:

Max Headsail I: 46
155 J: 15.17
Rig Type P: 40
MS E: 17.5
Mast Material ISP: 46
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45.7 27.1 26.4 15.1
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 39.5
LWL: 30.3
Beam: 11
Draft: 5.5

Displacement: 15500
Ballast: 6000
Engine: IB
Prop Type: FEATH

Modifications on file:

Boat Name Shark On Bluegrass
Boat Type J 99
Rating: 66 DW Rating: 596 Certificate Date 1/12/2026
Displacement used for DW Rating: 8880
Certified PHRF Data on file?

Sail #
49

Rig Data:

Max Headsail I: 43.47
108 J: 12.56
Rig Type P: 41.8
FS E: 14.3
Mast Material ISP: 47.25
ALUMN JSP: 16.73

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
47.61 53.15 27.72 26.41

LOA: 32.6
LWL: 28.6
Beam: 11.18
Draft: 6.54

Displacement: 8880
Ballast: 3350
Engine: IB
Prop Type: Feath

Modifications on file: Mtg 08/25/25, -9 sec/mi when Water Ballast is enabled)

Boat Name Sharkey
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 585 Certificate Date 4/30/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Sail #
468

Rig Data:

Max Headsail I: 41
100 J: 14
Rig Type P: 42
FS E: 15
Mast Material ISP: 42.1
ALUMN JSP: 19.1

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.8 49.5 22.3 26.2

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name She Saifd Yes
Boat Type Beneteau 323 SD
Rating: 159 DW Rating: Certificate Date 1/26/2026
Displacement used for DW Rating: 9235
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 42.67
105 J: 11.06
Rig Type P: 38.91
MS E: 13.17
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 32.83
LWL: 29.17
Beam: 10.75
Draft: 4.25

Displacement: 9325
Ballast: 2414
Engine: IB
Prop Type: Fixed_3

Boat Name Shenanigans
Boat Type J 120 ALUM
Rating: 45 DW Rating: 561 Certificate Date 4/28/2026
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 50.5
155 J: 14.5
Rig Type P: 46.5
MS E: 17.8
Mast Material ISP: 52
ALUMN JSP: 21.4

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
51.8 64.2 37.3 34.4

LOA: 40
LWL: 34.5
Beam: 12
Draft: 7

Displacement: 13900
Ballast: 6000
Engine: IB
Prop Type: Fold

Boat Name Shockwave
Boat Type J 92
Rating: 105 DW Rating: 604 Certificate Date 4/26/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 37
150 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 38.5
ALUMN JSP: 17

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.8 45.4 24 26

LOA: 30
LWL: 26.5
Beam: 10
Draft: 5.9

Displacement: 5500
Ballast: 2275
Engine: IB
Prop Type: Fold

Boat Name Siduri
Boat Type Dehler 42
Rating: 54 DW Rating: 577 Certificate Date 4/28/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 53.11
105 J: 15.2
Rig Type P: 52
MS E: 18.8
Mast Material ISP: 53.11
ALUMN JSP:

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? NO
SLE: SLU: ASMG: ASF:

LOA: 42.2
LWL: 37.9
Beam: 12.8
Draft: 7.1

Displacement: 19180
Ballast: 5732
Engine: IB
Prop Type: Fold

Boat Name Siento El Viento
Boat Type C&C 29
Rating: 174 DW Rating: 699 Certificate Date 1/12/2026
Displacement used for DW Rating: 9200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 39.5
155 J: 12.8
Rig Type P: 33.5
MS E: 10.1
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39 22 22 12.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.5
LWL: 23.6
Beam: 10.5
Draft: 5.25

Displacement: 7500
Ballast: 2700
Engine: IB
Prop Type: Fold

Boat Name Simba
Boat Type Express 27 ODR
Rating: 129 DW Rating: 608 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.5 17 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name Sir Edmund
Boat Type Custom Covey Island 49
Rating: 72 DW Rating: 567 Certificate Date 1/12/2026
Displacement used for DW Rating: 28116
Certified PHRF Data on file?

Modifications on file: (Mtg 4/29/23, Custom Rating of 72 assigned)(1/21/25, Custom rating changed from 72 to 69 when using 150% headsail)

Rig Data:

Max Headsail I: 51.16
115 J: 15.91
Rig Type P: 46.69
MS E: 12.78
Mast Material ISP: 51.11
CARBON JSP: 18.04

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
51.84 28.48 31.04 18.04
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
51.84 51.25 28.48 29.4

LOA: 48.75
LWL: 42.51
Beam: 13.16
Draft: 9.19

Displacement: 28000
Ballast: 13000
Engine: IB
Prop Type: Feath

Boat Name Sirocco Skye
Boat Type Tartan 101
Rating: 84 DW Rating: 588 Certificate Date 1/6/2026
Displacement used for DW Rating: 8600
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 47.6
105 J: 12.5
Rig Type P: 45.24
FS E: 14.83
Mast Material ISP: 50.12
CARBON JSP: 16.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.6 55.3 29.1 28.8

LOA: 33
LWL: 29.1
Beam: 10.9
Draft: 6.5

Displacement: 8600
Ballast: 3250
Engine: IB
Prop Type: Fold

Boat Name Skeleton Key **Sail #**
115
Boat Type J 111
Rating: 36 DW Rating: 547 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 9400
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 48.37 *Symmetric Spin?* No
105 J: 13.85 *SL: SSMG: SSF: SPL:*
Rig Type P: 45.17
FS *Asymmetric Spin?* Yes
Mast Material ISP: 51.4 SLE: SLU: ASMG: ASF:
CARBON JSP: 20.08 46.88 59.05 31.8 31.8

LOA: 36.5 **Displacement:** 9500
LWL: 32.7 **Ballast:** 3500
Beam: 10.8 **Engine:** IB
Draft: 7.2 **Prop Type:** Fold

Modifications on file: (Mtg 11/30/23, -9 sec/mi for 24% increase in spinnaker area)(10/8/24, removed oversized spinnakers, reverting to ODR)

Boat Name Sketch **Sail #**
76
Boat Type Olson 25
Rating: 159 DW Rating: 673 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 3300
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 32 *Symmetric Spin?* YES
155 J: 9.583 *SL: SSMG: SSF: SPL:*
Rig Type P: 28 32 17.25 17 9.583
MS E: 10 *Asymmetric Spin?* NO
Mast Material ISP: 32 SLE: SLU: ASMG: ASF:
ALUMN JSP: 31.996 39.162 23.156 25.16

LOA: 25 **Displacement:** 3300
LWL: 21.25 **Ballast:** 1300
Beam: 9 **Engine:** ob
Draft: 4.5 **Prop Type:** None

Modifications on file:

Boat Name Sky **Sail #**
808
Boat Type J 80 ODR
Rating: 114 DW Rating: 618 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 3223
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 30 *Symmetric Spin?* No
100 J: 9.145 *SL: SSMG: SSF: SPL:*
Rig Type P: 30
MS E: 12.416 *Asymmetric Spin?* Yes
Mast Material ISP: 33.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: 15.57 31.996 39.162 23.156 25.16

LOA: 26.25 **Displacement:** 2900
LWL: 22 **Ballast:** 1400
Beam: 8.2 **Engine:** OB
Draft: 4.75 **Prop Type:** None

Modifications on file:

Boat Name Slainte **Sail #**
1510
Boat Type Cal 20
Rating: 273 DW Rating: 743 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 1950
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 22 *Symmetric Spin?* Yes
115 J: 7.33 *SL: SSMG: SSF: SPL:*
Rig Type P: 23 22 13.2 13.2 7.33
FS E: 9.833 *Asymmetric Spin?* No
Mast Material ISP: 22 SLE: SLU: ASMG: ASF:
ALUMN JSP: 7.33 0

LOA: 20 **Displacement:** 1950
LWL: 18.08 **Ballast:** 900
Beam: 7 **Engine:** OB
Draft: 3.33 **Prop Type:** None

Modifications on file:

Boat Name Slight Disorder
Boat Type Moore 24
Rating: 150 DW Rating: 632 Certificate Date 2/10/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP: 9.75

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.5 17.5 9.8
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Sliver
Boat Type Hobie 33 ODR
Rating: 87 DW Rating: 551 Certificate Date 1/22/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 33.83
155 J: 12.4
Rig Type P: 36.13
FS E: 12.5
Mast Material ISP: 36.5
ALUMN JSP: 13.12

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
36.6 22.3 22.3 13
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33
LWL: 30.5
Beam: 8
Draft: 5.5

Displacement: 4000
Ballast: 1900
Engine: OB
Prop Type: None

Boat Name S'Moore
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 1/12/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
155 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name Snafu
Boat Type Moore 24
Rating: 150 DW Rating: 646 Certificate Date 4/30/2026
Displacement used for DW Rating: 2290
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
140 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.3 17.3 17.3 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.08

Displacement: 2050
Ballast: 1000
Engine: OB
Prop Type: None

Boat Name Snowy Owl
Boat Type Express 37 SD
Rating: 75 DW Rating: 587 Certificate Date 4/28/2026
Displacement used for DW Rating: 10207
Certified PHRF Data on file?

Sail #
69458

Rig Data:

Max Headsail I: 48.75
150 J: 14.33
Rig Type P: 42
MS E: 13.8
Mast Material ISP: 48.75
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
48.3 25.8 25.8 14.3
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 37.08
LWL: 30.83
Beam: 11.57
Draft: 6.25

Displacement: 11000
Ballast: 4500
Engine: IB
Prop Type: Fold

Modifications on file: Shoal Draft version

Boat Name Sobrante
Boat Type Catalina 309 WK
Rating: 180 DW Rating: Certificate Date 1/12/2026
Displacement used for DW Rating: 10200
Certified PHRF Data on file?

Sail #
143

Rig Data:

Max Headsail I: 42.75
95 J: 12
Rig Type P: 38.75
FS E: 13.75
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 32.75
LWL: 26.5
Beam: 11.5
Draft: 4.33

Displacement: 10200
Ballast: 4400
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Soiree
Boat Type Beneteau Oceanis 49 SD
Rating: 87 DW Rating: 552 Certificate Date 3/23/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Sail #
38776

Rig Data:

Max Headsail I: 59.75
135 J: 18.42
Rig Type P: 51.67
FS E: 18.33
Mast Material ISP: 59.75
ALUMN JSP: 18.42

Symmetric Spin? No
SL: SSMG: SSF: SPL:
55 30.11 30.11 15.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
50.72 55.73 26.75 29.41

LOA: 49.5
LWL: 43.67
Beam: 14.75
Draft: 5.75

Displacement: 30517
Ballast: 4800
Engine: IB
Prop Type: Feath

Modifications on file: Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)

Boat Name Solana
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 618 Certificate Date 1/9/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Sail #
21102

Rig Data:

Max Headsail I: 32.58
150 J: 10.75
Rig Type P: 28.25
MS E: 8.58
Mast Material ISP: 32.58
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.15 19.45 19.45 10.81
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3000
Ballast: 1500
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Soleil de la Mer **Sail #** 0
Boat Type Saffier SE 26
Rating: 174 **DW Rating:** 656 **Certificate Date** 2/20/2026
Displacement used for DW Rating: 4000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 31.8 *Symmetric Spin?* No
80 J: 9.8 SL: SSMG: SSF: SPL:
Rig Type P: 33.2
FS E: 9.25 *Asymmetric Spin?* Yes
Mast Material ISP: SLE: SLU: ASMG: ASF:
ALUMN JSP: 9.8 27.8 31.5 17.1 19.5

LOA: 26 **Displacement:** 4000
LWL: 24.2 **Ballast:** 1900
Beam: 8 **Engine:** IB
Draft: 3.4 **Prop Type:** Fold

Boat Name Soliton **Sail #** 60412
Boat Type Synergy 1000
Rating: 60 **DW Rating:** 555 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 4900
Certified PHRF Data on file?

Modifications on file: (Mtg 1/24/22, +3 sec/mi for switching to IB Sail Drive, +9 sec/mi for smaller spinnaker area, +3 sec/mi for shorter ISP/Switch to FS)

Rig Data:

Max Headsail I: 40.75 *Symmetric Spin?* No
105 J: 16.3 SL: SSMG: SSF: SPL:
Rig Type P: 41.86
FS E: 15.33 *Asymmetric Spin?* Yes
Mast Material ISP: 40.8 SLE: SLU: ASMG: ASF:
CARBON JSP: 16.3 39.89 44.29 21.72 26.15

LOA: 32.83 **Displacement:** 4800
LWL: 29.17 **Ballast:** 2188
Beam: 9.75 **Engine:** IB
Draft: 7 **Prop Type:** Fold

Boat Name Some Assembly Required **Sail #** 183
Boat Type Holder 20
Rating: 192 **DW Rating:** 655 **Certificate Date** 4/1/2026
Displacement used for DW Rating: 1160
Certified PHRF Data on file?

Modifications on file: (Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)

Rig Data:

Max Headsail I: 22.6 *Symmetric Spin?* Yes
155 J: 7.25 SL: SSMG: SSF: SPL:
Rig Type P: 24.04 22.54 12.92 11.88 7.25
FS E: 9.33 *Asymmetric Spin?* No
Mast Material ISP: 22.6 SLE: SLU: ASMG: ASF:
ALUMN JSP: 13.05

LOA: 20.33 **Displacement:** 1160
LWL: 18.42 **Ballast:** 335
Beam: 7.83 **Engine:** OB
Draft: 3.58 **Prop Type:** None

Boat Name Son of a Son **Sail #** 586
Boat Type J 70 ODR
Rating: 114 **DW Rating:** 613 **Certificate Date** 1/9/2026
Displacement used for DW Rating: 1750
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.77 *Symmetric Spin?* NO
100 J: 7.68 SL: SSMG: SSF: SPL:
Rig Type P: 26.16
FS E: 9.44 *Asymmetric Spin?* Yes
Mast Material ISP: 30.15 SLE: SLU: ASMG: ASF:
CARBON JSP: 13.5 28.87 35.43 18.24 18.7

LOA: 22.75 **Displacement:** 1750
LWL: 20.47 **Ballast:** 630
Beam: 7.38 **Engine:** OB
Draft: 4.92 **Prop Type:** None

Boat Name Sonata
Boat Type Laser 28
Rating: 138 DW Rating: 644 Certificate Date 1/22/2026
Displacement used for DW Rating: 4334
Certified PHRF Data on file?

Sail #
33685

Rig Data:

Max Headsail I: 31.1
125 J: 9.65
Rig Type P: 33.14
FS E: 12.96
Mast Material ISP: 31.73
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
31.78 19.1 19.1 10.61
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 4.98

LOA: 28.41
LWL: 23.62
Beam: 9.48
Draft: 4.98

Displacement: 4550
Ballast: 1500
Engine: IB
Prop Type: FOLD

Modifications on file: (Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP)

Boat Name Sparky
Boat Type Catalina 25 FK
Rating: 222 DW Rating: 714 Certificate Date 1/7/2026
Displacement used for DW Rating: 4550
Certified PHRF Data on file?

Sail #
1498

Rig Data:

Max Headsail I: 29
145 J: 10.5
Rig Type P: 24.66
MS E: 9.58
Mast Material ISP: 29
ALUMN JSP: 10.5

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
28.66 16.5 16.41 10.5
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
25.5 29.9 15.5 17.9

LOA: 25
LWL: 22.16
Beam: 8
Draft: 4

Displacement: 4550
Ballast: 1900
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Special Edition
Boat Type Custom Wilderness 30
Rating: 96 DW Rating: 573 Certificate Date 1/14/2026
Displacement used for DW Rating: 4600
Certified PHRF Data on file?

Sail #
8258

Rig Data:

Max Headsail I: 39.083
125 J: 11.75
Rig Type P: 34.333
FS E: 11.5
Mast Material ISP: 39.083
CARBON JSP: 14.083

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39 25.4 24.5 #####
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.75
LWL: 27.75
Beam: 8.75
Draft: 6

Displacement: 4600
Ballast: 1800
Engine: OB
Prop Type: FOLD

Modifications on file: Added Masthead Halyards for spin/Jips, replaced inboard with Outboard open Transom (12/17/92) Mtg-. 1/18/90 RTNG 102.) (1998 rtg =96) (New Inboard = +3; Foretriangle is 11.75 = +6, jib=150%, Carbon Mast= -3; Keel = -6 mgt 3/8/05)(3/15/16, now has Outboard Motor, -3 sec/mi)

Boat Name Speedwell
Boat Type J 88
Rating: 81 DW Rating: 575 Certificate Date 1/8/2026
Displacement used for DW Rating: 4990
Certified PHRF Data on file?

Sail #
20

Rig Data:

Max Headsail I: 38.67
105 J: 11.28
Rig Type P: 36.82
FS E: 12
Mast Material ISP: 46
CARBON JSP: 18.05

Symmetric Spin? No
SL: SSMG: SSF: SPL:
40.84 47.83 27.32 29
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 29.19
LWL: 26.84
Beam: 9.5
Draft: 6.5

Displacement: 4990
Ballast: 1840
Engine: IB
Prop Type: Feath

Modifications on file:

Boat Name Spindrift V
Boat Type Express 37
Rating: 75 DW Rating: 592 Certificate Date 1/12/2026
Displacement used for DW Rating: 11158
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 48.75 *Symmetric Spin?* Yes LOA: 37.08 Displacement: 11000
115 J: 14.33 SL: SSMG: SSF: SPL: LWL: 30.83 Ballast: 4500
Rig Type P: 42 48 25.7 25.7 14.33
MS E: 13.75 *Asymmetric Spin?* Yes Beam: 11.57 Engine: IB
Mast Material ISP: 48.75 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: 14.33 45.28 50.2 26.25 24.1 Draft: 7.25

Boat Name Splash!
Boat Type CAL 27-2 IB
Rating: 210 DW Rating: 716 Certificate Date 1/12/2026
Displacement used for DW Rating: 6700
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 36 *Symmetric Spin?* Yes LOA: 26.58 Displacement: 6700
120 J: 12 SL: SSMG: SSF: SPL: LWL: 22.08 Ballast: 3100
Rig Type P: 30.833 35.33 21.6 21.6 12
MS E: 10.25 *Asymmetric Spin?* No Beam: 9.33 Engine: IB
Mast Material ISP: 36 SLE: SLU: ASMG: ASF: Prop Type: Fixed_2
ALUMN JSP: Draft: 4.25

Boat Name Starbuck
Boat Type Custom Black Soo 30
Rating: 138 DW Rating: 585 Certificate Date 1/6/2026
Displacement used for DW Rating: 4500
Certified PHRF Data on file?

Modifications on file: (Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +3 sec/mi for small headsail. As Sailed 144)(Mtg 8/26/19, added 21.6% oversized A-Sail, -9 sec/mi. As Sailed: 135)(1/12/21, reduced A-sail area by 2%, changed Asail penalty from -9 to -6 sec/mi. As sailed: 138)

Rig Data:
Max Headsail I: 30 *Symmetric Spin?* Yes LOA: 31 Displacement: 4500
120 J: 13 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1800
Rig Type P: 25 31 22.1 23.2 13
MS E: 11.73 *Asymmetric Spin?* Yes Beam: 6.8 Engine: OB
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Prop Type: None
ALUMN JSP: 13 36.1 41.8 22.15 23.9 Draft: 6.4

Boat Name Starkite
Boat Type Catalina 30
Rating: 180 DW Rating: 688 Certificate Date 1/16/2026
Displacement used for DW Rating: 10200
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 41 *Symmetric Spin?* Yes LOA: 29.92 Displacement: 10200
155 J: 11.416 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 4200
Rig Type P: 35 40 20.7 19.87 11.5
MS E: 11.5 *Asymmetric Spin?* No Beam: 10.83 Engine: IB
Mast Material ISP: 41 SLE: SLU: ASMG: ASF: Prop Type: FOLD
ALUMN JSP: Draft: 5.25

Boat Name Starlight
Boat Type Catalina 27 TM IB
Rating: 207 DW Rating: Certificate Date 1/6/2026
Displacement used for DW Rating: 6850
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 110
Rig Type MS
Mast Material ALUMN
I: 36
J: 12.2
P: 29.66
E: 9.66
ISP: 34.4
JSP: 11.25
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 26.83
LWL: 21.75
Beam: 8.83
Draft: 4.416
Displacement: 6850
Ballast: 2700
Engine: IB
Prop Type: Fixed_2

Boat Name Sterling
Boat Type Catalina 34 1&2
Rating: 147 DW Rating: 638 Certificate Date 1/22/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 130
Rig Type MS
Mast Material ALUMN
I: 44
J: 13.5
P: 38.5
E: 12
ISP:
JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 35.66
LWL: 29.84
Beam: 11.75
Draft: 5.56
Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Fold

Boat Name StFYC J80-1
Boat Type J 80 ODR
Rating: 114 DW Rating: 605 Certificate Date 1/16/2026
Displacement used for DW Rating: 2900
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail 100
Rig Type MS
Mast Material ALUMN
I: 31.5
J: 9.415
P: 30
E: 12.42
ISP: 33.25
JSP: 15.67
Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32 39.16 23.16 25.16
LOA: 26.25
LWL: 22
Beam: 8.2
Draft: 4.75
Displacement: 2900
Ballast: 1400
Engine: OB
Prop Type: None

Boat Name Stink Eye
Boat Type Laser 28
Rating: 135 DW Rating: 643 Certificate Date 1/9/2026
Displacement used for DW Rating: 4334
Certified PHRF Data on file?

Modifications on file: (Mtg 1/25/18, -3 sec/mi for mainsail girths, -3 sec/mi for change to OB motor, -3 sec/mi for oversized spinnaker girth)

Rig Data:
Max Headsail 100
Rig Type MS
Mast Material ALUMN
I: 31.73
J: 9.65
P: 33.14
E: 12.3
ISP: 33.2
JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
32.5 18 18 9.4
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32 37 17 19
LOA: 28.42
LWL: 23.62
Beam: 9.48
Draft: 5
Displacement: 4050
Ballast: 1500
Engine: OB
Prop Type: FOLD

Boat Name Streaker **Sail #** 469
Boat Type J 105 ODR w/ 5'BS
Rating: 78 **DW Rating:** 595 **Certificate Date** 2/26/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.6 *Symmetric Spin?* No
100 J: 13.5 SL: SSMG: SSF: SPL:
Rig Type P: 41.5
FS E: 14.5 *Asymmetric Spin?* Yes
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF:
ALUMN JSP: 19.07 39.8 49.5 22.3 26.2

LOA: 34.5 Displacement: 7750
LWL: 29.5 Ballast: 3400
Beam: 11 Engine: IB
Draft: 6.5 Prop Type: Fold

Boat Name Such Fast **Sail #** 35020
Boat Type 1D 35
Rating: 39 **DW Rating:** 536 **Certificate Date** 1/29/2026
Displacement used for DW Rating: 7018
Certified PHRF Data on file?

Modifications on file: 1 cabin-top powered winch (Mtg 3/27/23, -6 sec/mi for OSP)(Mtg 12/8/25, switched to class pole, remove -6 sec/mi penalty for OSP. +3 sec/mi for small mainsail)

Rig Data:

Max Headsail I: 42.49 *Symmetric Spin?* Yes
108 J: 12.52 SL: SSMG: SSF: SPL:
Rig Type P: 44.26 44.62 26.54 26.98 14.91
FS E: 18.47 *Asymmetric Spin?* Yes
Mast Material ISP: 44.78 SLE: SLU: ASMG: ASF:
CARBON JSP: 14.76 43.6 48.13 25.2 27.99

LOA: 35 Displacement: 6715
LWL: 31.5 Ballast: 2660
Beam: 10.9 Engine: IB
Draft: 7.58 Prop Type: Fold

Boat Name Suerte **Sail #** 117
Boat Type Moore 24
Rating: 150 **DW Rating:** 629 **Certificate Date** 2/20/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes
150 J: 9.75 SL: SSMG: SSF: SPL:
Rig Type P: 25 27 17.55 17.55 9.75
FS E: 9.5 *Asymmetric Spin?* No
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF:
ALUMN JSP: 4.08

LOA: 23.75 Displacement: 2050
LWL: 21.75 Ballast: 1025
Beam: 7.16 Engine: OB
Draft: 4.08 Prop Type: None

Boat Name Sugoi **Sail #** 0
Boat Type Beneteau Oceanis 41
Rating: 114 **DW Rating:** 583 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 19350
Certified PHRF Data on file?

Modifications on file: (+3 sec/mi for in-mast furling mainsail. +3 sec/mi for MGM < 50% of E)

Rig Data:

Max Headsail I: 52.06 *Symmetric Spin?* No
115 J: 17 SL: SSMG: SSF: SPL:
Rig Type P: 49.25
MS E: 15.5 *Asymmetric Spin?* Yes
Mast Material ISP: 48.8 SLE: SLU: ASMG: ASF:
ALUMN JSP: 49.18 55.74 26.75 27.77

LOA: 40.75 Displacement: 19350
LWL: 37.33 Ballast: 5070
Beam: 13.75 Engine: IB
Draft: 6.7 Prop Type: Feath

Boat Name Summer Sailstice
Boat Type Ranger 33
Rating: 153 DW Rating: 659 Certificate Date 4/28/2026
Displacement used for DW Rating: 10289
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.5
110 J: 13.67
Rig Type P: 34
MS E: 13.75
Mast Material ISP: 41.5
ALUMN JSP: 13.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
41.5 24.6 23.6 13.67
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.166 Displacement: 10000
LWL: 26.25 Ballast: 4500
Beam: 9.583 Engine: IB
Draft: 5 Prop Type: FOLD

Boat Name Summer Wind
Boat Type Harbor 20
Rating: 210 DW Rating: 733 Certificate Date 1/29/2026
Displacement used for DW Rating: 1800
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 25.75
95 J: 7
Rig Type P: 26
FS E: 10
Mast Material ISP: 25.75
ALUMN JSP: 7.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 20 Displacement: 1800
LWL: 17.17 Ballast: 900
Beam: 7 Engine: OB
Draft: 3.5 Prop Type: None

Boat Name Sun Dragon
Boat Type Jeanneau Sun Fast 3300
Rating: 63 DW Rating: 584 Certificate Date 1/9/2026
Displacement used for DW Rating: 7716
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.91
100 J: 13.78
Rig Type P: 39.39
FS E: 14.59
Mast Material ISP: 44.23
CARBON JSP: 17.55

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.37 50.31 28.81 30.54

LOA: 32.78 Displacement: 7716
LWL: 29.16 Ballast: 3086
Beam: 11.18 Engine: IB
Draft: 6.41 Prop Type: Fold

Boat Name Super Booty II
Boat Type Columbia 22
Rating: 267 DW Rating: 660 Certificate Date 1/16/2026
Displacement used for DW Rating: 2200
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.58
100 J: 8.38
Rig Type P: 23.5
MS E: 10.25
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.25 13.5 14 8.38
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 22 Displacement: 2200
LWL: 21.5 Ballast: 1100
Beam: 7.75 Engine: OB
Draft: 3.17 Prop Type: None

Boat Name Superfriends
Boat Type B 25 MOD
Rating: 108 DW Rating: 595 Certificate Date 4/30/2026
Displacement used for DW Rating: 2000
Certified PHRF Data on file?

Sail #
31

Rig Data:

Max Headsail I: 28
105 J: 8.5
Rig Type P: 28
FS E: 11
Mast Material ISP: 31.16
CARBON JSP: 12.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
32 37.25 21.2 22.6

LOA: 25
LWL: 21.25
Beam: 8.33
Draft: 6.5

Displacement: 2000
Ballast: 800
Engine: OB
Prop Type: None

Modifications on file: (Mtg 4/29/26, Boat is a modified B-25 with deep draft T keel, fixed bow sprit, carbon mast, oversized spinnaker area, and increased ISP. Modified rating of 108 assigned)

Boat Name Sur
Boat Type J 120 ALUM
Rating: 48 DW Rating: 560 Certificate Date 4/28/2026
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Sail #
46732

Rig Data:

Max Headsail I: 50.5
145 J: 14.5
Rig Type P: 46.49
FS E: 17.8
Mast Material ISP: 52
ALUMN JSP: 21.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.97 60.21 35.08 33.09

LOA: 40
LWL: 35
Beam: 12
Draft: 7

Displacement: 13900
Ballast: 6000
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 4/28/25, +3 sec/mi for small non-class spinnaker)

Boat Name Surf
Boat Type X-332-Sport
Rating: 117 DW Rating: 632 Certificate Date 2/20/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
38415

Rig Data:

Max Headsail I: 43.22
135 J: 11.68
Rig Type P: 42
FS E: 14.5
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.8
LWL: 28.9
Beam: 10.8
Draft: 7.1

Displacement: 9038
Ballast: 3086
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Surf Rat
Boat Type Santa Cruz 27
Rating: 141 DW Rating: 618 Certificate Date 1/8/2026
Displacement used for DW Rating: 3200
Certified PHRF Data on file?

Sail #
57131

Rig Data:

Max Headsail I: 32.583
150 J: 10.75
Rig Type P: 28.25
MS E: 8.58
Mast Material ISP: 32.58
ALUMN JSP:

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
32.74 19.4 19.4 10.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27
LWL: 24
Beam: 8
Draft: 4.5

Displacement: 3000
Ballast: 1500
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Surprise!
Boat Type Alerion Express 38-1
Rating: 111 DW Rating: 614 Certificate Date 2/24/2026
Displacement used for DW Rating: 12586
Certified PHRF Data on file?

Sail #
18

Rig Data:

Max Headsail I: 43.5
148 J: 14
Rig Type P: 44.5
FS E: 15.8
Mast Material ISP: 45.8
ALUMN JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
14.5
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.6 49 26.6 25.5

LOA: 38.4
LWL: 30.1
Beam: 10.8
Draft: 5.8

Displacement: 12400
Ballast: 4200
Engine: IB
Prop Type: Fold

Modifications on file: Power Winches. (mtg 9/24/18, Custom rating assigned. 114 As Sailed)(Mtg 2/23/26, added 148% genoa, change custom rating from 114 to 111)

Boat Name Surprise!
Boat Type Ranger 23 TM
Rating: 210 DW Rating: Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
499

Rig Data:

Max Headsail I: 30
155 J: 9.75
Rig Type P: 25.75
MH E: 9.17
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23
LWL: 20
Beam: 7.92
Draft: 3.75

Displacement: 3400
Ballast: 1500
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Sweet De
Boat Type Alerion Express 28 ODR
Rating: 168 DW Rating: 703 Certificate Date 1/7/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Sail #
254

Rig Data:

Max Headsail I: 30
90 J: 9.75
Rig Type P: 33
FS E: 12.5
Mast Material ISP: 30
ALUMN JSP: 9.75

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
27.44 31.5 15.43 15.73

LOA: 28.25
LWL: 22.83
Beam: 8.2
Draft: 4.5

Displacement: 5700
Ballast: 2200
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 2/24/20, +6 Sec/mi for class jib)

Boat Name Sweet Jane
Boat Type J 9
Rating: 117 DW Rating: 612 Certificate Date 5/1/2026
Displacement used for DW Rating: 4250
Certified PHRF Data on file?

Sail #
3

Rig Data:

Max Headsail I: 33.5
104 J: 10
Rig Type P: 34
FS E: 13.36
Mast Material ISP: 35
ALUMN JSP: 12.4

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
33.54 40 21.9 22

LOA: 28
LWL: 25.4
Beam: 8.55
Draft: 4.9

Displacement: 4250
Ballast: 2000
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Sweet Pea **Sail #** 195
Boat Type Islander 30-2
Rating: 186 **DW Rating:** 684 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 8600
Certified PHRF Data on file?

Modifications on file: (Mtg 9/30/19, -6 sec/mi for genoa)(7/29/20, removed 185% genoa)

Rig Data:

Max Headsail I: 38.5 *Symmetric Spin?* Yes
155 J: 12.58
Rig Type P: 32.5
MS E: 11.58
Mast Material ISP: 38.42
ALUMN JSP: 31.68 35 22.64 17.69

LOA: 30 **Displacement:** 8600
LWL: 24.58 **Ballast:** 3500
Beam: 10 **Engine:** IB
Draft: 5 **Prop Type:** FOLD

Boat Name Swell Patrol **Sail #** 46924
Boat Type Soverel 33-2
Rating: 90 **DW Rating:** 554 **Certificate Date** 4/30/2026
Displacement used for DW Rating: 6500
Certified PHRF Data on file?

Modifications on file: (mtg 8/28/23, -6 sec/mi for OB motor)(9/16/25, -3 sec/mi for oversized asymmetric)(4/30/26, removed oversized asymmetrical, +3 sec/mi)

Rig Data:

Max Headsail I: 42.5 *Symmetric Spin?* Yes
155 J: 12.75
Rig Type P: 41
MS E: 13
Mast Material ISP: 42.5
ALUMN JSP: 18.8 40.9 46.1 25.1 25.2

LOA: 33 **Displacement:** 5800
LWL: 30.42 **Ballast:** 2800
Beam: 11 **Engine:** OB
Draft: 5.83 **Prop Type:** None

Boat Name Swift Ness **Sail #** 101
Boat Type J 111
Rating: 36 **DW Rating:** 554 **Certificate Date** 2/27/2026
Displacement used for DW Rating: 10017
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 48.37 *Symmetric Spin?* No
105 J: 13.85
Rig Type P: 45.17
FS E: 14.5
Mast Material ISP: 51.4
CARBON JSP: 20.08 46.88 59.05 31.8 31.8

LOA: 36.5 **Displacement:** 10017
LWL: 34.62 **Ballast:** 3500
Beam: 10.8 **Engine:** IB
Draft: 7.2 **Prop Type:** Fold

Boat Name Synchronicity **Sail #** 68
Boat Type Olson 25
Rating: 159 **DW Rating:** 674 **Certificate Date** 1/14/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 32 *Symmetric Spin?* Yes
155 J: 9.583
Rig Type P: 28
MS E: 10
Mast Material ISP: 32
ALUMN JSP: 9.6

LOA: 25 **Displacement:** 3300
LWL: 21.25 **Ballast:** 1300
Beam: 9 **Engine:** OB
Draft: 4.5 **Prop Type:** None

Boat Name Syncopation **Sail #** 35
Boat Type Sabre 36 CB
Rating: 138 **DW Rating:** 640 **Certificate Date** 4/28/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 47.83 *Symmetric Spin?* No
125 J: 14.33 SL: SSMG: SSF: SPL:
Rig Type P: 41.5
MS E: 13 *Asymmetric Spin?* Yes
Mast Material ISP: SLE: SLU: ASMG: ASF:
ALUMN JSP: 14.43 44.16 48.67 22.19 24.66

LOA: 36 **Displacement:** 13200
LWL: 29.33 **Ballast:** 5400
Beam: 11.25 **Engine:** IB
Draft: 7.67 **Prop Type:** Fixed_2

Boat Name Take Five **Sail #** 52538
Boat Type Cape Fear 38 R
Rating: 51 **DW Rating:** 563 **Certificate Date** 1/27/2026
Displacement used for DW Rating: 12400
Certified PHRF Data on file?

Modifications on file: (Mtg 1/26/26, - 9 sec/mi for 25% oversized asymmetric spinnaker)

Rig Data:

Max Headsail I: 50 *Symmetric Spin?* No
104 J: 13.75 SL: SSMG: SSF: SPL:
Rig Type P: 48
FS E: 17.2 *Asymmetric Spin?* Yes
Mast Material ISP: 54 SLE: SLU: ASMG: ASF:
ALUMN JSP: 16 54.05 59 31.04 30.24

LOA: 37.75 **Displacement:** 12400
LWL: 34 **Ballast:** 5075
Beam: 11 **Engine:** IB
Draft: 7.2 **Prop Type:** Fold

Boat Name Take Five More **Sail #** 38132
Boat Type Ericson 911S Olson
Rating: 135 **DW Rating:** 671 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 8716
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 41.5 *Symmetric Spin?* YES
95 J: 12.33 SL: SSMG: SSF: SPL:
Rig Type P: 35.5 42 21.6 20 12.25
MS E: 11.92 *Asymmetric Spin?* No
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: 12.33

LOA: 29.92 **Displacement:** 8100
LWL: 25 **Ballast:** 3200
Beam: 10.33 **Engine:** IB
Draft: 5.4 **Prop Type:** Fold

Boat Name Talisman **Sail #** 1003
Boat Type Beneteau First 40
Rating: 57 **DW Rating:** 568 **Certificate Date** 4/14/2026
Displacement used for DW Rating: 18473
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 52.69 *Symmetric Spin?* No
105 J: 15.09 SL: SSMG: SSF: SPL:
Rig Type P: 51.15
FS E: 17.65 *Asymmetric Spin?* Yes
Mast Material ISP: 56.54 SLE: SLU: ASMG: ASF:
ALUMN JSP: 17.06 49.5 58.07 25.9 30.32

LOA: 40.15 **Displacement:** 17437
LWL: 35 **Ballast:** 6609
Beam: 12.76 **Engine:** IB
Draft: 8.04 **Prop Type:** Fold

Boat Name Tangaroa
Boat Type J 109 ODR w/108^ m
Rating: 72 DW Rating: 603 Certificate Date 1/8/2026
Displacement used for DW Rating: 11000
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail 100 I: 46.5 J: 13.3 P: 43.25
Rig Type FS E: 15.5
Mast Material ALUMN ISP: 49 JSP: 18.8
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF: 45.63 56.33 27.2 27.75
LOA: 32.25
LWL: 30.5
Beam: 11.5
Draft: 7
Displacement: 10900
Ballast: 3900
Engine: IB
Prop Type: Fold

Boat Name Tango
Boat Type Catalina 34 1&2
Rating: 150 DW Rating: 650 Certificate Date 1/14/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail 120 I: 44 J: 13.5 P: 38.5
Rig Type MS E: 12
Mast Material ALUMN ISP: JSP:
Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF: 35 41 20 21
LOA: 35.67
LWL: 29.83
Beam: 11.75
Draft: 5.58
Displacement: 11950
Ballast: 5000
Engine: IB
Prop Type: Feath

Boat Name Tara
Boat Type Catalina 36
Rating: 144 DW Rating: 648 Certificate Date 4/1/2026
Displacement used for DW Rating: 15996
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail 135 I: 44.75 J: 14.33 P: 39
Rig Type MS E: 12
Mast Material ALUMN ISP: 44.75 JSP: 14.33
Symmetric Spin? YES
SL: SSMG: SSF: SPL: 44.64 23.5 24 14.33
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 36.33
LWL: 30.25
Beam: 11.92
Draft: 5.83
Displacement: 13500
Ballast: 6000
Engine: IB
Prop Type: Fixed_2

Boat Name TAZ!!
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 1/6/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?
Modifications on file:

Rig Data:
Max Headsail 150 I: 28.5 J: 9 P: 28.5
Rig Type FS E: 10.42
Mast Material ALUMN ISP: 28.5 JSP:
Symmetric Spin? Yes
SL: SSMG: SSF: SPL: 28.58 13 17.75 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
LOA: 27.3
LWL: 23.8
Beam: 8.17
Draft: 4.5
Displacement: 2450
Ballast: 1100
Engine: NONE
Prop Type: None

Boat Name TC
Boat Type Hobie 33 ODR MOD
Rating: 84 DW Rating: 548 Certificate Date 5/19/2026
Displacement used for DW Rating: 4265
Certified PHRF Data on file?
Modifications on file: (Mtg 5/18/26, -3 sec/mi for OSP)

Sail #
77855

Rig Data:

Max Headsail I: 33.83
142 J: 12.4
Rig Type P: 34.25
FS E: 12
Mast Material ISP: 36.25
ALUMN JSP: 14.25

Symmetric Spin? No
SL: SSMG: SSF: SPL:
14.39
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
34.81 41.6 24.27 25.16

LOA: 33
LWL: 30.5
Beam: 8
Draft: 5.3

Displacement: 4265
Ballast: 1900
Engine: OB
Prop Type: None

Boat Name Tequila Mockingbird
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 3/27/2026
Displacement used for DW Rating: 2719
Certified PHRF Data on file?
Modifications on file:

Sail #
18353

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.416
Mast Material ISP: 32.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.833
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 27.3
LWL: 23.8
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Boat Name The Dutch Rudder
Boat Type Melges A Scow
Rating: -42 DW Rating: 468 Certificate Date 4/30/2026
Displacement used for DW Rating: 1950
Certified PHRF Data on file?
Modifications on file:

Sail #
2

Rig Data:

Max Headsail I: 45
115 J: 13.5
Rig Type P: 38
FS E: 12.5
Mast Material ISP: 45
ALUMN JSP: 13.5

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
45 32 32 12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 38
LWL: 26
Beam: 8.5
Draft: 3.5

Displacement: 1950
Ballast: 400
Engine: OB
Prop Type: None

Boat Name The Floating Bear
Boat Type Ericson 350 SD
Rating: 132 DW Rating: Certificate Date 4/28/2026
Displacement used for DW Rating: 13000
Certified PHRF Data on file?
Modifications on file:

Sail #
503

Rig Data:

Max Headsail I: 46
130 J: 15
Rig Type P: 39
MS E: 12.83
Mast Material ISP: 46
ALUMN JSP: 15

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 34.8
LWL: 29
Beam: 11.3
Draft: 4.92

Displacement: 13000
Ballast: 5200
Engine: IB
Prop Type: Feath

Boat Name The Flying Tiger **Sail #**
155
Boat Type Moore 24
Rating: 150 **DW Rating:** 630 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.2
JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.08

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Boat Name The Mighty Windsong **Sail #**
567
Boat Type International Folkboat OB
Rating: 228 **DW Rating:** 805 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 10817
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26
155 J: 8.3
Rig Type P: 28.8
MS E: 11.2
Mast Material ISP: 26
ALUMN JSP: 8.3

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27.13 14.89 14.92 8.36
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 25.75
LWL: 19.75
Beam: 7.5
Draft: 4

Displacement: 5000
Ballast: 2750
Engine: OB
Prop Type: None

Boat Name Three Fisted Rat Boy **Sail #**
440
Boat Type Santana 22
Rating: 237 **DW Rating:** 740 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26
125 J: 8.5
Rig Type P: 21.75
MS E: 9.83
Mast Material ISP: 26
ALUMN JSP: 8.58

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
26 15.44 15.44 8.58
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 22
LWL: 18.67
Beam: 7.83
Draft: 3.5

Displacement: 2600
Ballast: 1230
Engine: OB
Prop Type: None

Boat Name Thunderstruck **Sail #**
75
Boat Type J 120 CARBON
Rating: 45 **DW Rating:** 554 **Certificate Date** 2/10/2026
Displacement used for DW Rating: 15000
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 50.5
150 J: 14.5
Rig Type P: 46.5
FS E: 19.8
Mast Material ISP: 52
CARBON JSP: 21.5

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
52.72 63.02 37.04 36.28

LOA: 40
LWL: 35
Beam: 12
Draft: 7

Displacement: 13900
Ballast: 6000
Engine: IB
Prop Type: Fold

Boat Name Timeless
Boat Type Sabre Spirit
Rating: 93 DW Rating: 609 Certificate Date 3/24/2026
Displacement used for DW Rating: 9600
Certified PHRF Data on file?

Sail #
14

Rig Data:

Max Headsail I: 45.5
90 J: 12.87
Rig Type P: 45.5
FS E: 16.55
Mast Material ISP: 45.5
CARBON JSP: 12.87

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.67
LWL: 28.33
Beam: 10.42
Draft: 6.58

Displacement: 9600
Ballast: 4000
Engine: IB
Prop Type: Fold

Modifications on file: Electric main halyard (Mtg 3/23/26, -3 sec/mi for keel shoe)

Boat Name Tivoli
Boat Type Beneteau Oceanis 50
Rating: 75 DW Rating: 538 Certificate Date 1/9/2026
Displacement used for DW Rating: 26988
Certified PHRF Data on file?

Sail #
50045

Rig Data:

Max Headsail I: 60.82
110 J: 18.43
Rig Type P: 55.77
FS E: 18.73
Mast Material ISP: 60
ALUMN JSP: 18.43

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
57.78 65.96 32.94 33.08

LOA: 49.5
LWL: 43.67
Beam: 14.75
Draft: 5.75

Displacement: 26988
Ballast: 9477
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 1/23/23, +3 sec/mi for in-mast furling mainsail)(Mtg 5/20/24, -3 sec/mi for oversized asymmetric)

Boat Name Toon Town
Boat Type Ultimate 20 CM
Rating: 141 DW Rating: 622 Certificate Date 1/8/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Sail #
178

Rig Data:

Max Headsail I: 26.08
150 J: 7
Rig Type P: 27.33
FS E: 10.17
Mast Material ISP: 27.58
CARBON JSP: 12.79

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
28.4 31.4 17.7 19.2

LOA: 20.8
LWL: 18
Beam: 8.3
Draft: 5

Displacement: 1350
Ballast: 450
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Topgallant
Boat Type Tartan 10
Rating: 129 DW Rating: 629 Certificate Date 3/18/2026
Displacement used for DW Rating: 7005
Certified PHRF Data on file?

Sail #
18608

Rig Data:

Max Headsail I: 35
125 J: 11.75
Rig Type P: 40.25
FS E: 13.75
Mast Material ISP: 35
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
35 21.6 20.3 12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.16
LWL: 27
Beam: 9.25
Draft: 5.83

Displacement: 6700
Ballast: 3340
Engine: IB
Prop Type: FOLD

Modifications on file: (4/25/02 Installed Running Backstay)

Boat Name Topper II
Boat Type Moore 24
Rating: 150 DW Rating: 629 Certificate Date 1/23/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
71

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
27 17.55 17.55 9.75
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2050
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Tortuga
Boat Type Westsail 32
Rating: 219 DW Rating: 691 Certificate Date 1/12/2026
Displacement used for DW Rating: 19500
Certified PHRF Data on file?

Sail #
207

Rig Data:

Max Headsail I: 31.2
110 J: 18.4
Rig Type P: 39.7
CTR E: 14.5
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 32
LWL: 27.6
Beam: 11
Draft: 5

Displacement: 19500
Ballast: 7000
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Tramp Boat
Boat Type Farr 10/20 ODR
Rating: 117 DW Rating: 615 Certificate Date 1/9/2026
Displacement used for DW Rating: 8176
Certified PHRF Data on file?

Sail #
18430

Rig Data:

Max Headsail I: 37.75
150 J: 11.67
Rig Type P: 39.5
FS E: 15.42
Mast Material ISP: 39.67
ALUMN JSP: 12.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
39.7 20.34 20.34 12.82
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 33.92
LWL: 28.42
Beam: 10.5
Draft: 5.75

Displacement: 8176
Ballast: 3100
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name True Love
Boat Type Spencer 1330
Rating: 114 DW Rating: 604 Certificate Date 4/1/2026
Displacement used for DW Rating: 32006
Certified PHRF Data on file?

Sail #
61052

Rig Data:

Max Headsail I: 58.213
153 J: 17.97
Rig Type P: 52.2
MS E: 15.471
Mast Material ISP: 58.954
CARBON JSP: 22.23

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
57.74 32.94 32.94 18.22
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 44.34
LWL: 37.142
Beam: 13.021
Draft: 7.386

Displacement: 32006
Ballast: 10000
Engine: IB
Prop Type: Fold

Modifications on file: New Rudder, NCTR. (Mtg 1/20/20, custom rating assigned of 105)(Mtg 8/25/25, ORC certificate sumitted, custom rating changed from 105 to 114)

Boat Name Tuesday's Child **Sail #**
145
Boat Type Cherubini 50
Rating: -21 DW Rating: 475 **Certificate Date** 2/20/2026
Displacement used for DW Rating: 19107
Certified PHRF Data on file?

Modifications on file: (Mtg 5/19/25, Custom Rating of -21 assigned)

Rig Data:
Max Headsail I: 64.2 *Symmetric Spin?* Yes LOA: 48.95 Displacement: 19107
150 J: 22.65 SL: SSMG: SSF: SPL: LWL: 46.5 Ballast: 4800
Rig Type P: 57.8 64.44 39.57 38 23.19 Beam: 11.43 Engine: IB
MS E: 21.14 *Asymmetric Spin?* Yes
Mast Material ISP: 64.2 SLE: SLU: ASMG: ASF: Draft: 8.91 Prop Type: Fold
ALUMN JSP: 63.71 74.18 43.77 44.39

Boat Name Tule Fog **Sail #**
18178
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 **Certificate Date** 1/14/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 29 *Symmetric Spin?* Yes LOA: 27.3 Displacement: 2450
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.8 Ballast: 1100
Rig Type P: 29 29 17.7 17.7 9.83 Beam: 8.166 Engine: OB
FS E: 10 *Asymmetric Spin?* No
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Draft: 4.5 Prop Type: None
ALUMN JSP:

Boat Name Tunesy **Sail #**
279
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 695 **Certificate Date** 4/28/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30 *Symmetric Spin?* Yes LOA: 28.25 Displacement: 5700
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.833 Ballast: 2000
Rig Type P: 33 29.75 17.55 17.24 9.75 Beam: 8.17 Engine: IB
FS E: 12.5 *Asymmetric Spin?* No
Mast Material ISP: 30 SLE: SLU: ASMG: ASF: Draft: 4.5 Prop Type: FOLD
ALUMN JSP:

Boat Name Twelve Bar Blues **Sail #**
87
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 592 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 40.6 *Symmetric Spin?* No LOA: 34.5 Displacement: 7750
100 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.5 Ballast: 3400
Rig Type P: 41.5 Beam: 11 Engine: IB
FS E: 14.5 *Asymmetric Spin?* Yes
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF: Draft: 6.5 Prop Type: Fold
ALUMN JSP: 19.07 39.01 48.69 25.79 27.89

Boat Name Twin Fin **Sail #**
275
Boat Type Open 5.7 ODR
Rating: 138 **DW Rating:** 601 **Certificate Date** 1/29/2026
Displacement used for DW Rating: 992
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail **I:** 21.52 *Symmetric Spin?* No
117 **J:** 7.3 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type **P:** 25.33
FS *Asymmetric Spin?* Yes
Mast Material **ISP:** 27.9 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN **JSP:** 12.3 20.6 25.8 17.9 17.5

LOA: 18.7 **Displacement:** 992
LWL: 18.7 **Ballast:** 405
Beam: 8.3 **Engine:** OB
Draft: 5.7 **Prop Type:** None

Boat Name Typon **Sail #**
59855
Boat Type Swan 47
Rating: 72 **DW Rating:** 584 **Certificate Date** 2/10/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail **I:** 61 *Symmetric Spin?* YES
101 **J:** 19.8 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type **P:** 54 61.8 35.6 30 19
MS **E:** 16 *Asymmetric Spin?* No
Mast Material **ISP:** **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN **JSP:**

LOA: 47.8 **Displacement:** 32400
LWL: 36.2 **Ballast:** 15500
Beam: 13.7 **Engine:** IB
Draft: 7.8 **Prop Type:** Feath

Boat Name U Betcha **Sail #**
172
Boat Type Ultimate 20
Rating: 144 **DW Rating:** 622 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail **I:** 22.8 *Symmetric Spin?* No
100 **J:** 7 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type **P:** 27.5
FS **E:** 10.33 *Asymmetric Spin?* Yes
Mast Material **ISP:** 27.58 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN **JSP:** 13 28.4 31.3 17.6 19.2

LOA: 20.83 **Displacement:** 1350
LWL: 18 **Ballast:** 450
Beam: 8.166 **Engine:** OB
Draft: 5 **Prop Type:** None

Boat Name UHOO! **Sail #**
62
Boat Type Ultimate 20
Rating: 144 **DW Rating:** 609 **Certificate Date** 1/20/2026
Displacement used for DW Rating: 1350
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail **I:** 22.8 *Symmetric Spin?* No
100 **J:** 7 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type **P:** 27.5
FS **E:** 10.33 *Asymmetric Spin?* Yes
Mast Material **ISP:** 27.58 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN **JSP:** 13 28.4 31.3 17.6 19.2

LOA: 20.8 **Displacement:** 1100
LWL: 18 **Ballast:** 450
Beam: 8.166 **Engine:** OB
Draft: 5 **Prop Type:** None

Boat Name Under The Radar
Boat Type Express 27 ODR
Rating: 129 DW Rating: 605 Certificate Date 2/26/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Sail #
40316

Rig Data:

Max Headsail I: 28.5
155 J: 9
Rig Type P: 28.5
FS E: 10.42
Mast Material ISP: 28.5
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
29 17.7 17.7 9.83
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
0

LOA: 27.25
LWL: 23.75
Beam: 8.17
Draft: 4.5

Displacement: 2450
Ballast: 1100
Engine: OB
Prop Type: None

Modifications on file:

Boat Name unMoored_X
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 2/26/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Sail #
120

Rig Data:

Max Headsail I: 26.25
150 J: 9.75
Rig Type P: 25
FS E: 9.5
Mast Material ISP: 26.25
ALUMN JSP: 9.75

Symmetric Spin? YES
SL: SSMG: SSF: SPL:
26.6 17.55 17.55 9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 23.75
LWL: 21.75
Beam: 7.16
Draft: 4.083

Displacement: 2110
Ballast: 1025
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Uno
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 651 Certificate Date 2/26/2026
Displacement used for DW Rating: 5800
Certified PHRF Data on file?

Sail #
28632

Rig Data:

Max Headsail I: 35.8
J: 5.5
Rig Type P: 39.66
CAT E: 19.75
Mast Material ISP: 35.8
CARBON JSP: 12

Symmetric Spin? No
SL: SSMG: SSF: SPL:
12
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
32.8 37.02 18.7 19.68

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 5800
Ballast: 3000
Engine: IB
Prop Type: FOLD

Modifications on file: (mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 when asymmetric spinnaker flown on 12' pole)

Boat Name Uno Dos
Boat Type Wyliecat 30 IB
Rating: 126 DW Rating: 647 Certificate Date 1/12/2026
Displacement used for DW Rating: 5500
Certified PHRF Data on file?

Sail #
11

Rig Data:

Max Headsail I: 0
J: 0
Rig Type P: 39.75
CATBOAT E: 20.5
Mast Material ISP: 29
CARBON JSP: 10

Symmetric Spin? No
SL: SSMG: SSF: SPL:
29 17.75 17.75 10
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
25 31.5 22.5 18.8

LOA: 30.5
LWL: 25
Beam: 9.5
Draft: 5.25

Displacement: 5500
Ballast: 3050
Engine: IB
Prop Type: FEATH

Modifications on file: (mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)((mtg 3/24/25, -3 sec/mi penalty for oversized main)

Boat Name Ventana **Sail #** 38130
Boat Type Beneteau Oceanis 46.1 SM
Rating: 57 **DW Rating:** 535 **Certificate Date** 1/15/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 58.17
105 J: 18.67
Rig Type P: 54.33
FS E: 18.5
Mast Material ISP: 58.17
ALUMN JSP: 21.67

Symmetric Spin? No
SL: **SSMG:** **SSF:** **SPL:**
Asymmetric Spin? Yes
SLE: **SLU:** **ASMG:** **ASF:**
57.68 64.17 30.18 34.25

LOA: 44.75 **Displacement:** 23356
LWL: 43.42 **Ballast:** 6028
Beam: 14.75 **Engine:** IB
Draft: 7.75 **Prop Type:** Fold

Modifications on file: Powered Winches. (1/13/20, +3 secmi for in-mast furling mainsail)

Boat Name Venture **Sail #** 543
Boat Type C&C 33
Rating: 165 **DW Rating:** 653 **Certificate Date** 1/7/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 43
100 J: 14
Rig Type P: 37.25
MS E: 10.75
Mast Material ISP: 43
ALUMN JSP:

Symmetric Spin? No
SL: **SSMG:** **SSF:** **SPL:**
14
Asymmetric Spin? Yes
SLE: **SLU:** **ASMG:** **ASF:**
36 40.2 24.2 24.2

LOA: 32.75 **Displacement:** 9800
LWL: 26.42 **Ballast:** 4075
Beam: 10.5 **Engine:** IB
Draft: 5.5 **Prop Type:** Feath

Modifications on file: Powered Halyard Winch (1/3/23, +3 sec/mi for in-mast furling mainsail, +3 sec/mi for mgm <50% of E)

Boat Name Vera Cruz **Sail #** 38133
Boat Type Jeanneau Sun Odyssey 349
Rating: 138 **DW Rating:** 652 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 11738
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 43.71
1152 J: 12.37
Rig Type P: 40.19
FS E: 13.42
Mast Material ISP: 44.8
ALUMN JSP: 14.88

Symmetric Spin? No
SL: **SSMG:** **SSF:** **SPL:**
Asymmetric Spin? Yes
SLE: **SLU:** **ASMG:** **ASF:**
42.27 46.45 23.3 26.78

LOA: 32.75 **Displacement:** 11738
LWL: 30.83 **Ballast:** 3483
Beam: 11.25 **Engine:** IB
Draft: 6.5 **Prop Type:** Fold

Modifications on file: (Mtg 8/23/21, -3 sec/mi for square-top main)

Boat Name Vitamin Sea **Sail #** 271
Boat Type Catalina 36
Rating: 147 **DW Rating:** 651 **Certificate Date** 4/1/2026
Displacement used for DW Rating: 15996
Certified PHRF Data on file?

Rig Data:

Max Headsail I: 44.75
135 J: 14.33
Rig Type P: 39
MS E: 12
Mast Material ISP: 44.75
ALUMN JSP: 14.33

Symmetric Spin? Yes
SL: **SSMG:** **SSF:** **SPL:**
44 24 24 14
Asymmetric Spin? Yes
SLE: **SLU:** **ASMG:** **ASF:**
42.1 45.3 25.33 24

LOA: 36.33 **Displacement:** 13500
LWL: 30.25 **Ballast:** 6000
Beam: 11.92 **Engine:** IB
Draft: 5.83 **Prop Type:** Fixed_3

Modifications on file:

Boat Name Vitesse
Boat Type R/P 52
Rating: -111 DW Rating: 427 Certificate Date 4/30/2026
Displacement used for DW Rating: 16965
Certified PHRF Data on file?

Sail #
84248

Rig Data:

Max Headsail I: 68.2
100 J: 20.27
Rig Type P: 69.14
FS E: 23.95
Mast Material ISP: 77.03
CARBON JSP: 29.63

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
74.27 85.59 45.93 46.58

LOA: 52
LWL: 49.37
Beam: 14.72
Draft: 11.59

Displacement: 17667
Ballast: 8719
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 3/28/22, Custom rating of -108 assigned)(Mtg 4/29/26, custom rating changed to -111 based off changes from 2026 ORR certificate)

Boat Name Viva
Boat Type Cal 40
Rating: 114 DW Rating: 631 Certificate Date 3/24/2026
Displacement used for DW Rating: 14064
Certified PHRF Data on file?

Sail #
103

Rig Data:

Max Headsail I: 46
155 J: 15.17
Rig Type P: 40
MS E: 17.5
Mast Material ISP: 40
ALUMN JSP: 15.17

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
46 26.24 26.21 15.17
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.65 49.21 26.01 27.29

LOA: 39.3
LWL: 30.3
Beam: 11
Draft: 5.58

Displacement: 16600
Ballast: 6000
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Wasabi 3
Boat Type J 111
Rating: 36 DW Rating: 548 Certificate Date 5/18/2026
Displacement used for DW Rating: 9300
Certified PHRF Data on file?

Sail #
86

Rig Data:

Max Headsail I: 48.37
105 J: 13.85
Rig Type P: 45.17
FS E: 14.5
Mast Material ISP: 51.4
CARBON JSP: 20.08

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
49.28 58.6 30.84 30.35

LOA: 36.5
LWL: 32.7
Beam: 10.8
Draft: 7.2

Displacement: 9300
Ballast: 3500
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name WeBe Jammin
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 595 Certificate Date 3/18/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Sail #
567

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.6
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
37.7 49.5 23 26.2

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: Fold

Modifications on file:

Boat Name Westerly
Boat Type Morgan 36 4/6
Rating: 120 DW Rating: 631 Certificate Date 1/16/2026
Displacement used for DW Rating: 11900
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 47.5 *Symmetric Spin?* No LOA: 36 Displacement: 11900
95 J: 13.58 SL: SSMG: SSF: SPL: LWL: 29.4 Ballast: 5000
Rig Type P: 41.83
MS E: 12.58 *Asymmetric Spin?* Yes Engine: IB
Mast Material ISP: 47.5 SLE: SLU: ASMG: ASF: Beam: 11.8 Prop Type: Fixed_2
ALUMN JSP: Draft: 6.6

Boat Name Wet Spot
Boat Type Moore 24
Rating: 150 DW Rating: 630 Certificate Date 2/26/2026
Displacement used for DW Rating: 2050
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 26.6 17.55 17.55 9.75 Engine: OB
FS E: 9.5 *Asymmetric Spin?* No Beam: 7.16 Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.08
JSP:

Boat Name Wicked
Boat Type Melges 32 ODR
Rating: 27 DW Rating: 491 Certificate Date 1/15/2026
Displacement used for DW Rating: 3828
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 40.86 *Symmetric Spin?* No LOA: 31.76 Displacement: 3800
105 J: 10.7 SL: SSMG: SSF: SPL: LWL: 28.5 Ballast: 1600
Rig Type P: 44.05
FS E: 15.49 *Asymmetric Spin?* Yes Engine: OB
Mast Material ISP: 48.3 SLE: SLU: ASMG: ASF: Beam: 9.83 Prop Type: None
CARBON JSP: 18.7 46.9 55.75 31.31 31.83 Draft: 7

Boat Name Wiki Wiki
Boat Type Moore 24
Rating: 150 DW Rating: 632 Certificate Date 1/6/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025
Rig Type P: 25 27 17.5 17.5 9.75 Engine: OB
FS E: 9.5 *Asymmetric Spin?* No Beam: 7.16 Prop Type: None
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083
ALUMN JSP:

Boat Name Wildcard **Sail #**
37005
Boat Type Santa Cruz 37
Rating: 27 **DW Rating:** 521 **Certificate Date** 1/7/2026
Displacement used for DW Rating: 9339
Certified PHRF Data on file?

Modifications on file: (Mtg 1/26/16, new keel box & rudder noted, NCTR)

Rig Data:

Max Headsail I: 47.1 *Symmetric Spin?* No
105 J: 13.4 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 47
FS *Asymmetric Spin?* Yes
Mast Material ISP: 52.17 **SLE:** **SLU:** **ASMG:** **ASF:**
CARBON JSP: 19 50.85 59.7 33.3 33.3

LOA: 37 **Displacement:** 8662
LWL: 34.75 **Ballast:** 3730
Beam: 10.64 **Engine:** IB
Draft: 7.5 **Prop Type:** FOLD

Boat Name Wilder **Sail #**
59333
Boat Type Santa Cruz 27
Rating: 141 **DW Rating:** 624 **Certificate Date** 1/6/2026
Displacement used for DW Rating: 3440
Certified PHRF Data on file?

Modifications on file: Elliptical Rudder

Rig Data:

Max Headsail I: 32.7 *Symmetric Spin?* Yes
155 J: 10.9 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 28.2 32.8 19.6 17.59 10.9
MS *Asymmetric Spin?* Yes
Mast Material ISP: 32.58 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN JSP: 10.9 32.38 34.28 18.99 18.01

LOA: 27 **Displacement:** 3300
LWL: 24 **Ballast:** 1600
Beam: 8 **Engine:** OB
Draft: 4.5 **Prop Type:** None

Boat Name Wile E Coyote **Sail #**
11
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 605 **Certificate Date** 1/8/2026
Displacement used for DW Rating: 2510
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes
150 J: 9 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 28.5 29 17.7 17.7 9.833
FS *Asymmetric Spin?* No
Mast Material ISP: 28.5 **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN JSP: **Draft:** 4.5

LOA: 27.25 **Displacement:** 2450
LWL: 23.75 **Ballast:** 1100
Beam: 8.17 **Engine:** OB
Draft: 4.5 **Prop Type:** None

Boat Name Will O The Wind **Sail #**
27
Boat Type Hunter 27 IB
Rating: 210 **DW Rating:** **Certificate Date** 1/6/2026
Displacement used for DW Rating: 0
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 37.55 *Symmetric Spin?* NO
120 J: 10.85 **SL:** **SSMG:** **SSF:** **SPL:**
Rig Type P: 31.9
MS *Asymmetric Spin?* No
Mast Material ISP: **SLE:** **SLU:** **ASMG:** **ASF:**
ALUMN JSP: **Draft:** 4.25

LOA: 27.1 **Displacement:** 7000
LWL: 22 **Ballast:** 3000
Beam: 9.25 **Engine:** IB
Draft: 4.25 **Prop Type:** Fixed_2

Boat Name Willow
Boat Type Wauquiez 40s Centurion
Rating: 72 DW Rating: 579 Certificate Date 1/9/2026
Displacement used for DW Rating: 18960
Certified PHRF Data on file?

Sail #
38300

Rig Data:

Max Headsail I: 51.5
110 J: 14.17
Rig Type P: 49.21
FS E: 19.3
Mast Material ISP: 51.5
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
50.73 25.54 25.54 14.17
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
46.75 52.8 27.66 28.54

LOA: 41.17 Displacement: 18960
LWL: 36.4 Ballast: 6085
Beam: 12.66 Engine: IB
Draft: 7.75 Prop Type: FEATH

Modifications on file: (mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)(1 powered cabin top Halyard winch, NCTR)(Electric backstay adjuster, NCTR)(1/3/23, +3 sec/mi for non-articulation)

Boat Name Willpower
Boat Type Peterson 42
Rating: 54 DW Rating: 592 Certificate Date 1/7/2026
Displacement used for DW Rating: 18000
Certified PHRF Data on file?

Sail #
7606

Rig Data:

Max Headsail I: 57
100 J: 17.6
Rig Type P: 50
MS E: 16.2
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? NO
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 42 Displacement: 18000
LWL: 34 Ballast: 8000
Beam: 12 Engine: IB
Draft: 7.75 Prop Type: Fold

Modifications on file:

Boat Name Wind Dancer
Boat Type J 99
Rating: 75 DW Rating: 599 Certificate Date 1/9/2026
Displacement used for DW Rating: 8415
Certified PHRF Data on file?

Sail #
29

Rig Data:

Max Headsail I: 43.47
105 J: 12.56
Rig Type P: 41.8
FS E: 14.3
Mast Material ISP: 47.25
ALUMN JSP: 16.73

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
45.2 53.5 27.85 26

LOA: 32.6 Displacement: 8415
LWL: 28.6 Ballast: 3480
Beam: 11.18 Engine: IB
Draft: 6.54 Prop Type: Fold

Modifications on file:

Boat Name Wind Mate
Boat Type Catalina 34 1&2
Rating: 150 DW Rating: 648 Certificate Date 1/16/2026
Displacement used for DW Rating: 13606
Certified PHRF Data on file?

Sail #
1805

Rig Data:

Max Headsail I: 44
120 J: 13.5
Rig Type P: 38.5
MS E: 11.75
Mast Material ISP: 44
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
39.5 44 24 22.25

LOA: 34.5 Displacement: 11950
LWL: 29.83 Ballast: 5000
Beam: 11.75 Engine: IB
Draft: 5.58 Prop Type: Fold

Modifications on file:

Boat Name WindBorn
Boat Type Jeanneau Sun Odyssey 37.1
Rating: 144 DW Rating: Certificate Date 2/20/2026
Displacement used for DW Rating: 14175
Certified PHRF Data on file?

Sail #
0

Rig Data:

Max Headsail I: 44.78
88.5 J: 12.53
Rig Type P: 39.04
MS E: 13.94
Mast Material ISP:
ALUMN JSP:

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 37.41
LWL: 31.83
Beam: 12.08
Draft: 6.33

Displacement: 14175
Ballast: 4453
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Windcatcher
Boat Type Islander 36 NCPHRF
Rating: 153 DW Rating: 663 Certificate Date 1/8/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Sail #
38015

Rig Data:

Max Headsail I: 45
110 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP: 14.48

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 36.08
LWL: 28.25
Beam: 11.17
Draft: 6.08

Displacement: 13450
Ballast: 5450
Engine: IB
Prop Type: Fixed_2

Modifications on file:

Boat Name Windsome
Boat Type J 100 ODR
Rating: 81 DW Rating: 584 Certificate Date 1/7/2026
Displacement used for DW Rating: 7000
Certified PHRF Data on file?

Sail #
140

Rig Data:

Max Headsail I: 38.5
100 J: 11.5
Rig Type P: 38
FS E: 13.5
Mast Material ISP: 43
CARBON JSP: 15.9

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
42.82 49.41 26.9 26.81

LOA: 32.8
LWL: 29
Beam: 9.25
Draft: 5.75

Displacement: 6500
Ballast: 2450
Engine: IB
Prop Type: Fold

Modifications on file: (Mtg 2/28/22, -3 sec/mi for increased spinnaker area)

Boat Name Windwalker
Boat Type Islander 36 ODR
Rating: 144 DW Rating: 655 Certificate Date 4/28/2026
Displacement used for DW Rating: 13450
Certified PHRF Data on file?

Sail #
57307

Rig Data:

Max Headsail I: 45
150 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
45.25 23.3 24.7 15
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
JSP:

LOA: 36.08
LWL: 28.25
Beam: 11.17
Draft: 6.08

Displacement: 13450
Ballast: 5820
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Wolfpack	Sail #	Max Headsail	I:	38.5	<i>Symmetric Spin?</i> No	LOA:	30	Displacement:	3300
Boat Type Donovan 30	3001	150	J:	11.6	SL: SSMG: SSF: SPL:	LWL:	25	Ballast:	1330
Rating: 87 DW Rating: 575 Certificate Date 1/15/2026		Rig Type	P:	34	11.6	Beam:	10.75	Engine:	OB
Displacement used for DW Rating: 3470		MS	E:	10.66	<i>Asymmetric Spin?</i> Yes	Draft:	5.67	Prop Type:	None
Certified PHRF Data on file? <input checked="" type="checkbox"/>		Mast Material	ISP:		SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:	11.6	37 41.25 19.4 20.65				

Modifications on file: (Mtg 6/26/14, New Rudder, NCTR)(Mtg 1/26/16, +3 sec/mi for smaller "E")

Boat Name Wolpertinger	Sail #	Max Headsail	I:	32.583	<i>Symmetric Spin?</i> Yes	LOA:	26.85	Displacement:	3000
Boat Type Santa Cruz 27 MOD	47952	155	J:	10.75	SL: SSMG: SSF: SPL:	LWL:	23.39	Ballast:	1450
Rating: 135 DW Rating: 618 Certificate Date 1/27/2026		Rig Type	P:	28.25	32.1 21.6 21.6 11.75	Beam:	8	Engine:	OB
Displacement used for DW Rating: 3200		MS	E:	8.53	<i>Asymmetric Spin?</i> Yes	Draft:	4.5	Prop Type:	None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	32.583	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:	11.9	30.1 34.8 20.5				

Modifications on file: New rudder noted NCTR. (Mtg 5/11/04, -3 for oversized spinnaker midgirth; -3 sec/mi for OSP)

Boat Name WooHoo	Sail #	Max Headsail	I:	26.25	<i>Symmetric Spin?</i> Yes	LOA:	23.75	Displacement:	2050
Boat Type Moore 24	80	150	J:	9.8	SL: SSMG: SSF: SPL:	LWL:	21.75	Ballast:	1025
Rating: 150 DW Rating: 629 Certificate Date 3/27/2026		Rig Type	P:	25	27 17.55 17.55 9.75	Beam:	7.16	Engine:	OB
Displacement used for DW Rating: 2050		FS	E:	9.5	<i>Asymmetric Spin?</i> No	Draft:	4.083	Prop Type:	None
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:				
		ALUMN	JSP:						

Modifications on file:

Boat Name Wowla	Sail #	Max Headsail	I:	38.5	<i>Symmetric Spin?</i> No	LOA:	32.8	Displacement:	6500
Boat Type J 100 ODR	14	125	J:	11.5	SL: SSMG: SSF: SPL:	LWL:	29	Ballast:	2500
Rating: 84 DW Rating: 591 Certificate Date 5/18/2026		Rig Type	P:	38	0 0	Beam:	9.3	Engine:	IB
Displacement used for DW Rating: 7000		FS	E:	13.5	<i>Asymmetric Spin?</i> Yes	Draft:	5.8	Prop Type:	FOLD
Certified PHRF Data on file? <input type="checkbox"/>		Mast Material	ISP:	43	SLE: SLU: ASMG: ASF:				
		CARBON	JSP:	15.9	42 47.1 23.4 22.3				

Modifications on file: powered winch for mainsail hoist

Boat Name Wreckless
Boat Type Capo 26
Rating: 156 DW Rating: 692 Certificate Date 1/9/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Sail #
77449

Rig Data:

Max Headsail I: 35.89
155 J: 10.63
Rig Type P: 30.78
SL E: 10.01
Mast Material ISP:
JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
9.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:
Draft: 4.56

LOA: 25.9
LWL: 21.76
Beam: 9.38
Draft: 4.56

Displacement: 4920
Ballast: 1964
Engine: OB
Prop Type: None

Modifications on file: SPL REDUCED TO "J" 9'9". 1194# BALAST IN THE KEEL, 770 # IN THE HULL

Boat Name Wysiwyg
Boat Type Olson 30 OB
Rating: 99 DW Rating: 583 Certificate Date 1/15/2026
Displacement used for DW Rating: 4111
Certified PHRF Data on file?

Sail #
28132

Rig Data:

Max Headsail I: 36
155 J: 11.75
Rig Type P: 31.5
MS E: 10.75
Mast Material ISP: 35.9
ALUMN JSP: 11.67

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
36 21.16 21.16 11.75
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 30
LWL: 27.5
Beam: 9.33
Draft: 5.083

Displacement: 3600
Ballast: 1800
Engine: OB
Prop Type: None

Modifications on file:

Boat Name Yellowfin
Boat Type J 105 ODR w/ 5'BS
Rating: 78 DW Rating: 587 Certificate Date 2/10/2026
Displacement used for DW Rating: 8472
Certified PHRF Data on file?

Sail #
357

Rig Data:

Max Headsail I: 40.6
100 J: 13.5
Rig Type P: 41.5
FS E: 14.5
Mast Material ISP: 42.1
ALUMN JSP: 19.07

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
38.33 48.92 25.67 25.5

LOA: 34.5
LWL: 29.5
Beam: 11
Draft: 6.5

Displacement: 7750
Ballast: 3400
Engine: IB
Prop Type: FOLD

Modifications on file:

Boat Name Yemaya
Boat Type Leigh 30
Rating: 210 DW Rating: 721 Certificate Date 1/27/2026
Displacement used for DW Rating: 9100
Certified PHRF Data on file?

Sail #

Rig Data:

Max Headsail I: 36.5
150 J: 12.33
Rig Type P: 31.67
MS E: 12.33
Mast Material ISP: 36.5
ALUMN JSP: 12.33

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 29.67
LWL: 23.33
Beam: 9.58
Draft: 4.58

Displacement: 9100
Ballast: 4400
Engine: IB
Prop Type: Fixed_3

Modifications on file:

Boat Name Yeti **Sail #** 38
Boat Type Express 27
Rating: 129 **DW Rating:** 633 **Certificate Date** 1/16/2026
Displacement used for DW Rating: 2870
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes
140 J: 9 SL: SSMG: SSF: SPL:
Rig Type P: 28.5 28.6 17.7 17.7 9.83
FS E: 10.4 *Asymmetric Spin?* Yes
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: 26.51 30.5 16.4 17.77

LOA: 27.25 Displacement: 2450
LWL: 23.75 Ballast: 1100
Beam: 8.16 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Yippee!! **Sail #** 6437
Boat Type Ranger 23
Rating: 216 **DW Rating:** 730 **Certificate Date** 1/15/2026
Displacement used for DW Rating: 3400
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 27.5 *Symmetric Spin?* YES
150 J: 9.7 SL: SSMG: SSF: SPL:
Rig Type P: 24 27.6 17.4 17.4 9.7
MS E: 9.17 *Asymmetric Spin?* No
Mast Material ISP: 27.5 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 23 Displacement: 3400
LWL: 20 Ballast: 1500
Beam: 7.9 Engine: OB
Draft: 3.75 Prop Type: None

Boat Name Young Betty **Sail #** 8448
Boat Type Express 27 ODR
Rating: 129 **DW Rating:** 630 **Certificate Date** 1/22/2026
Displacement used for DW Rating: 2798
Certified PHRF Data on file?

Modifications on file: New Rudder, NCTR

Rig Data:

Max Headsail I: 28.5 *Symmetric Spin?* Yes
155 J: 9 SL: SSMG: SSF: SPL:
Rig Type P: 28.5 29 17.8 17.8 9.833
FS E: 10.416 *Asymmetric Spin?* No
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF:
ALUMN JSP:

LOA: 27.25 Displacement: 2450
LWL: 23.75 Ballast: 1100
Beam: 8.166 Engine: OB
Draft: 4.5 Prop Type: None

Boat Name Zaff **Sail #** 56272
Boat Type J 92
Rating: 105 **DW Rating:** 597 **Certificate Date** 2/24/2026
Displacement used for DW Rating: 5645
Certified PHRF Data on file?

Modifications on file: (Mtg 2/26/18, -3 sec/mi for increased ISP and oversized main girths)(Mtg 5/21/18, +3 sec/mi for small asymmetric spinnaker)(Mtg 2/23/26, New Keel, NCTR)

Rig Data:

Max Headsail I: 37 *Symmetric Spin?* No
155 J: 11.5 SL: SSMG: SSF: SPL:
Rig Type P: 37.75
FS E: 13.25 *Asymmetric Spin?* Yes
Mast Material ISP: 39 SLE: SLU: ASMG: ASF:
ALUMN JSP: 17 38.6 45.8 28.9 29.5

LOA: 30 Displacement: 5500
LWL: 25.8 Ballast: 2100
Beam: 10 Engine: IB
Draft: 5.9 Prop Type: Fold

Boat Name Zara
Boat Type Beneteau 310
Rating: 138 DW Rating: 647 Certificate Date 3/27/2026
Displacement used for DW Rating: 7054
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 37.04 Symmetric Spin? No LOA: 31.2 Displacement: 7054
125 J: 10.83 SL: SSMG: SSF: SPL: LWL: 27.7 Ballast: 2160
Rig Type P: 37.8
FS E: 12.9 Asymmetric Spin? No Engine: IB
Mast Material ISP: 37.04 SLE: SLU: ASMG: ASF: Prop Type: Fixed_2
ALUMN JSP: 10.82 35 37 16.6 21.6 Draft: 5.9

Boat Name Zeehond
Boat Type Newport 30-2
Rating: 174 DW Rating: 677 Certificate Date 1/6/2026
Displacement used for DW Rating: 8500
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 39.5 Symmetric Spin? Yes LOA: 30 Displacement: 8500
150 J: 12.125 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 2600
Rig Type P: 34 39.25 21.78 21.75 ##### Engine: IB
MS E: 10.25 Asymmetric Spin? No Beam: 10.5 Prop Type: FOLD
Mast Material ISP: 39.5 SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 4.75

Boat Name Zena
Boat Type North Star 727 Farr
Rating: 192 DW Rating: 714 Certificate Date 1/12/2026
Displacement used for DW Rating:
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 24.4 Symmetric Spin? Yes LOA: 23.1 Displacement: 2700
155 J: 7.8 SL: SSMG: SSF: SPL: LWL: 19.7 Ballast: 900
Rig Type P: 25.7 24.34 14 14 7.8 Engine: OB
FS E: 10.9 Asymmetric Spin? No Beam: 8.3 Prop Type: None
Mast Material ISP: 24.4 SLE: SLU: ASMG: ASF: 0 Draft: 4.6
ALUMN JSP:

Boat Name Zenaida
Boat Type ALERION EXPRESS 28 ODR
Rating: 168 DW Rating: 695 Certificate Date 1/8/2026
Displacement used for DW Rating: 5700
Certified PHRF Data on file?

Modifications on file:

Rig Data:
Max Headsail I: 30 Symmetric Spin? Yes LOA: 28.25 Displacement: 5700
95 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200
Rig Type P: 33 29.96 17.55 15.77 9.75 Engine: IB
FS E: 12.5 Asymmetric Spin? No Beam: 8.2 Prop Type: FOLD
Mast Material ISP: SLE: SLU: ASMG: ASF:
ALUMN JSP: Draft: 4.5

Boat Name Zenith **Sail #** 472
Boat Type Islander 36 NCPHRF
Rating: 147 **DW Rating:** 663 **Certificate Date** 5/1/2026
Displacement used for DW Rating: 18325
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 45
135 J: 14.48
Rig Type P: 39.25
MS E: 12.75
Mast Material ISP: 45
ALUMN JSP: 14.8

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 36.08 **Displacement:** 13450
LWL: 28.25 **Ballast:** 5820
Beam: 11.166 **Engine:** IB
Draft: 6.083 **Prop Type:** Fold

Boat Name Zephyros **Sail #** 45
Boat Type Beneteau First 30
Rating: 105 **DW Rating:** 589 **Certificate Date** 1/12/2026
Displacement used for DW Rating: 8267
Certified PHRF Data on file?

Modifications on file: High Aspect Rudders

Rig Data:

Max Headsail I: 41.66
105 J: 13.78
Rig Type P: 40.2
FS E: 14.25
Mast Material ISP: 42.16
ALUMN JSP: 15.7

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
40.5 45.6 23.8 25.98

LOA: 31.7 **Displacement:** 8267
LWL: 27.5 **Ballast:** 2403
Beam: 10.5 **Engine:** IB
Draft: 6.25 **Prop Type:** Fold

Boat Name Zeus **Sail #** 33
Boat Type Infiniti 52
Rating: -117 **DW Rating:** 421 **Certificate Date** 3/24/2026
Displacement used for DW Rating: 16660
Certified PHRF Data on file?

Modifications on file: (Mtg 3/23/26, Custom rating of -117 assigned)

Rig Data:

Max Headsail I: 68.08
155 J: 21.293
Rig Type P: 69.75
FS E: 23.06
Mast Material ISP: 75.72
CARBON JSP: 30.945

Symmetric Spin? No
SL: SSMG: SSF: SPL:
Asymmetric Spin? Yes
SLE: SLU: ASMG: ASF:
71.65 86.74 44.94 47.7

LOA: 52.42 **Displacement:** 16660
LWL: 51.95 **Ballast:** 5160
Beam: 14.88 **Engine:** IB
Draft: 12.49 **Prop Type:** Fold

Boat Name Zingaro **Sail #** 5050
Boat Type Santana 22
Rating: 237 **DW Rating:** 741 **Certificate Date** 2/10/2026
Displacement used for DW Rating: 2600
Certified PHRF Data on file?

Modifications on file:

Rig Data:

Max Headsail I: 26
125 J: 8.5
Rig Type P: 21.75
MS E: 9.83
Mast Material ISP: 26
ALUMN JSP:

Symmetric Spin? Yes
SL: SSMG: SSF: SPL:
26 15.44 15.44 8.58
Asymmetric Spin? No
SLE: SLU: ASMG: ASF:

LOA: 22 **Displacement:** 2600
LWL: 18.67 **Ballast:** 1260
Beam: 7.833 **Engine:** OB
Draft: 3.5 **Prop Type:** None