

# NCPHRF - CURRENT FLEET ROSTER

This Roster lists the boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at [info@yra.org](mailto:info@yra.org) or via phone at 415.771.9500. This list is updated monthly.

As of: 6/24/2026

**Boat Name** 61 **Sail #** 61  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 606 **Certificate Date** 1/15/2026  
 Displacement used for DW Rating: 2510  
 Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 28.5 **Symmetric Spin?** YES **LOA:** 27.25 **Displacement:** 2450  
 150 **J:** 9 **SL: SSMG: SSF: SPL:**  
**Rig Type** P: 28.5 28.5 17.75 17.75 9.833 **LWL:** 23.75 **Ballast:** 1100  
 FS **E:** 10.416 **Asymmetric Spin?** No **Beam:** 8.17 **Engine:** OB  
**Mast Material** ISP: 28.5 **SLE: SLU: ASMG: ASF:** **Prop Type:** None  
 ALUMN **JSP:** **Draft:** 4.5

**Modifications on file:**

**Boat Name** A Day Off **Sail #** 61991  
**Boat Type** Santana 22  
**Rating:** 237 **DW Rating:** 742 **Certificate Date** 3/18/2026  
 Displacement used for DW Rating: 2600  
 Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 26 **Symmetric Spin?** YES **LOA:** 22 **Displacement:** 2600  
 100 **J:** 8.5 **SL: SSMG: SSF: SPL:**  
**Rig Type** P: 21.75 26 15.44 15.44 8.583 **LWL:** 18.67 **Ballast:** 1230  
 MS **E:** 9.833 **Asymmetric Spin?** No **Beam:** 7.83 **Engine:** OB  
**Mast Material** ISP: 26 **SLE: SLU: ASMG: ASF:** **Prop Type:** None  
 ALUMN **JSP:** **Draft:** 3.5

**Modifications on file:**

**Boat Name** Abigail Morgan **Sail #** 18394  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 606 **Certificate Date** 1/20/2026  
 Displacement used for DW Rating: 2510  
 Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 28.5 **Symmetric Spin?** Yes **LOA:** 27.25 **Displacement:** 2450  
 150 **J:** 9 **SL: SSMG: SSF: SPL:**  
**Rig Type** P: 28.5 ##### 17.75 17.4 9.833 **LWL:** 23.75 **Ballast:** 1100  
 FS **E:** 10.416 **Asymmetric Spin?** No **Beam:** 8.166 **Engine:** OB  
**Mast Material** ISP: 28.5 **SLE: SLU: ASMG: ASF:** **Prop Type:** None  
 ALUMN **JSP:** **Draft:** 4.5

**Modifications on file:**

**Boat Name** About Time                      Sail #  
40041  
**Boat Type** X-412  
**Rating:** 66    DW Rating: 579    Certificate Date 1/15/2026  
Displacement used for DW Rating: 16314  
Certified PHRF Data on file?

**Modifications on file:** Electric Main Halyard winch, roller furler

**Rig Data:**

Max Headsail	I:	53.84	<i>Symmetric Spin?</i>	Yes	LOA:	41	Displacement:	16314
125	J:	16.01	SL:	SSMG:	SSF:	SPL:	Ballast:	7716
Rig Type	P:	47.24	53.36	28.82	28.82	16	LWL:	34.2
MS	E:	15.41	<i>Asymmetric Spin?</i>			Yes	Beam:	12.7
Mast Material	ISP:	53.84	SLE:	SLU:	ASMG:	ASF:	Prop Type:	FOLD
ALUMN	JSP:		49.6	53.8	25.4	26.9	Draft:	6.9

**Boat Name** Abracadabra                      Sail #  
28927  
**Boat Type** Antrim 27 CM ODR  
**Rating:** 75    DW Rating: 568    Certificate Date 1/22/2026  
Displacement used for DW Rating: 2900  
Certified PHRF Data on file?

**Modifications on file:** BOWSPRINT IS ARTICULATING

**Rig Data:**

Max Headsail	I:	28.69	<i>Symmetric Spin?</i>	No	LOA:	27.73	Displacement:	2900
116	J:	8.17	SL:	SSMG:	SSF:	SPL:	Ballast:	1050
Rig Type	P:	33.75	<i>Asymmetric Spin?</i>			Yes	LWL:	23.75
FS	E:	14	Beam:	9.25				
Mast Material	ISP:	37.25	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
CARBON	JSP:	15	38	44.2	20.1	25.1	Draft:	6

**Boat Name** Absinthe                      Sail #  
102  
**Boat Type** Moore 24  
**Rating:** 150    DW Rating: 644    Certificate Date 2/10/2026  
Displacement used for DW Rating: 2485  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	2050
150	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	1025
Rig Type	P:	25	27	17.55	17.55	9.75	LWL:	21.75
FS	E:	9.5	<i>Asymmetric Spin?</i>			No	Beam:	7.16
Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:						Draft:	4.083

**Boat Name** Accelerando                      Sail #  
128  
**Boat Type** Moore 24  
**Rating:** 150    DW Rating: 654    Certificate Date 5/28/2026  
Displacement used for DW Rating: 2519  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	2050
150	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	1025
Rig Type	P:	25	26.6	17.55	17.3	9.75	LWL:	21.75
FS	E:	9.5	<i>Asymmetric Spin?</i>			Yes	Beam:	7.16
Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:	9.75	24.44	28.2	17.55	17.3	Draft:	4.08

**Boat Name** Acey Deucy  
**Boat Type** J 44  
**Rating:** 21 DW Rating: 562 Certificate Date 1/7/2026  
Displacement used for DW Rating: 23350  
Certified PHRF Data on file?

**Modifications on file:** Electric Winches

**Rig Data:**  
Max Headsail I: 60.606 Symmetric Spin? Yes LOA: 44.83 Displacement: 22770  
155 J: 17.08 SL: SSMG: SSF: SPL: LWL: 38.58 Ballast: 9000  
Rig Type P: 53.51 59.8 30.8 30.8 ##### Engine: IB  
MS E: 19.41 Asymmetric Spin? Yes Beam: 13.67  
Mast Material ISP: 60.416 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: 55.9 63.8 27.8 27 Draft: 8.14

**Boat Name** Ad Lib  
**Boat Type** Aphrodite 101  
**Rating:** 144 DW Rating: 650 Certificate Date 1/8/2026  
Displacement used for DW Rating: 7490  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 36.83 Symmetric Spin? Yes LOA: 32.75 Displacement: 6160  
100 J: 11.81 SL: SSMG: SSF: SPL: LWL: 26.33 Ballast: 3527  
Rig Type P: 39.33 35.6 21.3 19.6 11.9 Engine: IB  
FS E: 11.48 Asymmetric Spin? No Beam: 7.92  
Mast Material ISP: 32.23 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: Draft: 5.42

**Boat Name** Adrenalin  
**Boat Type** Santa Cruz 50  
**Rating:** -9 DW Rating: 488 Certificate Date 4/10/2026  
Displacement used for DW Rating: 20525  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 4/23/15, +6 sec/mi for 20% decrease in spinnaker area, change custom rating from -15 to -9)

**Rig Data:**  
Max Headsail I: 62.85 Symmetric Spin? No LOA: 51.45 Displacement: 21000  
155 J: 19 SL: SSMG: SSF: SPL: LWL: 47.77 Ballast: 8000  
Rig Type P: 55.6 20.9 Engine: IB  
MS E: 18.2 Asymmetric Spin? Yes Beam: 12.25  
Mast Material ISP: 62.8 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: 20.9 60.1 67.95 36.96 36.81 Draft: 9.12

**Boat Name** Advantage 3  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78 DW Rating: 592 Certificate Date 1/12/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 40.6 Symmetric Spin? No LOA: 34.5 Displacement: 7750  
100 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.5 Ballast: 3400  
Rig Type P: 41.5 Engine: IB  
FS E: 14.5 Asymmetric Spin? Yes Beam: 11  
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: 19.07 38.6 49 26.4 25.5 Draft: 6.5

**Boat Name** Adventure  
**Boat Type** Catalina 36  
**Rating:** 147 DW Rating: 654 Certificate Date 4/30/2026  
Displacement used for DW Rating: 15996  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 44.75  
155 J: 14.33  
Rig Type P: 39  
MS E: 12  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 36.33  
LWL: 30.25  
Beam: 11.92  
Draft: 5.83

Displacement: 15000  
Ballast: 6000  
Engine: IB  
Prop Type: Fixed\_3

**Boat Name** Aegea  
**Boat Type** Sabre 38-2  
**Rating:** 114 DW Rating: 623 Certificate Date 1/6/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 49.75  
130 J: 14.5  
Rig Type P: 43.5  
MS E: 15.06  
Mast Material ISP: 49.75  
ALUMN JSP: 14.5

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 38.67  
LWL: 31.42  
Beam: 12.33  
Draft: 6.5

Displacement: 16900  
Ballast: 6600  
Engine: IB  
Prop Type: Fold

**Boat Name** Aerie  
**Boat Type** CS 36  
**Rating:** 123 DW Rating: 641 Certificate Date 1/27/2026  
Displacement used for DW Rating: 0  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 49  
155 J: 15  
Rig Type P: 42.75  
MS E: 12.75  
Mast Material ISP: 49  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
48.65 25.5 25.5 15  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 36.5  
LWL: 29.25  
Beam: 11.5  
Draft: 6.25

Displacement: 15500  
Ballast: 6500  
Engine: IB  
Prop Type: Fold

**Boat Name** Ahi  
**Boat Type** Santana 22  
**Rating:** 234 DW Rating: 741 Certificate Date 1/20/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26  
155 J: 8.5  
Rig Type P: 21.75  
MS E: 9.833  
Mast Material ISP: 26  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
26 15.44 15.44 8.583  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 22  
LWL: 18.67  
Beam: 7.83  
Draft: 3.5

Displacement: 2600  
Ballast: 1230  
Engine: OB  
Prop Type: None

**Boat Name** Ahi **Sail #** 30980  
**Boat Type** Santana 35  
**Rating:** 114 **DW Rating:** 639 **Certificate Date** 2/26/2026  
Displacement used for DW Rating: 9277  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 6/27/13, new rudder noted, NCTR)

**Rig Data:**

Max Headsail	I:	39	<i>Symmetric Spin?</i>	Yes	LOA:	35	Displacement:	8500		
155	J:	12.85	SL:	SSMG:	SSF:	SPL:	Ballast:	3300		
Rig Type	P:	42	39	23.13	22.5	12.85	LWL:	26.5		
FS	E:	14.25	<i>Asymmetric Spin?</i>		No	Beam:	11.92	Engine:	IB	
Mast Material	ISP:	39	SLE:	SLU:	ASMG:	ASF:	Draft:	6.25	Prop Type:	Fold
ALUMN	JSP:									

**Boat Name** Akumu **Sail #** 44  
**Boat Type** B-25 ODR  
**Rating:** 138 **DW Rating:** 599 **Certificate Date** 4/1/2026  
Displacement used for DW Rating: 2450  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	28	<i>Symmetric Spin?</i>	YES	LOA:	25	Displacement:	2000		
125	J:	8.5	SL:	SSMG:	SSF:	SPL:	Ballast:	800		
Rig Type	P:	28	37.66	17.1	16.75	9.83	LWL:	21.25		
MS	E:	11	<i>Asymmetric Spin?</i>		No	Beam:	8.33	Engine:	OB	
Mast Material	ISP:	32	SLE:	SLU:	ASMG:	ASF:	Draft:	5	Prop Type:	None
ALUMN	JSP:									

**Boat Name** Akyaa **Sail #** 163  
**Boat Type** Hobie 33 ODR  
**Rating:** 87 **DW Rating:** 543 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 4550  
Certified PHRF Data on file?

**Modifications on file:** (mtg 8/19/10, -3 sec/mi for sprit)

**Rig Data:**

Max Headsail	I:	33.6	<i>Symmetric Spin?</i>	Yes	LOA:	37	Displacement:	4260		
90	J:	12.4	SL:	SSMG:	SSF:	SPL:	Ballast:	1800		
Rig Type	P:	35.3	36	23	23	13.12	LWL:	30.83		
MS	E:	12.5	<i>Asymmetric Spin?</i>		No	Beam:	8	Engine:	OB	
Mast Material	ISP:	36.5	SLE:	SLU:	ASMG:	ASF:	Draft:	5.5	Prop Type:	None
ALUMN	JSP:	16.2								

**Boat Name** Ala Moana **Sail #** 104  
**Boat Type** Beneteau First 30  
**Rating:** 99 **DW Rating:** 616 **Certificate Date** 1/16/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	41.66	<i>Symmetric Spin?</i>	No	LOA:	31.7	Displacement:	8267		
120	J:	13.78	SL:	SSMG:	SSF:	SPL:	Ballast:	2403		
Rig Type	P:	40.3					LWL:	27.6		
FS	E:	14.25	<i>Asymmetric Spin?</i>		Yes	Beam:	10.5	Engine:	IB	
Mast Material	ISP:	42.16	SLE:	SLU:	ASMG:	ASF:	Draft:	6.25	Prop Type:	Fold
ALUMN	JSP:	15.78	43.7	48.6	26.9	28.82				

**Boat Name** **Albacore** Sail # 18325  
**Boat Type** Santana 22 ODR  
**Rating:** 234 DW Rating: 739 Certificate Date 2/10/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	25.67	<i>Symmetric Spin?</i>	Yes	LOA:	22	Displacement:	2600
150	J:	8.58	SL:	SSMG:	SSF:	SPL:	Ballast:	1230
Rig Type	P:	21.75	26	15.44	15.44	8.58	LWL:	18.67
MS	E:	9.83	<i>Asymmetric Spin?</i>			No	Beam:	7.83
Mast Material	ISP:	25.67	SLE:	SLU:	ASMG:	ASF:	Draft:	3.5
ALUMN	JSP:	8.58						

**Boat Name** **Alchemy** Sail # 18252  
**Boat Type** Olson 25  
**Rating:** 159 DW Rating: 673 Certificate Date 4/26/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	32	<i>Symmetric Spin?</i>	Yes	LOA:	25	Displacement:	3300
155	J:	9.583	SL:	SSMG:	SSF:	SPL:	Ballast:	1300
Rig Type	P:	28	32	17.25	17	9.583	LWL:	21.25
MS	E:	10	<i>Asymmetric Spin?</i>			No	Beam:	9
Mast Material	ISP:	32	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:							

**Boat Name** **Alchera** Sail # 28870  
**Boat Type** J 120 Mod  
**Rating:** 51 DW Rating: 559 Certificate Date 1/12/2026  
Displacement used for DW Rating: 15000  
Certified PHRF Data on file?

**Modifications on file:** Modifications for offshore singlehanding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +3 sec/mi for small spinnaker, + 3 sec/mi for small headsail)

**Rig Data:**

Max Headsail	I:	50.5	<i>Symmetric Spin?</i>	No	LOA:	40	Displacement:	13900
125	J:	14.5	SL:	SSMG:	SSF:	SPL:	Ballast:	6000
Rig Type	P:	46.5					LWL:	35
FS	E:	17.57	<i>Asymmetric Spin?</i>			Yes	Beam:	12
Mast Material	ISP:	52	SLE:	SLU:	ASMG:	ASF:	Draft:	7
CARBON	JSP:	21.55	49.99	57.96	30.6	34	Prop Type: FOLD	

**Boat Name** **Allegro Non Troppo** Sail # 188  
**Boat Type** Alerion Express 28 ODR  
**Rating:** 168 DW Rating: 695 Certificate Date 1/7/2026  
Displacement used for DW Rating: 5700  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	30	<i>Symmetric Spin?</i>	Yes	LOA:	28.25	Displacement:	5700
90	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	2200
Rig Type	P:	33	29.75	17.5	17.5	9.75	LWL:	22.83
FS	E:	12.5	<i>Asymmetric Spin?</i>			No	Beam:	8.2
Mast Material	ISP:	30	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:	9.75						

**Boat Name** Alpha  
**Boat Type** S&S 47 (Stevens 47)  
**Rating:** 96 DW Rating: 596 Certificate Date 3/18/2026  
Displacement used for DW Rating: 30000  
Certified PHRF Data on file?

Sail #  
8502

**Rig Data:**

Max Headsail I: 53.58  
95 J: 18.75  
Rig Type P: 47.9  
MS E: 17.39  
Mast Material ISP: 53.58  
ALUMN JSP: 18.75

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
54.3 33.7 33.7 18.75  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
50.4 52 17 28

LOA: 47.75  
LWL: 34.5  
Beam: 11.67  
Draft: 6.25

Displacement: 30000  
Ballast: 13000  
Engine: IB  
Prop Type: FOLD

**Modifications on file:** (mtg 4/28/25, -3 sec/mi for tweener)

**Boat Name** Andiamo  
**Boat Type** Alerion Express 28 ODR  
**Rating:** 168 DW Rating: 695 Certificate Date 4/30/2026  
Displacement used for DW Rating: 5700  
Certified PHRF Data on file?

Sail #  
97

**Rig Data:**

Max Headsail I: 30  
90 J: 9.75  
Rig Type P: 33  
FS E: 12.5  
Mast Material ISP: 30  
ALUMN JSP: 9.75

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
29.5 17.5 17.5 9.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 28.25  
LWL: 22.83  
Beam: 8.2  
Draft: 4.5

Displacement: 5700  
Ballast: 2200  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Andiamo  
**Boat Type** Catalina 36-2  
**Rating:** 153 DW Rating: 650 Certificate Date 3/18/2026  
Displacement used for DW Rating: 14200  
Certified PHRF Data on file?

Sail #  
2168

**Rig Data:**

Max Headsail I: 44.75  
115 J: 14.33  
Rig Type P: 39  
MS E: 13  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
37 43 24 29

LOA: 36  
LWL: 30.25  
Beam: 11.9  
Draft: 5.8

Displacement: 14200  
Ballast: 6000  
Engine: IB  
Prop Type: Fixed\_3

**Modifications on file:** In-Mast Furling Mainsail, +3 sec/mi

**Boat Name** Anna Lu  
**Boat Type** Merit 25  
**Rating:** 168 DW Rating: 696 Certificate Date 1/7/2026  
Displacement used for DW Rating: 3286  
Certified PHRF Data on file?

Sail #  
529

**Rig Data:**

Max Headsail I: 28.75  
150 J: 9.66  
Rig Type P: 28  
FS E: 9.75  
Mast Material ISP: 28.75  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
28.8 17.38 17.38 9.66  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 24.5  
LWL: 20.5  
Beam: 8  
Draft: 3.98

Displacement: 3000  
Ballast: 1050  
Engine: OB  
Prop Type: None

**Modifications on file:**

<b>Boat Name</b> Another Girl	Sail #	Max Headsail	I:	42.98	<i>Symmetric Spin?</i> No	LOA:	38.3	Displacement: 13000
<b>Boat Type</b> Alerion Express 38-2	20	90	J:	12.99	SL: SSMG: SSF: SPL:	LWL:	30.1	Ballast: 5000
<b>Rating:</b> 90	DW Rating: 613	Certificate Date 1/22/2026	<b>Rig Data:</b>	Rig Type	P:	47.5		Engine: IB
				MS	E:	18.25	<i>Asymmetric Spin?</i> No	Beam: 10.3
Displacement used for DW Rating:				Mast Material	ISP:		SLE: SLU: ASMG: ASF:	Prop Type: Feath
Certified PHRF Data on file? <input type="checkbox"/>				CARBON	JSP:		Draft: 5.92	

**Modifications on file:** (mtg 4/28/11, Custom rating of 90 assigned. Custom rating includes penalty for powered sheet winches)

<b>Boat Name</b> Antares	Sail #	Max Headsail	I:	38.5	<i>Symmetric Spin?</i> Yes	LOA:	30	Displacement: 8600
<b>Boat Type</b> Islander 30-2	6237	155	J:	12.58	SL: SSMG: SSF: SPL:	LWL:	24.58	Ballast: 3600
<b>Rating:</b> 186	DW Rating: 684	Certificate Date 4/1/2026	<b>Rig Data:</b>	Rig Type	P:	32.5	38 22.7 22.92 #####	Engine: IB
				MS	E:	11.58	<i>Asymmetric Spin?</i> No	Beam: 10
Displacement used for DW Rating:				Mast Material	ISP:	38.416	SLE: SLU: ASMG: ASF:	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>				ALUMN	JSP:		Draft: 5	

**Modifications on file:**

<b>Boat Name</b> Aquavit	Sail #	Max Headsail	I:	52.42	<i>Symmetric Spin?</i> No	LOA:	42.17	Displacement: 18541
<b>Boat Type</b> Jeanneau 42i P	7381	125	J:	15.92	SL: SSMG: SSF: SPL:	LWL:	38.08	Ballast: 5556
<b>Rating:</b> 69	DW Rating: 555	Certificate Date 2/10/2026	<b>Rig Data:</b>	Rig Type	P:	50.92		Engine: IB
				FS	E:	14.67	<i>Asymmetric Spin?</i> Yes	Beam: 13.67
Displacement used for DW Rating:				Mast Material	ISP:	52.42	SLE: SLU: ASMG: ASF:	Prop Type: Fold
Certified PHRF Data on file? <input type="checkbox"/>				ALUMN	JSP:	19.75	49.58 56.92 33.42 33.42	Draft: 7.67

**Modifications on file:**

<b>Boat Name</b> Arcadia	Sail #	Max Headsail	I:	33	<i>Symmetric Spin?</i> No	LOA:	28.5	Displacement: 4327
<b>Boat Type</b> Custom Nash 28.5	3113	125	J:	10	SL: SSMG: SSF: SPL:	LWL:	25.5	Ballast: 1200
<b>Rating:</b> 123	DW Rating: 596	Certificate Date 1/22/2026	<b>Rig Data:</b>	Rig Type	P:	32.5		Engine: IB
				FS	E:	13	<i>Asymmetric Spin?</i> Yes	Beam: 9
Displacement used for DW Rating:	4327			Mast Material	ISP:	34	SLE: SLU: ASMG: ASF:	Prop Type: FOLD
Certified PHRF Data on file? <input type="checkbox"/>				ALUMN	JSP:	11	34.908 38.8 24.606 24.606	Draft: 6.5

**Modifications on file:** (Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)

**Boat Name** Argo 4  
**Boat Type** J 125  
**Rating:** -15 DW Rating: 480 Certificate Date 5/19/2026  
Displacement used for DW Rating: 9398  
Certified PHRF Data on file?

Sail #  
45700

**Rig Data:**

Max Headsail I: 49  
155 J: 14.8  
Rig Type P: 48.5  
FS E: 18  
Mast Material ISP: 52.1  
CARBON JSP: 22.9

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
53.58 59.8 38.62 41.44

LOA: 41  
LWL: 37  
Beam: 10.6  
Draft: 7.9

Displacement: 9383  
Ballast: 4646  
Engine: IB  
Prop Type: Fold

**Modifications on file:** Keel & Rudder Kelp Cutter, Drive Kelp Reflector (Mtg 5/20/24, -3 sec/mi for 10% oversized asymmetric spinnaker)(05/13/25, New Rudder, NCTR)

**Boat Name** Arsenal  
**Boat Type** J 125  
**Rating:** -12 DW Rating: 477 Certificate Date 1/7/2026  
Displacement used for DW Rating: 9694  
Certified PHRF Data on file?

Sail #  
52125

**Rig Data:**

Max Headsail I: 48.622  
125 J: 20.105  
Rig Type P: 46.75  
FS E: 17.979  
Mast Material ISP: 52  
CARBON JSP: 23.4

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
23.4  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
52.133 60.04 38.386 39.37

LOA: 41  
LWL: 37  
Beam: 10.6  
Draft: 7.9

Displacement: 9350  
Ballast: 4646  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Astra  
**Boat Type** Farr 400 ODR  
**Rating:** -12 DW Rating: 478 Certificate Date 4/30/2026  
Displacement used for DW Rating: 8642  
Certified PHRF Data on file?

Sail #  
407

**Rig Data:**

Max Headsail I: 51.18  
100 J: 14.6  
Rig Type P: 52.98  
FS E: 19.03  
Mast Material ISP: 58.53  
CARBON JSP: 22.38

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
55.38 66.4 38.46 37.5

LOA: 38.71  
LWL: 36.42  
Beam: 11.22  
Draft: 9.51

Displacement: 8642  
Ballast: 4806  
Engine: IB  
Prop Type: Feath

**Modifications on file:**

**Boat Name** Athesa  
**Boat Type** Hallberg Rassy 31 Monson  
**Rating:** 195 DW Rating: 703 Certificate Date 4/30/2026  
Displacement used for DW Rating: 9250  
Certified PHRF Data on file?

Sail #  
0

**Rig Data:**

Max Headsail I: 37.8  
150 J: 11.9  
Rig Type P: 32.8  
MS E: 11.5  
Mast Material ISP: 37.8  
ALUMN JSP: 11.9

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
37.24 20.84 20.84 11.8  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 30.75  
LWL: 24.67  
Beam: 9.42  
Draft: 4.58

Displacement: 9250  
Ballast: 4200  
Engine: IB  
Prop Type: Fixed\_3

**Modifications on file:**

**Boat Name** Azulla **Sail #** 28908  
**Boat Type** Elan 40 DK  
**Rating:** 69 **DW Rating:** 592 **Certificate Date** 4/30/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?   
**Modifications on file:** (Formerly Tupelo Honey)

**Rig Data:**  
Max Headsail I: 48.89 *Symmetric Spin?* Yes LOA: 39.04 Displacement: 17600  
105 J: 14.21 SL: SSMG: SSF: SPL: LWL: 34.07 Ballast: 5621  
Rig Type P: 48.82 49.43 25.57 24.6 14.15  
FS E: 17.23 *Asymmetric Spin?* No Engine: IB  
Mast Material ISP: 50.05 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: 14.21 Draft: 7.87

**Boat Name** Azure **Sail #** 72  
**Boat Type** CAL 40  
**Rating:** 114 **DW Rating:** 635 **Certificate Date** 3/18/2026  
Displacement used for DW Rating: 15680  
Certified PHRF Data on file?   
**Modifications on file:**

**Rig Data:**  
Max Headsail I: 46 *Symmetric Spin?* Yes LOA: 39.333 Displacement: 15500  
150 J: 15.17 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 6000  
Rig Type P: 40 46.5 27.3 27 15.17  
MS E: 17.5 *Asymmetric Spin?* No Engine: IB  
Mast Material ISP: 46 SLE: SLU: ASMG: ASF: Prop Type: FEATH  
ALUMN JSP: Draft: 5.5

**Boat Name** Bacchanal **Sail #** 1180  
**Boat Type** JPK 1180  
**Rating:** 39 **DW Rating:** 554 **Certificate Date** 1/28/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?   
**Modifications on file:** Powered Winches

**Rig Data:**  
Max Headsail I: 51.54 *Symmetric Spin?* No LOA: 38.68 Displacement: 13902  
95 J: 13.37 SL: SSMG: SSF: SPL: LWL: 34.35 Ballast:  
Rig Type P: 50.85  
FS E: 18.41 *Asymmetric Spin?* Yes Engine: IB  
Mast Material ISP: 57.28 SLE: SLU: ASMG: ASF: Prop Type: Fold  
CARBON JSP: 21.28 54.49 63.88 33.73 34.32 Draft: 7.67

**Boat Name** Bad Hare Day **Sail #** 35  
**Boat Type** Wylie Wabbit ODR W/Trap  
**Rating:** 126 **DW Rating:** 594 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 975  
Certified PHRF Data on file?   
**Modifications on file:**

**Rig Data:**  
Max Headsail I: 20.75 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 975  
150 J: 6.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 440  
Rig Type P: 23.75 21.6 14 14 8.5  
FS E: 10 *Asymmetric Spin?* No Engine: OB  
Mast Material ISP: 20.5 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: Draft: 3.5

**Boat Name** Bald Eagle                      **Sail #**  
347  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78    DW Rating: 592    **Certificate Date** 1/20/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail    I: 40.6    *Symmetric Spin?* No  
100                      J: 13.5    SL: SSMG: SSF: SPL:  
Rig Type                      P: 41.5  
FS                      E: 14.5    *Asymmetric Spin?* Yes  
Mast Material    ISP: 42.1    SLE: SLU: ASMG: ASF:  
ALUMN                      JSP: 19.07    38.6 49 26.4 25.5

LOA: 34.5    Displacement: 7750  
LWL: 29.5    Ballast: 3400  
Beam: 11    Engine: IB  
Draft: 6.5    Prop Type: FOLD

**Boat Name** Baleineau                      **Sail #**  
42147  
**Boat Type** Ericson 34 Olson SM  
**Rating:** 105    DW Rating: 638    **Certificate Date** 1/9/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail    I: 44    *Symmetric Spin?* Yes  
155                      J: 13    SL: SSMG: SSF: SPL:  
Rig Type                      P: 38.8    43.5 23.25 23.25 12.96  
MS                      E: 13    *Asymmetric Spin?* No  
Mast Material    ISP: 44    SLE: SLU: ASMG: ASF:  
ALUMN                      JSP: 44

LOA: 34    Displacement: 10600  
LWL: 28    Ballast: 3650  
Beam: 10.83    Engine: IB  
Draft: 6    Prop Type: FOLD

**Boat Name** Bandit                      **Sail #**  
118  
**Boat Type** Moore 24  
**Rating:** 150    DW Rating: 630    **Certificate Date** 1/22/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail    I: 26.25    *Symmetric Spin?* Yes  
150                      J: 9.75    SL: SSMG: SSF: SPL:  
Rig Type                      P: 25    26.6 17.55 17.55 9.75  
FS                      E: 9.5    *Asymmetric Spin?* No  
Mast Material    ISP: 26.25    SLE: SLU: ASMG: ASF:  
ALUMN                      JSP:

LOA: 23.75    Displacement: 2050  
LWL: 21.75    Ballast: 1025  
Beam: 7.16    Engine: OB  
Draft: 4.083    Prop Type: None

**Boat Name** Basic Instinct                      **Sail #**  
8123  
**Boat Type** Custom Elliott 10.50  
**Rating:** 75    DW Rating: 580    **Certificate Date** 1/7/2026  
Displacement used for DW Rating: 10220  
Certified PHRF Data on file?

**Modifications on file:** (mtg 3/19/09, changed to smaller headsail, +3 sec/mi, & larger mainsail, -6 sec/mi, change rating from 66 to 63)(Mtg 10/21/09, new smaller headsail, still with large headboard. Change mainsail penalty from -6 sec/mi to -3 sec/mi, change rating from 63 to 66)(10/26/09, removed Asymmetric Spinnaker, change rating from 66 to 69)(Mtg 10/27/16, +3 sec/mi for non articulating sprit/no spl)(05/02/19, added spl back, remove +3 sec/mi credit)(Mtg 5/20/19, +3 sec/mi for 10% reduction in MSA)

**Rig Data:**

Max Headsail    I: 41    *Symmetric Spin?* No  
125                      J: 12.5    SL: SSMG: SSF: SPL:  
Rig Type                      P: 44.2    45.6 27 27 15  
FS                      E: 17.5    *Asymmetric Spin?* Yes  
Mast Material    ISP: 45.6    SLE: SLU: ASMG: ASF:  
ALUMN                      JSP: 15    41.25 49 27.35 27

LOA: 34.42    Displacement: 10220  
LWL: 31.83    Ballast: 3000  
Beam: 12.08    Engine: IB  
Draft: 7    Prop Type: FOLD

**Boat Name** Bazinga  
**Boat Type** Hobie 33 ODR  
**Rating:** 87 DW Rating: 552 Certificate Date 1/15/2026  
Displacement used for DW Rating: 4550  
Certified PHRF Data on file?

Sail #  
7262

**Rig Data:**

Max Headsail I: 33.8  
135 J: 12.4  
Rig Type P: 35  
FS E: 12.6  
Mast Material ISP: 36.26  
ALUMN JSP: 13

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
36.42 23.03 23 #####  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
34 38.8 23.2 23.2

LOA: 33  
LWL: 30.5  
Beam: 8  
Draft: 5.5

Displacement: 4000  
Ballast: 1800  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Bella  
**Boat Type** Alerion Express Sport 33  
**Rating:** 120 DW Rating: 648 Certificate Date 1/7/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
45

**Rig Data:**

Max Headsail I: 33.73  
100 J: 11.39  
Rig Type P: 38.17  
FS E: 16  
Mast Material ISP: 37.89  
CARBON JSP: 12.96

*Symmetric Spin?* NO  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
31.7 34.1 20.8 21.2

LOA: 33  
LWL: 26.3  
Beam: 9.3  
Draft: 5

Displacement: 8000  
Ballast: 3300  
Engine: IB  
Prop Type: Fold

**Modifications on file:** Powered Winches

**Boat Name** Bella  
**Boat Type** Eagle 44 SD  
**Rating:** 84 DW Rating: 601 Certificate Date 1/15/2026  
Displacement used for DW Rating: 11188  
Certified PHRF Data on file?

Sail #  
21

**Rig Data:**

Max Headsail I: 40.68  
105 J: 13.81  
Rig Type P: 46.4  
FS E: 15.3  
Mast Material ISP: 41  
CARBON JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 43.9  
LWL: 29.1  
Beam: 9.1  
Draft: 4.5

Displacement: 11188  
Ballast: 4188  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 5/20/24, -3 sec/mi for electric reel mainsheet winch)

**Boat Name** Bella Luna  
**Boat Type** Islander 36 ODR  
**Rating:** 147 DW Rating: 660 Certificate Date 1/16/2026  
Displacement used for DW Rating: 18325  
Certified PHRF Data on file?

Sail #  
6697

**Rig Data:**

Max Headsail I: 45  
135 J: 14.48  
Rig Type P: 39.25  
MS E: 12.75  
Mast Material ISP: 45  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 36.083  
LWL: 28.25  
Beam: 11.17  
Draft: 6.083

Displacement: 13450  
Ballast: 5820  
Engine: IB  
Prop Type: Fixed\_2

**Modifications on file:**

**Boat Name** Bella Mia **Sail #** 61979  
**Boat Type** Jeanneau Sun Odyssey 349 SD  
**Rating:** 153 **DW Rating:** 632 **Certificate Date** 1/27/2026  
Displacement used for DW Rating: 11795  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	43.57	<i>Symmetric Spin?</i>	No	LOA:	33.92	Displacement:	11795
110	J:	12.37	SL:	SSMG: SSF: SPL:	LWL:	30.84	Ballast:	3483
Rig Type	P:	40.68			Beam:	11.29	Engine:	IB
FS	E:	13.62	<i>Asymmetric Spin?</i>	Yes	Draft:	4.89	Prop Type:	Fixed_3
Mast Material	ISP:	44.8	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	14.88	45	45 18 24				

**Boat Name** Belle **Sail #** 0  
**Boat Type** Harbor 20  
**Rating:** 210 **DW Rating:** 748 **Certificate Date** 5/8/2026  
Displacement used for DW Rating: 1800  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	25.75	<i>Symmetric Spin?</i>	No	LOA:	20	Displacement:	1800
90	J:	7	SL:	SSMG: SSF: SPL:	LWL:	17.17	Ballast:	900
Rig Type	P:	26			Beam:	7	Engine:	OB
FS	E:	10	<i>Asymmetric Spin?</i>	No	Draft:	3.5	Prop Type:	None
Mast Material	ISP:	25.75	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:							

**Boat Name** Bewitched **Sail #** 8177  
**Boat Type** Merit 25  
**Rating:** 168 **DW Rating:** 695 **Certificate Date** 1/9/2026  
Displacement used for DW Rating: 3286  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	28.75	<i>Symmetric Spin?</i>	Yes	LOA:	24.5	Displacement:	3000
155	J:	9.66	SL:	SSMG: SSF: SPL:	LWL:	20.5	Ballast:	1050
Rig Type	P:	28	29	17.39 17.39 9.66	Beam:	8	Engine:	OB
FS	E:	9.75	<i>Asymmetric Spin?</i>	No	Draft:	4	Prop Type:	None
Mast Material	ISP:	28.75	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:							

**Boat Name** Big Mac **Sail #** 280  
**Boat Type** Westsail 32  
**Rating:** 219 **DW Rating:** 682 **Certificate Date** 1/20/2026  
Displacement used for DW Rating: 19500  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	44	<i>Symmetric Spin?</i>	No	LOA:	32	Displacement:	19500
82	J:	18.3	SL:	SSMG: SSF: SPL:	LWL:	27.5	Ballast:	7000
Rig Type	P:	38.25			Beam:	11	Engine:	IB
CTR	E:	15.83	<i>Asymmetric Spin?</i>	Yes	Draft:	5	Prop Type:	Feath
Mast Material	ISP:	42.42	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	18.17	41.04	44.71 13.05 11.28				

**Boat Name** Blond Fury **Sail #** 27007  
**Boat Type** Custom Santa Cruz 52  
**Rating:** -18 **DW Rating:** 490 **Certificate Date** 4/30/2026  
Displacement used for DW Rating: 22000  
Certified PHRF Data on file?   
**Modifications on file:** (Mtg 4/29/26, custom rating of -18 assigned)

**Rig Data:**  
Max Headsail I: 64 *Symmetric Spin?* No LOA: 53 Displacement: 22000  
125 J: 18.99 SL: SSMG: SSF: SPL: LWL: 46.5 Ballast: 9100  
Rig Type P: 57.82  
MS E: 21.01 *Asymmetric Spin?* Yes Beam: 14 Engine: IB  
Mast Material ISP: 64.1 SLE: SLU: ASMG: ASF: Prop Type: FEATH  
ALUMN JSP: 61.68 69.35 38.68 39.4 Draft: 9

**Boat Name** Bloom County **Sail #** 18151  
**Boat Type** Custom Mancebo 31  
**Rating:** 66 **DW Rating:** 551 **Certificate Date** 3/24/2026  
Displacement used for DW Rating: 4397  
Certified PHRF Data on file?   
**Modifications on file:** (Mtg 2/23/26, New larger rig with a 23% increase in JSP, 40% increase in spinnaker area, and 21% increase in mainsail area from previous configuration. New Custom Rating of 66 assigned)

**Rig Data:**  
Max Headsail I: 40.5 *Symmetric Spin?* No LOA: 31 Displacement: 4470  
155 J: 10.118 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1700  
Rig Type P: 39.27  
FS E: 11.22 *Asymmetric Spin?* Yes Beam: 9.816 Engine: OB  
Mast Material ISP: 44.05 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 16 42.94 51.01 27.55 26.54 Draft: 7.162

**Boat Name** Blue Martini **Sail #** 41279  
**Boat Type** Olson 911S  
**Rating:** 126 **DW Rating:** 652 **Certificate Date** 1/6/2026  
Displacement used for DW Rating: 7200  
Certified PHRF Data on file?   
**Modifications on file:**

**Rig Data:**  
Max Headsail I: 41.5 *Symmetric Spin?* Yes LOA: 29.91 Displacement: 7200  
155 J: 12.33 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3200  
Rig Type P: 35.5 42.97 22.14 22.14 12.33  
MS E: 11.83 *Asymmetric Spin?* NO Engine: IB  
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: Draft: 5.42

**Boat Name** Blue Star **Sail #** 156  
**Boat Type** Sabre 36-2  
**Rating:** 111 **DW Rating:** Certificate Date 4/1/2026  
Displacement used for DW Rating: 14800  
Certified PHRF Data on file?   
**Modifications on file:** Adjustable backstay

**Rig Data:**  
Max Headsail I: 48.5 *Symmetric Spin?* No LOA: 36.17 Displacement: 13800  
150 J: 13.46 SL: SSMG: SSF: SPL: LWL: 30.42 Ballast: 5520  
Rig Type P: 41.6  
MS E: 14.83 *Asymmetric Spin?* No Engine: IB  
Mast Material ISP: 48.5 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 13.46 Draft: 6.5

**Boat Name** Blue Thing **Sail #** 8  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 605 **Certificate Date** 1/16/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 28.5 **Symmetric Spin?** Yes **LOA:** 27.25 **Displacement:** 2450  
155 **J:** 9 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 23.75 **Ballast:** 1100  
**Rig Type** P: 28.5 29 17.75 17.75 9.833  
FS **E:** 10.416 **Asymmetric Spin?** No **Beam:** 8.166 **Engine:** OB  
**Mast Material** **ISP:** 28.5 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4.5 **Prop Type:** None  
ALUMN **JSP:**

**Modifications on file:**

**Boat Name** Bluebird **Sail #** 137  
**Boat Type** Moore 24  
**Rating:** 150 **DW Rating:** 629 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 26.25 **Symmetric Spin?** Yes **LOA:** 23.75 **Displacement:** 2050  
150 **J:** 9.75 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 21.75 **Ballast:** 1025  
**Rig Type** P: 25 27 17.55 17.55 9.75  
FS **E:** 9.5 **Asymmetric Spin?** NO **Beam:** 7.16 **Engine:** OB  
**Mast Material** **ISP:** 26.25 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 4.08 **Prop Type:** None  
ALUMN **JSP:**

**Modifications on file:**

**Boat Name** BOB **Sail #** 350  
**Boat Type** Melges 24  
**Rating:** 84 **DW Rating:** 568 **Certificate Date** 5/1/2026  
Displacement used for DW Rating: 1783  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 27.85 **Symmetric Spin?** No **LOA:** 24 **Displacement:** 1750  
100 **J:** 7.95 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 22 **Ballast:** 650  
**Rig Type** P: 28.75 7.95  
FS **E:** 12.416 **Asymmetric Spin?** Yes **Beam:** 8.166 **Engine:** OB  
**Mast Material** **ISP:** 31.85 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 5.25 **Prop Type:** None  
CARBON **JSP:** 12 32.9 38 19.23 20.67

**Modifications on file:**

**Boat Name** Bodacious + **Sail #** 48005  
**Boat Type** 1D 48  
**Rating:** -12 **DW Rating:** 505 **Certificate Date** 1/14/2026  
Displacement used for DW Rating: 17334  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 57.7 **Symmetric Spin?** Yes **LOA:** 48.3 **Displacement:** 19743  
125 **J:** 16.7 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 40.2 **Ballast:** 8818  
**Rig Type** P: 61.3 66.7 33.1 32.6 16.7  
FS **E:** 22.5 **Asymmetric Spin?** Yes **Beam:** 14.2 **Engine:** IB  
**Mast Material** **ISP:** 68.3 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 10.1 **Prop Type:** Fold  
CARBON **JSP:** 16.7 65.7 67.7 30.1 30.1

**Modifications on file:** Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11, switched to J length SPL, switched to smaller symmetric & asymeric spinnaker, +9 sec/mi, change custom rating from -24 to -15)(Mtg 9/22/11, removed asymmetrical spinnakers, +3 sec./mi. Change custom rating from -15 to -12)(1/24/13, New rudder noted, NCTR)(Mtg 8/28/14, -3 sec/mi for 10% increase in symmetrical spinnaker area)(5/28/20, switched to 125% headsail, +3 sec/mi. Change custom rating from -15 to -12)

**Boat Name** Bombora **Sail #** 38047  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 632 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 2977  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450  
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.8 Ballast: 1100  
Rig Type P: 28.5 28.5 17.7 17.7 9.83 Beam: 8.17 Engine: OB  
FS E: 10.42 *Asymmetric Spin?* Yes Prop Type: None  
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Draft: 4.5  
ALUMN JSP: 26.97 31 14.67 16.73

**Boat Name** Breakaway **Sail #** 180  
**Boat Type** Ultimate 20 CM  
**Rating:** 144 **DW Rating:** 631 **Certificate Date** 1/7/2026  
Displacement used for DW Rating: 1350  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.08 *Symmetric Spin?* No LOA: 20.83 Displacement: 1350  
114 J: 6.97 SL: SSMG: SSF: SPL: LWL: 18 Ballast: 450  
Rig Type P: 27.33 0 0 Beam: 8.33 Engine: OB  
FS E: 10.17 *Asymmetric Spin?* Yes Prop Type: Fixed\_3  
Mast Material ISP: 27.58 SLE: SLU: ASMG: ASF: Draft: 5  
CARBON JSP: 12.79 28.417 30.42 17.7 19.167

**Boat Name** Bunnacula **Sail #** 17  
**Boat Type** Wylie Wabbit ODR W/Trap  
**Rating:** 126 **DW Rating:** 590 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 975  
Certified PHRF Data on file?

**Modifications on file:** Hiking straps and single trapeze

**Rig Data:**

Max Headsail I: 20.5 *Symmetric Spin?* YES LOA: 23.75 Displacement: 975  
150 J: 6.5 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 440  
Rig Type P: 23.75 22 13.9 13.7 8.5 Beam: 5.58 Engine: OB  
FS E: 10 *Asymmetric Spin?* No Prop Type: None  
Mast Material ISP: 20.5 SLE: SLU: ASMG: ASF: Draft: 3.5  
ALUMN JSP: 20.5

**Boat Name** Butcher **Sail #** 32  
**Boat Type** J 88  
**Rating:** 81 **DW Rating:** 575 **Certificate Date** 1/7/2026  
Displacement used for DW Rating: 4990  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 38.67 *Symmetric Spin?* No LOA: 29.19 Displacement: 4990  
100 J: 11.28 SL: SSMG: SSF: SPL: LWL: 26.84 Ballast: 1840  
Rig Type P: 36.82 Beam: 9.5 Engine: IB  
FS E: 12 *Asymmetric Spin?* Yes Prop Type: Fold  
Mast Material ISP: 46 SLE: SLU: ASMG: ASF: Draft: 6.5  
CARBON JSP: 18.05 40.84 47.83 27.32 29

**Boat Name** C cubed  
**Boat Type** Wyliecat 60  
**Rating:** -39 DW Rating: 465 Certificate Date 1/27/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
38136

**Rig Data:**

Max Headsail I:  
Rig Type J:  
CAT P: 68.5  
Mast Material E: 33.75  
CARBON ISP:  
JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 60  
LWL: 53.33  
Beam: 11.92  
Draft: 11

Displacement: 16480  
Ballast: 8841  
Engine: IB  
Prop Type: Fixed\_2

**Modifications on file:** (mtg 11/30/21, Custom rating of -81 assigned)(Mtg 1/26/26, custom rating changed from -81 to -39 after review of rating appeal)

**Boat Name** Calypso  
**Boat Type** J 92  
**Rating:** 108 DW Rating: 605 Certificate Date 1/20/2026  
Displacement used for DW Rating: 5800  
Certified PHRF Data on file?

Sail #  
89

**Rig Data:**

Max Headsail I: 37  
105 J: 11.5  
Rig Type P: 38  
FS E: 13.5  
Mast Material ISP: 38.5  
ALUMN JSP: 17

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
41 45.2 24 26

LOA: 30  
LWL: 26.5  
Beam: 10  
Draft: 5.9

Displacement: 5500  
Ballast: 2275  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Can O' Whoopass  
**Boat Type** CAL 20  
**Rating:** 273 DW Rating: 743 Certificate Date 2/17/2026  
Displacement used for DW Rating: 1950  
Certified PHRF Data on file?

Sail #  
624

**Rig Data:**

Max Headsail I: 22  
115 J: 7.33  
Rig Type P: 23  
FS E: 10  
Mast Material ISP: 22  
ALUMN JSP: 7.33

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
22 13.2 13.2 7.33  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 20  
LWL: 18.1  
Beam: 7  
Draft: 3.33

Displacement: 2000  
Ballast: 900  
Engine: OB  
Prop Type: None

**Modifications on file:** (mtg 4/24/08, -18 sec/mi for adding single trapeze wire) (10/2/08 - removed trapeze, now racing as a standard cal 20 -18 sec/mi penalty removed)(3/5/09 added single trapeze back, -18 sec/mi)(8/26/09, switching back to standard Cal 20)

**Boat Name** Caprice  
**Boat Type** Beneteau Oceanis 34.1  
**Rating:** 138 DW Rating: 616 Certificate Date 4/24/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
38143

**Rig Data:**

Max Headsail I: 42.1  
106 J: 12  
Rig Type P: 41.6  
FS E: 13.8  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
40.1 44.9 25 26.08

LOA: 35.4  
LWL: 32.2  
Beam: 11.9  
Draft: 6.7

Displacement: 12046  
Ballast: 3482  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Carmelita **Sail #** 131  
**Boat Type** Catalina 42-1/2  
**Rating:** 105 **DW Rating:** 602 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 25500  
Certified PHRF Data on file?

**Modifications on file:** Electric Winches

**Rig Data:**

Max Headsail	I:	53	<i>Symmetric Spin?</i>	Yes	LOA:	41.83	Displacement:	22000
125	J:	16.42	SL:	SSMG:	SSF:	SPL:	Ballast:	8300
Rig Type	P:	46.75	49	29.55	29.55	16.42	LWL:	36
MS	E:	15.5	<i>Asymmetric Spin?</i>			Yes	Beam:	13.83
Mast Material	ISP:	53	SLE:	SLU:	ASMG:	ASF:	Draft:	6.66
ALUMN	JSP:		47.34	56.75	29.69	25.59	Prop Type:	FEATH

**Boat Name** Cascade **Sail #** 13  
**Boat Type** Antrim 27 CM ODR  
**Rating:** 75 **DW Rating:** 561 **Certificate Date** 1/16/2026  
Displacement used for DW Rating: 2931  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	28.69	<i>Symmetric Spin?</i>	No	LOA:	27.73	Displacement:	2900
116	J:	8.17	SL:	SSMG:	SSF:	SPL:	Ballast:	1050
Rig Type	P:	33.75	<i>Asymmetric Spin?</i>			Yes	LWL:	23.75
FS	E:	14	Beam:	9.25	Engine:	OB	Prop Type:	None
Mast Material	ISP:	37.25	SLE:	SLU:	ASMG:	ASF:	Draft:	6
CARBON	JSP:	15	38	44.2	20.1	23		

**Boat Name** Chance **Sail #** 421  
**Boat Type** Alerion Express 28 ODR  
**Rating:** 168 **DW Rating:** 705 **Certificate Date** 3/3/2026  
Displacement used for DW Rating: 0  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	30	<i>Symmetric Spin?</i>	No	LOA:	28.25	Displacement:	5700
90	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	2200
Rig Type	P:	33	<i>Asymmetric Spin?</i>			No	LWL:	22.83
FS	E:	12.5	Beam:	8.2	Engine:	IB	Prop Type:	Fold
Mast Material	ISP:	30	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:	9.75						

**Boat Name** Chance **Sail #** 28484  
**Boat Type** J 120 ALUM  
**Rating:** 48 **DW Rating:** 550 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 15000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	50.5	<i>Symmetric Spin?</i>	No	LOA:	40	Displacement:	13900
100	J:	14.5	SL:	SSMG:	SSF:	SPL:	Ballast:	6000
Rig Type	P:	46.3	<i>Asymmetric Spin?</i>			Yes	LWL:	35
FS	E:	17.8	Beam:	12	Engine:	IB	Prop Type:	FOLD
Mast Material	ISP:	52	SLE:	SLU:	ASMG:	ASF:	Draft:	7
ALUMN	JSP:	21.5	50.6	64.1	37.65	34.1		

**Boat Name** Charisma **Sail #** 0  
**Boat Type** Hunter 35 Legend WK  
**Rating: 138** DW Rating: 634 **Certificate Date** 1/26/2026  
Displacement used for DW Rating: 12000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 42  
135 J: 12.17  
Rig Type P: 44.08  
MS E: 14.25  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 35.58  
LWL: 29.75  
Beam: 11.75  
Draft: 4.5

Displacement: 12000  
Ballast: 4600  
Engine: IB  
Prop Type: Fixed\_2

**Boat Name** Checkered Past **Sail #** 3  
**Boat Type** Custom Wyliecat 39  
**Rating: 102** DW Rating: 597 **Certificate Date** 12/16/2025  
Displacement used for DW Rating: 12000  
Certified PHRF Data on file?

**Modifications on file:** Boat has been modified for handicapped sailing

**Rig Data:**

Max Headsail I:  
Rig Type P: 52  
CAT E: 26.6  
Mast Material ISP:  
CARBON JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 38.83  
LWL: 32  
Beam: 11.5  
Draft: 6.6

Displacement: 12000  
Ballast: 6200  
Engine: IB  
Prop Type: FOLD

**Boat Name** Chesapeake III **Sail #** 142  
**Boat Type** Alerion Express 28 ODR  
**Rating: 168** DW Rating: 705 **Certificate Date** 1/7/2026  
Displacement used for DW Rating: 5700  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 30  
90 J: 9.75  
Rig Type P: 33  
FS E: 12.5  
Mast Material ISP: 30  
ALUMN JSP: 9.75

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 28.25  
LWL: 22.83  
Beam: 8.2  
Draft: 4.5

Displacement: 5700  
Ballast: 2200  
Engine: IB  
Prop Type: Fold

**Boat Name** Chinook **Sail #** 639  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating: 78** DW Rating: 593 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 40.6  
100 J: 13.5  
Rig Type P: 41.5  
FS E: 14.5  
Mast Material ISP: 42.1  
ALUMN JSP: 19.07

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
39.8 49.05 24.6 26

LOA: 34.5  
LWL: 29.5  
Beam: 11  
Draft: 6.5

Displacement: 7750  
Ballast: 3400  
Engine: IB  
Prop Type: FOLD

**Boat Name** Circe  
**Boat Type** Freedom 40/40  
**Rating:** 81 DW Rating: 604 Certificate Date 1/8/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
20

**Rig Data:**

Max Headsail I: 47.74  
150 J: 12.89  
Rig Type P: 51.28  
FS E: 18.85  
Mast Material ISP: 48.24  
CARBON JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
46.92 27.72 27.72 14.17  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 40.4  
LWL: 35.1  
Beam: 13.5  
Draft: 6.9

Displacement: 23213  
Ballast: 9700  
Engine: IB  
Prop Type: Feath

**Modifications on file:** (Mtg 1/20/20, - 3 sec/mi for OSP, -6 sec/mi for oversized spinnaker area)

**Boat Name** Citlali  
**Boat Type** Olson 25  
**Rating:** 159 DW Rating: 673 Certificate Date 1/7/2026  
Displacement used for DW Rating: 3300  
Certified PHRF Data on file?

Sail #  
18336

**Rig Data:**

Max Headsail I: 32  
155 J: 9.583  
Rig Type P: 28  
MS E: 10  
Mast Material ISP: 32  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
32 17.28 17.24 9.583  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 25  
LWL: 21.25  
Beam: 9  
Draft: 4.5

Displacement: 3300  
Ballast: 1300  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** City Lights  
**Boat Type** Custom Santa Cruz 52 SD  
**Rating:** -6 DW Rating: 490 Certificate Date 3/3/2026  
Displacement used for DW Rating: 21729  
Certified PHRF Data on file?

Sail #  
28552

**Rig Data:**

Max Headsail I: 64.98  
155 J: 18.871  
Rig Type P: 57.5  
MS E: 21.001  
Mast Material ISP: 65.41  
ALUMN JSP: 20.472

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
63.89 34 34 #####  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
62.434 69.193 38.681 37.139

LOA: 53  
LWL: 18.232  
Beam: 14  
Draft: 7

Displacement: 24577  
Ballast:  
Engine: IB  
Prop Type: FOLD

**Modifications on file:** Base=-15, Shoal Draft = +9, Stock Aluminum Mast, Full Cruising Layout - Standard Size Spinnaker (Norm note 4/28/03)

**Boat Name** Clean Sweep  
**Boat Type** Olson 25  
**Rating:** 159 DW Rating: 675 Certificate Date 3/27/2026  
Displacement used for DW Rating: 3300  
Certified PHRF Data on file?

Sail #  
28609

**Rig Data:**

Max Headsail I: 32  
155 J: 9.583  
Rig Type P: 28  
MS E: 10  
Mast Material ISP: 32  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
31.73 17.24 16.55 9.583  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 25  
LWL: 21.25  
Beam: 9  
Draft: 4.5

Displacement: 3300  
Ballast: 1300  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Color Blind  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 629 Certificate Date 1/15/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050  
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 27 17.55 17.55 9.75  
FS E: 9.5 *Asymmetric Spin?* No Engine: OB  
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: Draft: 4.083

**Boat Name** Committed  
**Boat Type** Melges 24  
**Rating:** 84 DW Rating: 568 Certificate Date 2/26/2026  
Displacement used for DW Rating: 1783  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 27.85 *Symmetric Spin?* No LOA: 24 Displacement: 1750  
110 J: 7.98 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 625  
Rig Type P: 28.75 7.95  
FS E: 12.416 *Asymmetric Spin?* Yes Engine: OB  
Mast Material ISP: 31.85 SLE: SLU: ASMG: ASF: Prop Type: None  
CARBON JSP: 12 32.9 38 19.23 20.67 Draft: 5.25

**Boat Name** Concussion  
**Boat Type** Olson 30 OB  
**Rating:** 99 DW Rating: 589 Certificate Date 4/28/2026  
Displacement used for DW Rating: 4428  
Certified PHRF Data on file?

**Modifications on file:** Elliptical Rudder

**Rig Data:**

Max Headsail I: 36 *Symmetric Spin?* Yes LOA: 30 Displacement: 3600  
155 J: 11.75 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1800  
Rig Type P: 31.5 36 21.16 21.16 11.75  
MS E: 10.75 *Asymmetric Spin?* Yes Engine: OB  
Mast Material ISP: 35.9 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 11.67 33.3 37.73 21 21.82 Draft: 5.08

**Boat Name** Corinna  
**Boat Type** Allied Princess 36  
**Rating:** 213 DW Rating: 670 Certificate Date 3/27/2026  
Displacement used for DW Rating: 14400  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 41 *Symmetric Spin?* No LOA: 36 Displacement: 14400  
120 J: 12.6 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 5000  
Rig Type P: 36  
KTCH E: 14 *Asymmetric Spin?* No Engine: IB  
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fixed\_3  
ALUMN JSP: Draft: 4.5

**Boat Name** Crazy Rhythm  
**Boat Type** Santa Cruz 27  
**Rating:** 141 DW Rating: 618 Certificate Date 1/12/2026  
Displacement used for DW Rating: 3200  
Certified PHRF Data on file?

**Modifications on file:** (Outboard Removed)

**Rig Data:**

Max Headsail I: 32.58  
150 J: 10.75  
Rig Type P: 28.166  
MS E: 8.583  
Mast Material ISP: 32.58  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
32.74 19.4 19.4 10.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 27  
LWL: 24  
Beam: 8  
Draft: 4.5

Displacement: 3200  
Ballast: 1600  
Engine: OB  
Prop Type: None

**Boat Name** Crews Nest  
**Boat Type** Catalina 34 1&2  
**Rating:** 147 DW Rating: 639 Certificate Date 3/18/2026  
Displacement used for DW Rating: 13606  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 44  
130 J: 13.5  
Rig Type P: 38.5  
MS E: 12  
Mast Material ISP: 44  
ALUMN JSP: 13.5

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
42 24 23.5 13.5  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 35.67  
LWL: 29.83  
Beam: 11.75  
Draft: 5.58

Displacement: 11950  
Ballast: 5000  
Engine: IB  
Prop Type: FEATH

**Boat Name** Crinan II  
**Boat Type** Wyliecat 30 IB  
**Rating:** 126 DW Rating: 647 Certificate Date 1/15/2026  
Displacement used for DW Rating: 5500  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 1/21/19, -3 sec/mi for square top mainsail)

**Rig Data:**

Max Headsail I:  
J:  
Rig Type P: 39  
CATBOAT E: 20  
Mast Material ISP:  
CARBON JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 30.5  
LWL: 25  
Beam: 9.5  
Draft: 5.25

Displacement: 5500  
Ballast: 3050  
Engine: IB  
Prop Type: FOLD

**Boat Name** CruzSea Baby  
**Boat Type** Beneteau First 10R ODR  
**Rating:** 78 DW Rating: 612 Certificate Date 1/14/2026  
Displacement used for DW Rating: 9908  
Certified PHRF Data on file?

**Modifications on file:** (Rudder Modifications noted)

**Rig Data:**

Max Headsail I: 43.2  
155 J: 12.07  
Rig Type P: 42.25  
FS E: 14.73  
Mast Material ISP: 46.41  
CARBON JSP: 16.5

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
48.03 52.16 27.95 28.93

LOA: 32.75  
LWL: 28.7  
Beam: 11  
Draft: 6.55

Displacement: 9715  
Ballast: 3528  
Engine: IB  
Prop Type: Fold

**Boat Name** Cuckoo  
**Boat Type** Bird ODR  
**Rating:** 204 DW Rating: 710 Certificate Date 2/20/2026  
Displacement used for DW Rating: 8900  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 20.25 *Symmetric Spin?* No LOA: 30.083 Displacement: 8900  
155 J: 9.5 SL: SSMG: SSF: SPL: LWL: 24.25 Ballast: 5000  
Rig Type P: 32  
MS E: 20.5 *Asymmetric Spin?* No Engine: OB  
Mast Material ISP: 20.25 SLE: SLU: ASMG: ASF: Prop Type: None  
WOOD JSP: Draft: 5.25

**Boat Name** Curie  
**Boat Type** Beneteau 32S5  
**Rating:** 138 DW Rating: 657 Certificate Date 1/20/2026  
Displacement used for DW Rating: 9260  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 38.39 *Symmetric Spin?* Yes LOA: 32.6 Displacement: 9260  
150 J: 9.68 SL: SSMG: SSF: SPL: LWL: 27.83 Ballast: 2980  
Rig Type P: 38.88 39.98 17.3 17.3 9.6 Engine: IB  
FS E: 13.78 *Asymmetric Spin?* No Prop Type: FOLD  
Mast Material ISP: 38.39 SLE: SLU: ASMG: ASF:  
ALUMN JSP: 9.68 32.75 35.75 18.4 17.3 Draft: 6

**Boat Name** Current Affair  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 605 Certificate Date 1/6/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450  
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100  
Rig Type P: 28.5 29 17.75 17.75 9.83 Engine: OB  
FS E: 10.42 *Asymmetric Spin?* No Prop Type: None  
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF:  
ALUMN JSP: Draft: 4.5

**Boat Name** Dancer  
**Boat Type** Tiffany Jayne 34  
**Rating:** 132 DW Rating: 647 Certificate Date 1/8/2026  
Displacement used for DW Rating: 7000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 34.75 *Symmetric Spin?* Yes LOA: 34 Displacement: 7000  
135 J: 11.416 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3010  
Rig Type P: 36.583 34.75 19.92 19.92 ##### Engine: IB  
FS E: 14.166 *Asymmetric Spin?* No Prop Type: FOLD  
Mast Material ISP: 34.75 SLE: SLU: ASMG: ASF:  
ALUMN JSP: Draft: 5.5

**Boat Name** Dark Horse **Sail #** 101  
**Boat Type** Olson 30 OB  
**Rating:** 99 **DW Rating:** 584 **Certificate Date** 2/12/2026  
Displacement used for DW Rating: 4111  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 4/25/18, New Rudder, NCTR)

**Rig Data:**

**Max Headsail** I: 36 **Symmetric Spin?** Yes **LOA:** 30  
140 J: 11.75 **SL:** **SSMG:** **SSF:** **SPL:** **Displacement:** 3600  
**Rig Type** P: 31.5 36 21.16 21.16 11.75 **LWL:** 27.5 **Ballast:** 1800  
MS E: 10.75 **Asymmetric Spin?** Yes **Beam:** 9.33 **Engine:** OB  
**Mast Material** ISP: 35.9 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** None  
ALUMN JSP: 11.67 32.18 36.45 17.45 19.97 **Draft:** 5.08

**Boat Name** Dazzler **Sail #** 38349  
**Boat Type** Wyliecat 30 OB  
**Rating:** 123 **DW Rating:** 647 **Certificate Date** 1/22/2026  
Displacement used for DW Rating: 5500  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 8/23/21, -3 sec/mi for square top mainsail)

**Rig Data:**

**Max Headsail** I: **Symmetric Spin?** No **LOA:** 30.5 **Displacement:** 5500  
0 J: **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 25 **Ballast:** 3050  
**Rig Type** P: 39 **Asymmetric Spin?** No **Beam:** 9.5 **Engine:** OB  
CAT E: 20 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** None  
**Mast Material** ISP: **Draft:** 5.25  
CARBON JSP:

**Boat Name** Defiant **Sail #** 327  
**Boat Type** J 70 ODR  
**Rating:** 114 **DW Rating:** 611 **Certificate Date** 1/6/2026  
Displacement used for DW Rating: 1750  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 26.77 **Symmetric Spin?** No **LOA:** 22.78 **Displacement:** 1750  
100 J: 7.68 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 20.47 **Ballast:** 630  
**Rig Type** P: 26.16 **Asymmetric Spin?** Yes **Beam:** 7.38 **Engine:** OB  
FS E: 9.44 **SLE:** **SLU:** **ASMG:** **ASF:** **Prop Type:** None  
**Mast Material** ISP: 30.15 28.87 35.43 18.24 18.7 **Draft:** 4.92  
CARBON JSP: 13.5

**Boat Name** Defiant **Sail #** 54574  
**Boat Type** J 133 CM MOD  
**Rating:** 30 **DW Rating:** 557 **Certificate Date** 5/8/2026  
Displacement used for DW Rating: 20000  
Certified PHRF Data on file?

**Modifications on file:** (mtg 11/30/23, +6 sec/mi for small spinnaker, +6 sec/mi for no sprit, -3 sec/mi for articulation, -3 sec/mi for 145% headsail)

**Rig Data:**

**Max Headsail** I: 57 **Symmetric Spin?** Yes **LOA:** 43 **Displacement:** 18000  
145 J: 17.25 **SL:** **SSMG:** **SSF:** **SPL:** **LWL:** 37.83 **Ballast:** 7250  
**Rig Type** P: 53.9 59 33.5 32.75 18.17 **Beam:** 12.75 **Engine:** IB  
FS E: 18.519 **Asymmetric Spin?** Yes **Prop Type:** Fold  
**Mast Material** ISP: 60.4 **SLE:** **SLU:** **ASMG:** **ASF:**  
CARBON JSP: 18.17 57.2 62.9 32.1 34.5 **Draft:** 7.5

**Boat Name** DFZ **Sail #** 103  
**Boat Type** Moore 24  
**Rating:** 150 **DW Rating:** 629 **Certificate Date** 4/10/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	2050
150	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	1025
<b>Rig Type</b>	P:	25	27	17.55	17.55	9.75	LWL:	21.75
FS	E:	9.5	<i>Asymmetric Spin?</i>			No	Beam:	7.16
<b>Mast Material</b>	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:	Draft:	4.083
ALUMN	JSP:						Prop Type:	None

**Boat Name** Diana **Sail #** 190  
**Boat Type** ALERION EXPRESS 28 ODR  
**Rating:** 168 **DW Rating:** 701 **Certificate Date** 1/9/2026  
Displacement used for DW Rating: 5700  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	30	<i>Symmetric Spin?</i>	No	LOA:	28.2	Displacement:	5700	
95	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	2200	
<b>Rig Type</b>	P:	33				LWL:	22.8	Engine:	IB
FS	E:	12.5	<i>Asymmetric Spin?</i>			No	Beam:	8.2	
<b>Mast Material</b>	ISP:		SLE:	SLU:	ASMG:	ASF:	Draft:	4.5	
ALUMN	JSP:						Prop Type:	FOLD	

**Boat Name** Dianne **Sail #** 0  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 605 **Certificate Date** 1/14/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450
155	J:	9	SL:	SSMG:	SSF:	SPL:	Ballast:	1100
<b>Rig Type</b>	P:	28.5	29	17.75	17.75	9.833	LWL:	23.75
FS	E:	10.416	<i>Asymmetric Spin?</i>			No	Beam:	8.17
<b>Mast Material</b>	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5
ALUMN	JSP:						Prop Type:	None

**Boat Name** Double Down **Sail #** 18480  
**Boat Type** Custom Schumacher 30  
**Rating:** 123 **DW Rating:** 654 **Certificate Date** 5/1/2026  
Displacement used for DW Rating: 7854  
Certified PHRF Data on file?

**Modifications on file:** Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast-Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after performance review)

**Rig Data:**

Max Headsail	I:	41.37	<i>Symmetric Spin?</i>	Yes	LOA:	29.92	Displacement:	7854
150	J:	12.16	SL:	SSMG:	SSF:	SPL:	Ballast:	3650
<b>Rig Type</b>	P:	35.5	40.75	21.75	21.35	12.08	LWL:	26
MS	E:	12	<i>Asymmetric Spin?</i>			No	Beam:	10.65
<b>Mast Material</b>	ISP:	41.5	SLE:	SLU:	ASMG:	ASF:	Draft:	6.17
ALUMN	JSP:						Prop Type:	FOLD

**Boat Name** Dragonsong  
**Boat Type** Olson 30 OB  
**Rating:** 99 DW Rating: 583 Certificate Date 1/12/2026  
Displacement used for DW Rating: 4111  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 36  
155 J: 11.75  
Rig Type P: 31.5  
MS E: 10.75  
Mast Material ISP: 35.9  
ALUMN JSP: 11.67

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
36 21.15 21.15 11.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 30  
LWL: 27.5  
Beam: 9.33  
Draft: 5.08

Displacement: 3600  
Ballast: 1800  
Engine: OB  
Prop Type: None

**Boat Name** Dream  
**Boat Type** Sceptre 41  
**Rating:** 129 DW Rating: 592 Certificate Date 4/28/2026  
Displacement used for DW Rating: 0  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 53  
90 J: 17.67  
Rig Type P: 47  
MS E: 13  
Mast Material ISP: 53  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
53 29.5 28 17.67  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
45.17 48.67 26.17 28

LOA: 41  
LWL: 36  
Beam: 12.67  
Draft: 6.08

Displacement: 21500  
Ballast: 8700  
Engine: IB  
Prop Type: Fold

**Boat Name** Dream Catcher  
**Boat Type** J 24 ODR  
**Rating:** 168 DW Rating: 694 Certificate Date 1/6/2026  
Displacement used for DW Rating: 2870  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.25  
150 J: 9.5  
Rig Type P: 28  
FS E: 9.75  
Mast Material ISP: 26.25  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
26.5 17 16.8 9.5  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 24  
LWL: 20  
Beam: 8.92  
Draft: 4

Displacement: 3100  
Ballast: 950  
Engine: OB  
Prop Type: None

**Boat Name** Duende  
**Boat Type** Cal 40  
**Rating:** 114 DW Rating: 638 Certificate Date 1/22/2026  
Displacement used for DW Rating: 15239  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 46  
155 J: 15.2  
Rig Type P: 40  
MS E: 17.5  
Mast Material ISP: 46  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
46 27 27 15.2  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 39.33  
LWL: 30  
Beam: 11  
Draft: 5.5

Displacement: 16000  
Ballast: 6000  
Engine: IB  
Prop Type: Fold

**Boat Name** Dulcinea **Sail #** 88  
**Boat Type** Catalina 38  
**Rating:** 120 **DW Rating:** 635 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 16813  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 49.83  
135 J: 15.5  
**Rig Type** P: 44  
MS E: 11.5  
**Mast Material** ISP: 49.8  
ALUMN JSP: 15.5

**Symmetric Spin?** Yes  
**SL: SSMG: SSF: SPL:**  
49.84 27.9 27.9 15  
**Asymmetric Spin?** No  
**SLE: SLU: ASMG: ASF:**

**LOA:** 38.17  
**LWL:** 30.25  
**Beam:** 11.83  
**Draft:** 6.75

**Displacement:** 15900  
**Ballast:** 6850  
**Engine:** IB  
**Prop Type:** Fixed\_2

**Boat Name** Dura Mater **Sail #** 616  
**Boat Type** CAL 27-2 IB  
**Rating:** 210 **DW Rating:** 723 **Certificate Date** 1/12/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 36  
125 J: 12  
**Rig Type** P: 30.83  
MS E: 10.25  
**Mast Material** ISP:  
ALUMN JSP:

**Symmetric Spin?** No  
**SL: SSMG: SSF: SPL:**  
32.8 18.4 21.1 11.8  
**Asymmetric Spin?** No  
**SLE: SLU: ASMG: ASF:**

**LOA:** 26.58  
**LWL:** 22.08  
**Beam:** 9.25  
**Draft:** 4.25

**Displacement:** 6700  
**Ballast:** 3100  
**Engine:** IB  
**Prop Type:** Fixed\_2

**Boat Name** Eagle **Sail #** 40237  
**Boat Type** Express 37  
**Rating:** 75 **DW Rating:** 587 **Certificate Date** 1/9/2026  
Displacement used for DW Rating: 10207  
Certified PHRF Data on file?

**Modifications on file:** Roller Furler

**Rig Data:**

**Max Headsail** I: 48.75  
100 J: 14.33  
**Rig Type** P: 42  
MS E: 13.75  
**Mast Material** ISP: 48.75  
ALUMN JSP:

**Symmetric Spin?** YES  
**SL: SSMG: SSF: SPL:**  
48 25.79 25.79 14.33  
**Asymmetric Spin?** Yes  
**SLE: SLU: ASMG: ASF:**

**LOA:** 37.08  
**LWL:** 30.83  
**Beam:** 11.57  
**Draft:** 7.25

**Displacement:** 11000  
**Ballast:** 4500  
**Engine:** IB  
**Prop Type:** Feath

**Boat Name** Eagles Wing **Sail #** 1317  
**Boat Type** Catalina 30  
**Rating:** 186 **DW Rating:** 695 **Certificate Date** 1/28/2026  
Displacement used for DW Rating: 10200  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 41  
110 J: 11.416  
**Rig Type** P: 35  
MS E: 11.5  
**Mast Material** ISP: 41  
ALUMN JSP: 13

**Symmetric Spin?** NO  
**SL: SSMG: SSF: SPL:**  
**Asymmetric Spin?** Yes  
**SLE: SLU: ASMG: ASF:**  
11 10.5 15 6.15

**LOA:** 29.916  
**LWL:** 25  
**Beam:** 10.83  
**Draft:** 5.25

**Displacement:** 10200  
**Ballast:** 4200  
**Engine:** IB  
**Prop Type:** Fixed\_2

**Boat Name** Eight Ball  
**Boat Type** J 100 ODR  
**Rating:** 78 DW Rating: 589 Certificate Date 1/20/2026  
Displacement used for DW Rating: 7000  
Certified PHRF Data on file?

Sail #  
8

**Rig Data:**

Max Headsail I: 38.5  
95 J: 11.5  
Rig Type P: 38  
FS E: 13.5  
Mast Material ISP: 43  
CARBON JSP: 15.9

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
40 48.39 22.58 22.56

LOA: 32  
LWL: 29  
Beam: 9.25  
Draft: 5.75

Displacement: 7250  
Ballast: 2450  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Boat does not comply with RRS 52)(Mtg 8/24/20, -6 sec/mi for powered captive winches)(Mtg 1/24/22, -6 sec/mi for increased I & J, +3 sec/mi for reduced spinnaker area)(8/3/22, switched back to class I & J, +6 sec/mi)(mtg 10/23/25, updated electronics penalty -9 sec/mi [covers all electronics on board], still has a +3 sec/mi credit for spinnakers)

**Boat Name** Elan  
**Boat Type** Express 37  
**Rating:** 72 DW Rating: 591 Certificate Date 1/7/2026  
Displacement used for DW Rating: 10539  
Certified PHRF Data on file?

Sail #  
87700

**Rig Data:**

Max Headsail I: 48.75  
155 J: 14.33  
Rig Type P: 42  
MS E: 13.75  
Mast Material ISP: 48.75  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
48 25.79 25.79 14.33  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 37.083  
LWL: 30.833  
Beam: 11.57  
Draft: 7.25

Displacement: 11000  
Ballast: 4500  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

**Boat Name** Eldamar  
**Boat Type** Catalina 28-2 TM WK  
**Rating:** 204 DW Rating: Certificate Date 2/10/2026  
Displacement used for DW Rating: 8600  
Certified PHRF Data on file?

Sail #  
1

**Rig Data:**

Max Headsail I: 39.5  
120 J: 10.8  
Rig Type P: 34  
MS E: 10.75  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* NO  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 28.5  
LWL: 23.83  
Beam: 10.17  
Draft: 3.83

Displacement: 8600  
Ballast: 3500  
Engine: IB  
Prop Type: Fixed\_2

**Modifications on file:**

**Boat Name** Elise  
**Boat Type** C&C 40-2 TM  
**Rating:** 90 DW Rating: 604 Certificate Date 1/12/2026  
Displacement used for DW Rating: 17100  
Certified PHRF Data on file?

Sail #  
518

**Rig Data:**

Max Headsail I: 53  
150 J: 16.6  
Rig Type P: 46.7  
MS E: 13.3  
Mast Material ISP: 55  
ALUMN JSP:

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
53.5 29.8 29.8 16.6  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 39.58  
LWL: 31.5  
Beam: 12.67  
Draft: 7

Displacement: 17100  
Ballast: 7910  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Enamored **Sail #** 19  
**Boat Type** Moore 24  
**Rating:** 150 **DW Rating:** 630 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 26.25 *Symmetric Spin?* YES LOA: 23.75 Displacement: 2050  
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 26.6 17.5 17.5 9.75  
FS E: 9.5 *Asymmetric Spin?* No Beam: 7.16 Engine: OB  
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 9.75 Draft: 4.08

**Boat Name** Encore **Sail #** 217  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78 **DW Rating:** 592 **Certificate Date** 4/10/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 40.6 *Symmetric Spin?* No LOA: 34.5 Displacement: 7750  
100 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.5 Ballast: 3400  
Rig Type P: 41.5  
FS E: 14.5 *Asymmetric Spin?* Yes Beam: 11 Engine: IB  
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 19.07 38.52 49.2 25.75 27.89 Draft: 6.5

**Boat Name** Envolee **Sail #** 0  
**Boat Type** Figaro II  
**Rating:** 54 **DW Rating:** 563 **Certificate Date** 1/7/2026  
Displacement used for DW Rating: 7183  
Certified PHRF Data on file?

**Modifications on file:** (mtg 4/27/17, water ballast disabled, +6 sec/mi)(5/23/18, Water Ballast Enabled, -6 sec/mi)(7/12/19, -3 sec/mi for sprit)(2/12/25, removed sprit and asymmetric spinnaker, +3 sec/mi. Boat rates 54 with water ballast enable, 60 with water ballast disabled)

**Rig Data:**  
Max Headsail I: 42.75 *Symmetric Spin?* Yes LOA: 32.18 Displacement: 6724  
104 J: 12.42 SL: SSMG: SSF: SPL: LWL: 32 Ballast: 2425  
Rig Type P: 42.67 43.96 23.62 23.63 13.85  
FS E: 15.42 *Asymmetric Spin?* No Beam: 11.33 Engine: IB  
Mast Material ISP: 42.75 SLE: SLU: ASMG: ASF: Prop Type: Fold  
CARBON JSP: 13.85 45.67 49.67 18.33 24.08 Draft: 6.5

**Boat Name** Eos **Sail #** 99  
**Boat Type** Cal 34-2  
**Rating:** 171 **DW Rating:** 664 **Certificate Date** 1/9/2026  
Displacement used for DW Rating: 9500  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 41.25 *Symmetric Spin?* No LOA: 33.25 Displacement: 9500  
130 J: 13.75 SL: SSMG: SSF: SPL: LWL: 26 Ballast: 3750  
Rig Type P: 35.5  
MS E: 11 *Asymmetric Spin?* No Beam: 10 Engine: IB  
Mast Material ISP: 41.25 SLE: SLU: ASMG: ASF: Prop Type: Feath  
ALUMN JSP: 13.75 Draft: 5

**Boat Name** Ergo  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 606 Certificate Date 1/9/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5  
155 J: 9  
Rig Type P: 28.5  
FS E: 10.416  
Mast Material ISP: 28.5  
ALUMN JSP: 26.97 31 14.67 16.73

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
28.5 17.7 17.7 9.83  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:

LOA: 27.25 Displacement: 2450  
LWL: 23.75 Ballast: 1100  
Beam: 8.075 Engine: OB  
Draft: 4.5 Prop Type: None

**Boat Name** Essential Business  
**Boat Type** International Folkboat OB  
**Rating:** 231 DW Rating: 790 Certificate Date 2/20/2026  
Displacement used for DW Rating: 10817  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 25  
95 J: 8.25  
Rig Type P: 28.75  
S E: 11.166  
Mast Material ISP: 26  
JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 25.75 Displacement: 5500  
LWL: 19.75 Ballast: 2750  
Beam: 7.416 Engine: OB  
Draft: 4 Prop Type: None

**Boat Name** E-Ticket  
**Boat Type** Moorings 38 SD  
**Rating:** 117 DW Rating: 610 Certificate Date 4/28/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:** Shoal Draft (Mtg 10/27/16, -3 sec/mi for oversized spinnaker area)

**Rig Data:**

Max Headsail I: 47.5  
155 J: 13.9  
Rig Type P: 41.7  
MS E: 15  
Mast Material ISP: 47.5  
ALUMN JSP: 13.9

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
47.6 25.4 23.8 13.9  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 38.4 Displacement: 13700  
LWL: 31.33 Ballast: 5400  
Beam: 12.5 Engine: IB  
Draft: 4.8 Prop Type: Fold

**Boat Name** Evenstar  
**Boat Type** Ranger 23  
**Rating:** 216 DW Rating: 725 Certificate Date 1/8/2026  
Displacement used for DW Rating: 3400  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 27.54  
150 J: 9.75  
Rig Type P: 24  
MS E: 9.2  
Mast Material ISP: 27.5  
ALUMN JSP: 9.7

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
27.7 17.46 17.46 9.7  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 23.67 Displacement: 3400  
LWL: 20 Ballast: 1500  
Beam: 7.92 Engine: OB  
Draft: 3.9 Prop Type: None

<b>Boat Name</b> <b>Expeditious</b>	<b>Sail #</b> 18478	<b>Max Headsail</b> 155	<b>I:</b> 48.75	<b>Symmetric Spin?</b> Yes	<b>LOA:</b> 37.08	<b>Displacement:</b> 11000
<b>Boat Type</b> Express 37			<b>J:</b> 14.33	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 30.83	<b>Ballast:</b> 4500
<b>Rating:</b> 72 DW Rating: 587 Certificate Date 1/22/2026		<b>Rig Type</b> MS	<b>P:</b> 42	48 25.5 25.4 14.33	<b>Beam:</b> 11.57	<b>Engine:</b> IB
Displacement used for DW Rating: 10207		<b>Mast Material</b> ALUMN	<b>E:</b> 13.75	<b>Asymmetric Spin?</b> No	<b>Draft:</b> 7.25	<b>Prop Type:</b> FOLD
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b> 48.75	<b>SLE: SLU: ASMG: ASF:</b>		
			<b>JSP:</b>			
<b>Modifications on file:</b> INSTALED NEW CLASS-APPROVED CARBONFIBER RUDDER - MTG 6-12-2000 NCTR.						

<b>Boat Name</b> <b>eXpresso</b>	<b>Sail #</b> 60874	<b>Max Headsail</b> 125	<b>I:</b> 59.46	<b>Symmetric Spin?</b> No	<b>LOA:</b> 43.6	<b>Displacement:</b> 21738
<b>Boat Type</b> XP-44			<b>J:</b> 16.3	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 39	<b>Ballast:</b> 8488
<b>Rating:</b> 18 DW Rating: 545 Certificate Date 1/16/2026		<b>Rig Type</b> FS	<b>P:</b> 57.74		<b>Beam:</b> 13.35	<b>Engine:</b> IB
Displacement used for DW Rating: 21738		<b>Mast Material</b> CARBON	<b>E:</b> 18.7	<b>Asymmetric Spin?</b> Yes	<b>Draft:</b> 8.86	<b>Prop Type:</b> Fold
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b> 64.86	<b>SLE: SLU: ASMG: ASF:</b>		
			<b>JSP:</b> 20.4	61.35 71.52 37.73 35.83		
<b>Modifications on file:</b> Extended sprit, deep rudder, hydraulic backstay						

<b>Boat Name</b> <b>Falkor</b>	<b>Sail #</b> 87863	<b>Max Headsail</b> 155	<b>I:</b> 32	<b>Symmetric Spin?</b> Yes	<b>LOA:</b> 25	<b>Displacement:</b> 3300
<b>Boat Type</b> Olson 25			<b>J:</b> 9.583	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 21.25	<b>Ballast:</b> 1300
<b>Rating:</b> 159 DW Rating: 674 Certificate Date 2/20/2026		<b>Rig Type</b> MS	<b>P:</b> 28	31 17.28 17.28 9.583	<b>Beam:</b> 9	<b>Engine:</b> OB
Displacement used for DW Rating: 3300		<b>Mast Material</b> ALUMN	<b>E:</b> 10	<b>Asymmetric Spin?</b> No	<b>Draft:</b> 4.5	<b>Prop Type:</b> None
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b> 32	<b>SLE: SLU: ASMG: ASF:</b>		
			<b>JSP:</b>			
<b>Modifications on file:</b>						

<b>Boat Name</b> <b>Fatuity</b>	<b>Sail #</b> 48	<b>Max Headsail</b> 150	<b>I:</b> 26.25	<b>Symmetric Spin?</b> Yes	<b>LOA:</b> 23.75	<b>Displacement:</b> 2050
<b>Boat Type</b> Moore 24			<b>J:</b> 9.75	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 21.75	<b>Ballast:</b> 1025
<b>Rating:</b> 150 DW Rating: 629 Certificate Date 1/15/2026		<b>Rig Type</b> FS	<b>P:</b> 25	27 17.55 17.55 9.75	<b>Beam:</b> 7.16	<b>Engine:</b> OB
Displacement used for DW Rating: 2050		<b>Mast Material</b> ALUMN	<b>E:</b> 9.5	<b>Asymmetric Spin?</b> No	<b>Draft:</b> 4.083	<b>Prop Type:</b> None
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b> 26.25	<b>SLE: SLU: ASMG: ASF:</b>		
			<b>JSP:</b>			
<b>Modifications on file:</b>						

**Boat Name** Feather **Sail #** 23  
**Boat Type** J 100 ODR  
**Rating:** 84 **DW Rating:** 594 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 7000  
Certified PHRF Data on file?

**Modifications on file:** Powered Halyard Winch

**Rig Data:** Max Headsail 100 I: 38.5 *Symmetric Spin?* No LOA: 32.8 Displacement: 6500  
J: 11.5 SL: SSMG: SSF: SPL: LWL: 29 Ballast: 2500  
Rig Type P: 38  
FS E: 13.5 *Asymmetric Spin?* Yes Beam: 9.25 Engine: IB  
Mast Material ISP: 43 SLE: SLU: ASMG: ASF: Prop Type: Feath  
CARBON JSP: 15.9 38.22 48.69 26.31 24.77 Draft: 5.75

**Boat Name** Feet Wet **Sail #** 3  
**Boat Type** Antrim 27 CM ODR  
**Rating:** 75 **DW Rating:** 556 **Certificate Date** 1/20/2026  
Displacement used for DW Rating: 2900  
Certified PHRF Data on file?

**Modifications on file:** BOWSPRINT IS ARTICULATING

**Rig Data:** Max Headsail 116 I: 28.69 *Symmetric Spin?* No LOA: 27.73 Displacement: 2900  
J: 8.17 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1050  
Rig Type P: 33.75  
FS E: 14 *Asymmetric Spin?* Yes Beam: 9.25 Engine: OB  
Mast Material ISP: 37.25 SLE: SLU: ASMG: ASF: Prop Type: None  
CARBON JSP: 15 38 44.2 20.1 25.1 Draft: 6

**Boat Name** Festina Lente **Sail #** 17  
**Boat Type** Hanse 505  
**Rating:** 42 **DW Rating:** 545 **Certificate Date** 1/6/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:** Inner Forestay Added, NCTR (Mtg 6/24/24, added SPL, -3 sec/mi for articulation)

**Rig Data:** Max Headsail 104 I: 64.14 *Symmetric Spin?* No LOA: 48.72 Displacement: 36000  
J: 19.19 SL: SSMG: SSF: SPL: LWL: 44.42 Ballast: 8818  
Rig Type P: 57.74 18.8  
FS E: 19.69 *Asymmetric Spin?* Yes Beam: 15.58 Engine: IB  
Mast Material ISP: 64.3 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 21.69 60.1 66.01 34.55 33.4 Draft: 7.87

**Boat Name** Fidget **Sail #** 369  
**Boat Type** J 80 ODR  
**Rating:** 111 **DW Rating:** 606 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 3223  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:** Max Headsail 150 I: 30 *Symmetric Spin?* No LOA: 26.3 Displacement: 2900  
J: 9.415 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 1400  
Rig Type P: 30  
MS E: 12.416 *Asymmetric Spin?* Yes Beam: 8.3 Engine: OB  
Mast Material ISP: 33.25 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 15.666 31.996 39.162 23.156 25.16 Draft: 4.9

**Boat Name** Final Final **Sail #** 38301  
**Boat Type** Beneteau First 30  
**Rating:** 81 **DW Rating:** 583 **Certificate Date** 1/29/2026  
Displacement used for DW Rating: 6700  
Certified PHRF Data on file?

**Modifications on file:** Rating of 81 Assigned 10/23/25

**Rig Data:**

Max Headsail	I:	37.65	<i>Symmetric Spin?</i>	No	LOA:	30.87	Displacement:	6700
99	J:	14.3	SL:	SSMG:	SSF:	SPL:	Ballast:	2360
Rig Type	P:	39.37			LWL:	28.7	Engine:	IB
MS	E:	13.29	<i>Asymmetric Spin?</i>	Yes	Beam:	9.82	Prop Type:	Fold
Mast Material	ISP:	42.63	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	17.45	43.18	51.51	27	32.15	Draft:	6.63

**Boat Name** Finistere **Sail #** 69545  
**Boat Type** Sabre 38-2  
**Rating:** 114 **DW Rating:** 619 **Certificate Date** 1/9/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	49.75	<i>Symmetric Spin?</i>	Yes	LOA:	38.67	Displacement:	16900
150	J:	14.5	SL:	SSMG:	SSF:	SPL:	Ballast:	6600
Rig Type	P:	42.67	49	26.1	26.1	14.42	LWL:	31.42
MS	E:	14.83	<i>Asymmetric Spin?</i>	No	Beam:	12.33	Engine:	IB
Mast Material	ISP:	49.75	SLE:	SLU:	ASMG:	ASF:	Prop Type:	FOLD
	JSP:	14.5			Draft:	6.5		

**Boat Name** Firefly **Sail #** 64  
**Boat Type** Moore 24  
**Rating:** 150 **DW Rating:** 629 **Certificate Date** 2/20/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	2050
150	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	1025
Rig Type	P:	25	27	17.55	17.55	9.75	LWL:	21.75
FS	E:	9.5	<i>Asymmetric Spin?</i>	No	Beam:	7.16	Engine:	OB
Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:				Draft:	4.083		

**Boat Name** Flashgirl **Sail #** 22632  
**Boat Type** Custom Wylie 39  
**Rating:** 57 **DW Rating:** 595 **Certificate Date** 6/24/2026  
Displacement used for DW Rating: 13500  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 4/29/26, new custom rating of 57 assigned)

**Rig Data:**

Max Headsail	I:	46.9	<i>Symmetric Spin?</i>	Yes	LOA:	39.25	Displacement:	13500
101	J:	14.3	SL:	SSMG:	SSF:	SPL:	Ballast:	3600
Rig Type	P:	49	46.75	25.74	25.74	14.3	LWL:	32
MS	E:	16.6	<i>Asymmetric Spin?</i>	Yes	Beam:	11.5	Engine:	IB
Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:	Prop Type:	Feath
ALUMN	JSP:		44.3	47.7	20.8	27.11	Draft:	9

**Boat Name** Flexi-Flyer **Sail #** 18282  
**Boat Type** Soverel 33-2  
**Rating:** 96 **DW Rating:** 593 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 6463  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 42.5 *Symmetric Spin?* Yes LOA: 33 Displacement: 5800  
155 J: 12.8 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 2800  
Rig Type P: 41 42.06 22.7 21.58 12.75  
MS E: 13 *Asymmetric Spin?* No Beam: 11 Engine: IB  
Mast Material ISP: 42.5 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: Draft: 5.85

**Boat Name** Flight Risk **Sail #** 650  
**Boat Type** Thompson 650  
**Rating:** 102 **DW Rating:** 583 **Certificate Date** 5/1/2026  
Displacement used for DW Rating: 1692  
Certified PHRF Data on file?

**Modifications on file:** (mtg 1/21/10, weighed displacement of 1692lbs updated, NCTR)(Mtg 3/18/10, change custom rating from 108 to 99)(Mtg 8/18/10, submitted appeal, rating changed from 99 to 102)

**Rig Data:**

Max Headsail I: 26.67 *Symmetric Spin?* No LOA: 22.3 Displacement: 1692  
100 J: 8.86 SL: SSMG: SSF: SPL: LWL: 19.8 Ballast: 660  
Rig Type P: 28.29  
FS E: 10.4 *Asymmetric Spin?* Yes Beam: 8.16 Engine: OB  
Mast Material ISP: 28.25 SLE: SLU: ASMG: ASF: Prop Type: None  
CARBON JSP: 14.86 33.6 37.79 19.5 20.58 Draft: 5.9

**Boat Name** Flo **Sail #** 238  
**Boat Type** Catalina 310 WK  
**Rating:** 177 **DW Rating:** 670 **Certificate Date** 6/9/2026  
Displacement used for DW Rating: 10700  
Certified PHRF Data on file?

**Modifications on file:** (-3 sec/mi for JSP)

**Rig Data:**

Max Headsail I: 42.75 *Symmetric Spin?* No LOA: 31 Displacement: 10700  
115 J: 11.75 SL: SSMG: SSF: SPL: LWL: 26.5 Ballast: 4400  
Rig Type P: 37.08  
E: 13.01 *Asymmetric Spin?* Yes Beam: 11.5 Engine: IB  
Mast Material ISP: 43.42 SLE: SLU: ASMG: ASF: Prop Type: Feath  
ALUMN JSP: 14.79 39.1 43 21.4 22 Draft: 4.83

**Boat Name** Florence Anne **Sail #** 525  
**Boat Type** Cal 27-2 OB  
**Rating:** 201 **DW Rating:** 718 **Certificate Date** 6/24/2026  
Displacement used for DW Rating: 6700  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 36 *Symmetric Spin?* No LOA: 26.58 Displacement: 6700  
110 J: 12 SL: SSMG: SSF: SPL: LWL: 22.08 Ballast: 3100  
Rig Type P: 30.83  
MS E: 10.25 *Asymmetric Spin?* No Beam: 9.33 Engine: OB  
Mast Material ISP: 36 SLE: SLU: ASMG: ASF: Prop Type: Fixed\_3  
ALUMN JSP: 12 Draft: 4.25

**Boat Name** Fly  
**Boat Type** J 88  
**Rating:** 81 DW Rating: 563 Certificate Date 4/28/2026  
Displacement used for DW Rating: 4990  
Certified PHRF Data on file?   
**Modifications on file:**

**Rig Data:**  
Max Headsail I: 38.67 *Symmetric Spin?* No LOA: 29.19 Displacement: 4990  
104 J: 11.28 SL: SSMG: SSF: SPL: LWL: 26.84 Ballast: 1840  
Rig Type P: 36.82  
FS E: 12 *Asymmetric Spin?* Yes Engine: IB  
Mast Material ISP: 46 SLE: SLU: ASMG: ASF: Prop Type: Fold  
CARBON JSP: 18.05 40.84 47.83 37.32 29 Draft: 6.5

**Boat Name** Flying Colors  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 629 Certificate Date 1/12/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?   
**Modifications on file:**

**Rig Data:**  
Max Headsail I: 26.25 *Symmetric Spin?* YES LOA: 23.75 Displacement: 2050  
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 27 17.55 17.55 9.75  
FS E: 9.5 *Asymmetric Spin?* No Engine: OB  
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: Draft: 4.083

**Boat Name** Flying Fish  
**Boat Type** Olson 30 OB  
**Rating:** 99 DW Rating: 584 Certificate Date 1/7/2026  
Displacement used for DW Rating: 4111  
Certified PHRF Data on file?   
**Modifications on file:**

**Rig Data:**  
Max Headsail I: 36 *Symmetric Spin?* Yes LOA: 30 Displacement: 3600  
150 J: 11.78 SL: SSMG: SSF: SPL: LWL: 27.5 Ballast: 1800  
Rig Type P: 31.5 35.6 21 20.2 11.6  
MS E: 10.75 *Asymmetric Spin?* No Engine: OB  
Mast Material ISP: 35.92 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 11.67 Draft: 5.1

**Boat Name** Flying Green Dragon  
**Boat Type** Tartan 3500  
**Rating:** 123 DW Rating: 632 Certificate Date 1/22/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?   
**Modifications on file:**

**Rig Data:**  
Max Headsail I: 47 *Symmetric Spin?* No LOA: 35.17 Displacement: 12500  
100 J: 13.75 SL: SSMG: SSF: SPL: LWL: 30 Ballast: 4200  
Rig Type P: 41.4  
MS E: 14.4 *Asymmetric Spin?* Yes Engine: IB  
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fixed\_2  
ALUMN JSP: 42.92 45.67 22.33 21.83 Draft: 6.5

**Boat Name** Flying Machine                      **Sail #**  
180  
**Boat Type** ALERION EXPRESS 28 ODR  
**Rating: 168**   DW Rating: 707   **Certificate Date** 6/5/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail**    I: 30  
90                    J: 9.8  
**Rig Type**            P: 33  
FS                    E: 13  
**Mast Material**    ISP:  
ALUMN                JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 28.2      Displacement: 5700  
LWL: 22.8      Ballast: 2200  
Beam: 8.2        Engine: IB  
Draft: 4.5        Prop Type: FOLD

**Boat Name** Fog Dog                              **Sail #**  
224  
**Boat Type** Catalina 320  
**Rating: 165**   DW Rating:                      **Certificate Date** 1/16/2026  
Displacement used for DW Rating: 12719  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail**    I: 43.58  
115                   J: 12.33  
**Rig Type**            P: 38  
MS                    E: 13.25  
**Mast Material**    ISP:  
ALUMN                JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 32.5      Displacement: 11300  
LWL: 28         Ballast: 4000  
Beam: 11.75    Engine: IB  
Draft: 6         Prop Type: Fixed\_3

**Boat Name** Fortitude                             **Sail #**  
138  
**Boat Type** Catalina 42-1/2  
**Rating: 105**   DW Rating: 602   **Certificate Date** 3/18/2026  
Displacement used for DW Rating: 25500  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail**    I: 53  
120                   J: 16.42  
**Rig Type**            P: 46.75  
MS                    E: 15.42  
**Mast Material**    ISP: 53  
ALUMN                JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 41.83      Displacement: 20800  
LWL: 36         Ballast: 8300  
Beam: 13.83    Engine: IB  
Draft: 6.67     Prop Type: Fold

**Boat Name** Frances                              **Sail #**  
435  
**Boat Type** ALERION EXPRESS 28 ODR  
**Rating: 168**   DW Rating: 706   **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 5700  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail**    I: 30  
90                    J: 9.75  
**Rig Type**            P: 33  
FS                    E: 12.5  
**Mast Material**    ISP: 30  
ALUMN                JSP: 9.75

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 28.2      Displacement: 5700  
LWL: 22.8      Ballast: 2200  
Beam: 8.2        Engine: IB  
Draft: 4.5        Prop Type: Fold

**Boat Name** Free  
**Boat Type** S&S 30  
**Rating:** 144 DW Rating: 631 Certificate Date 1/6/2026  
Displacement used for DW Rating: 6000  
Certified PHRF Data on file?

**Modifications on file:** Powered winches

**Rig Data:**

Max Headsail I: 43.7  
95 J: 9.5  
Rig Type P: 40  
FS E: 14  
Mast Material ISP: 43.58  
ALUMN JSP: 9.5

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
37.5 43.2 15.8 16.7

LOA: 30.5  
LWL: 27.5  
Beam: 8.25  
Draft: 5.5  
Displacement: 6500  
Ballast: 2400  
Engine: IB  
Prop Type: Fold

**Boat Name** Freedom  
**Boat Type** Worth 40  
**Rating:** 96 DW Rating: 620 Certificate Date 3/24/2026  
Displacement used for DW Rating: 20394  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 54  
155 J: 16  
Rig Type P: 47  
MS E: 14  
Mast Material ISP:  
ALUMN JSP: 16

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
52 28.8 28.8 16  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 40  
LWL: 34.25  
Beam: 12.5  
Draft: 7.25  
Displacement: 21000  
Ballast: 7800  
Engine: IB  
Prop Type: FOLD

**Boat Name** Frequent Flyer  
**Boat Type** Mumm/Farr 30  
**Rating:** 54 DW Rating: 552 Certificate Date 1/9/2026  
Displacement used for DW Rating: 4561  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 38.2  
105 J: 10.9  
Rig Type P: 40.5  
FS E: 14.6  
Mast Material ISP: 44.9  
CARBON JSP: 13.58

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
44.58 25.25 24.67 13.58  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
41.33 46.92 23.67 25.25

LOA: 30.9  
LWL: 27.6  
Beam: 10.1  
Draft: 6.9  
Displacement: 4561  
Ballast: 1997  
Engine: IB  
Prop Type: Fold

**Boat Name** Friendship  
**Boat Type** Hanse 388  
**Rating:** 99 DW Rating: 608 Certificate Date 1/20/2026  
Displacement used for DW Rating: 18232  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 48.11  
105 J: 14.2  
Rig Type P: 45.11  
FS E: 16.9  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 37.42  
LWL: 34.01  
Beam: 12.82  
Draft: 6.75  
Displacement: 18232  
Ballast: 8100  
Engine: IB  
Prop Type: Fold

**Boat Name** Froeya  
**Boat Type** Hanse 341/342  
**Rating:** 141 DW Rating: 642 Certificate Date 1/9/2026  
Displacement used for DW Rating: 12700  
Certified PHRF Data on file?

Sail #  
60128

**Rig Data:**

Max Headsail I: 46  
100 J: 12.2  
Rig Type P: 42  
FS E: 15  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 34  
LWL: 29.2  
Beam: 11.2  
Draft: 5.9

Displacement: 11353  
Ballast: 3395  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

**Boat Name** Frogflips  
**Boat Type** J 24 ODR  
**Rating:** 168 DW Rating: 694 Certificate Date 1/6/2026  
Displacement used for DW Rating: 2870  
Certified PHRF Data on file?

Sail #  
2392

**Rig Data:**

Max Headsail I: 26.25  
150 J: 9.5  
Rig Type P: 28  
FS E: 9.75  
Mast Material ISP: 26.25  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
26.5 17.13 17.03 9.5  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 24  
LWL: 20  
Beam: 8.92  
Draft: 4

Displacement: 3100  
Ballast: 965  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Fulvia  
**Boat Type** ALERION EXPRESS 28 ODR  
**Rating:** 168 DW Rating: 705 Certificate Date 1/12/2026  
Displacement used for DW Rating: 5700  
Certified PHRF Data on file?

Sail #  
60251

**Rig Data:**

Max Headsail I: 30  
90 J: 9.75  
Rig Type P: 33  
FS E: 12.5  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 28.25  
LWL: 22.83  
Beam: 8.2  
Draft: 4.5

Displacement: 5700  
Ballast: 2200  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Further  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 629 Certificate Date 3/27/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
39

**Rig Data:**

Max Headsail I: 26.25  
150 J: 9.75  
Rig Type P: 25  
FS E: 9.5  
Mast Material ISP: 26.25  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
27 17.55 17.55 9.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 23.75  
LWL: 21.75  
Beam: 7.16  
Draft: 4.083

Displacement: 2050  
Ballast: 1025  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Furthur  
**Boat Type** Santa Cruz 27  
**Rating:** 141 DW Rating: 615 Certificate Date 6/9/2026  
Displacement used for DW Rating: 3200  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail 150  
Rig Type MS  
Mast Material ALUMN  
I: 32.7  
J: 10.9  
P: 28.25  
E: 8.7  
ISP: 32.7  
JSP: 10.9

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
32.8 19.6 19.6 10.9  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 27  
LWL: 24  
Beam: 8  
Draft: 4.5  
Displacement: 3300  
Ballast: 1600  
Engine: OB  
Prop Type: None

**Boat Name** Fury  
**Boat Type** Baltic 42 DP  
**Rating:** 72 DW Rating: 602 Certificate Date 4/30/2026  
Displacement used for DW Rating: 23440  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 4/29/26, -3 sec/mi for oversized spinnaker area, +3 sec/mi for non-articulation)

**Rig Data:**  
Max Headsail 140  
Rig Type MS  
Mast Material ALUMN  
I: 54.88  
J: 17.68  
P: 50  
E: 13.89  
ISP: 56  
JSP: 18.68

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
51.5 60.62 33.13 31.96

LOA: 41.94  
LWL: 34.42  
Beam: 13.34  
Draft: 7.92  
Displacement: 18400  
Ballast: 8060  
Engine: IB  
Prop Type: FOLD

**Boat Name** Galaxsea  
**Boat Type** Custom Nauticat 43.5  
**Rating:** 180 DW Rating: 636 Certificate Date 1/8/2026  
Displacement used for DW Rating: 35679  
Certified PHRF Data on file?

**Modifications on file:** Stay sail measurements foot=1', Luff=34'6", Leach=30'2", LP=132"

**Rig Data:**  
Max Headsail 130  
Rig Type KTCH  
Mast Material ALUMN  
I: 51  
J: 20  
P: 45  
E: 13.6  
ISP: 20.6

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
50.98 33.43 35.6 20  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
50 52 25.6 29.2

LOA: 43.6  
LWL: 37.7  
Beam: 12.2  
Draft: 5.9  
Displacement: 34000  
Ballast: 11000  
Engine: IB  
Prop Type: FEATH

**Boat Name** Gavilan  
**Boat Type** Custom Wylie 39  
**Rating:** 93 DW Rating: 613 Certificate Date 1/8/2026  
Displacement used for DW Rating: 17900  
Certified PHRF Data on file?

**Modifications on file:** (mtg 4/28/11, change custom rating from 84 to 96 after review of rating appeal)(Mtg 1/26/12, -3 sec/mi for sprit)

**Rig Data:**  
Max Headsail 95  
Rig Type MS  
Mast Material ALUMN  
I: 49  
J: 14.5  
P: 43  
E: 15.5  
ISP: 49  
JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
48.64 26.6 26.6 14.5  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
47.08 48.39 18.47 24.6

LOA: 41.5  
LWL: 31.75  
Beam: 11.5  
Draft: 6.77  
Displacement: 17900  
Ballast: 5920  
Engine: IB  
Prop Type: FEATH

**Boat Name** Gavilan  
**Boat Type** Olson 25  
**Rating:** 159 DW Rating: 673 Certificate Date 3/27/2026  
Displacement used for DW Rating: 0  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 32 Symmetric Spin? YES LOA: 25 Displacement: 3300  
155 J: 9.583 SL: SSMG: SSF: SPL: LWL: 21.25 Ballast: 1300  
Rig Type P: 28 31.5 17.25 17.25 9.583  
MS E: 10 Asymmetric Spin? Yes Beam: 9 Engine: OB  
Mast Material ISP: 32 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 9.6 27.6 31.6 15.7 16.1 Draft: 4.5

**Boat Name** Genesis  
**Boat Type** Beneteau 305  
**Rating:** 162 DW Rating: 668 Certificate Date 1/23/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 39.04 Symmetric Spin? Yes LOA: 30.42 Displacement: 8500  
125 J: 11.29 SL: SSMG: SSF: SPL: LWL: 26.17 Ballast: 2976  
Rig Type P: 33.79 37.4 20.3 20.3 10.4  
MS E: 11.25 Asymmetric Spin? NO Beam: 10.5 Engine: IB  
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: Draft: 5.58

**Boat Name** Gig  
**Boat Type** Humboldt 30 IB  
**Rating:** 108 DW Rating: 608 Certificate Date 2/10/2026  
Displacement used for DW Rating: 5400  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 37.5 Symmetric Spin? Yes LOA: 30 Displacement: 5400  
149 J: 11.5 SL: SSMG: SSF: SPL: LWL: 26.66 Ballast: 2222  
Rig Type P: 41.5 37 20.7 20.2 11.5  
FS E: 13.75 Asymmetric Spin? No Beam: 10.5 Engine: IB  
Mast Material ISP: 37.5 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: Draft: 5.75

**Boat Name** Godzilla  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 605 Certificate Date 1/22/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 28.5 Symmetric Spin? Yes LOA: 27.25 Displacement: 2450  
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100  
Rig Type P: 28.5 29 17.75 17.75 9.83  
FS E: 10.42 Asymmetric Spin? No Beam: 8.17 Engine: OB  
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: Draft: 4.5

**Boat Name** Golden Moon  
**Boat Type** Express 37  
**Rating:** 72 DW Rating: 587 Certificate Date 3/3/2026  
Displacement used for DW Rating: 10207  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 48.75  
155 J: 14.33  
Rig Type P: 42  
MS E: 13.75  
Mast Material ISP: 48.75  
ALUMN JSP: 46 49.8 25 29.5

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
48.27 25.79 25.79 14.33  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
46 49.8 25 29.5

LOA: 37  
LWL: 30.83  
Beam: 11.57  
Draft: 7.25

Displacement: 11000  
Ballast: 4500  
Engine: IB  
Prop Type: FOLD

**Boat Name** Good And Plenty  
**Boat Type** Soverel 33-2  
**Rating:** 96 DW Rating: 574 Certificate Date 1/20/2026  
Displacement used for DW Rating: 6500  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 42.5  
155 J: 12.75  
Rig Type P: 41  
MS E: 13  
Mast Material ISP: 41  
ALUMN JSP: 12.75

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
42.5 22.95 22.95 12.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 33  
LWL: 30.5  
Beam: 11  
Draft: 5.85

Displacement: 5800  
Ballast: 2800  
Engine: IB  
Prop Type: FOLD

**Boat Name** Good Deal  
**Boat Type** Cal 31  
**Rating:** 165 DW Rating: Certificate Date 3/23/2026  
Displacement used for DW Rating: 9170  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 41.5  
150 J: 13.42  
Rig Type P: 35  
MS E: 12  
Mast Material ISP: 23.42  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 31.5  
LWL: 25.75  
Beam: 10  
Draft: 5

Displacement: 9170  
Ballast: 3600  
Engine: IB  
Prop Type: Fold

**Boat Name** Grande Cuvee  
**Boat Type** Beneteau First 40  
**Rating:** 57 DW Rating: 583 Certificate Date 1/27/2026  
Displacement used for DW Rating: 18220  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 53  
139 J: 15.08  
Rig Type P: 51.2  
FS E: 17.92  
Mast Material ISP: 56.16  
ALUMN JSP: 16.207

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
53.24 63.94 31.59 30.38

LOA: 40.16  
LWL: 35  
Beam: 12.6  
Draft: 8.04

Displacement: 18220  
Ballast: 6610  
Engine: IB  
Prop Type: Fold

**Boat Name** Green Buffalo  
**Boat Type** CAL 40  
**Rating:** 114 DW Rating: 634 Certificate Date 1/23/2026  
Displacement used for DW Rating: 15148  
Certified PHRF Data on file?

Sail #  
8538

**Rig Data:**

Max Headsail I: 46.7  
155 J: 15.2  
Rig Type P: 39.8  
MS E: 17.6  
Mast Material ISP: 46.7  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
46.01 27.3 27.3 15.2  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 39.3  
LWL: 30  
Beam: 10.9  
Draft: 5.8

Displacement: 15148  
Ballast: 6000  
Engine: IB  
Prop Type: FEATH

**Modifications on file:** Schumacher designed rudder - same as original

**Boat Name** Grey Wulff  
**Boat Type** Beneteau Oceanis 30.1  
**Rating:** 150 DW Rating: 633 Certificate Date 1/20/2026  
Displacement used for DW Rating: 8807  
Certified PHRF Data on file?

Sail #  
238

**Rig Data:**

Max Headsail I: 36.75  
105 J: 12.67  
Rig Type P: 35.47  
FS E: 10.73  
Mast Material ISP: 37.43  
ALUMN JSP: 14.07

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
32.87 37.56 19.97 22.47

LOA: 31.3  
LWL: 29.6  
Beam: 9.81  
Draft: 6.17

Displacement: 8807  
Ballast: 2144  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Greyhound  
**Boat Type** Viper 830  
**Rating:** 63 DW Rating: 549 Certificate Date 1/27/2026  
Displacement used for DW Rating: 2500  
Certified PHRF Data on file?

Sail #  
50951

**Rig Data:**

Max Headsail I: 35.7  
105 J: 10.1  
Rig Type P: 35.7  
MS E: 13.3  
Mast Material ISP: 37.75  
CARBON JSP: 15

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
33.75 44 22 23

LOA: 27.7  
LWL: 25  
Beam: 8.5  
Draft: 7.16

Displacement: 2500  
Ballast: 1543  
Engine: OB  
Prop Type: None

**Modifications on file:** Roller Furler

**Boat Name** Gypsy Lady  
**Boat Type** CAL 34-1  
**Rating:** 174 DW Rating: 678 Certificate Date 1/15/2026  
Displacement used for DW Rating: 10213  
Certified PHRF Data on file?

Sail #  
7507

**Rig Data:**

Max Headsail I: 39  
155 J: 13.75  
Rig Type P: 33.5  
MS E: 14  
Mast Material ISP: 39  
ALUMN JSP: 13.75

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
39.29 24.75 24.75 13.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 33.3  
LWL: 26  
Beam: 10  
Draft: 5

Displacement: 10000  
Ballast: 3750  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

**Boat Name** H Pod **Sail #** 165  
**Boat Type** J 100 ODR  
**Rating:** 84 **DW Rating:** 586 **Certificate Date** 1/7/2026  
Displacement used for DW Rating: 7000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 38.5  
105 J: 11.5  
**Rig Type** P: 38  
FS E: 13.5  
**Mast Material** ISP: 43  
CARBON JSP: 15.9

**Symmetric Spin?** No  
SL: SSMG: SSF: SPL:  
**Asymmetric Spin?** Yes  
SLE: SLU: ASMG: ASF:  
39.12 49.13 26.08 25.02

**LOA:** 32.8  
**LWL:** 29  
**Beam:** 9.21  
**Draft:** 5.75

**Displacement:** 7013  
**Ballast:** 2450  
**Engine:** IB  
**Prop Type:** Fold

**Boat Name** H2Osprey **Sail #** 173  
**Boat Type** ALERION EXPRESS 28 ODR  
**Rating:** 168 **DW Rating:** 706 **Certificate Date** 1/8/2026  
Displacement used for DW Rating: 0  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 30  
90 J: 9.75  
**Rig Type** P: 33  
FS E: 12.5  
**Mast Material** ISP:  
ALUMN JSP:

**Symmetric Spin?** NO  
SL: SSMG: SSF: SPL:  
**Asymmetric Spin?** No  
SLE: SLU: ASMG: ASF:

**LOA:** 28.25  
**LWL:** 22.83  
**Beam:** 8.2  
**Draft:** 4.5

**Displacement:** 5700  
**Ballast:** 2200  
**Engine:** IB  
**Prop Type:** Fold

**Boat Name** Hang 20 **Sail #** 48  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 631 **Certificate Date** 3/3/2026  
Displacement used for DW Rating: 2939  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 28.5  
125 J: 9  
**Rig Type** P: 28.5  
FS E: 10.42  
**Mast Material** ISP: 28.5  
ALUMN JSP:

**Symmetric Spin?** Yes  
SL: SSMG: SSF: SPL:  
28.5 17.7 17.7 9.83  
**Asymmetric Spin?** Yes  
SLE: SLU: ASMG: ASF:  
27.17 30.35 17 17.39

**LOA:** 27.25  
**LWL:** 23.8  
**Beam:** 8.17  
**Draft:** 4.5

**Displacement:** 2450  
**Ballast:** 1100  
**Engine:** OB  
**Prop Type:** None

**Boat Name** Hare-O-Dynamic **Sail #** 47  
**Boat Type** Wylie Wabbit ODR W/Trap  
**Rating:** 126 **DW Rating:** 590 **Certificate Date** 4/26/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:** INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.

**Rig Data:**

**Max Headsail** I: 20.5  
150 J: 6.5  
**Rig Type** P: 23.75  
FS E: 10  
**Mast Material** ISP: 20.5  
ALUMN JSP:

**Symmetric Spin?** Yes  
SL: SSMG: SSF: SPL:  
22 13.9 13.7 8.5  
**Asymmetric Spin?** No  
SLE: SLU: ASMG: ASF:

**LOA:** 23.75  
**LWL:** 20  
**Beam:** 5.583  
**Draft:** 3.5

**Displacement:** 975  
**Ballast:** 440  
**Engine:** OB  
**Prop Type:** None

**Boat Name** Heart of Gold  
**Boat Type** Olson 911S  
**Rating:** 126 DW Rating: 658 Certificate Date 1/6/2026  
Displacement used for DW Rating: 7500  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 41.5 Symmetric Spin? Yes LOA: 29.9 Displacement: 7200  
150 J: 12.33 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3200  
Rig Type P: 35.5 41.1 22.19 22.19 12.16 Beam: 10.3 Engine: IB  
MS E: 11.83 Asymmetric Spin? No Prop Type: FOLD  
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Draft: 5.5  
ALUMN JSP:

**Boat Name** Hei Hei  
**Boat Type** Melges 24  
**Rating:** 84 DW Rating: 568 Certificate Date 1/26/2026  
Displacement used for DW Rating: 1783  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 27.85 Symmetric Spin? No LOA: 24 Displacement: 1650  
110 J: 7.95 SL: SSMG: SSF: SPL: LWL: 22 Ballast: 625  
Rig Type P: 28.75 7.95 Engine: OB  
FS E: 12.416 Asymmetric Spin? Yes Prop Type: None  
Mast Material ISP: 31.85 SLE: SLU: ASMG: ASF: Draft: 5.25  
CARBON JSP: 12 32.9 38 19.23 20.67

**Boat Name** Heron  
**Boat Type** C&C 32  
**Rating:** 162 DW Rating: 684 Certificate Date 1/27/2026  
Displacement used for DW Rating: 9680  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 1/26/26, +3 sec/mi for non-articulating spinnaker tack)

**Rig Data:**

Max Headsail I: 41.1 Symmetric Spin? No LOA: 31.5 Displacement: 9680  
90 J: 12.8 SL: SSMG: SSF: SPL: LWL: 24.67 Ballast: 3900  
Rig Type P: 35.3 40.91 22.95 22.95 12.75 Beam: 10.25 Engine: IB  
MS E: 11.3 Asymmetric Spin? Yes Prop Type: Fixed\_2  
Mast Material ISP: 41 SLE: SLU: ASMG: ASF: Draft: 5.67  
ALUMN JSP: 13.5 33.83 41.83 15.58 20.67

**Boat Name** High and Dry  
**Boat Type** Santana 22  
**Rating:** 234 DW Rating: 741 Certificate Date 1/22/2026  
Displacement used for DW Rating: 2600  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26 Symmetric Spin? Yes LOA: 22 Displacement: 2600  
150 J: 8.5 SL: SSMG: SSF: SPL: LWL: 18.67 Ballast: 1230  
Rig Type P: 21.75 26 15.44 15.44 8.58 Beam: 7.83 Engine: OB  
MS E: 9.83 Asymmetric Spin? No Prop Type: None  
Mast Material ISP: 26 SLE: SLU: ASMG: ASF: Draft: 3.5  
ALUMN JSP:

**Boat Name** Hijinks **Sail #** 90  
**Boat Type** J 92  
**Rating:** 108 **DW Rating:** 605 **Certificate Date** 1/16/2026  
Displacement used for DW Rating: 5800  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 37 *Symmetric Spin?* No  
125 J: 11.5  
Rig Type P: 37.66  
FS E: 13.22  
Mast Material ISP: 38.5  
ALUMN JSP: 17  
SLE: 40.85 SLU: 45.4 ASMG: 23.55 ASF: 26.51

LOA: 30 Displacement: 5500  
LWL: 26.5 Ballast: 2275  
Beam: 10 Engine: IB  
Draft: 5.9 Prop Type: Fold

**Boat Name** Holy Hand Grenade **Sail #** 40  
**Boat Type** Wylie Wabbit ODR W/Trap  
**Rating:** 126 **DW Rating:** 591 **Certificate Date** 6/5/2026  
Displacement used for DW Rating: 975  
Certified PHRF Data on file?

**Modifications on file:** Hiking straps and single trapeze

**Rig Data:**

Max Headsail I: 20.75 *Symmetric Spin?* YES  
150 J: 6.5  
Rig Type P: 23.75  
FS E: 10  
Mast Material ISP: 20.5  
ALUMN JSP:  
SLE: 21.5 SLU: 14 ASMG: 14 ASF: 8.5

LOA: 23.75 Displacement: 975  
LWL: 20 Ballast: 440  
Beam: 5.58 Engine: OB  
Draft: 3.5 Prop Type: None

**Boat Name** Hot Sheet **Sail #** 10  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 608 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 2450  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5 *Symmetric Spin?* YES  
155 J: 9  
Rig Type P: 28.5  
FS E: 10.42  
Mast Material ISP: 28.5  
ALUMN JSP:  
SLE: 29 SLU: 17.75 ASMG: 17.75 ASF: 9.83

LOA: 27.25 Displacement: 2450  
LWL: 23.75 Ballast: 1100  
Beam: 8.17 Engine: OB  
Draft: 4.5 Prop Type: None

**Boat Name** Humble Vandal **Sail #** 64999  
**Boat Type** J 92  
**Rating:** 108 **DW Rating:** 602 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 5800  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 37 *Symmetric Spin?* No  
125 J: 11.5  
Rig Type P: 38  
FS E: 13.5  
Mast Material ISP: 38.5  
ALUMN JSP: 17  
SLE: 40.8 SLU: 45.4 ASMG: 25.1 ASF: 26.5

LOA: 30 Displacement: 5500  
LWL: 26.5 Ballast: 2275  
Beam: 10 Engine: IB  
Draft: 5.9 Prop Type: Fold

**Boat Name** Hygge  
**Boat Type** BB-10  
**Rating:** 135 DW Rating: 640 Certificate Date 1/7/2026  
Displacement used for DW Rating: 4956  
Certified PHRF Data on file?

Sail #  
714

**Rig Data:**

Max Headsail I: 30.1  
110 J: 9.82  
Rig Type P: 36.09  
FS E: 11.65  
Mast Material ISP: 30.33  
ALUMN JSP: 9

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
32.25 17.7 17.7 9  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
28.17 31.5 14.42 17

LOA: 32.67  
LWL: 23.92  
Beam: 7.55  
Draft: 4.8

Displacement: 4956  
Ballast: 2700  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Hypatia  
**Boat Type** Solaris 47  
**Rating:** 27 DW Rating: 542 Certificate Date 4/14/2026  
Displacement used for DW Rating: 29321  
Certified PHRF Data on file?

Sail #  
70777

**Rig Data:**

Max Headsail I: 64.31  
88 J: 17.96  
Rig Type P: 62.5  
FS E: 21.33  
Mast Material ISP: 68  
ALUMN JSP: 20

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
58.25 66.5 24.75 33

LOA: 47.8  
LWL: 43.9  
Beam: 14.1  
Draft: 8.2

Displacement: 29321  
Ballast: 9000  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 4/26/21, Custom Rating Assigned. Includes -3 sec/mi penalty for electric sheeting winches, manually eased. As Sailed: 15)(mtg 8/25/25, custom rating changed from 15 to 27)

**Boat Name** Imagination  
**Boat Type** Bavaria 40  
**Rating:** 108 DW Rating: 599 Certificate Date 2/26/2026  
Displacement used for DW Rating: 17417  
Certified PHRF Data on file?

Sail #  
38140

**Rig Data:**

Max Headsail I: 47.25  
111 J: 14.58  
Rig Type P: 44.46  
FS E: 15.58  
Mast Material ISP: 48  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
46.97 26.2 26.2 14.58  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
44 48 22 20

LOA: 40.94  
LWL: 35.93  
Beam: 13.1  
Draft: 6.4

Displacement: 17417  
Ballast: 6283  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Inconceivable  
**Boat Type** J 88  
**Rating:** 81 DW Rating: 563 Certificate Date 1/15/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
9

**Rig Data:**

Max Headsail I: 38.67  
104 J: 11.28  
Rig Type P: 36.82  
FS E: 12  
Mast Material ISP: 46  
CARBON JSP: 18.05

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
40.84 47.83 27.32 29

LOA: 29.19  
LWL: 26.84  
Beam: 9.5  
Draft: 6.5

Displacement: 4990  
Ballast: 1840  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

<b>Boat Name</b> Invictus	<b>Sail #</b> 12	<b>Max Headsail</b> 105	<b>I:</b> 46.58	<b>Symmetric Spin?</b> Yes	<b>LOA:</b> 35.42	<b>Displacement:</b> 10362
<b>Boat Type</b> Jeanneau Sun Fast 3600			<b>J:</b> 13.83	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 31.25	<b>Ballast:</b> 4850
<b>Rating:</b> 60 <b>DW Rating:</b> 580 <b>Certificate Date</b> 1/12/2026	<b>Rig Data:</b>	<b>Rig Type</b> FS	<b>P:</b> 44.25	47.9 29.85 29.85 16.32	<b>Beam:</b> 11.67	<b>Engine:</b> IB
<b>Displacement used for DW Rating:</b> 10362		<b>Mast Material</b> ALUMN	<b>E:</b> 15.08	<b>Asymmetric Spin?</b> No	<b>Draft:</b> 7	<b>Prop Type:</b> Feath
<b>Certified PHRF Data on file?</b> <input type="checkbox"/>			<b>ISP:</b> 48	<b>SLE: SLU: ASMG: ASF:</b>		
			<b>JSP:</b> 13.83	48.85 55.12 32.55 31.99		

**Modifications on file:** (Mtg 11/30/17, -3 sec/mi for oversized asymmetric spinnaker)(mtg 1/25/21, removed Asymmetric Spinnaker, added smaller symmetric spinnaker on a shorter pole. +3 sec/mi for smaller spinnaker area, +3 sec/mi for shorter spl, -3 sec/mi for articulation)(Mtg 1/24/22, -3 sec/mi for increased spinnaker area)

<b>Boat Name</b> 'io	<b>Sail #</b> 38124	<b>Max Headsail</b> 125	<b>I:</b> 36.98	<b>Symmetric Spin?</b> No	<b>LOA:</b> 27.73	<b>Displacement:</b> 2500
<b>Boat Type</b> Antrim 27 C			<b>J:</b> 12.13	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 23.75	<b>Ballast:</b> 1225
<b>Rating:</b> 60 <b>DW Rating:</b> 540 <b>Certificate Date</b> 4/30/2026	<b>Rig Data:</b>	<b>Rig Type</b> FS	<b>P:</b> 33.75		<b>Beam:</b> 9.25	<b>Engine:</b> OB
<b>Displacement used for DW Rating:</b> 2518		<b>Mast Material</b> CARBON	<b>E:</b> 13.8	<b>Asymmetric Spin?</b> Yes	<b>Draft:</b> 6	<b>Prop Type:</b> None
<b>Certified PHRF Data on file?</b> <input checked="" type="checkbox"/>			<b>ISP:</b> 36.98	<b>SLE: SLU: ASMG: ASF:</b>		
			<b>JSP:</b> 15.22	36.29 40.94 22.51 23.56		

**Modifications on file:** Carbon Hull & Deck. (Mtg 1/20/20, -3 sec/mi for carbon mods)(Mtg 10/26/20, change penalty for carbon mods from -3 sec/mi to -6 sec/mi)(Mtg 4/29/24, -3 sec/mi for spinnaker area increase)(Mtg 4/29/26, -6 sec/mi for J0)

<b>Boat Name</b> lolani	<b>Sail #</b> 38048	<b>Max Headsail</b> 135	<b>I:</b> 54.3	<b>Symmetric Spin?</b> Yes	<b>LOA:</b> 48	<b>Displacement:</b> 32000
<b>Boat Type</b> Hughes 48			<b>J:</b> 18.2	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 35.1	<b>Ballast:</b> 14300
<b>Rating:</b> 120 <b>DW Rating:</b> 600 <b>Certificate Date</b> 4/17/2026	<b>Rig Data:</b>	<b>Rig Type</b> YAWL	<b>P:</b> 48.2	40.32 32.76 32.76 18.2	<b>Beam:</b> 11.1	<b>Engine:</b> IB
<b>Displacement used for DW Rating:</b> 32000		<b>Mast Material</b> ALUMN	<b>E:</b> 19	<b>Asymmetric Spin?</b> Yes	<b>Draft:</b> 6	<b>Prop Type:</b> FEATH
<b>Certified PHRF Data on file?</b> <input type="checkbox"/>			<b>ISP:</b>	<b>SLE: SLU: ASMG: ASF:</b>		
			<b>JSP:</b> 20.2	48.6 54 32.76 32.76		

**Modifications on file:**

<b>Boat Name</b> Irish Rose	<b>Sail #</b> 0	<b>Max Headsail</b> 150	<b>I:</b> 35.5	<b>Symmetric Spin?</b> No	<b>LOA:</b> 28.3	<b>Displacement:</b> 13500
<b>Boat Type</b> Westsail 28			<b>J:</b> 17.3	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 23.5	<b>Ballast:</b> 4200
<b>Rating:</b> 246 <b>DW Rating:</b> 725 <b>Certificate Date</b> 1/9/2026	<b>Rig Data:</b>	<b>Rig Type</b> MS	<b>P:</b> 31.5		<b>Beam:</b> 9.6	<b>Engine:</b> IB
<b>Displacement used for DW Rating:</b> 13500		<b>Mast Material</b> ALUMN	<b>E:</b> 12.3	<b>Asymmetric Spin?</b> No	<b>Draft:</b> 4.3	<b>Prop Type:</b> Fixed_3
<b>Certified PHRF Data on file?</b> <input type="checkbox"/>			<b>ISP:</b>	<b>SLE: SLU: ASMG: ASF:</b>		
			<b>JSP:</b>			

**Modifications on file:**

**Boat Name** Jacqueline  
**Boat Type** Freedom 30 SD  
**Rating:** 174 DW Rating: 688 Certificate Date 2/10/2026  
Displacement used for DW Rating: 7660  
Certified PHRF Data on file?

Sail #  
3

**Rig Data:**

Max Headsail I: 28.4  
J: 9.8  
Rig Type P: 35.2  
CAT E: 13.9  
Mast Material ISP:  
CARBON JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
31.4 14 16.7 9  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
Draft: 4.5

LOA: 30  
LWL: 25.42  
Beam: 10.8  
Draft: 4.5

Displacement: 7660  
Ballast: 3150  
Engine: IB  
Prop Type: Fixed\_2

**Modifications on file:**

**Boat Name** Jam Jam  
**Boat Type** Yankee 30-1 SM  
**Rating:** 192 DW Rating: 708 Certificate Date 5/8/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
90

**Rig Data:**

Max Headsail I: 37.5  
100 J: 12.75  
Rig Type P: 34.5  
MS E: 9.75  
Mast Material ISP: 37.5  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
35 19.5 22.5 12.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
Draft: 5.1

LOA: 30  
LWL: 23  
Beam: 9  
Draft: 5.1

Displacement: 8900  
Ballast: 4180  
Engine: IB  
Prop Type: Fixed\_3

**Modifications on file:** (mtg 4/28/11, +3 sec/mi for engine modifications)

**Boat Name** Jamani  
**Boat Type** J 120 ALUM  
**Rating:** 45 DW Rating: 543 Certificate Date 1/9/2026  
Displacement used for DW Rating: 14799  
Certified PHRF Data on file?

Sail #  
52879

**Rig Data:**

Max Headsail I: 50.5  
150 J: 14.5  
Rig Type P: 46.5  
FS E: 17.8  
Mast Material ISP: 52  
ALUMN JSP: 21.5

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
50 64 37 34

LOA: 40  
LWL: 35  
Beam: 12  
Draft: 7

Displacement: 13900  
Ballast: 6000  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

**Boat Name** Jarlen  
**Boat Type** J 35  
**Rating:** 72 DW Rating: 597 Certificate Date 4/30/2026  
Displacement used for DW Rating: 10000  
Certified PHRF Data on file?

Sail #  
28528

**Rig Data:**

Max Headsail I: 46.333  
150 J: 14.583  
Rig Type P: 41.416  
MS E: 14  
Mast Material ISP: 46.3  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
46 26 26 #####  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
Draft: 6.75

LOA: 35.42  
LWL: 30  
Beam: 11.67  
Draft: 6.75

Displacement: 10500  
Ballast: 4400  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

**Boat Name** Javelin **Sail #** 3  
**Boat Type** J 125  
**Rating:** -12 **DW Rating:** 481 **Certificate Date** 5/19/2026  
Displacement used for DW Rating: 9407  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 48.9 *Symmetric Spin?* No LOA: 41 Displacement: 9407  
155 J: 14.7 SL: SSMG: SSF: SPL: LWL: 37 Ballast: 4500  
Rig Type P: 46.43  
MS E: 17.98 *Asymmetric Spin?* Yes Beam: 10.6 Engine: IB  
Mast Material ISP: 52 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: 23.1 52.55 61.67 37.86 37.89 Draft: 7.9

**Boat Name** Jeannette **Sail #** 40646  
**Boat Type** Custom Frers 40 IOR 1 Tonner  
**Rating:** 63 **DW Rating:** 572 **Certificate Date** 1/22/2026  
Displacement used for DW Rating: 11918  
Certified PHRF Data on file?

**Modifications on file:** (mtg 5/31/07 custom rating changed from 63 to 60 based on performance data)(Mtg 8/27/15, change custom rating back to 63 after review of race results)

**Rig Data:**  
Max Headsail I: 47.2 *Symmetric Spin?* Yes LOA: 39.5 Displacement: 11918  
100 J: 13.7 SL: SSMG: SSF: SPL: LWL: 33 Ballast: 6000  
Rig Type P: 51.48 46.69 24.66 24.66 13.7  
FS E: 18.76 *Asymmetric Spin?* No Beam: 12.6 Engine: IB  
Mast Material ISP: 13.7 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: Draft: 8.1

**Boat Name** Jeannette **Sail #** 87944  
**Boat Type** Dufour Arpege 30  
**Rating:** 198 **DW Rating:** 709 **Certificate Date** 5/1/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 4/24/23, -3 sec/mi for oversized spinnaker)

**Rig Data:**  
Max Headsail I: 37 *Symmetric Spin?* No LOA: 30 Displacement: 7700  
125 J: 10.5 SL: SSMG: SSF: SPL: LWL: 22.7 Ballast: 3050  
Rig Type P: 31  
MS E: 11.8 *Asymmetric Spin?* Yes Beam: 9.92 Engine: IB  
Mast Material ISP: 37 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 10.5 31.16 37.4 20.73 21.52 Draft: 4.5

**Boat Name** Jet Stream **Sail #** 9045  
**Boat Type** Custom JS 9000  
**Rating:** 60 **DW Rating:** 544 **Certificate Date** 1/22/2026  
Displacement used for DW Rating: 2425  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 1/22/09, custom rating of 78 assigned)(Mtg 8/19/10, -9 sec/mi for adding 3' sprit, -3 sec/mi for increased spinnaker area, Original rating of 78 contained a 3 sec error, rating should have been 75, change custom rating to 63)(7/27/17, New mainsail, change rating from 63 to 60)

**Rig Data:**  
Max Headsail I: 27.08 *Symmetric Spin?* No LOA: 29.9 Displacement: 2425  
90 J: 9.5 SL: SSMG: SSF: SPL: LWL: 27.9 Ballast: 1543  
Rig Type P: 30.84  
FS E: 10.171 *Asymmetric Spin?* Yes Beam: 5.7 Engine: OB  
Mast Material ISP: 30.25 SLE: SLU: ASMG: ASF: Prop Type: None  
CARBON JSP: 15.5 30.1 35.8 20.1 21.8 Draft: 6.8

**Boat Name** JGPC  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78 DW Rating: 583 Certificate Date 1/9/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 40.6  
100 J: 13.5  
Rig Type P: 41.5  
FS E: 14.5  
Mast Material ISP: 42.1  
ALUMN JSP: 19.07

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
39.8 49.5 24.6 26

LOA: 34.5  
LWL: 29.5  
Beam: 11  
Draft: 6.5

Displacement: 7750  
Ballast: 3400  
Engine: IB  
Prop Type: FOLD

**Boat Name** JouJou  
**Boat Type** Capo 30  
**Rating:** 123 DW Rating: 658 Certificate Date 1/12/2026  
Displacement used for DW Rating: 7200  
Certified PHRF Data on file?

**Modifications on file:** Roller Furler (Mtg 1/25/18, New Rudder Installed, NCTR)

**Rig Data:**

Max Headsail I: 41.7  
120 J: 12.75  
Rig Type P: 36  
MS E: 11.5  
Mast Material ISP: 41.5  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
41.5 21.5 21 12  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 30  
LWL: 25  
Beam: 10.33  
Draft: 5.43

Displacement: 7200  
Ballast: 3000  
Engine: IB  
Prop Type: Fold

**Boat Name** Joyride  
**Boat Type** Express 34  
**Rating:** 102 DW Rating: 624 Certificate Date 1/15/2026  
Displacement used for DW Rating: 9129  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 44.25  
115 J: 13  
Rig Type P: 38.5  
MS E: 12.83  
Mast Material ISP: 44.25  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
44 23.4 23.4 13  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 34  
LWL: 28.33  
Beam: 10.33  
Draft: 6.11

Displacement: 8000  
Ballast: 3800  
Engine: IB  
Prop Type: FOLD

**Boat Name** J-Tripper  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78 DW Rating: 576 Certificate Date 4/28/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 40.6  
100 J: 13.5  
Rig Type P: 41.5  
FS E: 14.5  
Mast Material ISP: 42.1  
ALUMN JSP: 19.07

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
38.71 48.88 23.26 25

LOA: 34.5  
LWL: 29.5  
Beam: 11  
Draft: 6.5

Displacement: 7750  
Ballast: 3400  
Engine: IB  
Prop Type: FOLD

**Boat Name** Jubilant **Sail #** 39581  
**Boat Type** J 112e GP  
**Rating:** 48 **DW Rating:** 583 **Certificate Date** 4/28/2026  
Displacement used for DW Rating: 12339  
Certified PHRF Data on file?   
**Modifications on file:** (Mtg 4/29/24, -3 sec/mi for increased spinnaker area)

**Rig Data:**  
Max Headsail I: 49.02 *Symmetric Spin?* No LOA: 36 Displacement: 11814  
105 J: 14.01 SL: SSMG: SSF: SPL: LWL: 31.73 Ballast: 4195  
Rig Type P: 45.6 Beam: 11.81 Engine: IB  
FS E: 15.35 *Asymmetric Spin?* Yes Prop Type: Fold  
Mast Material ISP: 52.36 SLE: SLU: ASMG: ASF: Draft: 7.28  
CARBON JSP: 20.11 50.52 54.99 33.3 32.217

**Boat Name** Kahoots **Sail #** 87477  
**Boat Type** Andrews 43  
**Rating:** 18 **DW Rating:** 552 **Certificate Date** 1/6/2026  
Displacement used for DW Rating: 16804  
Certified PHRF Data on file?   
**Modifications on file:** Roller Furler. (Mtg 1/21/19, custom rating assigned. As Sailed: 15)(Mtg 10/26/20, change custom rating from 15 to 21)(Mtg 1/24/22, added 26" sprit, -3 sec/mi. Change custom rating from 21 to 18)

**Rig Data:**  
Max Headsail I: 56.98 *Symmetric Spin?* Yes LOA: 43.48 Displacement: 15251  
155 J: 16.5 SL: SSMG: SSF: SPL: LWL: 36.7 Ballast: 6581  
Rig Type P: 50.09 56.3 29.7 28.92 18.7 Engine: IB  
MS E: 17.78 *Asymmetric Spin?* Yes Prop Type: Fold  
Mast Material ISP: 57 SLE: SLU: ASMG: ASF: Draft: 8.86  
ALUMN JSP: 18.7 55.5 60.4 29 29.13

**Boat Name** Kangaroo Jockey **Sail #** 29  
**Boat Type** J 70 ODR  
**Rating:** 114 **DW Rating:** 611 **Certificate Date** 1/6/2026  
Displacement used for DW Rating: 1750  
Certified PHRF Data on file?   
**Modifications on file:**

**Rig Data:**  
Max Headsail I: 26.77 *Symmetric Spin?* No LOA: 22.78 Displacement: 1750  
100 J: 7.68 SL: SSMG: SSF: SPL: LWL: 20.47 Ballast: 630  
Rig Type P: 26.16 Beam: 7.38 Engine: OB  
FS E: 9.44 *Asymmetric Spin?* Yes Prop Type: None  
Mast Material ISP: 30.15 SLE: SLU: ASMG: ASF: Draft: 4.92  
CARBON JSP: 13.5 28.87 35.43 18.24 18.7

**Boat Name** Kapai **Sail #** 438  
**Boat Type** Islander 36 ODR  
**Rating:** 147 **DW Rating:** 663 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 18325  
Certified PHRF Data on file?   
**Modifications on file:**

**Rig Data:**  
Max Headsail I: 45 *Symmetric Spin?* Yes LOA: 36.08 Displacement: 13450  
125 J: 14.48 SL: SSMG: SSF: SPL: LWL: 28.25 Ballast: 5500  
Rig Type P: 39.25 44.5 25.83 25.83 14.48 Engine: IB  
MS E: 12.75 *Asymmetric Spin?* No Prop Type: FOLD  
Mast Material ISP: 45 SLE: SLU: ASMG: ASF: Draft: 6  
ALUMN JSP: 20.11

**Boat Name** Kavancha  
**Boat Type** Jeanneau Sun Fast 3200  
**Rating:** 81 DW Rating: 604 Certificate Date 1/15/2026  
Displacement used for DW Rating: 7455  
Certified PHRF Data on file?

Sail #  
7932

**Rig Data:**

Max Headsail I: 41.92  
110 J: 12.63  
Rig Type P: 38.67  
FS E: 13.58  
Mast Material ISP: 43.77  
ALUMN JSP: 13.61

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
44.91 24.08 23.59 13.58  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
41 41 24.5 24.5

LOA: 32.1  
LWL: 28  
Beam: 11.5  
Draft: 6.2

Displacement: 7496  
Ballast: 2866  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Keaka  
**Boat Type** Ericson 34 Olson TM  
**Rating:** 102 DW Rating: 623 Certificate Date 1/9/2026  
Displacement used for DW Rating: 10498  
Certified PHRF Data on file?

Sail #  
3

**Rig Data:**

Max Headsail I: 46.77  
125 J: 13.25  
Rig Type P: 37.25  
MS E: 13.5  
Mast Material ISP:  
ALUMN JSP: 16.25

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
45.14 52.74 30.41 28.24

LOA: 34  
LWL: 28  
Beam: 10.83  
Draft: 6

Displacement: 10600  
Ballast: 3500  
Engine: IB  
Prop Type: Feath

**Modifications on file:** (Mtg 2/28/22, -9 sec/mi for oversized JSP -9 sec/mi for oversized spinnaker area, +3 sec/mi for non-articulation)(4/5/23, removed sprit and oversized asymmetric, +18 sec/mi. Removed +3 sec/mi credit for non-articulation)

**Boat Name** Kestrel  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78 DW Rating: 592 Certificate Date 1/12/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

Sail #  
312

**Rig Data:**

Max Headsail I: 40.6  
100 J: 13.5  
Rig Type P: 41.5  
FS E: 14.5  
Mast Material ISP: 42.1  
ALUMN JSP: 19.07

*Symmetric Spin?* NO  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
39.8 49.5 24.6 26.2

LOA: 34.5  
LWL: 29.5  
Beam: 11  
Draft: 6.5

Displacement: 7750  
Ballast: 3400  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Kincsem  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78 DW Rating: 595 Certificate Date 1/9/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

Sail #  
125

**Rig Data:**

Max Headsail I: 40.6  
100 J: 13.5  
Rig Type P: 41.5  
FS E: 14.5  
Mast Material ISP: 42.1  
ALUMN JSP: 19.07

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
39.8 49.5 22.3 26.2

LOA: 34.5  
LWL: 29.5  
Beam: 11  
Draft: 6.5

Displacement: 7750  
Ballast: 3400  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Kinsale  
**Boat Type** Sabre 36  
**Rating:** 126 DW Rating: 644 Certificate Date 6/23/2026  
Displacement used for DW Rating: 13200  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 47.1  
125 J: 14.4  
Rig Type P: 41.6  
MS E: 13  
Mast Material ISP: 47.1  
ALUMN JSP: 14.4

*Symmetric Spin?* NO  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
41.67 46 17.5 23

LOA: 36  
LWL: 29.38  
Beam: 11.25  
Draft: 6.33

Displacement: 13200  
Ballast: 5400  
Engine: IB  
Prop Type: Fold

**Boat Name** Kira  
**Boat Type** Aerodyne 38 SD  
**Rating:** 48 DW Rating: 534 Certificate Date 1/8/2026  
Displacement used for DW Rating: 11850  
Certified PHRF Data on file?

**Modifications on file:** Power Winches

**Rig Data:**

Max Headsail I: 50.82  
120 J: 14.5  
Rig Type P: 51.75  
FS E: 16.5  
Mast Material ISP: 57.25  
ALUMN JSP: 20.83

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
58.5 65.5 40 39.5

LOA: 37.66  
LWL: 34.21  
Beam: 13  
Draft: 6

Displacement: 11850  
Ballast: 4150  
Engine: IB  
Prop Type: Fixed\_2

**Boat Name** Kookaburra  
**Boat Type** Bird ODR  
**Rating:** 204 DW Rating: Certificate Date 3/3/2026  
Displacement used for DW Rating: 8900  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 20.25  
100 J: 9.5  
Rig Type P: 32  
MS E: 20.5  
Mast Material ISP: 20.25  
WOOD JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 30.083  
LWL: 24.25  
Beam: 7.666  
Draft: 5.25

Displacement: 8900  
Ballast: 5000  
Engine: OB  
Prop Type: None

**Boat Name** Kuai  
**Boat Type** Melges 32 MOD  
**Rating:** 27 DW Rating: 497 Certificate Date 1/16/2026  
Displacement used for DW Rating: 3828  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 4/29/19, Class OB switched out, 50# lead brick added)

**Rig Data:**

Max Headsail I: 40.86  
105 J: 10.7  
Rig Type P: 44.05  
FS E: 15.49  
Mast Material ISP: 48.3  
CARBON JSP: 18.7

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
46.9 55.75 31.31 31.82

LOA: 31.84  
LWL: 28.5  
Beam: 9.83  
Draft: 7

Displacement: 4200  
Ballast: 1600  
Engine: OB  
Prop Type: None

**Boat Name** Kwazy **Sail #** 26  
**Boat Type** Wylie Wabbit ODR W/Trap  
**Rating:** 126 **DW Rating:** 595 **Certificate Date** 1/9/2026  
Displacement used for DW Rating: 975  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 20.416  
150 J: 6.416  
**Rig Type** P: 23  
FS E: 10  
**Mast Material** ISP: 20.5  
ALUMN JSP:

**Symmetric Spin?** Yes  
SL: SSMG: SSF: SPL:  
22 14 14 8.5  
**Asymmetric Spin?** No  
SLE: SLU: ASMG: ASF:

LOA: 23.58  
LWL: 20  
Beam: 5.42  
Draft: 3.41  
Displacement: 975  
Ballast: 440  
Engine: NONE  
Prop Type: None

**Boat Name** Kynntana **Sail #** 38086  
**Boat Type** Freedom 38  
**Rating:** 141 **DW Rating:** 645 **Certificate Date** 4/28/2026  
Displacement used for DW Rating: 15041  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 33.34  
108 J: 11.5  
**Rig Type** P: 45.5  
FS E: 16.57  
**Mast Material** ISP: 34.1  
CARBON JSP: 11.5

**Symmetric Spin?** No  
SL: SSMG: SSF: SPL:  
**Asymmetric Spin?** Yes  
SLE: SLU: ASMG: ASF:  
32.5 34 16 17

LOA: 38.42  
LWL: 30.58  
Beam: 12.5  
Draft: 5.6  
Displacement: 14370  
Ballast: 6500  
Engine: IB  
Prop Type: Fold

**Boat Name** L20 **Sail #** 18721  
**Boat Type** J 29 7/8 OB  
**Rating:** 123 **DW Rating:** 652 **Certificate Date** 1/20/2026  
Displacement used for DW Rating: 6244  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 35  
150 J: 11.5  
**Rig Type** P: 38.8  
FS E: 13  
**Mast Material** ISP: 35  
ALUMN JSP:

**Symmetric Spin?** Yes  
SL: SSMG: SSF: SPL:  
35 20 20 12.2  
**Asymmetric Spin?** No  
SLE: SLU: ASMG: ASF:

LOA: 29.5  
LWL: 25  
Beam: 11  
Draft: 5.6  
Displacement: 6000  
Ballast: 2100  
Engine: OB  
Prop Type: None

**Boat Name** La Dolce Vita **Sail #** 64  
**Boat Type** J 32  
**Rating:** 120 **DW Rating:** 641 **Certificate Date** 4/1/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 8/22/13, -6 sec/mi for sprit)

**Rig Data:**

**Max Headsail** I: 39.2  
155 J: 11  
**Rig Type** P: 38.5  
FS E: 15.5  
**Mast Material** ISP: 40.5  
ALUMN JSP: 13

**Symmetric Spin?** No  
SL: SSMG: SSF: SPL:  
**Asymmetric Spin?** Yes  
SLE: SLU: ASMG: ASF:  
39.5 43 19.7 19.7

LOA: 32.4  
LWL: 29  
Beam: 11  
Draft: 6  
Displacement: 10000  
Ballast: 3840  
Engine: IB  
Prop Type: Feath

**Boat Name** La Viajera **Sail #** 56480  
**Boat Type** J 109 ODR w/108^ m  
**Rating:** 72 **DW Rating:** 598 **Certificate Date** 1/16/2026  
**Displacement used for DW Rating:** 11000  
**Certified PHRF Data on file?**

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	46.5	<i>Symmetric Spin?</i>	No	LOA:	35.25	Displacement:	10900
105	J:	13.3	SL:	SSMG:	SSF:	SPL:	Ballast:	3900
Rig Type	P:	43.25			LWL:	30.5	Engine:	IB
FS	E:	15.5	<i>Asymmetric Spin?</i>	Yes	Beam:	11.5	Prop Type:	Fold
Mast Material	ISP:	49.6	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	18.8	45.63	56.33	27.2	27.75	Draft:	7

**Boat Name** Lady Bug **Sail #** 1541  
**Boat Type** Cal 20  
**Rating:** 273 **DW Rating:** 742 **Certificate Date** 1/26/2026  
**Displacement used for DW Rating:** 1950  
**Certified PHRF Data on file?**

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	22	<i>Symmetric Spin?</i>	Yes	LOA:	20	Displacement:	1950
115	J:	7.33	SL:	SSMG:	SSF:	SPL:	Ballast:	900
Rig Type	P:	23	22	13.2	13.2	7.33	LWL:	18.1
FS	E:	10	<i>Asymmetric Spin?</i>	No	Beam:	7	Engine:	OB
Mast Material	ISP:	22	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:	7.33			Draft:	3.33		

**Boat Name** Lagnaippe **Sail #** 56502  
**Boat Type** C&C 99  
**Rating:** 111 **DW Rating:** 629 **Certificate Date** 1/29/2026  
**Displacement used for DW Rating:** 10214  
**Certified PHRF Data on file?**

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	46	<i>Symmetric Spin?</i>	No	LOA:	32.5	Displacement:	9250
88	J:	13	SL:	SSMG:	SSF:	SPL:	Ballast:	3500
Rig Type	P:	40.5			LWL:	29.12	Engine:	IB
MS	E:	13	<i>Asymmetric Spin?</i>	No	Beam:	10.84	Prop Type:	Fold
Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:				Draft:	5.4		

**Boat Name** Laissez Les BonTempsRouler **Sail #** 38109  
**Boat Type** Santa Cruz 52 SD  
**Rating:** -6 **DW Rating:** 495 **Certificate Date** 1/12/2026  
**Displacement used for DW Rating:** 22549  
**Certified PHRF Data on file?**

**Modifications on file:** Shoal Draft (Mtg 1/25/18, Custom rating assigned, includes -3 sec/mi for main girths. As Sailed: -12)(Mtg 1/24/22, removed OSP, +3 sec/mi. Change custom rating from -12 to -9)(Mtg 2/28/22, updated draft from 8' to 7'. Custom rating changed from -9 to -6)

**Rig Data:**

Max Headsail	I:	64.13	<i>Symmetric Spin?</i>	Yes	LOA:	52.98	Displacement:	23452
155	J:	18.9	SL:	SSMG:	SSF:	SPL:	Ballast:	9000
Rig Type	P:	57.5	63.91	34.19	33.89	18.91	LWL:	48
MS	E:	21	<i>Asymmetric Spin?</i>	Yes	Beam:	14	Engine:	IB
Mast Material	ISP:	64.5	SLE:	SLU:	ASMG:	ASF:	Prop Type:	Feath
CARBON	JSP:	18.9	59.12	69.48	33.89	35	Draft:	7

**Boat Name** Lanakila **Sail #** 168  
**Boat Type** Beneteau First 27  
**Rating:** 87 **DW Rating:** 592 **Certificate Date** 1/14/2026  
Displacement used for DW Rating: 3902  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	31.2	<i>Symmetric Spin?</i>	No	LOA:	26.25	Displacement:	3902
120	J:	12.2	SL:	SSMG:	SSF:	SPL:	Ballast:	1345
Rig Type	P:	33.2			LWL:	25.9	Engine:	ib
FS	E:	11.4	<i>Asymmetric Spin?</i>	Yes	Beam:	8.3	Prop Type:	Fold
Mast Material	ISP:	35.8	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	17.5	35.2	43	21.95	23.4	Draft:	5.7

**Boat Name** Lark **Sail #** 70061  
**Boat Type** J 112e  
**Rating:** 54 **DW Rating:** 576 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 11300  
Certified PHRF Data on file?

**Modifications on file:** Electric Halyard Winch

**Rig Data:**

Max Headsail	I:	48.58	<i>Symmetric Spin?</i>	No	LOA:	36	Displacement:	11300
105	J:	14	SL:	SSMG:	SSF:	SPL:	Ballast:	3816
Rig Type	P:	45.93			LWL:	31.76	Engine:	IB
FS	E:	15.5	<i>Asymmetric Spin?</i>	Yes	Beam:	11.81	Prop Type:	Fold
Mast Material	ISP:	52	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	20.75	50.02	58.7	30.55	31.4	Draft:	6.9

**Boat Name** Latency **Sail #** 108  
**Boat Type** J 99  
**Rating:** 75 **DW Rating:** 592 **Certificate Date** 1/9/2026  
Displacement used for DW Rating: 8788  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	42.894	<i>Symmetric Spin?</i>	No	LOA:	32.6	Displacement:	8415
95	J:	12.598	SL:	SSMG:	SSF:	SPL:	Ballast:	3350
Rig Type	P:	41.798			LWL:	28.6	Engine:	IB
FS	E:	14.288	<i>Asymmetric Spin?</i>	Yes	Beam:	11.18	Prop Type:	Fold
Mast Material	ISP:	47.405	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	16.781	45.932	53.97	29.823	26.706	Draft:	6.54

**Boat Name** Lenora **Sail #** 60700  
**Boat Type** Hunter 33-2  
**Rating:** 153 **DW Rating:** 648 **Certificate Date** 1/22/2026  
Displacement used for DW Rating: 10400  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	37.42	<i>Symmetric Spin?</i>	No	LOA:	33.5	Displacement:	10400
115	J:	10.83	SL:	SSMG:	SSF:	SPL:	Ballast:	3459
Rig Type	P:	36.46			LWL:	29.42	Engine:	IB
FS	E:	15.83	<i>Asymmetric Spin?</i>	Yes	Beam:	11.17	Prop Type:	Fold
Mast Material	ISP:	38.42	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	10.83	35.5	39.33	16.67	18.5	Draft:	5.5

**Boat Name** Liberte  
**Boat Type** Beneteau Oceanis 46.1 SM  
**Rating:** 54 DW Rating: 533 Certificate Date 5/1/2026  
Displacement used for DW Rating: 23356  
Certified PHRF Data on file?

Sail #  
0

**Rig Data:**

Max Headsail I: 58.14  
109 J: 18.7  
Rig Type P: 54.36  
FS E: 18.47  
Mast Material ISP: 58.17  
ALUMN JSP: 21.67

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
55.68 65.35 34.71 34.97

LOA: 44.75  
LWL: 43.42  
Beam: 14.75  
Draft: 7.75

Displacement: 23356  
Ballast: 6028  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 5/20/24, +3 sec/mi for in-mast furling mainsail, -3 sec/mi for electric sheeting winches)(mtg 6/30/25, -3 sec/mi for oversized spinnaker area)

**Boat Name** Liberty  
**Boat Type** C&C 37  
**Rating:** 111 DW Rating: 635 Certificate Date 1/22/2026  
Displacement used for DW Rating: 15730  
Certified PHRF Data on file?

Sail #  
131

**Rig Data:**

Max Headsail I: 51  
90 J: 15.75  
Rig Type P: 45.16  
MS E: 12.16  
Mast Material ISP: 51  
ALUMN JSP: 15.75

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
45 50.33 26 25

LOA: 37.7  
LWL: 28.8  
Beam: 11.67  
Draft: 6.7

Displacement: 14300  
Ballast: 6000  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Lickety Split  
**Boat Type** Santa Cruz 27  
**Rating:** 141 DW Rating: 619 Certificate Date 2/20/2026  
Displacement used for DW Rating: 3200  
Certified PHRF Data on file?

Sail #  
76

**Rig Data:**

Max Headsail I: 32.58  
152 J: 10.75  
Rig Type P: 28.25  
MS E: 8.58  
Mast Material ISP: 32.58  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
32.75 19.4 19.4 10.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 27  
LWL: 24  
Beam: 8  
Draft: 4.5

Displacement: 3000  
Ballast: 1600  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Light'n Up  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 605 Certificate Date 1/9/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

Sail #  
3

**Rig Data:**

Max Headsail I: 28.5  
150 J: 9  
Rig Type P: 28.5  
FS E: 10.416  
Mast Material ISP: 28.5  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
29 17.75 17.75 9.833  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 27.25  
LWL: 23.75  
Beam: 8.17  
Draft: 4.5

Displacement: 2450  
Ballast: 1100  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Lightspeed **Sail #** 52839  
**Boat Type** Custom Wylie 39  
**Rating:** 69 **DW Rating:** 606 **Certificate Date** 1/16/2026  
 Displacement used for DW Rating:  
 Certified PHRF Data on file?

**Rig Data:**

Max Headsail	I:	48	<i>Symmetric Spin?</i>	Yes	LOA:	39.25	Displacement:	15300
	J:	14.5	SL:	SSMG:	SSF:	SPL:	Ballast:	5100
Rig Type	P:	46.5	48.2	25.7	25.7	14.5	LWL:	31.67
	E:	15	<i>Asymmetric Spin?</i>			No	Beam:	11.42
Mast Material	ISP:	51.83	SLE:	SLU:	ASMG:	ASF:	Prop Type: Fold	
ALUMN	JSP:	14.5	49.11	53.576	28.14	26.7	Draft:	6.75

**Modifications on file:** (Mtg 1/17/08 +3sec/mi for fixed prop, as sailed 72)(mtg 3/18/10, change custom rating from 72 to 84)(Mtg 2/23/12, -3 sec/mi for folding prop, as sailed 81)(Mtg 11/4/24, -3 sec/mi for >MSA, -6 sec/mi for >ASA, -3 sec/mi for >ISP, -3sec/mi for carbon mast, +3 sec/mi for small headsail. Change custom rating from 81 to 69)

**Boat Name** Lilith **Sail #** 7  
**Boat Type** Custom Wyliecat 39  
**Rating:** 102 **DW Rating:** 598 **Certificate Date** 1/7/2026  
 Displacement used for DW Rating: 12000  
 Certified PHRF Data on file?

**Rig Data:**

Max Headsail	I:		<i>Symmetric Spin?</i>	No	LOA:	38.83	Displacement:	12000
	J:		SL:	SSMG:	SSF:	SPL:	Ballast:	6200
Rig Type	P:	50.75	LWL:	32		Engine:	IB	
	E:	26.5	Beam:	11.83		Prop Type: FOLD		
Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:		
CARBON	JSP:		Draft:	6.67				

**Modifications on file:** HULL DESIGN IS VERY SIMILAR TO WYLIECAT 30.NO JIB, NO SPINNAKER, NO SPANKER,NO REACHER, NO VANG,NO TWECKER,NO STAYS ETC., AS SAILED RATING 102 PER MTG 6/5/93

**Boat Name** Linda Carol **Sail #** 385  
**Boat Type** Catalina 320  
**Rating:** 159 **DW Rating:** 669 **Certificate Date** 2/20/2026  
 Displacement used for DW Rating: 12719  
 Certified PHRF Data on file?

**Rig Data:**

Max Headsail	I:	47.58	<i>Symmetric Spin?</i>	No	LOA:	32.5	Displacement:	11300
	J:	12.33	SL:	SSMG:	SSF:	SPL:	Ballast:	4000
Rig Type	P:	38	LWL:	28		Engine:	IB	
	E:	13.25	Beam:	11.75		Prop Type: Fold		
Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:		38.63	42.92	19.92	20.96	Draft:	6.25

**Modifications on file:**

**Boat Name** Lindo **Sail #** 195  
**Boat Type** J 109 ODR w/108^ m  
**Rating:** 72 **DW Rating:** 596 **Certificate Date** 1/8/2026  
 Displacement used for DW Rating: 11000  
 Certified PHRF Data on file?

**Rig Data:**

Max Headsail	I:	46.5	<i>Symmetric Spin?</i>	No	LOA:	35.25	Displacement:	10900
	J:	13.3	SL:	SSMG:	SSF:	SPL:	Ballast:	3900
Rig Type	P:	43.3	LWL:	30.5		Engine:	IB	
	E:	15.5	Beam:	11.5		Prop Type: FOLD		
Mast Material	ISP:	49	SLE:	SLU:	ASMG:	ASF:		
ALUMN	JSP:	18.8	45.63	56.33	27.2	27.75	Draft:	7

**Modifications on file:**

**Boat Name** Lionheart  
**Boat Type** Express 37  
**Rating:** 72 DW Rating: 586 Certificate Date 1/30/2026  
Displacement used for DW Rating: 10207  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 48.9 Symmetric Spin? Yes LOA: 37.33 Displacement: 11000  
150 J: 14.33 SL: SSMG: SSF: SPL: LWL: 30.83 Ballast: 4500  
Rig Type P: 42 48 25.79 25.79 14.33  
MS E: 13.9 Asymmetric Spin? No Engine: IB  
Mast Material ISP: 48.9 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: Draft: 7.25

**Boat Name** Liquid Asset  
**Boat Type** Ranger 33  
**Rating:** 150 DW Rating: 658 Certificate Date 1/20/2026  
Displacement used for DW Rating: 10289  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 41.5 Symmetric Spin? Yes LOA: 33.17 Displacement: 10500  
150 J: 13.7 SL: SSMG: SSF: SPL: LWL: 26.25 Ballast: 4500  
Rig Type P: 35 41.5 24.6 24.6 13.7  
MS E: 13.75 Asymmetric Spin? No Engine: IB  
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 13.67 Draft: 5.17

**Boat Name** Little Bullet  
**Boat Type** Beneteau First 27  
**Rating:** 87 DW Rating: 591 Certificate Date 1/7/2026  
Displacement used for DW Rating: 3902  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 31.2 Symmetric Spin? No LOA: 26.25 Displacement: 3902  
120 J: 12.2 SL: SSMG: SSF: SPL: LWL: 25.9 Ballast: 1345  
Rig Type P: 33.2  
FS E: 11.4 Asymmetric Spin? Yes Engine: IB  
Mast Material ISP: 35.8 SLE: SLU: ASMG: ASF: Prop Type: Fold  
CARBON JSP: 17.5 35.2 43 21.95 23.4 Draft: 5.7

**Boat Name** Little Duece Sloop  
**Boat Type** West Wight Potter 19  
**Rating:** 360 DW Rating: 772 Certificate Date 2/24/2026  
Displacement used for DW Rating: 1850  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 2/23/26, Custom rating of 360 assigned)

**Rig Data:**

Max Headsail I: 24 Symmetric Spin? No LOA: 19 Displacement: 1850  
100 J: 7.05 SL: SSMG: SSF: SPL: LWL: 16.3 Ballast: 570  
Rig Type P: 22.5  
FS E: 8 Asymmetric Spin? Yes Engine: OB  
Mast Material ISP: 24.98 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 9.8 23.95 27.23 12.73 14.76 Draft: 4.08

**Boat Name** Little My  
**Boat Type** Laurinkoster L28  
**Rating:** 228 DW Rating: 724 Certificate Date 1/12/2026  
Displacement used for DW Rating: 7275  
Certified PHRF Data on file?

Sail #  
6198

**Rig Data:**

Max Headsail I: 34.58  
100 J: 9.34  
Rig Type P: 31.67  
MS E: 12.43  
Mast Material ISP:  
WOOD JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 27.36  
LWL: 24.02  
Beam: 8.2  
Draft: 4.43

Displacement: 7275  
Ballast: 3527  
Engine: IB  
Prop Type: Fixed\_2

**Modifications on file:**

**Boat Name** Livin The Dream  
**Boat Type** Beneteau Oceanis 43 DK  
**Rating:** 105 DW Rating: 572 Certificate Date 3/24/2026  
Displacement used for DW Rating: 19566  
Certified PHRF Data on file?

Sail #  
101

**Rig Data:**

Max Headsail I: 51.75  
91 J: 15.33  
Rig Type P: 47.5  
FS E: 15.75  
Mast Material ISP: 53.97  
ALUMN JSP: 18.85

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
47.6 51.9 29.7 27.8

LOA: 43  
LWL: 38.08  
Beam: 13.5  
Draft: 6.58

Displacement: 19566  
Ballast: 5456  
Engine: IB  
Prop Type: Fold

**Modifications on file:** Self-Tacking Jib. (Mtg 3/23/26, +3 sec/mi for in-mast furling mainsail)

**Boat Name** Living Happy  
**Boat Type** Beneteau 311  
**Rating:** 165 DW Rating: 621 Certificate Date 3/3/2026  
Displacement used for DW Rating: 7716  
Certified PHRF Data on file?

Sail #  
38818

**Rig Data:**

Max Headsail I: 40.35  
125 J: 11.35  
Rig Type P: 36.5  
FS E: 13.1  
Mast Material ISP: 39  
ALUMN JSP: 11

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
39.1 20.08 20.08 11.35  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
36.8 40.1 19.58 22

LOA: 32.25  
LWL: 28.67  
Beam: 10.5  
Draft: 4.67

Displacement: 7716  
Ballast: 2425  
Engine: IB  
Prop Type: Fold

**Modifications on file:** Roller Furler

**Boat Name** Loca Motion  
**Boat Type** Express 37  
**Rating:** 72 DW Rating: 587 Certificate Date 4/28/2026  
Displacement used for DW Rating: 10307  
Certified PHRF Data on file?

Sail #  
18410

**Rig Data:**

Max Headsail I: 48.75  
155 J: 14.33  
Rig Type P: 42  
MS E: 13.75  
Mast Material ISP: 48.75  
ALUMN JSP: 14.33

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
48 25.74 25.74 14.33  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 37.08  
LWL: 30.83  
Beam: 11.57  
Draft: 7.25

Displacement: 10540  
Ballast: 4500  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

**Boat Name** Lonestar **Sail #** 40  
**Boat Type** Beneteau First 10R ODR MOD  
**Rating:** 81 **DW Rating:** 607 **Certificate Date** 1/7/2026  
Displacement used for DW Rating: 9908  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** 140  
**Rig Type** FS  
**Mast Material** CARBON  
**I:** 43.2  
**J:** 12.07  
**P:** 42.25  
**E:** 14.73  
**ISP:** 46.41  
**JSP:** 16.5

**Symmetric Spin?** No  
**SL:** **SSMG:** **SSF:** **SPL:**  
**Asymmetric Spin?** Yes  
**SLE:** **SLU:** **ASMG:** **ASF:**  
45.8 52.9 26.4 25.5

**LOA:** 32.75  
**LWL:** 28.7  
**Beam:** 11  
**Draft:** 6.55  
**Displacement:** 9715  
**Ballast:** 3528  
**Engine:** IB  
**Prop Type:** FOLD

**Modifications on file:** (Mtg 5/20/10, +3 sec/mi for non-class smaller kite)(Mtg 9/23/10, rudder modifications noted, NCTR)(Mtg 4/26/12, new rudder noted, NCTR)(powered winch on cabin top)

**Boat Name** Loon **Sail #** 8  
**Boat Type** Saffier SE37  
**Rating:** 69 **DW Rating:** 567 **Certificate Date** 1/8/2026  
Displacement used for DW Rating: 10582  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** 86  
**Rig Type** FS  
**Mast Material** CARBON  
**I:** 45.29  
**J:** 14.21  
**P:** 42.65  
**E:** 16.4  
**ISP:** 47.25  
**JSP:** 18.54

**Symmetric Spin?** No  
**SL:** **SSMG:** **SSF:** **SPL:**  
**Asymmetric Spin?** Yes  
**SLE:** **SLU:** **ASMG:** **ASF:**  
40.28 49.05 14.5 14.14

**LOA:** 39.37  
**LWL:** 32.8  
**Beam:** 11.32  
**Draft:** 6.89  
**Displacement:** 10582  
**Ballast:** 4520  
**Engine:** IB  
**Prop Type:** Fold

**Modifications on file:** Harken Rewind Electronic Winches

**Boat Name** Lotta'tude **Sail #** 28716  
**Boat Type** Wyliecat 30 IB  
**Rating:** 129 **DW Rating:** 648 **Certificate Date** 1/14/2026  
Displacement used for DW Rating: 5500  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** 0  
**Rig Type** CAT  
**Mast Material** CARBON  
**I:** 39.75  
**J:** 20.5  
**P:** 20.5  
**E:** 20.5  
**ISP:**  
**JSP:**

**Symmetric Spin?** No  
**SL:** **SSMG:** **SSF:** **SPL:**  
**Asymmetric Spin?** No  
**SLE:** **SLU:** **ASMG:** **ASF:**

**LOA:** 30.5  
**LWL:** 25  
**Beam:** 9.42  
**Draft:** 5.25  
**Displacement:** 5500  
**Ballast:** 3050  
**Engine:** IB  
**Prop Type:** FOLD

**Modifications on file:**

**Boat Name** Love Handles **Sail #** 296  
**Boat Type** Catalina 38  
**Rating:** 120 **DW Rating:** 645 **Certificate Date** 2/10/2026  
Displacement used for DW Rating: 16813  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** 125  
**Rig Type** MS  
**Mast Material** ALUMN  
**I:** 49.83  
**J:** 15.5  
**P:** 44  
**E:** 11.5  
**ISP:** 49.8  
**JSP:** 15.5

**Symmetric Spin?** No  
**SL:** **SSMG:** **SSF:** **SPL:**  
0 0  
**Asymmetric Spin?** Yes  
**SLE:** **SLU:** **ASMG:** **ASF:**  
41.8 48.3 23 26.5

**LOA:** 38.17  
**LWL:** 30.25  
**Beam:** 11.83  
**Draft:** 6.75  
**Displacement:** 17200  
**Ballast:** 6850  
**Engine:** IB  
**Prop Type:** Fold

**Modifications on file:**

**Boat Name** Lucky Duck  
**Boat Type** J 90 Mod  
**Rating:** 48 DW Rating: 530 Certificate Date 1/9/2026  
Displacement used for DW Rating: 3400  
Certified PHRF Data on file?

Sail #  
38904

**Rig Data:**

Max Headsail I: 35.4  
150 J: 10.5  
Rig Type P: 35.8  
FR E: 14.5  
Mast Material ISP: 40  
CARBON JSP: 18

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
39.7 49.8 28.1 28.8

LOA: 30  
LWL: 27  
Beam: 8.5  
Draft: 6.5

Displacement: 3400  
Ballast: 1865  
Engine: OB  
Prop Type: FOLD

**Modifications on file:** (Rudder changes noted, NCTR 1/13/03)(Added battery and kelp cutter 3-05)

**Boat Name** Luna Sea  
**Boat Type** Islander 36 ODR  
**Rating:** 144 DW Rating: 660 Certificate Date 1/14/2026  
Displacement used for DW Rating: 18325  
Certified PHRF Data on file?

Sail #  
420

**Rig Data:**

Max Headsail I: 45  
135 J: 14.48  
Rig Type P: 39.25  
MS E: 12.75  
Mast Material ISP: 45  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
45 27 27 15  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 36.08  
LWL: 28.25  
Beam: 11.17  
Draft: 6.08

Displacement: 18000  
Ballast: 5450  
Engine: IB  
Prop Type: Feath

**Modifications on file:**

**Boat Name** Madame Blue  
**Boat Type** Pretorian 35  
**Rating:** 132 DW Rating: 624 Certificate Date 1/12/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
83368

**Rig Data:**

Max Headsail I: 48.75  
135 J: 14.75  
Rig Type P: 42.5  
MS E: 12  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
47.5 26 25.1 14.8  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:

LOA: 35.43  
LWL: 30.33  
Beam: 11.81  
Draft: 6

Displacement: 13000  
Ballast: 6613  
Engine: IB  
Prop Type: Feath

**Modifications on file:** Roller Furler

**Boat Name** Magic Bus  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 605 Certificate Date 4/10/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

Sail #  
41

**Rig Data:**

Max Headsail I: 28.5  
150 J: 9  
Rig Type P: 28.5  
FS E: 10.416  
Mast Material ISP: 28.5  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
29 17.5 17.9 9.833  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 27.25  
LWL: 23.75  
Beam: 8.17  
Draft: 4.5

Displacement: 2450  
Ballast: 1100  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Maiden California  
**Boat Type** Olson 30 OB  
**Rating:** 99 DW Rating: 582 Certificate Date 1/16/2026  
Displacement used for DW Rating: 4111  
Certified PHRF Data on file?

**Modifications on file:** New Rudder Noted, NCTR

**Rig Data:**

Max Headsail I: 35.92  
145 J: 11.78  
Rig Type P: 35.76  
MS E: 9.84  
Mast Material ISP: 35.9  
ALUMN JSP: 11.67

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
36 21.16 21.16 11.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 30  
LWL: 27.5  
Beam: 9.33  
Draft: 5.08

Displacement: 3600  
Ballast: 1800  
Engine: OB  
Prop Type: None

**Boat Name** Main Squeeze  
**Boat Type** Express 37  
**Rating:** 72 DW Rating: 588 Certificate Date 5/12/2026  
Displacement used for DW Rating: 10207  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 48.75  
150 J: 14.33  
Rig Type P: 42  
MS E: 13.9  
Mast Material ISP: 48.75  
ALUMN JSP: 14.33

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
48 25.79 25.79 14.33  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 37.08  
LWL: 30.83  
Beam: 11.57  
Draft: 7.25

Displacement: 9500  
Ballast: 4500  
Engine: IB  
Prop Type: Fold

**Boat Name** Make Me Smile  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 604 Certificate Date 1/15/2026  
Displacement used for DW Rating: 2410  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5  
155 J: 9  
Rig Type P: 28.5  
FS E: 10.42  
Mast Material ISP: 28.5  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
28.5 17.7 17.7 9.83  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 27.25  
LWL: 23.8  
Beam: 8.17  
Draft: 4.5

Displacement: 2450  
Ballast: 1100  
Engine: OB  
Prop Type: None

**Boat Name** Malaya  
**Boat Type** Custom Wylie 45  
**Rating:** 123 DW Rating: 609 Certificate Date 4/30/2026  
Displacement used for DW Rating: 34000  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 4/24/23, Custom Rating of 120 assigned)(Mtg 4/29/26, custom rating changed from 120 to 123 after updated displacement)

**Rig Data:**

Max Headsail I: 54.75  
0 J: 17.25  
Rig Type P: 49  
CTR E: 17.75  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 45.25  
LWL: 36  
Beam: 12.25  
Draft: 6.5

Displacement: 34000  
Ballast: 10000  
Engine: IB  
Prop Type: None



**Boat Name** **Maverick** **Sail #** 132  
**Boat Type** J 80 ODR  
**Rating:** **114** DW Rating: 615 Certificate Date 5/12/2026  
Displacement used for DW Rating: 3223  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 31.5 *Symmetric Spin?* No  
100 J: 9.42 SL: SSMG: SSF: SPL:  
Rig Type P: 30  
FS E: 12.42 *Asymmetric Spin?* Yes  
Mast Material ISP: 33.25 SLE: SLU: ASMG: ASF:  
ALUMN JSP: 15.67 31.33 39.5 25.9 22.75

LOA: 26.25 Displacement: 2900  
LWL: 22 Ballast: 1400  
Beam: 8.3 Engine: OB  
Draft: 4.75 Prop Type: None

**Boat Name** **Meanie** **Sail #** 10000  
**Boat Type** Custom Botin 52  
**Rating:** **-105** DW Rating: 422 Certificate Date 5/19/2026  
Displacement used for DW Rating: 16323  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 4/28/25, Custom rating of -120 assigned, includes penalty for captive power winches)(Mtg 5/18/26, Custom rating changed from -120 to -105)

**Rig Data:**

Max Headsail I: 68.14 *Symmetric Spin?* No  
94 J: 20.24 SL: SSMG: SSF: SPL:  
Rig Type P: 68.89  
MS E: 22.97 *Asymmetric Spin?* Yes  
Mast Material ISP: 76.61 SLE: SLU: ASMG: ASF:  
ALUMN JSP: 29.71 74.96 86.38 44.45 46.58

LOA: 51.97 Displacement: 15893  
LWL: 51.28 Ballast:  
Beam: 14.67 Engine:  
Draft: 11.6 Prop Type: None

**Boat Name** **Med Viking II** **Sail #** 7423  
**Boat Type** Jeanneau Sun Odyssey 519  
**Rating:** **36** DW Rating: 528 Certificate Date 6/24/2026  
Displacement used for DW Rating: 30644  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 2/29/24, +3 sec/mi for in-mast furling mainsail, +3 sec/mi for MGM <50% of E)

**Rig Data:**

Max Headsail I: 62.5 *Symmetric Spin?* No  
134 J: 19.5 SL: SSMG: SSF: SPL:  
Rig Type P: 57.4 62.19 35 35 20.5  
MS E: 19.7 *Asymmetric Spin?* Yes  
Mast Material ISP: 62 SLE: SLU: ASMG: ASF:  
ALUMN JSP: 20.75 53.35 61.5 30.6 30.6

LOA: 49.1 Displacement: 30644  
LWL: 45.67 Ballast: 9480  
Beam: 15.33 Engine: IB  
Draft: 7.42 Prop Type: Fold

**Boat Name** **MeepMeep** **Sail #** 86  
**Boat Type** J 80 ODR  
**Rating:** **111** DW Rating: 617 Certificate Date 4/28/2026  
Displacement used for DW Rating: 3223  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 31.5 *Symmetric Spin?* No  
145 J: 9.42 SL: SSMG: SSF: SPL:  
Rig Type P: 30  
MS E: 12.416 *Asymmetric Spin?* Yes  
Mast Material ISP: 33.25 SLE: SLU: ASMG: ASF:  
ALUMN JSP: 15.67 32.5 40 22.9 24.2

LOA: 26.25 Displacement: 3296  
LWL: 22 Ballast: 1400  
Beam: 8.2 Engine: OB  
Draft: 4.75 Prop Type: None

<b>Boat Name</b> Merlin	<b>Sail #</b> 8955	<b>Max Headsail</b> 146	<b>I:</b> 71.89	<b>Symmetric Spin?</b> No	<b>LOA:</b> 68.6	<b>Displacement:</b> 24363
<b>Boat Type</b> Custom Lee 68			<b>J:</b> 23.03	<b>SL:</b> SSMG: SSF: SPL:	<b>LWL:</b> 64	<b>Ballast:</b> 10484
<b>Rating:</b> -87 DW Rating: 416 Certificate Date 5/19/2026		<b>Rig Type</b> MS	<b>P:</b> 67.02		<b>Beam:</b> 12.17	<b>Engine:</b> IB
Displacement used for DW Rating: 23931		<b>Mast Material</b> CARBON	<b>E:</b> 25.37	<b>Asymmetric Spin?</b> Yes	<b>Draft:</b> 10.65	<b>Prop Type:</b> FOLD
Certified PHRF Data on file? <input checked="" type="checkbox"/>			<b>ISP:</b> 74.28	<b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b>		
			<b>JSP:</b> 31	70.7 79.39 46.68 49.77		

**Modifications on file:** (Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, New custom rating: -87 as sailed)

<b>Boat Name</b> Merlin	<b>Sail #</b> 74	<b>Max Headsail</b> 104	<b>I:</b> 43.37	<b>Symmetric Spin?</b> No	<b>LOA:</b> 32.6	<b>Displacement:</b> 8415
<b>Boat Type</b> J 99			<b>J:</b> 12.56	<b>SL:</b> SSMG: SSF: SPL:	<b>LWL:</b> 28.6	<b>Ballast:</b> 3350
<b>Rating:</b> 72 DW Rating: 588 Certificate Date 4/1/2026		<b>Rig Type</b> FS	<b>P:</b> 41.8		<b>Beam:</b> 11.18	<b>Engine:</b> IB
Displacement used for DW Rating: 8415		<b>Mast Material</b> ALUMN	<b>E:</b> 14.3	<b>Asymmetric Spin?</b> Yes	<b>Draft:</b> 6.54	<b>Prop Type:</b> Fold
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b> 47.25	<b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b>		
			<b>JSP:</b> 16.73	45.4 51.96 28.93 28.34		

**Modifications on file:** Kelp Cutter (Mtg 4/28/25, -3 sec/mi for 5% oversized main)

<b>Boat Name</b> Mermug	<b>Sail #</b> 46612	<b>Max Headsail</b> 125	<b>I:</b> 50.89	<b>Symmetric Spin?</b> Yes	<b>LOA:</b> 42.6	<b>Displacement:</b> 18220
<b>Boat Type</b> Beneteau 42S7 First DK SM			<b>J:</b> 14.27	<b>SL:</b> SSMG: SSF: SPL:	<b>LWL:</b> 35.9	<b>Ballast:</b> 6283
<b>Rating:</b> 72 DW Rating: 585 Certificate Date 1/22/2026		<b>Rig Type</b> FS	<b>P:</b> 47.41	50.21 25.6 25 14.27	<b>Beam:</b> 13.6	<b>Engine:</b> IB
Displacement used for DW Rating: 18220		<b>Mast Material</b> ALUMN	<b>E:</b> 17.22	<b>Asymmetric Spin?</b> No	<b>Draft:</b> 7.7	<b>Prop Type:</b> FOLD
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b> 50.89	<b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b>		
			<b>JSP:</b>	44.83 52 24 25.5		

**Modifications on file:**

<b>Boat Name</b> MIA	<b>Sail #</b> 70	<b>Max Headsail</b> 155	<b>I:</b> 28.5	<b>Symmetric Spin?</b> Yes	<b>LOA:</b> 27.25	<b>Displacement:</b> 2450
<b>Boat Type</b> Express 27 ODR			<b>J:</b> 9	<b>SL:</b> SSMG: SSF: SPL:	<b>LWL:</b> 23.75	<b>Ballast:</b> 1100
<b>Rating:</b> 129 DW Rating: 608 Certificate Date 1/14/2026		<b>Rig Type</b> FS	<b>P:</b> 28.5	29 17.7 17.5 9.83	<b>Beam:</b> 8.17	<b>Engine:</b> OB
Displacement used for DW Rating: 2510		<b>Mast Material</b> ALUMN	<b>E:</b> 10.42	<b>Asymmetric Spin?</b> No	<b>Draft:</b> 4.5	<b>Prop Type:</b> None
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b> 28.5	<b>SLE:</b> <b>SLU:</b> <b>ASMG:</b> <b>ASF:</b>		
			<b>JSP:</b>			

**Modifications on file:**

**Boat Name** Minami Kaze  
**Boat Type** Beneteau 361 Oceanis  
**Rating:** 147 DW Rating: Certificate Date 1/15/2026  
Displacement used for DW Rating: 13349  
Certified PHRF Data on file?

Sail #  
361

**Rig Data:**

Max Headsail I: 45.21  
110 J: 13.94  
Rig Type P: 38.39  
MS E: 14.44  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 36.33  
LWL: 31.08  
Beam: 12.5  
Draft: 5

Displacement: 13349  
Ballast: 4156  
Engine: IB  
Prop Type: Fixed\_3

**Modifications on file:**

**Boat Name** Mintaka 4  
**Boat Type** Farr 38  
**Rating:** 87 DW Rating: 591 Certificate Date 1/16/2026  
Displacement used for DW Rating: 11939  
Certified PHRF Data on file?

Sail #  
18441

**Rig Data:**

Max Headsail I: 43.67  
125 J: 13.67  
Rig Type P: 44.9  
FS E: 17.9  
Mast Material ISP: 44  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
45 23.8 23.8 13.33  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 38.25  
LWL: 31.17  
Beam: 12  
Draft: 6.33

Displacement: 11850  
Ballast: 4100  
Engine: IB  
Prop Type: FOLD

**Modifications on file:** (Mtg 8/26/25, +3 sec/mi for J length pole, +3 secmi for 10% smaller kite)

**Boat Name** Mirthmaker  
**Boat Type** A 35  
**Rating:** 75 DW Rating: 588 Certificate Date 1/15/2026  
Displacement used for DW Rating: 10514  
Certified PHRF Data on file?

Sail #  
18250

**Rig Data:**

Max Headsail I: 44.22  
105 J: 12.99  
Rig Type P: 44.94  
FS E: 14.66  
Mast Material ISP: 51.06  
CARBON JSP: 14.99

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
51.67 26.2 24.38 14.99  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
49.02 53.31 21.03 26.28

LOA: 34.7  
LWL: 30.47  
Beam: 11.6  
Draft: 6.88

Displacement: 9810  
Ballast: 4367  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 69 after appeal)

**Boat Name** Mirthmaker  
**Boat Type** J 24 ODR  
**Rating:** 168 DW Rating: 694 Certificate Date 2/20/2026  
Displacement used for DW Rating: 2870  
Certified PHRF Data on file?

Sail #  
1

**Rig Data:**

Max Headsail I: 26.25  
150 J: 9.5  
Rig Type P: 28  
FS E: 9.75  
Mast Material ISP: 26.25  
ALUMN JSP:

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
26.5 17 16.8 9.5  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 24  
LWL: 20  
Beam: 8.916  
Draft: 4

Displacement: 3100  
Ballast: 965  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Mistral  
**Boat Type** Beneteau Farr First 36.7  
**Rating:** 81 DW Rating: 614 Certificate Date 3/27/2026  
Displacement used for DW Rating: 12150  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 46.4  
155 J: 13.1  
Rig Type P: 45.4  
FS E: 15.6  
Mast Material ISP: 46.4  
ALUMN JSP: 13.1

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
45.8 23.47 22.07 13.1  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 35  
LWL: 30.3  
Beam: 11.6  
Draft: 7.2

Displacement: 12495  
Ballast: 4034  
Engine: IB  
Prop Type: FOLD

**Boat Name** Mojito  
**Boat Type** J 112e  
**Rating:** 54 DW Rating: 575 Certificate Date 1/8/2026  
Displacement used for DW Rating: 11300  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 48.58  
105 J: 14.15  
Rig Type P: 45.93  
FS E: 15.5  
Mast Material ISP: 52  
CARBON JSP: 20.75

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
49.83 52.82 31.04 34.08

LOA: 36.06  
LWL: 31.76  
Beam: 11.81  
Draft: 6.89

Displacement: 11300  
Ballast: 3816  
Engine: IB  
Prop Type: Fold

**Boat Name** Mojo  
**Boat Type** J 35  
**Rating:** 72 DW Rating: 598 Certificate Date 1/26/2026  
Displacement used for DW Rating: 10000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 46.4  
150 J: 14.7  
Rig Type P: 41.75  
MS E: 14.98  
Mast Material ISP: 46.3  
ALUMN JSP: 14.7

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
46 26.25 26.25 14.7  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 35.42  
LWL: 30  
Beam: 11.8  
Draft: 6.9

Displacement: 10500  
Ballast: 4400  
Engine: IB  
Prop Type: Feath

**Boat Name** Moonlight  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 604 Certificate Date 1/12/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5  
155 J: 9  
Rig Type P: 28.5  
FS E: 10.416  
Mast Material ISP: 28.5  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
29 16.5 17.6 9.833  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 27.25  
LWL: 23.75  
Beam: 8.17  
Draft: 4.5

Displacement: 2450  
Ballast: 1100  
Engine: OB  
Prop Type: None

**Boat Name** Moore's Law  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 630 Certificate Date 1/9/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050  
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 26.5 17.5 17.5 9.75 Beam: 7.16 Engine: OB  
FS E: 9.5 *Asymmetric Spin?* No Prop Type: None  
Mast Material ISP: 26.2 SLE: SLU: ASMG: ASF: Draft: 4.08  
ALUMN JSP:

**Boat Name** Mooretician  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 630 Certificate Date 6/5/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050  
155 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 26.6 17.55 17.55 9.75 Beam: 7.16 Engine: OB  
FS E: 9.5 *Asymmetric Spin?* No Prop Type: None  
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.08  
ALUMN JSP:

**Boat Name** Moorigami  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 629 Certificate Date 1/7/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050  
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 27 17.55 17.55 9.75 Beam: 7.16 Engine: OB  
FS E: 9.5 *Asymmetric Spin?* Yes Prop Type: None  
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083  
ALUMN JSP: 24.4 28.2 17.3 18

**Boat Name** Motley U  
**Boat Type** Ultimate 24 ODR  
**Rating:** 111 DW Rating: 591 Certificate Date 3/18/2026  
Displacement used for DW Rating: 2040  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.04 *Symmetric Spin?* No LOA: 24.38 Displacement: 2040  
110 J: 7.82 SL: SSMG: SSF: SPL: LWL: 21.17 Ballast: 750  
Rig Type P: 31 Beam: 8.48 Engine: OB  
FS E: 11.35 *Asymmetric Spin?* Yes Prop Type: None  
Mast Material ISP: 30.8 SLE: SLU: ASMG: ASF: Draft: 5.52  
CARBON JSP: 14.5 27.8 35.5 21.3 21.3

**Boat Name** Motorcycle Irene  
**Boat Type** Express 27  
**Rating:** 129 DW Rating: 617 Certificate Date 2/20/2026  
Displacement used for DW Rating: 2719  
Certified PHRF Data on file?

**Modifications on file:** New Rudder, NCTR

**Rig Data:**

Max Headsail I: 28.5  
155 J: 9  
Rig Type P: 28.5  
FS E: 10.416  
Mast Material ISP: 28.5  
ALUMN JSP: 27.17 30.35 17.9 17.39

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
29 17.7 17.7 9.833  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
27.17 30.35 17.9 17.39

LOA: 27.25 Displacement: 2450  
LWL: 23.75 Ballast: 1100  
Beam: 8.17 Engine: OB  
Draft: 4.5 Prop Type: None

**Boat Name** Möve  
**Boat Type** Pogo 40  
**Rating:** -18 DW Rating: 478 Certificate Date 1/22/2026  
Displacement used for DW Rating: 10476  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 1/23/23, Custom Rating Assigned of -18. Rating assumes water ballast disabled)

**Rig Data:**

Max Headsail I: 50.728  
110 J: 19.029  
Rig Type P: 54.79  
FS E: 16.404  
Mast Material ISP: 58.848  
CARBON JSP: 25.633

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
56.759 66.339 36.745 40.354

LOA: 40 Displacement: 9920  
LWL: 39.245 Ballast: 3748  
Beam: 14.8 Engine: IB  
Draft: 9.8 Prop Type: Fold

**Boat Name** Mr Chocolate  
**Boat Type** Saffier SE37  
**Rating:** 69 DW Rating: 588 Certificate Date 1/6/2026  
Displacement used for DW Rating: 10582  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 42.65  
95 J: 14.44  
Rig Type P: 42.7  
FS E: 16.4  
Mast Material ISP: 47.24  
CARBON JSP: 18.54

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
41.8 52.94 26.41 27

LOA: 36.1 Displacement: 10582  
LWL: 32 Ballast: 4520  
Beam: 11.4 Engine: IB  
Draft: 6.89 Prop Type: Fold

**Boat Name** Mr McGregor  
**Boat Type** Wylie Wabbit ODR W/Trap  
**Rating:** 126 DW Rating: 605 Certificate Date 12/16/2025  
Displacement used for DW Rating: 975  
Certified PHRF Data on file?

**Modifications on file:** INCLUDES HIKING STRAPS AND SINGLE TRAPEZE.

**Rig Data:**

Max Headsail I: 20.5  
150 J: 6.5  
Rig Type P: 23.75  
FS E: 10  
Mast Material ISP: 20.5  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
22 13.9 13.7 8.5  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 23.75 Displacement: 975  
LWL: 20 Ballast: 440  
Beam: 5.58 Engine: OB  
Draft: 3.5 Prop Type: None

**Boat Name** Mudshark  
**Boat Type** Express 37  
**Rating:** 72 DW Rating: 593 Certificate Date 4/10/2026  
Displacement used for DW Rating: 11814  
Certified PHRF Data on file?

Sail #  
28052

**Rig Data:**

Max Headsail I: 48.75  
155 J: 14.33  
Rig Type P: 42  
MS E: 13.75  
Mast Material ISP: 48.75  
JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
48 14.33  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 37.08  
LWL: 30.83  
Beam: 11.57  
Draft: 7.25

Displacement: 11000  
Ballast: 4500  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

**Boat Name** Muninn  
**Boat Type** Beneteau Farr First 36.7  
**Rating:** 78 DW Rating: 614 Certificate Date 1/6/2026  
Displacement used for DW Rating: 12150  
Certified PHRF Data on file?

Sail #  
61802

**Rig Data:**

Max Headsail I: 46.42  
101 J: 13.1  
Rig Type P: 45.44  
FS E: 15.58  
Mast Material ISP: 46.59  
ALUMN JSP: 17.04

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
48.1 49.3 22 23.2

LOA: 36  
LWL: 30.3  
Beam: 11.4  
Draft: 7.2

Displacement: 12495  
Ballast: 4034  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 5/19/25, -9 sec/mi for 34% increase in JSP, +3 sec/mi for non-articulation)

**Boat Name** Music  
**Boat Type** Hunter 37 Legend WK  
**Rating:** 111 DW Rating: 619 Certificate Date 1/9/2026  
Displacement used for DW Rating: 14900  
Certified PHRF Data on file?

Sail #  
25352

**Rig Data:**

Max Headsail I: 48  
95 J: 13.6  
Rig Type P: 48.72  
FS E: 15.35  
Mast Material ISP: 48  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
49.5 25.5 24.8 13  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 37.6  
LWL: 31.4  
Beam: 12.1  
Draft: 5

Displacement: 14900  
Ballast: 6000  
Engine: IB  
Prop Type: Fixed\_2

**Modifications on file:** (mtg 5/22/08 +3 sec/mi for 110% headsail, +3 sec/mi for 2-blade fixed prop, -9sec/mi for oversized luff & girths on spinnaker)

**Boat Name** Mymble  
**Boat Type** J 99  
**Rating:** 75 DW Rating: 605 Certificate Date 1/12/2026  
Displacement used for DW Rating: 8415  
Certified PHRF Data on file?

Sail #  
57141

**Rig Data:**

Max Headsail I: 43.37  
105 J: 12.56  
Rig Type P: 41.8  
FS E: 14.3  
Mast Material ISP: 47.25  
ALUMN JSP: 16.73

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
41.83 43.79 27.44 26.37

LOA: 32.6  
LWL: 28.6  
Beam: 11.18  
Draft: 6.54

Displacement: 8415  
Ballast: 3350  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 3/25/24, -3 sec/mi for tweener sail)(12/2/24, tweener sail removed +3 sec/mi)

**Boat Name** Mystic  
**Boat Type** J 27  
**Rating:** 126 DW Rating: 641 Certificate Date 1/22/2026  
Displacement used for DW Rating: 3800  
Certified PHRF Data on file?

Sail #  
8577

**Rig Data:**

Max Headsail I: 30  
155 J: 10.5  
Rig Type P: 33  
FS E: 12.5  
Mast Material ISP: 30  
ALUMN JSP: 10.5

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
28.83 18.83 17.67 10.5  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
29 30.38 12.25 16.17

LOA: 27.5  
LWL: 23  
Beam: 8.5  
Draft: 4.9

Displacement: 3800  
Ballast: 1530  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Nancy  
**Boat Type** Wyliecat 30 OB  
**Rating:** 123 DW Rating: 643 Certificate Date 1/6/2026  
Displacement used for DW Rating: 5500  
Certified PHRF Data on file?

Sail #  
28890

**Rig Data:**

Max Headsail I:  
J:  
Rig Type P: 39.66  
CAT E: 19.75  
Mast Material ISP:  
CARBON JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 30.5  
LWL: 25  
Beam: 9.5  
Draft: 5.25

Displacement: 5500  
Ballast: 3050  
Engine: OB  
Prop Type: None

**Modifications on file:** (-3 sec/mi for square top main)

**Boat Name** National Biscuit  
**Boat Type** Custom Schumacher 35  
**Rating:** 87 DW Rating: 607 Certificate Date 5/1/2026  
Displacement used for DW Rating: 8700  
Certified PHRF Data on file?

Sail #  
8573

**Rig Data:**

Max Headsail I: 41.9  
100 J: 12.43  
Rig Type P: 44.43  
MS E: 14  
Mast Material ISP: 41.9  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
41.52 22.37 22.37 12.43  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 35.416  
LWL: 29  
Beam: 11.25  
Draft: 6.416

Displacement: 8700  
Ballast: 3850  
Engine: IB  
Prop Type: FOLD

**Modifications on file:** (Mtg 12/9/24, +3 sec/mi for shortened "E", change custom rating from 84 to 87)

**Boat Name** Neja  
**Boat Type** Dasher 32  
**Rating:** 174 DW Rating: 672 Certificate Date 1/7/2026  
Displacement used for DW Rating: 11323  
Certified PHRF Data on file?

Sail #  
7325

**Rig Data:**

Max Headsail I: 38.01  
155 J: 12.59  
Rig Type P: 33.22  
MS E: 14.6  
Mast Material ISP: 38.01  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
37.78 21.94 21.94 12.5  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 31.75  
LWL: 26.75  
Beam: 8.9  
Draft: 5.75

Displacement: 11323  
Ballast: 3600  
Engine: IB  
Prop Type: Fold

**Modifications on file:** 500 pounds less lead in keel than the Dasher Easom Boat Works built

**Boat Name** New Wave **Sail #** 18433  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 605 **Certificate Date** 2/20/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450
155	J:	9	SL:	SSMG:	SSF:	SPL:	Ballast:	1100
<b>Rig Type</b>	P:	28.5	29	17.75	17.75	9.833	LWL:	23.75
FS	E:	10.416	<i>Asymmetric Spin?</i>			Yes	Beam:	8.17
<b>Mast Material</b>	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:	9.8	27.1	31.8	17.1	18.5	Draft:	4.5

**Boat Name** Nikkicai **Sail #** 179  
**Boat Type** Catalina 320  
**Rating:** 159 **DW Rating:** 677 **Certificate Date** 4/15/2026  
Displacement used for DW Rating: 12719  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	43.58	<i>Symmetric Spin?</i>	No	LOA:	32.5	Displacement:	11300
110	J:	12.33	SL:	SSMG:	SSF:	SPL:	Ballast:	4000
<b>Rig Type</b>	P:	37.5	<i>Asymmetric Spin?</i>			No	LWL:	28
MS	E:	13.25	<i>Asymmetric Spin?</i>			No	Beam:	11.75
<b>Mast Material</b>	ISP:		SLE:	SLU:	ASMG:	ASF:	Prop Type:	Feath
ALUMN	JSP:					Draft:	6	

**Boat Name** Nobody's Girl **Sail #** 84  
**Boat Type** Moore 24  
**Rating:** 150 **DW Rating:** 647 **Certificate Date** 1/6/2026  
Displacement used for DW Rating: 2420  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 3/25/24, new mainsail has oversized girths but no change to overall MSA: NCTR. -3 sec/mi for oversized spinnaker)(12/18/24, returned to stock Moore 24 configuration)

**Rig Data:**

Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	2130
150	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	1000
<b>Rig Type</b>	P:	25	26.6	17.55	17.55	9.5	LWL:	21.75
FS	E:	9.5	<i>Asymmetric Spin?</i>			No	Beam:	7.16
<b>Mast Material</b>	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:	9.75				Draft:	4.083	

**Boat Name** Northern Bear **Sail #** 128  
**Boat Type** J 100 NCPHRF  
**Rating:** 90 **DW Rating:** 597 **Certificate Date** 5/19/2026  
Displacement used for DW Rating: 7000  
Certified PHRF Data on file?

**Modifications on file:** Hoyt Boom, NCTR

**Rig Data:**

Max Headsail	I:	38.5	<i>Symmetric Spin?</i>	No	LOA:	32.8	Displacement:	6500
90	J:	11.5	SL:	SSMG:	SSF:	SPL:	Ballast:	2450
<b>Rig Type</b>	P:	38	<i>Asymmetric Spin?</i>			Yes	LWL:	29
FS	E:	13.5	<i>Asymmetric Spin?</i>			Yes	Beam:	9.25
<b>Mast Material</b>	ISP:	43	SLE:	SLU:	ASMG:	ASF:	Prop Type:	Fold
CARBON	JSP:	12.7	38.35	49.41	24.3	25.02	Draft:	5.75

**Boat Name** Nota Bene  
**Boat Type** Beneteau 411  
**Rating:** 105 DW Rating: 592 Certificate Date 6/24/2026  
Displacement used for DW Rating: 19387  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 47.74 Symmetric Spin? Yes LOA: 40.5 Displacement: 17196  
135 J: 16.31 SL: SSMG: SSF: SPL: LWL: 36.09 Ballast: 5500  
Rig Type P: 41.54 48 29.36 29.36 16.25  
MS E: 14.83 Asymmetric Spin? No Engine: IB  
Mast Material ISP: 47.67 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: Draft: 5.58

**Boat Name** Nuckelavee  
**Boat Type** Melges 32 ODR  
**Rating:** 27 DW Rating: 494 Certificate Date 1/15/2026  
Displacement used for DW Rating: 3988  
Certified PHRF Data on file?

**Modifications on file:** (mtg 2/23/17, no longer using the class spinnaker. +3 sec/mi for small asymmetric)(Mtg 5/21/18, +6 sec/mi for short ISP)(8/15/19, Boat returned to stock ODR configuration)

**Rig Data:**  
Max Headsail I: 40.86 Symmetric Spin? No LOA: 31.76 Displacement: 3988  
105 J: 10.7 SL: SSMG: SSF: SPL: LWL: 28.5 Ballast: 1600  
Rig Type P: 44.05  
FS E: 15.49 Asymmetric Spin? Yes Engine: OB  
Mast Material ISP: 48.3 SLE: SLU: ASMG: ASF: Prop Type: None  
CARBON JSP: 18.7 46.9 55.75 31.3 31.8 Draft: 7

**Boat Name** O2  
**Boat Type** J 40  
**Rating:** 72 DW Rating: 587 Certificate Date 1/12/2026  
Displacement used for DW Rating: 17564  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 1/14/25, -3 sec/mi for oversized spinnaker)

**Rig Data:**  
Max Headsail I: 50 Symmetric Spin? YES LOA: 40.35 Displacement: 17564  
135 J: 14.67 SL: SSMG: SSF: SPL: LWL: 35.48 Ballast: 6500  
Rig Type P: 44.25 50 28.13 28.13 15.5  
MS E: 18 Asymmetric Spin? No Engine: IB  
Mast Material ISP: 50 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 14.67 Draft: 6.47

**Boat Name** Obsession  
**Boat Type** Beneteau 440 Oceanis  
**Rating:** 99 DW Rating: 595 Certificate Date 2/10/2026  
Displacement used for DW Rating: 22610  
Certified PHRF Data on file?

**Modifications on file:** Two cabin top powered winches (Mtg 3/25/24, -3 sec/mi for oversized spinnaker)

**Rig Data:**  
Max Headsail I: 53.15 Symmetric Spin? No LOA: 44 Displacement: 20500  
135 J: 15.09 SL: SSMG: SSF: SPL: LWL: 36.5 Ballast: 7055  
Rig Type P: 47.5  
MS E: 17.06 Asymmetric Spin? Yes Engine: IB  
Mast Material ISP: 53.15 SLE: SLU: ASMG: ASF: Prop Type: Feath  
ALUMN JSP: 15.09 47.5 55 30 30.7 Draft: 5.92

**Boat Name** Ohana  
**Boat Type** Catalina 34 1&2  
**Rating:** 153 DW Rating: 647 Certificate Date 1/14/2026  
Displacement used for DW Rating: 13606  
Certified PHRF Data on file?

Sail #  
42

**Rig Data:**

Max Headsail I: 44  
135 J: 13.5  
Rig Type P: 38.5  
MS E: 11.75  
Mast Material ISP: 44  
ALUMN JSP: 13.5

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 34.5  
LWL: 29.83  
Beam: 11.75  
Draft: 5.58

Displacement: 11950  
Ballast: 5000  
Engine: IB  
Prop Type: Fixed\_3

**Modifications on file:**

**Boat Name** O'Mar  
**Boat Type** Olson 25  
**Rating:** 159 DW Rating: 657 Certificate Date 1/12/2026  
Displacement used for DW Rating: 2900  
Certified PHRF Data on file?

Sail #  
28258

**Rig Data:**

Max Headsail I: 32  
155 J: 9.583  
Rig Type P: 28  
MS E: 10  
Mast Material ISP: 32  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
31 16.5 16.5 9.58  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 25  
LWL: 21.25  
Beam: 9  
Draft: 4.5

Displacement: 2900  
Ballast: 1300  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Onda Blue  
**Boat Type** Solaris 44  
**Rating:** 33 DW Rating: 548 Certificate Date 3/24/2026  
Displacement used for DW Rating: 27008  
Certified PHRF Data on file?

Sail #  
61704

**Rig Data:**

Max Headsail I: 59.64  
110 J: 17.17  
Rig Type P: 58.9  
MS E: 20.17  
Mast Material ISP: 65.22  
CARBON JSP: 20.81

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
0 0  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
62.66 72.5 32.38 37.07

LOA: 47.79  
LWL: 42.54  
Beam: 13.7  
Draft: 8.03

Displacement: 27008  
Ballast: 10800  
Engine: IB  
Prop Type: Feath

**Modifications on file:**

**Boat Name** Ondine  
**Boat Type** Hanse 388  
**Rating:** 102 DW Rating: Certificate Date 1/6/2026  
Displacement used for DW Rating: 19092  
Certified PHRF Data on file?

Sail #  
38388

**Rig Data:**

Max Headsail I: 48.88  
95 J: 14.14  
Rig Type P: 46.92  
FS E: 16.73  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 37.42  
LWL: 34.08  
Beam: 12.83  
Draft: 6.75

Displacement: 19092  
Ballast: 6128  
Engine: IB  
Prop Type: Fold

**Modifications on file:** +3 sec/mi for in-mast furling mainsail

**Boat Name** Orca  
**Boat Type** J 90 M0D  
**Rating:** 48 DW Rating: 542 Certificate Date 5/19/2026  
Displacement used for DW Rating: 3526  
Certified PHRF Data on file?

Sail #  
50090

**Rig Data:**

Max Headsail I: 35.6  
100 J: 10.5  
Rig Type P: 38.85  
FR E: 14.5  
Mast Material ISP: 43.1  
CARBON JSP: 17.8

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
7.3  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
40.1 47 22.95 26.25

LOA: 30  
LWL: 27  
Beam: 8.5  
Draft: 6.5

Displacement: 3400  
Ballast: 1595  
Engine: OB  
Prop Type: FOLD

**Modifications on file:** (Mtg 4/28/11, -3 sec/mi for increased "P", + 3 sec/mi for smaller asymmetrical)(Mtg 1/26/12, removed saildrive, added OB, -3 sec/mi)(1/24/13, new rudder noted, NCTR)(Mtg 10/26/17, +3 sec/mi for smaller mainsail, +3 sec/mi for smaller asymmetrical)(Mtg 5/18/26, -6 sec/mi for J0)

**Boat Name** Osprey  
**Boat Type** Jeanneau Sun Odyssey 349  
**Rating:** 147 DW Rating: 635 Certificate Date 1/14/2026  
Displacement used for DW Rating: 11795  
Certified PHRF Data on file?

Sail #  
61302

**Rig Data:**

Max Headsail I: 43.6  
110 J: 12.67  
Rig Type P: 40.68  
FS E: 13.62  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 32.75  
LWL: 30.84  
Beam: 11.29  
Draft: 6.5

Displacement: 11795  
Ballast: 3483  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (1/13/20, +3 sec/mi for inmast furling mainsail, +3 secmi for MGM <50% of E)

**Boat Name** Osprey  
**Boat Type** Sabre Spirit  
**Rating:** 93 DW Rating: 621 Certificate Date 1/22/2026  
Displacement used for DW Rating: 9600  
Certified PHRF Data on file?

Sail #  
227

**Rig Data:**

Max Headsail I: 45.5  
90 J: 12.87  
Rig Type P: 45.5  
FS E: 16.55  
Mast Material ISP: 51.2  
CARBON JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 36.67  
LWL: 28.33  
Beam: 10.42  
Draft: 6.58

Displacement: 9600  
Ballast: 4000  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Electric Winches)(1/20/23, -3 secmi for keel modification: added shoe)

**Boat Name** Outcast  
**Boat Type** Farr 38  
**Rating:** 78 DW Rating: 597 Certificate Date 1/12/2026  
Displacement used for DW Rating: 11939  
Certified PHRF Data on file?

Sail #  
4823

**Rig Data:**

Max Headsail I: 43.67  
150 J: 13.67  
Rig Type P: 44.9  
FS E: 17.9  
Mast Material ISP: 46.2  
ALUMN JSP:

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
44.13 26.07 24.6 14.5  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 38.25  
LWL: 31.17  
Beam: 12  
Draft: 6.4

Displacement: 10600  
Ballast: 4100  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Outsider  
**Boat Type** Azzura 310  
**Rating:** 57 DW Rating: 540 Certificate Date 1/12/2026  
Displacement used for DW Rating: 4748  
Certified PHRF Data on file?

Sail #  
1000

**Rig Data:**

Max Headsail I: 35.35  
105 J: 11.55  
Rig Type P: 38.75  
FS E: 13.25  
Mast Material ISP: 43.33  
CARBON JSP: 21.57

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
39.7 47.01 32.7 30.1

LOA: 30.75 Displacement: 4850  
LWL: 27.4 Ballast: 2100  
Beam: 10 Engine: OB  
Draft: 7.2 Prop Type: Fixed\_3

**Modifications on file:** 6 FT ARTIC, RETRAC BOWSPRIT. MTG 3/28/96 (RATED 66) (CHNG NOTED 4/18/96-NO CHNGE RTNG. (2/13/96 FM 66 TO 60.)( MTG 11/13/97 FM 60 TO 57)MTG 2/12/98 FM 57 TO 63 (MTG 4/9/98) Inboard SailDrive removed and replaced with outboard. Boat weighed with calibrated scale on 8/9/06 (Mtg 8/17/06 - +3 s/m for small headsail; -3 s/m for outboard)(Mtg 3/19/09, LWL changed noted, NCTR, boat now meets Sportboat classification)

**Boat Name** Oxymoron  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 633 Certificate Date 1/16/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

Sail #  
106

**Rig Data:**

Max Headsail I: 26.25  
150 J: 9.75  
Rig Type P: 25  
FS E: 9.5  
Mast Material ISP: 26.2  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
26.6 17.55 17.55 9.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 23.75 Displacement: 2050  
LWL: 21.75 Ballast: 1025  
Beam: 7.16 Engine: OB  
Draft: 4.25 Prop Type: None

**Modifications on file:**

**Boat Name** Pacifico  
**Boat Type** Santa Cruz 27  
**Rating:** 144 DW Rating: 618 Certificate Date 2/20/2026  
Displacement used for DW Rating: 3200  
Certified PHRF Data on file?

Sail #  
23

**Rig Data:**

Max Headsail I: 32.583  
125 J: 10.75  
Rig Type P: 28.25  
MS E: 8.583  
Mast Material ISP: 32.583  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
32.74 19.4 19.4 10.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 27 Displacement: 3000  
LWL: 24 Ballast: 1500  
Beam: 8 Engine: OB  
Draft: 4.5 Prop Type: None

**Modifications on file:**

**Boat Name** Painkiller  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 629 Certificate Date 1/7/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

Sail #  
33

**Rig Data:**

Max Headsail I: 26.25  
150 J: 9.75  
Rig Type P: 25  
FS E: 9.5  
Mast Material ISP: 26.25  
ALUMN JSP:

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
27 17.55 17.55 9.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 23.75 Displacement: 2050  
LWL: 21.75 Ballast: 1025  
Beam: 7.16 Engine: OB  
Draft: 4.083 Prop Type: None

**Modifications on file:**

**Boat Name** Paramour  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 629 Certificate Date 2/26/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050  
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 27 17.55 17.55 9.75  
FS E: 9.5 *Asymmetric Spin?* No Engine: OB  
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: Draft: 4.083

**Boat Name** Peaches  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 605 Certificate Date 1/12/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.25 Displacement: 2450  
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100  
Rig Type P: 28.5 29 17.75 17.75 9.833  
FS E: 10.416 *Asymmetric Spin?* No Engine: OB  
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: Draft: 4.5

**Boat Name** Pelagic  
**Boat Type** Beneteau 310 SD  
**Rating:** 156 DW Rating: 620 Certificate Date 2/20/2026  
Displacement used for DW Rating: 7054  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 37.04 *Symmetric Spin?* Yes LOA: 31 Displacement: 7054  
100 J: 10.83 SL: SSMG: SSF: SPL: LWL: 28.66 Ballast: 2400  
Rig Type P: 36.8 36.3 21 20.7 11.8  
FS E: 12.25 *Asymmetric Spin?* No Engine: IB  
Mast Material ISP: 37.1 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: Draft: 4.25

**Boat Name** Pelican  
**Boat Type** Cape Dory 27  
**Rating:** 231 DW Rating: Certificate Date 1/8/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 34.42 *Symmetric Spin?* No LOA: 27.08 Displacement: 7500  
150 J: 11 SL: SSMG: SSF: SPL: LWL: 20 Ballast: 3000  
Rig Type P: 29.75  
MS E: 11.25 *Asymmetric Spin?* No Engine: IB  
Mast Material ISP: 34.42 SLE: SLU: ASMG: ASF: Prop Type: Fixed\_2  
ALUMN JSP: Draft: 4

**Boat Name** Pendragon  
**Boat Type** CUSTOM Davidson 44  
**Rating:** 18 DW Rating: 525 Certificate Date 1/12/2026  
Displacement used for DW Rating: 20255  
Certified PHRF Data on file?

Sail #  
77177

**Rig Data:**

Max Headsail I: 56.22  
120 J: 15.25  
Rig Type P: 58.21  
MS E: 20.8  
Mast Material ISP: 65.25  
ALUMN JSP: 20.92

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
63.33 32.67 33.83 20.17  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
58.58 65.57 26.17 31.75

LOA: 49.8  
LWL: 39  
Beam: 13.9  
Draft: 8.92

Displacement: 20200  
Ballast: 8000  
Engine: IB  
Prop Type: FOLD

**Modifications on file:** (Mtg 4/9/98, custom rating of 51 assigned)(Mtg 8/23/21, Boat Modified, including new rig and hull modifications, Custom Rating of 18 assigned)

**Boat Name** Pendragon  
**Boat Type** Hanse 388  
**Rating:** 99 DW Rating: Certificate Date 1/22/2026  
Displacement used for DW Rating: 18232  
Certified PHRF Data on file?

Sail #  
430

**Rig Data:**

Max Headsail I: 48.9  
87 J: 14.1  
Rig Type P: 46.9  
FS E: 16.7  
Mast Material ISP: 50.9  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 37.42  
LWL: 34.1  
Beam: 12.83  
Draft: 6.75

Displacement: 18232  
Ballast: 5269  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Peregrine  
**Boat Type** J 120 Carbon  
**Rating:** 45 DW Rating: 557 Certificate Date 3/3/2026  
Displacement used for DW Rating: 15000  
Certified PHRF Data on file?

Sail #  
25487

**Rig Data:**

Max Headsail I: 50.5  
150 J: 14.5  
Rig Type P: 46.5  
FS E: 17.8  
Mast Material ISP: 52  
CARBON JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
52.5 64 36.96 35.1

LOA: 40  
LWL: 35  
Beam: 12  
Draft: 7

Displacement: 13900  
Ballast: 6000  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Phantom  
**Boat Type** J 24 ODR  
**Rating:** 168 DW Rating: 695 Certificate Date 4/1/2026  
Displacement used for DW Rating: 2870  
Certified PHRF Data on file?

Sail #  
8257

**Rig Data:**

Max Headsail I: 26.25  
150 J: 9.5  
Rig Type P: 28  
FS E: 9.75  
Mast Material ISP: 26.25  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
26.5 17.13 17.03 9.5  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 24  
LWL: 20  
Beam: 8.92  
Draft: 4

Displacement: 3100  
Ballast: 950  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Phat Jack  
**Boat Type** Express 37  
**Rating:** 72 DW Rating: 587 Certificate Date 2/26/2026  
Displacement used for DW Rating: 10207  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 48.75  
150 J: 14.33  
Rig Type P: 42  
MS E: 13.75  
Mast Material ISP: 48.75  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
48 25.7 25.7 14.33  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
Draft: 7.25

LOA: 37.08 Displacement: 11000  
LWL: 30.83 Ballast: 4500  
Beam: 11.57 Engine: IB  
Draft: 7.25 Prop Type: FEATH

**Boat Name** PICO  
**Boat Type** J 99  
**Rating:** 75 DW Rating: 602 Certificate Date 4/28/2026  
Displacement used for DW Rating: 8415  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 43.37  
105 J: 12.56  
Rig Type P: 41.8  
FS E: 14.3  
Mast Material ISP: 47.25  
ALUMN JSP: 16.73

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
45.93 54.13 29.33 25.49

LOA: 32.6 Displacement: 8415  
LWL: 28.6 Ballast: 3417  
Beam: 11.18 Engine: IB  
Draft: 6.54 Prop Type: Fold

**Boat Name** Pirouette  
**Boat Type** Beneteau Farr First 36.7  
**Rating:** 81 DW Rating: 614 Certificate Date 1/12/2026  
Displacement used for DW Rating: 12150  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 46.41  
155 J: 13.1  
Rig Type P: 45.4  
FS E: 15.6  
Mast Material ISP: 46.4  
ALUMN JSP: 13.1

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
45.8 23.5 23.5 13.1  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 36 Displacement: 12495  
LWL: 30.3 Ballast: 4034  
Beam: 11.4 Engine: IB  
Draft: 7.3 Prop Type: Fold

**Boat Name** Placebo  
**Boat Type** Soverel 33-2  
**Rating:** 99 DW Rating: 573 Certificate Date 1/7/2026  
Displacement used for DW Rating: 5800  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 5/23/22, +3 sec/mi for no articulation, -3 sec/mi for sprit)

**Rig Data:**

Max Headsail I: 42.5  
100 J: 12.75  
Rig Type P: 45.5  
FS E: 13  
Mast Material ISP: 42.5  
ALUMN JSP: 14.75

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
42.5 25.1 25.1 14  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
39.99 46.88 22.05 22.28

LOA: 29.92 Displacement: 5800  
LWL: 30.5 Ballast: 2800  
Beam: 11 Engine: IB  
Draft: 5.85 Prop Type: Fold

**Boat Name** Plus Sixteen  
**Boat Type** Ericson 911S Olson  
**Rating:** 135 DW Rating: 670 Certificate Date 1/7/2026  
Displacement used for DW Rating: 8716  
Certified PHRF Data on file?

Sail #  
97707

**Rig Data:**

Max Headsail I: 41.5 Symmetric Spin? Yes LOA: 30 Displacement: 8500  
125 J: 12.25 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3200  
Rig Type P: 35.761 43.5 ##### 12.25  
MS E: 11.811 Asymmetric Spin? Yes Beam: 10.33 Engine: IB  
Mast Material ISP: 41.5 SLE: SLU: ASMG: ASF: Prop Type: FEATH  
ALUMN JSP: 12.33 35.761 41.995 21.702 20.932 Draft: 5.42

**Modifications on file:**

**Boat Name** Polecat  
**Boat Type** Wyliecat 30 IB  
**Rating:** 126 DW Rating: 614 Certificate Date 1/6/2026  
Displacement used for DW Rating: 5965  
Certified PHRF Data on file?

Sail #  
5

**Rig Data:**

Max Headsail I: Symmetric Spin? No LOA: 30.5 Displacement: 5500  
J: SL: SSMG: SSF: SPL: LWL: 25 Ballast: 3050  
Rig Type P: 40  
CAT E: 20 Asymmetric Spin? No Beam: 9.416 Engine: IB  
Mast Material ISP: 29.5 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
CARBON JSP: 12 29.3 32.8 18.4 21.6 Draft: 5.25

**Modifications on file:** (Articulating Sprint and Pole added for asym spinnaker, added asymmetrical, -21 sec/mi)(5/22/14, removed Asymmetrical, +21 sec/mi)(Mtg 8/25/16, New rudder installed, NCTR)(11/7/22, -3 sec/mi for square top mainsail)

**Boat Name** Poppy  
**Boat Type** Mini Transat 6.5  
**Rating:** 105 DW Rating: 579 Certificate Date 1/27/2026  
Displacement used for DW Rating: 2297  
Certified PHRF Data on file?

Sail #  
703

**Rig Data:**

Max Headsail I: 28.4 Symmetric Spin? No LOA: 21.33 Displacement: 2297  
130 J: 8.67 SL: SSMG: SSF: SPL: LWL: 21.33 Ballast: 970  
Rig Type P: 32.02  
FS E: 10.86 Asymmetric Spin? Yes Beam: 9.68 Engine: OB  
Mast Material ISP: 34.61 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 17.29 37.56 45.27 24.51 28.97 Draft: 5.3

**Modifications on file:** (Mtg 1/26/26, custom rating of 105 assigned)

**Boat Name** Potential  
**Boat Type** J 99  
**Rating:** 75 DW Rating: 604 Certificate Date 2/12/2026  
Displacement used for DW Rating: 8415  
Certified PHRF Data on file?

Sail #  
95

**Rig Data:**

Max Headsail I: 43.37 Symmetric Spin? No LOA: 32.61 Displacement: 8415  
105 J: 12.56 SL: SSMG: SSF: SPL: LWL: 28.6 Ballast: 3350  
Rig Type P: 41.8  
FS E: 14.3 Asymmetric Spin? Yes Beam: 11.18 Engine: IB  
Mast Material ISP: 47.25 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 16.73 44.62 49.54 25.39 28.22 Draft: 6.54

**Modifications on file:**

**Boat Name** Praxis  
**Boat Type** J 9  
**Rating:** 117 DW Rating: 620 Certificate Date 1/7/2026  
Displacement used for DW Rating: 4250  
Certified PHRF Data on file?

Sail #  
15

**Rig Data:**

Max Headsail I: 33.5  
105 J: 10  
Rig Type P: 34  
FS E: 13.36  
Mast Material ISP: 35  
ALUMN JSP: 12.43

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 28  
LWL: 25.4  
Beam: 8.6  
Draft: 4.9

Displacement: 4250  
Ballast: 1950  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Pressure Drop  
**Boat Type** Beneteau Farr First 36.7  
**Rating:** 81 DW Rating: 614 Certificate Date 1/6/2026  
Displacement used for DW Rating: 12150  
Certified PHRF Data on file?

Sail #  
52489

**Rig Data:**

Max Headsail I: 46.4  
135 J: 13.1  
Rig Type P: 45.4  
FS E: 15.6  
Mast Material ISP: 46.4  
ALUMN JSP: 13.1

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
45.8 23.5 23.5 13.1  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
43.63 46.25 23.13 23.29

LOA: 36  
LWL: 30.3  
Beam: 11.4  
Draft: 7.3

Displacement: 12495  
Ballast: 4034  
Engine: IB  
Prop Type: Fold

**Modifications on file:** Roller Furler

**Boat Name** Pretty Naho  
**Boat Type** Jeanneau Sun Odyssey 36.2  
**Rating:** 129 DW Rating: 638 Certificate Date 6/16/2026  
Displacement used for DW Rating: 12320  
Certified PHRF Data on file?

Sail #  
38145

**Rig Data:**

Max Headsail I: 42.35  
135 J: 11.8  
Rig Type P: 36.09  
MS E: 14.44  
Mast Material ISP: 42.35  
ALUMN JSP: 12.68

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
38.33 42 22.5 20.83

LOA: 36.08  
LWL: 30.5  
Beam: 12.25  
Draft: 6.25

Displacement: 12320  
Ballast: 3410  
Engine: IB  
Prop Type: Fixed\_2

**Modifications on file:**

**Boat Name** Prime Number  
**Boat Type** Tartan 4100 SD  
**Rating:** 96 DW Rating: 602 Certificate Date 1/16/2026  
Displacement used for DW Rating: 20400  
Certified PHRF Data on file?

Sail #  
38107

**Rig Data:**

Max Headsail I: 57  
106 J: 15  
Rig Type P: 47.75  
MS E: 17.22  
Mast Material ISP: 57  
CARBON JSP: 15

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 41.25  
LWL: 35.75  
Beam: 13.5  
Draft: 5.33

Displacement: 20400  
Ballast: 8000  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Pronto  
**Boat Type** Beneteau First 10R  
**Rating:** 84 DW Rating: 627 Certificate Date 4/26/2026  
Displacement used for DW Rating: 9908  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 43.25  
95 J: 12.08  
Rig Type P: 42.25  
FS E: 14.73  
Mast Material ISP: 46.41  
CARBON JSP: 16.5

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
37 41 23.2 14.9

LOA: 32.75 Displacement: 9715  
LWL: 28.7 Ballast: 3528  
Beam: 11 Engine: IB  
Draft: 6.55 Prop Type: Fixed\_2

**Boat Name** Psycho Tiller  
**Boat Type** Jeanneau Sun Fast 32i  
**Rating:** 144 DW Rating: 674 Certificate Date 4/30/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 39.2  
110 J: 11.1  
Rig Type P: 36.7  
FS E: 12.2  
Mast Material ISP: 38.1  
ALUMN JSP: 10.6

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
38.4 17.1 15.8 11.1  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 31.5 Displacement: 9680  
LWL: 27.11 Ballast: 2491  
Beam: 10.9 Engine: IB  
Draft: 6.6 Prop Type: FOLD

**Boat Name** Punk Dolphin  
**Boat Type** Custom Wylie 38  
**Rating:** 72 DW Rating: 596 Certificate Date 1/12/2026  
Displacement used for DW Rating: 11495  
Certified PHRF Data on file?

**Modifications on file:** (3/3/20, added 125% headsail, +3 sec/mi, change custom rating from 72 to 75)(1/3/25, switching back to 150% headsail, change custom rating from 75 to 72)

**Rig Data:**

Max Headsail I: 48  
150 J: 14.33  
Rig Type P: 43  
MS E: 14  
Mast Material ISP: 48  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
48 25.8 25 14.33  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 38 Displacement: 14400  
LWL: 31 Ballast: 5000  
Beam: 11.6 Engine: IB  
Draft: 6.75 Prop Type: FOLD

**Boat Name** QE 3  
**Boat Type** Tartan 10  
**Rating:** 129 DW Rating: 628 Certificate Date 3/18/2026  
Displacement used for DW Rating: 7005  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 35  
125 J: 12  
Rig Type P: 40.25  
FS E: 13.75  
Mast Material ISP: 35  
ALUMN JSP: 0

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
35 21.6 21.6 12  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 33.16 Displacement: 6700  
LWL: 27 Ballast: 3340  
Beam: 9.25 Engine: IB  
Draft: 5.83 Prop Type: FOLD

**Boat Name** Quiver  
**Boat Type** Custom Nelson Marek 36  
**Rating:** 45 DW Rating: 550 Certificate Date 1/26/2026  
Displacement used for DW Rating: 7300  
Certified PHRF Data on file?

Sail #  
28669

**Rig Data:**

Max Headsail I: 43.85  
105 J: 12.5  
Rig Type P: 45.75  
FS E: 16.47  
Mast Material ISP: 51.9  
CARBON JSP: 14.57

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
50.39 26.21 26.21 14.57  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
47.57 57.4 28.34 26.24

LOA: 35.6  
LWL: 29.32  
Beam: 10.3  
Draft: 7.6

Displacement: 7725  
Ballast: 3255  
Engine: IB  
Prop Type: FOLD

**Modifications on file:** (mtg 6/15/10, added lead shoe to keel, -3 sec/mi, change custom rating from 48 to 45)(Mtg 2/29/12, added sprit equal to SPL, NCTR)

**Boat Name** Quiver  
**Boat Type** Santa Cruz 40  
**Rating:** 57 DW Rating: 537 Certificate Date 5/15/2026  
Displacement used for DW Rating: 10500  
Certified PHRF Data on file?

Sail #  
18514

**Rig Data:**

Max Headsail I: 52  
155 J: 16  
Rig Type P: 45.5  
MS E: 14  
Mast Material ISP: 52  
ALUMN JSP: 16

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
51.59 28.8 28.6 16  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 40  
LWL: 36  
Beam: 12  
Draft: 7

Displacement: 10500  
Ballast: 5500  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Quixote  
**Boat Type** Elan 40 DK  
**Rating:** 66 DW Rating: 590 Certificate Date 1/15/2026  
Displacement used for DW Rating: 15873  
Certified PHRF Data on file?

Sail #  
61504

**Rig Data:**

Max Headsail I: 50.03  
120 J: 14.27  
Rig Type P: 49  
MS E: 17.7  
Mast Material ISP: 54  
ALUMN JSP: 15.55

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
49.7 26.3 23.9 14.27  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
48 53.8 20.9 23

LOA: 39.01  
LWL: 33.6  
Beam: 12.4  
Draft: 8

Displacement: 15873  
Ballast: 5621  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg , -3 sec/mi for masthead kite)

**Boat Name** Rafiki  
**Boat Type** Wilderness 30 SX FR IB  
**Rating:** 126 DW Rating: 585 Certificate Date 2/3/2026  
Displacement used for DW Rating: 4200  
Certified PHRF Data on file?

Sail #  
28858

**Rig Data:**

Max Headsail I: 34.08  
125 J: 11.75  
Rig Type P: 34.33  
MS E: 11.5  
Mast Material ISP: 34.1  
ALUMN JSP: 11.8

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
34.24 21.15 21.15 11.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 31.67  
LWL: 27.75  
Beam: 8.67  
Draft: 5

Displacement: 4200  
Ballast: 2150  
Engine: OB  
Prop Type: None

**Modifications on file:** (Mtg 1/22/23, -3 sec/mi for sugar scoop)

**Boat Name** Ragazza **Sail #** 350 **Max Headsail** I: 50.2 **Symmetric Spin?** No **LOA:** 42.65 **Displacement:** 18874  
**Boat Type** Jeanneau Sun Odyssey 440 **J:** 16.96 **SL:** SSMG: SSF: SPL: **LWL:** 39.37 **Ballast:** 5026  
**Rating:** 81 **DW Rating:** 563 **Certificate Date** 6/24/2026 **Rig Data:** **Rig Type** P: 50.2 **Asymmetric Spin?** Yes **Beam:** 14.07 **Engine:** IB  
**Displacement used for DW Rating:** 18874 **Mast Material** FS **ISP:** 53.7 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 7.22 **Prop Type:** Fixed\_3  
**Certified PHRF Data on file?**  **JSP:** 18.37 **49.66** **56.76** **28.34** **28.88**  
**Modifications on file:** (Mtg 6/23/26, + 3 sec/mi for In-Mast Furling Mainsail. Electric Winches (Manually eased))

**Boat Name** Ragtime **Sail #** 7960 **Max Headsail** I: 65.39 **Symmetric Spin?** No **LOA:** 64.74 **Displacement:** 23451  
**Boat Type** Custom Spencer 65 **J:** 22.24 **SL:** SSMG: SSF: SPL: **LWL:** 55.7 **Ballast:** 10500  
**Rating:** -66 **DW Rating:** 420 **Certificate Date** 5/8/2026 **Rig Data:** **Rig Type** P: 67 **Asymmetric Spin?** Yes **Beam:** 11.83 **Engine:** IB  
**Displacement used for DW Rating:** 23451 **Mast Material** FS **ISP:** 74.02 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 10.72 **Prop Type:** Fold  
**Certified PHRF Data on file?**  **JSP:** 25.92 **70.5** **77.36** **41.54** **38.32**  
**Modifications on file:** (Mtg 5/19/25, Custom Rating of -66 assigned)

**Boat Name** Rahan **Sail #** 3637 **Max Headsail** I: 45.7 **Symmetric Spin?** No **LOA:** 35.98 **Displacement:** 9428  
**Boat Type** Seascope First 36 SE **J:** 15.9 **SL:** SSMG: SSF: SPL: **LWL:** 32.84 **Ballast:** 3317  
**Rating:** 48 **DW Rating:** 537 **Certificate Date** 1/27/2026 **Rig Data:** **Rig Type** P: 48.24 **Asymmetric Spin?** Yes **Beam:** 2.53 **Engine:** IB  
**Displacement used for DW Rating:** 0 **Mast Material** FS **ISP:** 52.2 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 8.64 **Prop Type:** Fold  
**Certified PHRF Data on file?**  **JSP:** 22.95 **50.52** **60.04** **32.48** **32.84**  
**Modifications on file:** Non Class Bowsprit (Mtg 1/26/26, provisional rating of 48 assigned)

**Boat Name** Rascal **Sail #** 28175 **Max Headsail** I: 36 **Symmetric Spin?** Yes **LOA:** 30 **Displacement:** 4200  
**Boat Type** Custom Wilderness 30 SX **J:** 11 **SL:** SSMG: SSF: SPL: **LWL:** 26.5 **Ballast:** 1650  
**Rating:** 105 **DW Rating:** 596 **Certificate Date** 1/9/2026 **Rig Data:** **Rig Type** P: 32 **Asymmetric Spin?** No **Beam:** 8.75 **Engine:** OB  
**Displacement used for DW Rating:** 4200 **Mast Material** MS **ISP:** 36 **SLE:** **SLU:** **ASMG:** **ASF:** **Draft:** 6 **Prop Type:** None  
**Certified PHRF Data on file?**  **JSP:** **35.76** **19.8** **19.8** **11**

**Modifications on file:** SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 3" FRD-BLST 1800/1686, DRAFT 5/5.50 (5" FILLER TOP OF KEEL)2/15/96 MTG. (NOTE- SMW CANNOT EXCEED 19.8 mtg-5-17-2001)(Mtg 1/21/19, +3 sec/mi for 95% headsail, change custom rating to 108)(1/20/23, added 150% headsail back, -3 sec/mi, custom rating back to 105)

**Boat Name** Raven  
**Boat Type** Beneteau First 35  
**Rating:** 75 DW Rating: 600 Certificate Date 2/20/2026  
Displacement used for DW Rating: 12125  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	47.24	<i>Symmetric Spin?</i>	Yes	LOA:	36.32	Displacement:	12125
108	J:	13.12	SL:	SSMG:	SSF:	SPL:	Ballast:	3681
Rig Type	P:	45.93	51.31	26.25	25.46	14.73	LWL:	30.6
FS	E:	14.75	<i>Asymmetric Spin?</i>			No	Beam:	12.76
Mast Material	ISP:	51.48	SLE:	SLU:	ASMG:	ASF:	Draft:	7.25
ALUMN	JSP:							Prop Type: Fold

**Boat Name** Raven  
**Boat Type** C&C 115 ODR  
**Rating:** 63 DW Rating: 580 Certificate Date 4/7/2026  
Displacement used for DW Rating: 13152  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	52.17	<i>Symmetric Spin?</i>	Yes	LOA:	37.75	Displacement:	11800
106	J:	14.5	SL:	SSMG:	SSF:	SPL:	Ballast:	4200
Rig Type	P:	49.33	51.78	28.4	28.4	15.8	LWL:	33
FS	E:	16.33	<i>Asymmetric Spin?</i>			Yes	Beam:	11.92
Mast Material	ISP:	52.17	SLE:	SLU:	ASMG:	ASF:	Draft:	6.67
CARBON	JSP:	14.5	47.3	53.3	22.5	24.7		Prop Type: Fold

**Boat Name** Ravenette  
**Boat Type** J 88  
**Rating:** 81 DW Rating: 575 Certificate Date 1/29/2026  
Displacement used for DW Rating: 4990  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	38.67	<i>Symmetric Spin?</i>	NO	LOA:	29.19	Displacement:	4990
104	J:	11.28	SL:	SSMG:	SSF:	SPL:	Ballast:	1840
Rig Type	P:	36.82					LWL:	26.84
FS	E:	12	<i>Asymmetric Spin?</i>			Yes	Beam:	9.5
Mast Material	ISP:	46	SLE:	SLU:	ASMG:	ASF:	Draft:	6.5
CARBON	JSP:	18.05	40.84	47.83	27.32	29		Prop Type: Fold

**Boat Name** Recidivist  
**Boat Type** Custom Schumacher 39  
**Rating:** 33 DW Rating: 563 Certificate Date 6/24/2026  
Displacement used for DW Rating: 13000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	48.34	<i>Symmetric Spin?</i>	No	LOA:	39.81	Displacement:	13000
125	J:	14.03	SL:	SSMG:	SSF:	SPL:	Ballast:	5500
Rig Type	P:	50.91					LWL:	33.7
FS	E:	18.49	<i>Asymmetric Spin?</i>			Yes	Beam:	12.12
Mast Material	ISP:	56.78	SLE:	SLU:	ASMG:	ASF:	Draft:	8.24
CARBON	JSP:		42.65	49.87	24.44	27.56		Prop Type: FOLD

ALUMINUM MAST REPLACED W/CARBON. MTG 4/9/98- CHANGED FROM 24 TO 27 PER MTG 8/24/2000 (Mtg 5/22/08, -9 sec/mi for oversized luffs, +3 sec/mi for smaller headsail)(mtg 6/19/08, added Swept Back Spreaders, Elimated Runners, +9 sec/mi for standard sized spinnaker)(5/14/09, switching back to masthead configuration/oversized spinnaker -9 sec/mi)(Mtg1/26/26, remmoved MH spinnaker, replaced with asymmetric, +9 sec/mi, +3 sec/mi for smaller mainsail, change custom rating from 21 to 36)

<b>Boat Name</b> Red Cloud	<b>Sail #</b> 99	<b>Max Headsail</b> 110	<b>I:</b> 38.3	<b>Symmetric Spin?</b> Yes	<b>LOA:</b> 36	<b>Displacement:</b> 10430
<b>Boat Type</b> Farr 36			<b>J:</b> 12.6	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 31.33	<b>Ballast:</b> 3950
<b>Rating:</b> 99	<b>DW Rating:</b> 633	<b>Certificate Date</b> 12/16/2025	<b>Rig Type</b> FS	<b>P:</b> 41	<b>Beam:</b> 11.92	<b>Engine:</b> IB
Displacement used for DW Rating: 9739			<b>E:</b> 16.75	<b>Asymmetric Spin?</b> No	<b>Draft:</b> 6.16	<b>Prop Type:</b> Fold
Certified PHRF Data on file? <input checked="" type="checkbox"/>			<b>Mast Material</b> ALUMN	<b>ISP:</b> 38.3	<b>SLE: SLU: ASMG: ASF:</b>	
			<b>JSP:</b> 12.6			

**Modifications on file:** (550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)(2/20/20, removing masthead kite, reverting to stock Farr 36)(Mtg 4/29/24, engine moved aft, NCTR)(10/28/25, switching back to Masthead Kite, as sailed: 87)(12/16/25, removed Masthead Kite, back to stock configuration, as sailed: 99)

<b>Boat Name</b> Resilience	<b>Sail #</b> 136	<b>Max Headsail</b> 90	<b>I:</b> 30	<b>Symmetric Spin?</b> YES	<b>LOA:</b> 28.25	<b>Displacement:</b> 5700
<b>Boat Type</b> Alerion Express 28 ODR			<b>J:</b> 9.75	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 22.83	<b>Ballast:</b> 2200
<b>Rating:</b> 168	<b>DW Rating:</b> 696	<b>Certificate Date</b> 1/8/2026	<b>Rig Type</b> FS	<b>P:</b> 33	<b>Beam:</b> 8.2	<b>Engine:</b> IB
Displacement used for DW Rating: 5700			<b>E:</b> 12.5	<b>Asymmetric Spin?</b> No	<b>Draft:</b> 4.5	<b>Prop Type:</b> Fold
Certified PHRF Data on file? <input type="checkbox"/>			<b>Mast Material</b> ALUMN	<b>ISP:</b> 30	<b>SLE: SLU: ASMG: ASF:</b>	
			<b>JSP:</b> 9.75			

**Modifications on file:**

<b>Boat Name</b> Revelry	<b>Sail #</b> 703	<b>Max Headsail</b> 125	<b>I:</b> 53	<b>Symmetric Spin?</b> No	<b>LOA:</b> 41.833	<b>Displacement:</b> 20500
<b>Boat Type</b> Catalina 42-1/2			<b>J:</b> 16.416	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 36	<b>Ballast:</b> 8300
<b>Rating:</b> 105	<b>DW Rating:</b> 614	<b>Certificate Date</b> 3/27/2026	<b>Rig Type</b> MS	<b>P:</b> 46.75	<b>Beam:</b> 13.833	<b>Engine:</b> IB
Displacement used for DW Rating: 25500			<b>E:</b> 15.416	<b>Asymmetric Spin?</b> Yes	<b>Draft:</b> 6.83	<b>Prop Type:</b> FEATH
Certified PHRF Data on file? <input type="checkbox"/>			<b>Mast Material</b> ALUMN	<b>ISP:</b> 53	<b>SLE: SLU: ASMG: ASF:</b>	
			<b>JSP:</b> 16.416	<b>47.4 52.7 26 27.5</b>		

**Modifications on file:**

<b>Boat Name</b> Reverie	<b>Sail #</b> 22	<b>Max Headsail</b> 105	<b>I:</b> 48.37	<b>Symmetric Spin?</b> No	<b>LOA:</b> 36.5	<b>Displacement:</b> 9300
<b>Boat Type</b> J 111			<b>J:</b> 13.85	<b>SL: SSMG: SSF: SPL:</b>	<b>LWL:</b> 32.7	<b>Ballast:</b> 3500
<b>Rating:</b> 36	<b>DW Rating:</b> 545	<b>Certificate Date</b> 4/24/2026	<b>Rig Type</b> FS	<b>P:</b> 45.17	<b>Beam:</b> 10.8	<b>Engine:</b> IB
Displacement used for DW Rating:			<b>E:</b> 14.5	<b>Asymmetric Spin?</b> Yes	<b>Draft:</b> 7.2	<b>Prop Type:</b> Fold
Certified PHRF Data on file? <input type="checkbox"/>			<b>Mast Material</b> CARBON	<b>ISP:</b> 51.4	<b>SLE: SLU: ASMG: ASF:</b>	
			<b>JSP:</b> 20.08	<b>48.88 59.05 31.86 31.86</b>		

**Modifications on file:**

**Boat Name** Reverie **Sail #** 52423  
**Boat Type** J 109 ODR w/120^ m  
**Rating:** 69 **DW Rating:** 600 **Certificate Date** 6/9/2026  
Displacement used for DW Rating: 11000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 46.5 *Symmetric Spin?* No LOA: 32.25 Displacement: 10900  
105 J: 13.3 SL: SSMG: SSF: SPL: LWL: 30.5 Ballast: 3900  
Rig Type P: 43.25  
FS E: 15.5 *Asymmetric Spin?* Yes Beam: 11.5 Engine: IB  
Mast Material ISP: 49.6 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 18.8 44.21 60 30.21 27.6 Draft: 7

**Boat Name** Rhapsody **Sail #** 88  
**Boat Type** Sabre Spirit  
**Rating:** 93 **DW Rating:** 609 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 9600  
Certified PHRF Data on file?

**Modifications on file:** Halyard winches. (Mtg 1/24/22, -3 sec/mi for keel shoe, -3 sec/mi for increased ISP, +3 sec/mi for non-articulation)

**Rig Data:**  
Max Headsail I: 45.5 *Symmetric Spin?* No LOA: 36.67 Displacement: 9600  
104 J: 12.87 SL: SSMG: SSF: SPL: LWL: 28.33 Ballast: 4000  
Rig Type P: 45.5  
MS E: 16.55 *Asymmetric Spin?* Yes Beam: 10.42 Engine: IB  
Mast Material ISP: 49.5 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 12.87 49.2 55.92 21.24 21.12 Draft: 6.75

**Boat Name** Ripple **Sail #** 18  
**Boat Type** Moore 24  
**Rating:** 153 **DW Rating:** 631 **Certificate Date** 1/6/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 26.24 *Symmetric Spin?* YES LOA: 23.75 Displacement: 2050  
90 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 26.6 17.55 17.55 9.75  
FS E: 9.5 *Asymmetric Spin?* No Beam: 7.16 Engine: OB  
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: Draft: 4.083

**Boat Name** Rocinante **Sail #** 824  
**Boat Type** C&C 32  
**Rating:** 162 **DW Rating:** 685 **Certificate Date** 5/15/2026  
Displacement used for DW Rating: 9680  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 41.12 *Symmetric Spin?* YES LOA: 31.5 Displacement: 9680  
110 J: 12.75 SL: SSMG: SSF: SPL: LWL: 24.67 Ballast: 3900  
Rig Type P: 35.25 40.9 22.9 22.9 12.75  
MS E: 11.33 *Asymmetric Spin?* No Beam: 10.25 Engine: IB  
Mast Material ISP: 41 SLE: SLU: ASMG: ASF: Prop Type: Fixed\_2  
ALUMN JSP: 12.75 Draft: 5.67

**Boat Name** Rooster **Sail #** 225  
**Boat Type** Melges 20  
**Rating:** 111 **DW Rating:** 607 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 1105  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:** Max Headsail I: 23.19 *Symmetric Spin?* No LOA: 20 Displacement: 1105  
110 J: 7.05 SL: SSMG: SSF: SPL: LWL: 19.4 Ballast: 415  
Rig Type P: 24.25  
FS E: 9.84 *Asymmetric Spin?* Yes Beam: 7 Engine: OB  
Mast Material ISP: 27.2 SLE: SLU: ASMG: ASF: Prop Type: None  
CARBON JSP: 10.95 26.25 29.78 17.65 18.8 Draft: 4.5

**Boat Name** Roxanne **Sail #** 322  
**Boat Type** Tartan 4100 SD TM  
**Rating:** 90 **DW Rating:** 590 **Certificate Date** 3/18/2026  
Displacement used for DW Rating: 20400  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:** Max Headsail I: 57 *Symmetric Spin?* No LOA: 41.3 Displacement: 20400  
135 J: 15 SL: SSMG: SSF: SPL: LWL: 35.9 Ballast: 8000  
Rig Type P: 50.1  
MS E: 18 *Asymmetric Spin?* Yes Beam: 13.6 Engine: IB  
Mast Material ISP: 57 SLE: SLU: ASMG: ASF: Prop Type: Feath  
ALUMN JSP: 15 53 58.9 27.7 27 Draft: 5.4

**Boat Name** Rufless **Sail #** 2125  
**Boat Type** J 125  
**Rating:** -12 **DW Rating:** 484 **Certificate Date** 5/19/2026  
Displacement used for DW Rating: 9506  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:** Max Headsail I: 49.16 *Symmetric Spin?* NO LOA: 41 Displacement: 9506  
150 J: 14.8 SL: SSMG: SSF: SPL: LWL: 37 Ballast: 4646  
Rig Type P: 46.68  
FS E: 17.95 *Asymmetric Spin?* Yes Beam: 10.6 Engine: IB  
Mast Material ISP: 52.26 SLE: SLU: ASMG: ASF: Prop Type: Fold  
CARBON JSP: 22.85 52.55 61.68 37.14 37.89 Draft: 7.9

**Boat Name** Rum Tum Tugger **Sail #** 39  
**Boat Type** Beneteau First 10R ODR MOD  
**Rating:** 81 **DW Rating:** 619 **Certificate Date** 1/22/2026  
Displacement used for DW Rating: 10868  
Certified PHRF Data on file?

**Modifications on file:** (mtg 9/23/10, +3 sec/mi for non-class smaller kite)

**Rig Data:** Max Headsail I: 43.2 *Symmetric Spin?* No LOA: 32.75 Displacement: 9715  
130 J: 12.07 SL: SSMG: SSF: SPL: LWL: 28.7 Ballast: 3528  
Rig Type P: 42.25  
FS E: 14.73 *Asymmetric Spin?* Yes Beam: 11 Engine: IB  
Mast Material ISP: 46.41 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
CARBON JSP: 16.5 42.78 51.08 27.72 27.56 Draft: 6.55

**Boat Name** Rumour  
**Boat Type** Ericson 32-3  
**Rating:** 162 DW Rating: 663 Certificate Date 1/15/2026  
Displacement used for DW Rating: 9800  
Certified PHRF Data on file?

Sail #  
18260

**Rig Data:**

Max Headsail I: 42  
100 J: 13.75  
Rig Type P: 36  
MS E: 11.5  
Mast Material ISP: 42  
ALUMN JSP: 13.75

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
39.83 22.7 22 13.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 32.5  
LWL: 25.83  
Beam: 10.83  
Draft: 6

Displacement: 9800  
Ballast: 4200  
Engine: IB  
Prop Type: Fixed\_2

**Modifications on file:**

**Boat Name** Safety Third  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 629 Certificate Date 1/14/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

Sail #  
131

**Rig Data:**

Max Headsail I: 26.25  
150 J: 9.75  
Rig Type P: 25  
FS E: 9.5  
Mast Material ISP: 26.25  
ALUMN JSP:

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
27 17.55 17.55 9.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 23.75  
LWL: 21.75  
Beam: 7.16  
Draft: 4.083

Displacement: 2050  
Ballast: 1025  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Sailor Dog  
**Boat Type** Catalina 34 1&2  
**Rating:** 156 DW Rating: 652 Certificate Date 1/15/2026  
Displacement used for DW Rating: 13606  
Certified PHRF Data on file?

Sail #  
1798

**Rig Data:**

Max Headsail I: 44  
110 J: 13.5  
Rig Type P: 38.5  
MS E: 12  
Mast Material ISP: 44  
ALUMN JSP: 13.5

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
38 40.5 22.5 20.5

LOA: 34.5  
LWL: 29.8  
Beam: 11.7  
Draft: 5.6

Displacement: 11950  
Ballast: 5000  
Engine: IB  
Prop Type: Feath

**Modifications on file:** In-Mast furling main +3 sec/mi, MGM less than 50% of E +3 sec/mi

**Boat Name** Salty Cat  
**Boat Type** Wyliecat 30 IB  
**Rating:** 126 DW Rating: 526 Certificate Date 1/7/2026  
Displacement used for DW Rating: 4800  
Certified PHRF Data on file?

Sail #  
28259

**Rig Data:**

Max Headsail I:  
Rig Type P: 29  
CT E: 20.7  
Mast Material ISP:  
CARBON JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 30.5  
LWL: 25  
Beam: 9.5  
Draft: 5.25

Displacement: 4800  
Ballast: 2800  
Engine: IB  
Prop Type: FOLD

**Modifications on file:** INSTALLED IB ENGINE JAN 99 (Mtg 1/21/19, -3 sec/mi for square top mainsail)

**Boat Name** Salty Hotel **Sail #** 60  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 605 **Certificate Date** 1/14/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 28.5 *Symmetric Spin?* Yes  
155 J: 9 SL: SSMG: SSF: SPL:  
**Rig Type** P: 28.5 29 17.7 17.7 9.83  
FS E: 10.416 *Asymmetric Spin?* Yes  
**Mast Material** ISP: 28.5 SLE: SLU: ASMG: ASF:  
ALUMN JSP: 27.17 30.35 17 17.39

**LOA:** 27.25 **Displacement:** 2450  
**LWL:** 23.75 **Ballast:** 1100  
**Beam:** 8.17 **Engine:** OB  
**Draft:** 4.5 **Prop Type:** None

**Modifications on file:**

**Boat Name** Saoirse **Sail #** 51597  
**Boat Type** Tripp 41  
**Rating:** 24 **DW Rating:** 537 **Certificate Date** 1/9/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 55.5 *Symmetric Spin?* No  
100 J: 15.9 SL: SSMG: SSF: SPL:  
**Rig Type** P: 56.6  
FS E: 19.25 *Asymmetric Spin?* Yes  
**Mast Material** ISP: 58.25 SLE: SLU: ASMG: ASF:  
CARBON JSP: 20.9 57.776 64.534 30.676 36.385

**LOA:** 41 **Displacement:** 15270  
**LWL:** 37.1 **Ballast:** 5300  
**Beam:** 12.5 **Engine:** IB  
**Draft:** 8.7 **Prop Type:** Fold

**Modifications on file:** (Mtg 11/29/21, Custom Rating of 12 assigned)(1/24/22, -3 sec/mi for tweener sail. Change custom rating from 12 to 9)(04/25/22, removed tweener sail, rating changed from 9 back to 12)(Mtg 1/14/25, custom rating changed from 12 to 24 after boat review)

**Boat Name** Sapphire **Sail #** 38008  
**Boat Type** Synergy 1000  
**Rating:** 48 **DW Rating:** 537 **Certificate Date** 1/8/2026  
Displacement used for DW Rating: 5027  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 40.8 *Symmetric Spin?* No  
125 J: 12 SL: SSMG: SSF: SPL:  
**Rig Type** P: 42  
FS E: 15.5 *Asymmetric Spin?* Yes  
**Mast Material** ISP: 45.75 SLE: SLU: ASMG: ASF:  
CARBON JSP: 16.4 46.2 52 28.8 28

**LOA:** 32.83 **Displacement:** 4400  
**LWL:** 29.17 **Ballast:** 1850  
**Beam:** 9.75 **Engine:** IB  
**Draft:** 7 **Prop Type:** FOLD

**Modifications on file:** (Mtg 10/22/15, +3 sec/mi for smaller than class mainsail)

**Boat Name** Sapphire **Sail #** 0  
**Boat Type** Alerion Express 33  
**Rating:** 123 **DW Rating:** 657 **Certificate Date** 1/8/2026  
Displacement used for DW Rating: 8700  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 33.73 *Symmetric Spin?* No  
100 J: 11.39 SL: SSMG: SSF: SPL:  
**Rig Type** P: 38.17  
FS E: 16 *Asymmetric Spin?* Yes  
**Mast Material** ISP: 37.89 SLE: SLU: ASMG: ASF:  
CARBON JSP: 12.96 30.1 36 18.7 20

**LOA:** 33 **Displacement:** 8700  
**LWL:** 26.3 **Ballast:** 3300  
**Beam:** 9.25 **Engine:** IB  
**Draft:** 5 **Prop Type:** Fold

**Modifications on file:** Powered Main Halyard Winch

**Boat Name** Schocktail  
**Boat Type** Santana 525  
**Rating:** 189 DW Rating: 691 Certificate Date 1/7/2026  
Displacement used for DW Rating: 0  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.5  
150 J: 8.75  
Rig Type P: 29  
FS E: 10  
Mast Material ISP: 26.5  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
26 15.5 15.5 8.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 24.58 Displacement: 2400  
LWL: 18.5 Ballast: 950  
Beam: 9.33 Engine: OB  
Draft: 4.25 Prop Type: None

**Boat Name** Sea B  
**Boat Type** Olson 25  
**Rating:** 159 DW Rating: 661 Certificate Date 1/6/2026  
Displacement used for DW Rating: 2900  
Certified PHRF Data on file?

**Modifications on file:** Roller Furler

**Rig Data:**

Max Headsail I: 32  
155 J: 9.583  
Rig Type P: 28  
MS E: 10  
Mast Material ISP: 32  
ALUMN JSP: 9.58

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 25 Displacement: 2900  
LWL: 21.25 Ballast: 1300  
Beam: 9 Engine: OB  
Draft: 4.5 Prop Type: None

**Boat Name** Sea Jay  
**Boat Type** Olson 25  
**Rating:** 159 DW Rating: 659 Certificate Date 3/27/2026  
Displacement used for DW Rating: 3000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 32  
155 J: 9.6  
Rig Type P: 28  
MS E: 10  
Mast Material ISP: 32  
ALUMN JSP: 9.6

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
32 17.25 17 9.583  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 25 Displacement: 3000  
LWL: 21.25 Ballast: 1300  
Beam: 9 Engine: OB  
Draft: 4.5 Prop Type: None

**Boat Name** Sea Saw  
**Boat Type** Henderson 30  
**Rating:** 48 DW Rating: 524 Certificate Date 3/23/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 37.11  
155 J: 11.04  
Rig Type P: 38.28  
FS E: 14.29  
Mast Material ISP: 42.26  
CARBON JSP: 18.75

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
41.99 49.98 27.23 31.89

LOA: 30.83 Displacement: 3850  
LWL: 27.75 Ballast: 1750  
Beam: 9.92 Engine: OB  
Draft: 7 Prop Type: None

**Boat Name** Serenade **Sail #**  
**Boat Type** Sabre Spirit  
**Rating:** 93 **DW Rating:** 613 **Certificate Date** 4/26/2026  
Displacement used for DW Rating: 10500  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 45.5  
108 J: 12.87  
**Rig Type** P: 45.5  
FS E: 16.55  
**Mast Material** ISP: 45.5  
CARBON JSP: 12.87

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
44.92 23.17 22.24 12.87  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
45.2 53.6 23.9 23

**LOA:** 36.67  
**LWL:** 28.33  
**Beam:** 10.42  
**Draft:** 6.58

**Displacement:** 10500  
**Ballast:** 3740  
**Engine:** IB  
**Prop Type:** Fold

**Modifications on file:** (Mtg 3/30/20, -3 secmi for keel modification: added shoe)

**Boat Name** SFYC 1 **Sail #**  
**Boat Type** RS 21 1  
**Rating:** 114 **DW Rating:** 634 **Certificate Date** 2/20/2026  
Displacement used for DW Rating: 1455  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 24.11  
92 J: 7.64  
**Rig Type** P: 25.59  
MS E: 9.94  
**Mast Material** ISP: 28.68  
CARBON JSP: 11.43

*Symmetric Spin?* NO  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
27.5 33.46 17.55 17.71

**LOA:** 20.98  
**LWL:** 18.67  
**Beam:** 7.32  
**Draft:** 4.4

**Displacement:** 1455  
**Ballast:** 731  
**Engine:** IB  
**Prop Type:** Fold

**Modifications on file:**

**Boat Name** SFYC 2 **Sail #**  
**Boat Type** RS 21 2  
**Rating:** 114 **DW Rating:** 634 **Certificate Date** 2/20/2026  
Displacement used for DW Rating: 1455  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 24.11  
92 J: 7.64  
**Rig Type** P: 25.59  
MS E: 9.94  
**Mast Material** ISP: 28.68  
CARBON JSP: 11.43

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
27.5 33.46 17.55 17.71

**LOA:** 20.98  
**LWL:** 18.67  
**Beam:** 7.32  
**Draft:** 4.4

**Displacement:** 1455  
**Ballast:** 731  
**Engine:** IB  
**Prop Type:** Fold

**Modifications on file:**

**Boat Name** SFYC 3 **Sail #**  
**Boat Type** RS 21 3  
**Rating:** 114 **DW Rating:** 634 **Certificate Date** 2/20/2026  
Displacement used for DW Rating: 1455  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 24.11  
92 J: 7.64  
**Rig Type** P: 25.59  
MS E: 9.94  
**Mast Material** ISP: 28.68  
CARBON JSP: 11.43

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
27.5 33.46 17.55 17.71

**LOA:** 20.98  
**LWL:** 18.67  
**Beam:** 7.32  
**Draft:** 4.4

**Displacement:** 1455  
**Ballast:** 731  
**Engine:** IB  
**Prop Type:** Fold

**Modifications on file:**

**Boat Name** SFYC 4  
**Boat Type** RS 21  
**Rating:** 114 DW Rating: 634 Certificate Date 2/20/2026  
Displacement used for DW Rating: 1455  
Certified PHRF Data on file?

Sail #  
4

**Rig Data:**

Max Headsail I: 24.11  
92 J: 7.64  
Rig Type P: 25.59  
MS E: 9.94  
Mast Material ISP: 28.68  
CARBON JSP: 11.43

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
27.5 33.46 17.55 17.71

LOA: 20.98  
LWL: 18.67  
Beam: 7.32  
Draft: 4.4

Displacement: 1455  
Ballast: 731  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** SFYC 5  
**Boat Type** RS 21  
**Rating:** 114 DW Rating: 634 Certificate Date 2/20/2026  
Displacement used for DW Rating: 1455  
Certified PHRF Data on file?

Sail #  
5

**Rig Data:**

Max Headsail I: 24.11  
92 J: 7.64  
Rig Type P: 25.59  
MS E: 9.94  
Mast Material ISP: 28.68  
CARBON JSP: 11.43

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
27.5 33.46 17.55 17.71

LOA: 20.98  
LWL: 18.67  
Beam: 7.32  
Draft: 4.4

Displacement: 1455  
Ballast: 731  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** SFYC 6  
**Boat Type** RS 21  
**Rating:** 114 DW Rating: 634 Certificate Date 2/20/2026  
Displacement used for DW Rating: 1455  
Certified PHRF Data on file?

Sail #  
6

**Rig Data:**

Max Headsail I: 24.11  
92 J: 7.64  
Rig Type P: 25.59  
MS E: 9.94  
Mast Material ISP: 28.68  
CARBON JSP: 11.43

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
27.5 33.46 17.55 17.71

LOA: 20.98  
LWL: 18.67  
Beam: 7.32  
Draft: 4.4

Displacement: 1455  
Ballast: 731  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Shack  
**Boat Type** Beneteau 305  
**Rating:** 162 DW Rating: 667 Certificate Date 3/18/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
28305

**Rig Data:**

Max Headsail I: 39.33  
125 J: 11.38  
Rig Type P: 33.58  
MS E: 11.08  
Mast Material ISP: 39.33  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
39 20.43 20.43 11.38  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 30.416  
LWL: 26.166  
Beam: 10.5  
Draft: 5.583

Displacement: 8500  
Ballast: 2954  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

**Boat Name** Shadowfax **Sail #** 91  
**Boat Type** Olson 25  
**Rating:** 159 **DW Rating:** 675 **Certificate Date** 3/27/2026  
Displacement used for DW Rating: 3300  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 32 **Symmetric Spin?** Yes  
155 J: 9.6 **SL: SSMG: SSF: SPL:**  
**Rig Type** P: 28 31.7 17.25 17.25 9.583  
MS E: 10 **Asymmetric Spin?** No  
**Mast Material** ISP: 32 **SLE: SLU: ASMG: ASF:**  
ALUMN JSP: 47.61 53.15 27.72 26.41

**LOA:** 25 **Displacement:** 3300  
**LWL:** 21.25 **Ballast:** 1300  
**Beam:** 9 **Engine:** OB  
**Draft:** 4.5 **Prop Type:** None

**Boat Name** Shake & Bake **Sail #** 38135  
**Boat Type** Farr X2  
**Rating:** 45 **DW Rating:** 554 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 5924  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 11/27/23, -9 sec/mi for water ballast. Boat rates 45 when water ballast is enabled, 54 when water ballast is disabled)

**Rig Data:**

**Max Headsail** I: 38.88 **Symmetric Spin?** No  
105 J: 14.11 **SL: SSMG: SSF: SPL:**  
**Rig Type** P: 40.03  
FS E: 13.45 **Asymmetric Spin?** Yes  
**Mast Material** ISP: 43.96 **SLE: SLU: ASMG: ASF:**  
CARBON JSP: 18.37 43.41 50.98 28.18 27.89

**LOA:** 30.18 **Displacement:** 5401  
**LWL:** 28.61 **Ballast:** 1973  
**Beam:** 10.33 **Engine:** IB  
**Draft:** 6.89 **Prop Type:** Fold

**Boat Name** Shaman **Sail #** 5166  
**Boat Type** CAL 40  
**Rating:** 114 **DW Rating:** 624 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 16000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 46 **Symmetric Spin?** Yes  
155 J: 15.17 **SL: SSMG: SSF: SPL:**  
**Rig Type** P: 40 45.7 27.1 26.4 15.1  
MS E: 17.5 **Asymmetric Spin?** No  
**Mast Material** ISP: 46 **SLE: SLU: ASMG: ASF:**  
ALUMN JSP: 47.61 53.15 27.72 26.41

**LOA:** 39.5 **Displacement:** 15500  
**LWL:** 30.3 **Ballast:** 6000  
**Beam:** 11 **Engine:** IB  
**Draft:** 5.5 **Prop Type:** FEATH

**Boat Name** Shark On Bluegrass **Sail #** 49  
**Boat Type** J 99  
**Rating:** 66 **DW Rating:** 596 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 8880  
Certified PHRF Data on file?

**Modifications on file:** Mtg 08/25/25, -9 sec/mi when Water Ballast is enabled)

**Rig Data:**

**Max Headsail** I: 43.47 **Symmetric Spin?** No  
108 J: 12.56 **SL: SSMG: SSF: SPL:**  
**Rig Type** P: 41.8  
FS E: 14.3 **Asymmetric Spin?** Yes  
**Mast Material** ISP: 47.25 **SLE: SLU: ASMG: ASF:**  
ALUMN JSP: 16.73 47.61 53.15 27.72 26.41

**LOA:** 32.6 **Displacement:** 8880  
**LWL:** 28.6 **Ballast:** 3350  
**Beam:** 11.18 **Engine:** IB  
**Draft:** 6.54 **Prop Type:** Feath

**Boat Name** Sharkey  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78 DW Rating: 585 Certificate Date 4/30/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 41  
100 J: 14  
Rig Type P: 42  
FS E: 15  
Mast Material ISP: 42.1  
ALUMN JSP: 19.1

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
39.8 49.5 22.3 26.2

LOA: 34.5 Displacement: 7750  
LWL: 29.5 Ballast: 3400  
Beam: 11 Engine: IB  
Draft: 6.5 Prop Type: FOLD

**Boat Name** She Saifd Yes  
**Boat Type** Beneteau 323 SD  
**Rating:** 159 DW Rating: Certificate Date 1/26/2026  
Displacement used for DW Rating: 9235  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 42.67  
105 J: 11.06  
Rig Type P: 38.91  
MS E: 13.17  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 32.83 Displacement: 9325  
LWL: 29.17 Ballast: 2414  
Beam: 10.75 Engine: IB  
Draft: 4.25 Prop Type: Fixed\_3

**Boat Name** Shenanigans  
**Boat Type** J 120 ALUM  
**Rating:** 45 DW Rating: 561 Certificate Date 4/28/2026  
Displacement used for DW Rating: 15000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 50.5  
155 J: 14.5  
Rig Type P: 46.5  
MS E: 17.8  
Mast Material ISP: 52  
ALUMN JSP: 21.4

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
51.8 64.2 37.3 34.4

LOA: 40 Displacement: 13900  
LWL: 34.5 Ballast: 6000  
Beam: 12 Engine: IB  
Draft: 7 Prop Type: Fold

**Boat Name** Shockwave  
**Boat Type** J 92  
**Rating:** 105 DW Rating: 604 Certificate Date 4/26/2026  
Displacement used for DW Rating: 5800  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 37  
150 J: 11.5  
Rig Type P: 38  
FS E: 13.5  
Mast Material ISP: 38.5  
ALUMN JSP: 17

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
40.8 45.4 24 26

LOA: 30 Displacement: 5500  
LWL: 26.5 Ballast: 2275  
Beam: 10 Engine: IB  
Draft: 5.9 Prop Type: Fold

**Boat Name** Siduri  
**Boat Type** Dehler 42  
**Rating:** 54 DW Rating: 577 Certificate Date 4/28/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
42

**Rig Data:**

Max Headsail I: 53.11  
105 J: 15.2  
Rig Type P: 52  
MS E: 18.8  
Mast Material ISP: 53.11  
ALUMN JSP:

*Symmetric Spin?* NO  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* NO  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 42.2  
LWL: 37.9  
Beam: 12.8  
Draft: 7.1

Displacement: 19180  
Ballast: 5732  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Siento El Viento  
**Boat Type** C&C 29  
**Rating:** 174 DW Rating: 699 Certificate Date 1/12/2026  
Displacement used for DW Rating: 9200  
Certified PHRF Data on file?

Sail #  
38311

**Rig Data:**

Max Headsail I: 39.5  
155 J: 12.8  
Rig Type P: 33.5  
MS E: 10.1  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
39 22 22 12.8  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 29.5  
LWL: 23.6  
Beam: 10.5  
Draft: 5.25

Displacement: 7500  
Ballast: 2700  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Simba  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 608 Certificate Date 1/12/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
87275

**Rig Data:**

Max Headsail I: 28.5  
155 J: 9  
Rig Type P: 28.5  
FS E: 10.42  
Mast Material ISP: 28.5  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
29 17.5 17 9.833  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 27.25  
LWL: 23.75  
Beam: 8.17  
Draft: 4.5

Displacement: 2450  
Ballast: 1100  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Sir Edmund  
**Boat Type** Custom Covey Island 49  
**Rating:** 72 DW Rating: 567 Certificate Date 1/12/2026  
Displacement used for DW Rating: 28116  
Certified PHRF Data on file?

Sail #  
52549

**Rig Data:**

Max Headsail I: 51.16  
115 J: 15.91  
Rig Type P: 46.69  
MS E: 12.78  
Mast Material ISP: 51.11  
CARBON JSP: 18.04

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
51.84 28.48 31.04 18.04  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
51.84 51.25 28.48 29.4

LOA: 48.75  
LWL: 42.51  
Beam: 13.16  
Draft: 9.19

Displacement: 28000  
Ballast: 13000  
Engine: IB  
Prop Type: Feath

**Modifications on file:** (Mtg 4/29/23, Custom Rating of 72 assigned)(1/21/25, Custom rating changed from 72 to 69 when using 150% headsail)

**Boat Name** Sirocco Skye  
**Boat Type** Tartan 101  
**Rating:** 84 DW Rating: 588 Certificate Date 1/6/2026  
Displacement used for DW Rating: 8600  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail 105 I: 47.6 J: 12.5 P: 45.24  
Rig Type FS E: 14.83  
Mast Material CARBON ISP: 50.12 JSP: 16.5  
Symmetric Spin? No  
SL: SSMG: SSF: SPL:  
Asymmetric Spin? Yes  
LOA: 33 Displacement: 8600  
LWL: 29.1 Ballast: 3250  
Beam: 10.9 Engine: IB  
Draft: 6.5 Prop Type: Fold

**Boat Name** Skeleton Key  
**Boat Type** J 111  
**Rating:** 36 DW Rating: 547 Certificate Date 1/9/2026  
Displacement used for DW Rating: 9400  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 11/30/23, -9 sec/mi for 24% increase in spinnaker area)(10/8/24, removed oversized spinnakers, reverting to ODR)

**Rig Data:**  
Max Headsail 105 I: 48.37 J: 13.85 P: 45.17  
Rig Type FS E: 14.5  
Mast Material CARBON ISP: 51.4 JSP: 20.08  
Symmetric Spin? No  
SL: SSMG: SSF: SPL:  
Asymmetric Spin? Yes  
LOA: 36.5 Displacement: 9500  
LWL: 32.7 Ballast: 3500  
Beam: 10.8 Engine: IB  
Draft: 7.2 Prop Type: Fold

**Boat Name** Sketch  
**Boat Type** Olson 25  
**Rating:** 159 DW Rating: 673 Certificate Date 1/7/2026  
Displacement used for DW Rating: 3300  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail 155 I: 32 J: 9.583 P: 28  
Rig Type MS E: 10  
Mast Material ALUMN ISP: 32 JSP:  
Symmetric Spin? YES  
SL: SSMG: SSF: SPL: 32 17.25 17 9.583  
Asymmetric Spin? NO  
LOA: 25 Displacement: 3300  
LWL: 21.25 Ballast: 1300  
Beam: 9 Engine: ob  
Draft: 4.5 Prop Type: None

**Boat Name** Sky  
**Boat Type** J 80 ODR  
**Rating:** 114 DW Rating: 618 Certificate Date 1/6/2026  
Displacement used for DW Rating: 3223  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail 100 I: 30 J: 9.145 P: 30  
Rig Type MS E: 12.416  
Mast Material ALUMN ISP: 33.25 JSP: 15.57  
Symmetric Spin? No  
SL: SSMG: SSF: SPL:  
Asymmetric Spin? Yes  
LOA: 26.25 Displacement: 2900  
LWL: 22 Ballast: 1400  
Beam: 8.2 Engine: OB  
Draft: 4.75 Prop Type: None

**Boat Name** Slainte  
**Boat Type** Cal 20  
**Rating:** 273 DW Rating: 743 Certificate Date 1/14/2026  
Displacement used for DW Rating: 1950  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail 115 I: 22 J: 7.33 P: 23 E: 9.833  
Rig Type FS  
Mast Material ALUMN  
Symmetric Spin? Yes  
SL: 22 SSMG: 13.2 SSF: 13.2 SPL: 7.33  
Asymmetric Spin? No  
SLE: SLU: ASMG: ASF: 0  
LOA: 20  
LWL: 18.08  
Beam: 7  
Draft: 3.33  
Displacement: 1950  
Ballast: 900  
Engine: OB  
Prop Type: None

**Boat Name** Slight Disorder  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 632 Certificate Date 2/10/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail 150 I: 26.25 J: 9.75 P: 25 E: 9.5  
Rig Type FS  
Mast Material ALUMN  
Symmetric Spin? Yes  
SL: 26.6 SSMG: 17.5 SSF: 17.5 SPL: 9.8  
Asymmetric Spin? No  
SLE: SLU: ASMG: ASF:  
LOA: 23.75  
LWL: 21.75  
Beam: 7.16  
Draft: 4.083  
Displacement: 2050  
Ballast: 1025  
Engine: OB  
Prop Type: None

**Boat Name** Sliver  
**Boat Type** Hobie 33 ODR  
**Rating:** 87 DW Rating: 551 Certificate Date 1/22/2026  
Displacement used for DW Rating: 4550  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail 155 I: 33.83 J: 12.4 P: 36.13 E: 12.5  
Rig Type FS  
Mast Material ALUMN  
Symmetric Spin? YES  
SL: 36.6 SSMG: 22.3 SSF: 22.3 SPL: 13  
Asymmetric Spin? No  
SLE: SLU: ASMG: ASF:  
LOA: 33  
LWL: 30.5  
Beam: 8  
Draft: 5.5  
Displacement: 4000  
Ballast: 1900  
Engine: OB  
Prop Type: None

**Boat Name** S'Moore  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 630 Certificate Date 1/12/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail 155 I: 26.25 J: 9.75 P: 25 E: 9.5  
Rig Type FS  
Mast Material ALUMN  
Symmetric Spin? Yes  
SL: 26 SSMG: 17.55 SSF: 17.55 SPL: 9.75  
Asymmetric Spin? No  
SLE: SLU: ASMG: ASF:  
LOA: 23.75  
LWL: 21.75  
Beam: 7.16  
Draft: 4.083  
Displacement: 2050  
Ballast: 1025  
Engine: OB  
Prop Type: None

**Boat Name** Snafu **Sail #** 121  
**Boat Type** Moore 24  
**Rating:** 150 **DW Rating:** 646 **Certificate Date** 4/30/2026  
Displacement used for DW Rating: 2290  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 26.25  
140 J: 9.75  
**Rig Type** P: 25  
FS E: 9.5  
**Mast Material** ISP: 26.25  
ALUMN JSP:

**Symmetric Spin?** Yes  
**SL: SSMG: SSF: SPL:**  
26.3 17.3 17.3 9.75  
**Asymmetric Spin?** No  
**SLE: SLU: ASMG: ASF:**

**LOA:** 23.75  
**LWL:** 21.75  
**Beam:** 7.16  
**Draft:** 4.08

**Displacement:** 2050  
**Ballast:** 1000  
**Engine:** OB  
**Prop Type:** None

**Boat Name** Snowy Owl **Sail #** 69458  
**Boat Type** Express 37 SD  
**Rating:** 75 **DW Rating:** 587 **Certificate Date** 4/28/2026  
Displacement used for DW Rating: 10207  
Certified PHRF Data on file?

**Modifications on file:** Shoal Draft version

**Rig Data:**

**Max Headsail** I: 48.75  
150 J: 14.33  
**Rig Type** P: 42  
MS E: 13.8  
**Mast Material** ISP: 48.75  
ALUMN JSP:

**Symmetric Spin?** Yes  
**SL: SSMG: SSF: SPL:**  
48.3 25.8 25.8 14.3  
**Asymmetric Spin?** No  
**SLE: SLU: ASMG: ASF:**

**LOA:** 37.08  
**LWL:** 30.83  
**Beam:** 11.57  
**Draft:** 6.25

**Displacement:** 11000  
**Ballast:** 4500  
**Engine:** IB  
**Prop Type:** Fold

**Boat Name** Sobrante **Sail #** 143  
**Boat Type** Catalina 309 WK  
**Rating:** 180 **DW Rating:** **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 10200  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 42.75  
95 J: 12  
**Rig Type** P: 38.75  
FS E: 13.75  
**Mast Material** ISP:  
ALUMN JSP:

**Symmetric Spin?** No  
**SL: SSMG: SSF: SPL:**  
**Asymmetric Spin?** No  
**SLE: SLU: ASMG: ASF:**

**LOA:** 32.75  
**LWL:** 26.5  
**Beam:** 11.5  
**Draft:** 4.33

**Displacement:** 10200  
**Ballast:** 4400  
**Engine:** IB  
**Prop Type:** Fold

**Boat Name** Soiree **Sail #** 38776  
**Boat Type** Beneteau Oceanis 49 SD  
**Rating:** 87 **DW Rating:** 552 **Certificate Date** 3/23/2026  
Displacement used for DW Rating: 0  
Certified PHRF Data on file?

**Modifications on file:** Electric Winches (Mtg 10/27/16, +3 sec/mi for In-mast furling mainsail)

**Rig Data:**

**Max Headsail** I: 59.75  
135 J: 18.42  
**Rig Type** P: 51.67  
FS E: 18.33  
**Mast Material** ISP: 59.75  
ALUMN JSP: 18.42

**Symmetric Spin?** No  
**SL: SSMG: SSF: SPL:**  
55 30.11 30.11 15.75  
**Asymmetric Spin?** Yes  
**SLE: SLU: ASMG: ASF:**  
50.72 55.73 26.75 29.41

**LOA:** 49.5  
**LWL:** 43.67  
**Beam:** 14.75  
**Draft:** 5.75

**Displacement:** 30517  
**Ballast:** 4800  
**Engine:** IB  
**Prop Type:** Feath

**Boat Name** Solana  
**Boat Type** Santa Cruz 27  
**Rating:** 141 DW Rating: 618 Certificate Date 1/9/2026  
Displacement used for DW Rating: 3200  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail 150  
Rig Type MS  
Mast Material ALUMN  
I: 32.58  
J: 10.75  
P: 28.25  
E: 8.58  
ISP: 32.58  
JSP:  
Symmetric Spin? Yes  
SL: 32.15 SSMG: 19.45 SSF: 19.45 SPL: 10.81  
Asymmetric Spin? No  
SLE: SLU: ASMG: ASF:  
LOA: 27  
LWL: 24  
Beam: 8  
Draft: 4.5  
Displacement: 3000  
Ballast: 1500  
Engine: OB  
Prop Type: None

**Boat Name** Soleil de la Mer  
**Boat Type** Saffier SE 26  
**Rating:** 174 DW Rating: 656 Certificate Date 2/20/2026  
Displacement used for DW Rating: 4000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail 80  
Rig Type FS  
Mast Material ALUMN  
I: 31.8  
J: 9.8  
P: 33.2  
E: 9.25  
ISP:  
JSP: 9.8  
Symmetric Spin? No  
SL: SSMG: SSF: SPL:  
Asymmetric Spin? Yes  
SLE: SLU: ASMG: ASF:  
LOA: 26  
LWL: 24.2  
Beam: 8  
Draft: 3.4  
Displacement: 4000  
Ballast: 1900  
Engine: IB  
Prop Type: Fold

**Boat Name** Soliton  
**Boat Type** Synergy 1000  
**Rating:** 60 DW Rating: 555 Certificate Date 1/8/2026  
Displacement used for DW Rating: 4900  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 1/24/22, +3 sec/mi for switching to IB Sail Drive, +9 sec/mi for smaller spinnaker area, +3 sec/mi for shorter ISP/Switch to FS)

**Rig Data:**  
Max Headsail 105  
Rig Type FS  
Mast Material CARBON  
I: 40.75  
J: 16.3  
P: 41.86  
E: 15.33  
ISP: 40.8  
JSP: 16.3  
Symmetric Spin? No  
SL: SSMG: SSF: SPL:  
Asymmetric Spin? Yes  
SLE: SLU: ASMG: ASF:  
LOA: 32.83  
LWL: 29.17  
Beam: 9.75  
Draft: 7  
Displacement: 4800  
Ballast: 2188  
Engine: IB  
Prop Type: Fold

**Boat Name** Some Assembly Required  
**Boat Type** Holder 20  
**Rating:** 192 DW Rating: 655 Certificate Date 4/1/2026  
Displacement used for DW Rating: 1160  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 8/24/17, added 4 soft hiking straps to seats, NCTR)

**Rig Data:**  
Max Headsail 155  
Rig Type FS  
Mast Material ALUMN  
I: 22.6  
J: 7.25  
P: 24.04  
E: 9.33  
ISP: 22.6  
JSP: 13.05  
Symmetric Spin? Yes  
SL: 22.54 SSMG: 12.92 SSF: 11.88 SPL: 7.25  
Asymmetric Spin? No  
SLE: SLU: ASMG: ASF:  
LOA: 20.33  
LWL: 18.42  
Beam: 7.83  
Draft: 3.58  
Displacement: 1160  
Ballast: 335  
Engine: OB  
Prop Type: None

**Boat Name** Son of a Son  
**Boat Type** J 70 ODR  
**Rating:** 114 DW Rating: 613 Certificate Date 1/9/2026  
Displacement used for DW Rating: 1750  
Certified PHRF Data on file?

Sail #  
586

**Rig Data:**

Max Headsail I: 26.77  
100 J: 7.68  
Rig Type P: 26.16  
FS E: 9.44  
Mast Material ISP: 30.15  
CARBON JSP: 13.5

*Symmetric Spin?* NO  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
28.87 35.43 18.24 18.7

LOA: 22.75  
LWL: 20.47  
Beam: 7.38  
Draft: 4.92

Displacement: 1750  
Ballast: 630  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Sonata  
**Boat Type** Laser 28  
**Rating:** 138 DW Rating: 644 Certificate Date 1/22/2026  
Displacement used for DW Rating: 4334  
Certified PHRF Data on file?

Sail #  
33685

**Rig Data:**

Max Headsail I: 31.1  
125 J: 9.65  
Rig Type P: 33.14  
FS E: 12.96  
Mast Material ISP: 31.73  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
31.78 19.1 19.1 10.61  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 28.41  
LWL: 23.62  
Beam: 9.48  
Draft: 4.98

Displacement: 4550  
Ballast: 1500  
Engine: IB  
Prop Type: FOLD

**Modifications on file:** (Rudder noted, NCTR - 1-13-03)(MTG 4/26/07 -6 sec/mi for OSP)

**Boat Name** Sparky  
**Boat Type** Catalina 25 FK  
**Rating:** 222 DW Rating: 714 Certificate Date 1/7/2026  
Displacement used for DW Rating: 4550  
Certified PHRF Data on file?

Sail #  
1498

**Rig Data:**

Max Headsail I: 29  
145 J: 10.5  
Rig Type P: 24.66  
MS E: 9.58  
Mast Material ISP: 29  
ALUMN JSP: 10.5

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
28.66 16.5 16.41 10.5  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
25.5 29.9 15.5 17.9

LOA: 25  
LWL: 22.16  
Beam: 8  
Draft: 4

Displacement: 4550  
Ballast: 1900  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Special Edition  
**Boat Type** Custom Wilderness 30  
**Rating:** 96 DW Rating: 573 Certificate Date 1/14/2026  
Displacement used for DW Rating: 4600  
Certified PHRF Data on file?

Sail #  
8258

**Rig Data:**

Max Headsail I: 39.083  
125 J: 11.75  
Rig Type P: 34.333  
FS E: 11.5  
Mast Material ISP: 39.083  
CARBON JSP: 14.083

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
39 25.4 24.5 #####  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 29.75  
LWL: 27.75  
Beam: 8.75  
Draft: 6

Displacement: 4600  
Ballast: 1800  
Engine: OB  
Prop Type: FOLD

**Modifications on file:** Added Masthead Halyards for spin/Jips, replaced inboard with Outboard open Transom (12/17/92) Mtg-. 1/18/90 RTNG 102.) (1998 rtg =96) (New Inboard = +3; Foretriangle is 11.75 = +6, jib=150%, Carbon Mast= -3; Keel = -6 mgt 3/8/05)(3/15/16, now has Outboard Motor, -3 sec/mi)

**Boat Name** Speedwell  
**Boat Type** J 88  
**Rating:** 81 DW Rating: 575 Certificate Date 1/8/2026  
Displacement used for DW Rating: 4990  
Certified PHRF Data on file?

Sail #  
20

**Rig Data:**

Max Headsail I: 38.67  
105 J: 11.28  
Rig Type P: 36.82  
FS E: 12  
Mast Material ISP: 46  
CARBON JSP: 18.05

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
40.84 47.83 27.32 29

LOA: 29.19 Displacement: 4990  
LWL: 26.84 Ballast: 1840  
Beam: 9.5 Engine: IB  
Draft: 6.5 Prop Type: Feath

**Modifications on file:**

**Boat Name** Spindrift V  
**Boat Type** Express 37  
**Rating:** 75 DW Rating: 592 Certificate Date 1/12/2026  
Displacement used for DW Rating: 11158  
Certified PHRF Data on file?

Sail #  
18305

**Rig Data:**

Max Headsail I: 48.75  
115 J: 14.33  
Rig Type P: 42  
MS E: 13.75  
Mast Material ISP: 48.75  
ALUMN JSP: 14.33

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
48 25.7 25.7 14.33  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
45.28 50.2 26.25 24.1

LOA: 37.08 Displacement: 11000  
LWL: 30.83 Ballast: 4500  
Beam: 11.57 Engine: IB  
Draft: 7.25 Prop Type: FOLD

**Modifications on file:**

**Boat Name** Splash!  
**Boat Type** CAL 27-2 IB  
**Rating:** 210 DW Rating: 716 Certificate Date 1/12/2026  
Displacement used for DW Rating: 6700  
Certified PHRF Data on file?

Sail #  
3898

**Rig Data:**

Max Headsail I: 36  
120 J: 12  
Rig Type P: 30.833  
MS E: 10.25  
Mast Material ISP: 36  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
35.33 21.6 21.6 12  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 26.58 Displacement: 6700  
LWL: 22.08 Ballast: 3100  
Beam: 9.33 Engine: IB  
Draft: 4.25 Prop Type: Fixed\_2

**Modifications on file:**

**Boat Name** Starbuck  
**Boat Type** Custom Black Soo 30  
**Rating:** 138 DW Rating: 585 Certificate Date 1/6/2026  
Displacement used for DW Rating: 4500  
Certified PHRF Data on file?

Sail #  
8666

**Rig Data:**

Max Headsail I: 30  
120 J: 13  
Rig Type P: 25  
MS E: 11.73  
Mast Material ISP: 30  
ALUMN JSP: 13

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
31 22.1 23.2 13  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
36.1 41.8 22.15 23.9

LOA: 31 Displacement: 4500  
LWL: 27.5 Ballast: 1800  
Beam: 6.8 Engine: OB  
Draft: 6.4 Prop Type: None

**Modifications on file:** (Mtg 1/17/02, added scoop, custom rating changed from 144 to 141)(mtg 1/11/13, Added A-sail, -9 sec/mi, rating changed from 141 to 132)(Mtg 5/13/14, removed A-Sail, +9 sec/mi, change custom rating from 132 to 141, +3 sec/mi for small headsail. As Sailed 144)(Mtg 8/26/19, added 21.6% oversized A-Sail, -9 sec/mi. As Sailed: 135)(1/12/21, reduced A-sail area by 2%, changed Asail penalty from -9 to -6 sec/mi. As sailed: 138)

**Boat Name** Starkite  
**Boat Type** Catalina 30  
**Rating:** 180 DW Rating: 688 Certificate Date 1/16/2026  
Displacement used for DW Rating: 10200  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail 155 I: 41 J: 11.416  
Rig Type MS P: 35 E: 11.5  
Mast Material ALUMN ISP: 41 JSP:  
Symmetric Spin? Yes  
Asymmetric Spin? No  
LOA: 29.92  
LWL: 25  
Beam: 10.83  
Draft: 5.25  
Displacement: 10200  
Ballast: 4200  
Engine: IB  
Prop Type: FOLD

**Boat Name** Starlight  
**Boat Type** Catalina 27 TM IB  
**Rating:** 207 DW Rating: Certificate Date 1/6/2026  
Displacement used for DW Rating: 6850  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail 110 I: 36 J: 12.2  
Rig Type MS P: 29.66 E: 9.66  
Mast Material ALUMN ISP: 34.4 JSP: 11.25  
Symmetric Spin? No  
Asymmetric Spin? No  
LOA: 26.83  
LWL: 21.75  
Beam: 8.83  
Draft: 4.416  
Displacement: 6850  
Ballast: 2700  
Engine: IB  
Prop Type: Fixed\_2

**Boat Name** Sterling  
**Boat Type** Catalina 34 1&2  
**Rating:** 147 DW Rating: 638 Certificate Date 1/22/2026  
Displacement used for DW Rating: 13606  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail 130 I: 44 J: 13.5  
Rig Type MS P: 38.5 E: 12  
Mast Material ALUMN ISP: JSP:  
Symmetric Spin? No  
Asymmetric Spin? No  
LOA: 35.66  
LWL: 29.84  
Beam: 11.75  
Draft: 5.56  
Displacement: 11950  
Ballast: 5000  
Engine: IB  
Prop Type: Fold

**Boat Name** StFYC J80-1  
**Boat Type** J 80 ODR  
**Rating:** 114 DW Rating: 605 Certificate Date 1/16/2026  
Displacement used for DW Rating: 2900  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail 100 I: 31.5 J: 9.415  
Rig Type MS P: 30 E: 12.42  
Mast Material ALUMN ISP: 33.25 JSP: 15.67  
Symmetric Spin? NO  
Asymmetric Spin? Yes  
LOA: 26.25  
LWL: 22  
Beam: 8.2  
Draft: 4.75  
Displacement: 2900  
Ballast: 1400  
Engine: OB  
Prop Type: None

**Boat Name** Stink Eye                      **Sail #**  
133  
**Boat Type** Laser 28  
**Rating:** 135    **DW Rating:** 643    **Certificate Date** 1/9/2026  
Displacement used for DW Rating: 4334  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail**    **I:** 31.73    *Symmetric Spin?* Yes  
100                      **J:** 9.65                      **SL:** **SSMG:** **SSF:** **SPL:**  
**Rig Type**                      **P:** 33.14                      32.5    18    18    9.4  
MS                      **E:** 12.3                      *Asymmetric Spin?* Yes  
**Mast Material**                      **ISP:** 33.2                      **SLE:**    **SLU:**    **ASMG:** **ASF:**  
ALUMN                      **JSP:**                      32    37    17    19

**LOA:** 28.42    **Displacement:** 4050  
**LWL:** 23.62    **Ballast:** 1500  
**Beam:** 9.48    **Engine:** OB  
**Draft:** 5                      **Prop Type:** FOLD

**Modifications on file:** (Mtg 1/25/18, -3 sec/mi for mainsail girths, -3 sec/mi for change to OB motor, -3 sec/mi for oversized spinnaker girth)

**Boat Name** Streaker                      **Sail #**  
469  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78    **DW Rating:** 595    **Certificate Date** 2/26/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail**    **I:** 40.6                      *Symmetric Spin?* No  
100                      **J:** 13.5                      **SL:** **SSMG:** **SSF:** **SPL:**  
**Rig Type**                      **P:** 41.5  
FS                      **E:** 14.5                      *Asymmetric Spin?* Yes  
**Mast Material**                      **ISP:** 42.1                      **SLE:**    **SLU:**    **ASMG:** **ASF:**  
ALUMN                      **JSP:** 19.07                      39.8    49.5    22.3    26.2

**LOA:** 34.5    **Displacement:** 7750  
**LWL:** 29.5    **Ballast:** 3400  
**Beam:** 11    **Engine:** IB  
**Draft:** 6.5                      **Prop Type:** Fold

**Modifications on file:**

**Boat Name** Such Fast                      **Sail #**  
35020  
**Boat Type** 1D 35  
**Rating:** 39    **DW Rating:** 536    **Certificate Date** 1/29/2026  
Displacement used for DW Rating: 7018  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail**    **I:** 42.49                      *Symmetric Spin?* Yes  
108                      **J:** 12.52                      **SL:** **SSMG:** **SSF:** **SPL:**  
**Rig Type**                      **P:** 44.26                      44.62    26.54    26.98    14.91  
FS                      **E:** 18.47                      *Asymmetric Spin?* Yes  
**Mast Material**                      **ISP:** 44.78                      **SLE:**    **SLU:**    **ASMG:** **ASF:**  
CARBON                      **JSP:** 14.76                      43.6    48.13    25.2    27.99

**LOA:** 35    **Displacement:** 6715  
**LWL:** 31.5    **Ballast:** 2660  
**Beam:** 10.9    **Engine:** IB  
**Draft:** 7.58                      **Prop Type:** Fold

**Modifications on file:** 1 cabin-top powered winch (Mtg 3/27/23, -6 sec/mi for OSP)(Mtg 12/8/25, switched to class pole, remove -6 sec/mi penalty for OSP. +3 sec/mi for small mainsail)

**Boat Name** Suerte                      **Sail #**  
117  
**Boat Type** Moore 24  
**Rating:** 150    **DW Rating:** 629    **Certificate Date** 2/20/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail**    **I:** 26.25                      *Symmetric Spin?* Yes  
150                      **J:** 9.75                      **SL:** **SSMG:** **SSF:** **SPL:**  
**Rig Type**                      **P:** 25                      27    17.55    17.55    9.75  
FS                      **E:** 9.5                      *Asymmetric Spin?* No  
**Mast Material**                      **ISP:** 26.25                      **SLE:**    **SLU:**    **ASMG:** **ASF:**  
ALUMN                      **JSP:**

**LOA:** 23.75    **Displacement:** 2050  
**LWL:** 21.75    **Ballast:** 1025  
**Beam:** 7.16    **Engine:** OB  
**Draft:** 4.08                      **Prop Type:** None

**Modifications on file:**

<b>Boat Name</b> Sugoï	<b>Sail #</b> 0	<b>Max Headsail</b> 115	<b>I:</b> 52.06	<i>Symmetric Spin?</i> No	<b>LOA:</b> 40.75	<b>Displacement:</b> 19350
<b>Boat Type</b> Beneteau Oceanis 41			<b>J:</b> 17	<b>SL:</b> SSMG: SSF: SPL:	<b>LWL:</b> 37.33	<b>Ballast:</b> 5070
<b>Rating:</b> 114 DW Rating: 583 Certificate Date 1/12/2026		<b>Rig Type</b> MS	<b>P:</b> 49.25	<i>Asymmetric Spin?</i> Yes	<b>Beam:</b> 13.75	<b>Engine:</b> IB
Displacement used for DW Rating: 19350		<b>Mast Material</b> ALUMN	<b>E:</b> 15.5	<b>SLE:</b> SLU: ASMG: ASF:	<b>Draft:</b> 6.7	<b>Prop Type:</b> Feath
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b> 48.8	49.18 55.74 26.75 27.77		
<b>Modifications on file:</b> (+3 sec/mi for in-mast furling mainsail. +3 sec/mi for MGM < 50% of E)						

<b>Boat Name</b> Summer Sailstice	<b>Sail #</b> 142	<b>Max Headsail</b> 110	<b>I:</b> 41.5	<i>Symmetric Spin?</i> Yes	<b>LOA:</b> 33.166	<b>Displacement:</b> 10000
<b>Boat Type</b> Ranger 33			<b>J:</b> 13.67	<b>SL:</b> SSMG: SSF: SPL:	<b>LWL:</b> 26.25	<b>Ballast:</b> 4500
<b>Rating:</b> 153 DW Rating: 659 Certificate Date 4/28/2026		<b>Rig Type</b> MS	<b>P:</b> 34	41.5 24.6 23.6 13.67	<b>Beam:</b> 9.583	<b>Engine:</b> IB
Displacement used for DW Rating: 10289		<b>Mast Material</b> ALUMN	<b>E:</b> 13.75	<i>Asymmetric Spin?</i> No	<b>Draft:</b> 5	<b>Prop Type:</b> FOLD
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b> 41.5	<b>SLE:</b> SLU: ASMG: ASF:		
<b>Modifications on file:</b>						

<b>Boat Name</b> Summer Wind	<b>Sail #</b> 224	<b>Max Headsail</b> 95	<b>I:</b> 25.75	<i>Symmetric Spin?</i> No	<b>LOA:</b> 20	<b>Displacement:</b> 1800
<b>Boat Type</b> Harbor 20			<b>J:</b> 7	<b>SL:</b> SSMG: SSF: SPL:	<b>LWL:</b> 17.17	<b>Ballast:</b> 900
<b>Rating:</b> 210 DW Rating: 733 Certificate Date 1/29/2026		<b>Rig Type</b> FS	<b>P:</b> 26	<i>Asymmetric Spin?</i> No	<b>Beam:</b> 7	<b>Engine:</b> OB
Displacement used for DW Rating: 1800		<b>Mast Material</b> ALUMN	<b>E:</b> 10	<b>SLE:</b> SLU: ASMG: ASF:	<b>Draft:</b> 3.5	<b>Prop Type:</b> None
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b> 25.75			
<b>Modifications on file:</b>						

<b>Boat Name</b> Summer's Moon	<b>Sail #</b> 0	<b>Max Headsail</b> 100	<b>I:</b> 33.5	<i>Symmetric Spin?</i> No	<b>LOA:</b> 29.16	<b>Displacement:</b> 4375
<b>Boat Type</b> Morris 29			<b>J:</b> 9.08	<b>SL:</b> SSMG: SSF: SPL:	<b>LWL:</b> 20.83	<b>Ballast:</b> 1958
<b>Rating:</b> 162 DW Rating: 692 Certificate Date 6/24/2026		<b>Rig Type</b> FS	<b>P:</b> 36	<i>Asymmetric Spin?</i> No	<b>Beam:</b> 7.33	<b>Engine:</b> IB
Displacement used for DW Rating: 4375		<b>Mast Material</b> CARBON	<b>E:</b> 12.5	<b>SLE:</b> SLU: ASMG: ASF:	<b>Draft:</b> 4.5	<b>Prop Type:</b> Fold
Certified PHRF Data on file? <input type="checkbox"/>			<b>ISP:</b>			
<b>Modifications on file:</b>						

**Boat Name** Sun Dragon  
**Boat Type** Jeanneau Sun Fast 3300  
**Rating:** 63 DW Rating: 584 Certificate Date 1/9/2026  
Displacement used for DW Rating: 7716  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 40.91 Symmetric Spin? No LOA: 32.78 Displacement: 7716  
100 J: 13.78 SL: SSMG: SSF: SPL: LWL: 29.16 Ballast: 3086  
Rig Type P: 39.39  
FS E: 14.59 Asymmetric Spin? Yes Engine: IB  
Mast Material ISP: 44.23 SLE: SLU: ASMG: ASF: Prop Type: Fold  
CARBON JSP: 17.55 45.37 50.31 28.81 30.54 Draft: 6.41

**Boat Name** Super Booty II  
**Boat Type** Columbia 22  
**Rating:** 267 DW Rating: 660 Certificate Date 1/16/2026  
Displacement used for DW Rating: 2200  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.58 Symmetric Spin? Yes LOA: 22 Displacement: 2200  
100 J: 8.38 SL: SSMG: SSF: SPL: LWL: 21.5 Ballast: 1100  
Rig Type P: 23.5 26.25 13.5 14 8.38 Engine: OB  
MS E: 10.25 Asymmetric Spin? No Prop Type: None  
Mast Material ISP: SLE: SLU: ASMG: ASF: Draft: 3.17  
ALUMN JSP: Draft: 3.17

**Boat Name** Superfriends  
**Boat Type** B 25 MOD  
**Rating:** 108 DW Rating: 595 Certificate Date 4/30/2026  
Displacement used for DW Rating: 2000  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 4/29/26, Boat is a modified B-25 with deep draft T keel, fixed bow sprit, carbon mast, oversized spinnaker area, and increased ISP. Modified rating of 108 assigned)

**Rig Data:**

Max Headsail I: 28 Symmetric Spin? No LOA: 25 Displacement: 2000  
105 J: 8.5 SL: SSMG: SSF: SPL: LWL: 21.25 Ballast: 800  
Rig Type P: 28  
FS E: 11 Asymmetric Spin? Yes Engine: OB  
Mast Material ISP: 31.16 SLE: SLU: ASMG: ASF: Prop Type: None  
CARBON JSP: 12.5 32 37.25 21.2 22.6 Draft: 6.5

**Boat Name** Sur  
**Boat Type** J 120 ALUM  
**Rating:** 48 DW Rating: 560 Certificate Date 4/28/2026  
Displacement used for DW Rating: 15000  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 4/28/25, +3 sec/mi for small non-class spinnaker)

**Rig Data:**

Max Headsail I: 50.5 Symmetric Spin? No LOA: 40 Displacement: 13900  
145 J: 14.5 SL: SSMG: SSF: SPL: LWL: 35 Ballast: 6000  
Rig Type P: 46.49  
FS E: 17.8 Asymmetric Spin? Yes Engine: IB  
Mast Material ISP: 52 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 21.5 49.97 60.21 35.08 33.09 Draft: 7

**Boat Name** Surf  
**Boat Type** X-332-Sport  
**Rating:** 117 DW Rating: 619 Certificate Date 6/24/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
38415

**Rig Data:**

Max Headsail I: 43.22  
135 J: 11.68  
Rig Type P: 42  
FS E: 14.5  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 33.8  
LWL: 28.9  
Beam: 10.8  
Draft: 7.1

Displacement: 9038  
Ballast: 3086  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

**Boat Name** Surf Rat  
**Boat Type** Santa Cruz 27  
**Rating:** 141 DW Rating: 618 Certificate Date 1/8/2026  
Displacement used for DW Rating: 3200  
Certified PHRF Data on file?

Sail #  
57131

**Rig Data:**

Max Headsail I: 32.583  
150 J: 10.75  
Rig Type P: 28.25  
MS E: 8.58  
Mast Material ISP: 32.58  
ALUMN JSP:

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 27  
LWL: 24  
Beam: 8  
Draft: 4.5

Displacement: 3000  
Ballast: 1500  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Surprise!  
**Boat Type** Ranger 23 TM  
**Rating:** 210 DW Rating: Certificate Date 1/12/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
499

**Rig Data:**

Max Headsail I: 30  
155 J: 9.75  
Rig Type P: 25.75  
MH E: 9.17  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 23  
LWL: 20  
Beam: 7.92  
Draft: 3.75

Displacement: 3400  
Ballast: 1500  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Surprise!  
**Boat Type** Alerion Express 38-1  
**Rating:** 111 DW Rating: 614 Certificate Date 2/24/2026  
Displacement used for DW Rating: 12586  
Certified PHRF Data on file?

Sail #  
18

**Rig Data:**

Max Headsail I: 43.5  
148 J: 14  
Rig Type P: 44.5  
FS E: 15.8  
Mast Material ISP: 45.8  
ALUMN JSP: 15

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
JSP: 15 38.6 49 26.6 25.5

LOA: 38.4  
LWL: 30.1  
Beam: 10.8  
Draft: 5.8

Displacement: 12400  
Ballast: 4200  
Engine: IB  
Prop Type: Fold

**Modifications on file:** Power Winches. (mtg 9/24/18, Custom rating assigned. 114 As Sailed)(Mtg 2/23/26, added 148% genoa, change custom rating from 114 to 111)

**Boat Name** Sweet De **Sail #** 36  
**Boat Type** Beneteau First 36  
**Rating:** 57 **DW Rating:** 554 **Certificate Date** 5/21/2026  
Displacement used for DW Rating: 10580  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	45.41	<i>Symmetric Spin?</i>	NO	LOA:	36.12	Displacement:	10580
104	J:	15.83	SL:	SSMG: SSF: SPL:	LWL:	33.67	Ballast:	3420
Rig Type	P:	45.33			Beam:	12.5	Engine:	IB
FS	E:	15.42	<i>Asymmetric Spin?</i>	Yes	Draft:	7.42	Prop Type:	Fold
Mast Material	ISP:	50.42	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	18.83	50.56	58.89 32.64 32.89				

**Boat Name** Sweet De **Sail #** 254  
**Boat Type** Alerion Express 28 ODR  
**Rating:** 168 **DW Rating:** 703 **Certificate Date** 1/7/2026  
Displacement used for DW Rating: 5700  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 2/24/20, +6 Sec/mi for class jib)

**Rig Data:**

Max Headsail	I:	30	<i>Symmetric Spin?</i>	No	LOA:	28.25	Displacement:	5700
90	J:	9.75	SL:	SSMG: SSF: SPL:	LWL:	22.83	Ballast:	2200
Rig Type	P:	33			Beam:	8.2	Engine:	IB
FS	E:	12.5	<i>Asymmetric Spin?</i>	Yes	Draft:	4.5	Prop Type:	Fold
Mast Material	ISP:	30	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	9.75	27.44	31.5 15.43 15.73				

**Boat Name** Sweet Jane **Sail #** 3  
**Boat Type** J 9  
**Rating:** 117 **DW Rating:** 612 **Certificate Date** 5/1/2026  
Displacement used for DW Rating: 4250  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	33.5	<i>Symmetric Spin?</i>	No	LOA:	28	Displacement:	4250
104	J:	10	SL:	SSMG: SSF: SPL:	LWL:	25.4	Ballast:	2000
Rig Type	P:	34			Beam:	8.55	Engine:	IB
FS	E:	13.36	<i>Asymmetric Spin?</i>	Yes	Draft:	4.9	Prop Type:	Fold
Mast Material	ISP:	35	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:	12.4	33.54	40 21.9 22				

**Boat Name** Sweet Pea **Sail #** 195  
**Boat Type** Islander 30-2  
**Rating:** 186 **DW Rating:** 684 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 8600  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 9/30/19, -6 sec/mi for genoa)(7/29/20, removed 185% genoa)

**Rig Data:**

Max Headsail	I:	38.5	<i>Symmetric Spin?</i>	Yes	LOA:	30	Displacement:	8600
155	J:	12.58	SL:	SSMG: SSF: SPL:	LWL:	24.58	Ballast:	3500
Rig Type	P:	32.5	38.6	22.5 22.5 12.42	Beam:	10	Engine:	IB
MS	E:	11.58	<i>Asymmetric Spin?</i>	Yes	Draft:	5	Prop Type:	FOLD
Mast Material	ISP:	38.42	SLE:	SLU: ASMG: ASF:				
ALUMN	JSP:		31.68	35 22.64 17.69				

**Boat Name** Swell Patrol **Sail #** 46924  
**Boat Type** Soverel 33-2  
**Rating:** 90 **DW Rating:** 554 **Certificate Date** 4/30/2026  
Displacement used for DW Rating: 6500  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 42.5 **Symmetric Spin?** Yes  
155 J: 12.75 **SL:** **SSMG:** **SSF:** **SPL:**  
**Rig Type** P: 41 42.5 22.95 22.95 12.75  
MS E: 13 **Asymmetric Spin?** No  
**Mast Material** ISP: 42.5 **SLE:** **SLU:** **ASMG:** **ASF:**  
ALUMN JSP: 18.8 40.9 46.1 25.1 25.2

**LOA:** 33 **Displacement:** 5800  
**LWL:** 30.42 **Ballast:** 2800  
**Beam:** 11 **Engine:** OB  
**Draft:** 5.83 **Prop Type:** None

**Modifications on file:** (mtg 8/28/23, -6 sec/mi for OB motor)(9/16/25, -3 sec/mi for oversized asymmetric)(4/30/26, removed oversized asymmetrical, +3 sec/mi)

**Boat Name** Swift Ness **Sail #** 101  
**Boat Type** J 111  
**Rating:** 36 **DW Rating:** 554 **Certificate Date** 2/27/2026  
Displacement used for DW Rating: 10017  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 48.37 **Symmetric Spin?** No  
105 J: 13.85 **SL:** **SSMG:** **SSF:** **SPL:**  
**Rig Type** P: 45.17  
FS E: 14.5 **Asymmetric Spin?** Yes  
**Mast Material** ISP: 51.4 **SLE:** **SLU:** **ASMG:** **ASF:**  
CARBON JSP: 20.08 46.88 59.05 31.8 31.8

**LOA:** 36.5 **Displacement:** 10017  
**LWL:** 34.62 **Ballast:** 3500  
**Beam:** 10.8 **Engine:** IB  
**Draft:** 7.2 **Prop Type:** Fold

**Modifications on file:**

**Boat Name** Synchronicity **Sail #** 68  
**Boat Type** Olson 25  
**Rating:** 159 **DW Rating:** 674 **Certificate Date** 1/14/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 32 **Symmetric Spin?** Yes  
155 J: 9.583 **SL:** **SSMG:** **SSF:** **SPL:**  
**Rig Type** P: 28 32 17.28 17.28 9.583  
MS E: 10 **Asymmetric Spin?** No  
**Mast Material** ISP: 32 **SLE:** **SLU:** **ASMG:** **ASF:**  
ALUMN JSP: 9.6

**LOA:** 25 **Displacement:** 3300  
**LWL:** 21.25 **Ballast:** 1300  
**Beam:** 9 **Engine:** OB  
**Draft:** 4.5 **Prop Type:** None

**Modifications on file:**

**Boat Name** Syncopation **Sail #** 35  
**Boat Type** Sabre 36 CB  
**Rating:** 138 **DW Rating:** 640 **Certificate Date** 4/28/2026  
Displacement used for DW Rating: 0  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 47.83 **Symmetric Spin?** No  
125 J: 14.33 **SL:** **SSMG:** **SSF:** **SPL:**  
**Rig Type** P: 41.5  
MS E: 13 **Asymmetric Spin?** Yes  
**Mast Material** ISP: **SLE:** **SLU:** **ASMG:** **ASF:**  
ALUMN JSP: 14.43 44.16 48.67 22.19 24.66

**LOA:** 36 **Displacement:** 13200  
**LWL:** 29.33 **Ballast:** 5400  
**Beam:** 11.25 **Engine:** IB  
**Draft:** 7.67 **Prop Type:** Fixed\_2

**Modifications on file:**

**Boat Name** Take Five  
**Boat Type** Cape Fear 38 R  
**Rating:** 51 DW Rating: 563 Certificate Date 1/27/2026  
Displacement used for DW Rating: 12400  
Certified PHRF Data on file?

Sail #  
52538

**Rig Data:**

Max Headsail I: 50  
104 J: 13.75  
Rig Type P: 48  
FS E: 17.2  
Mast Material ISP: 54  
ALUMN JSP: 16

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
54.05 59 31.04 30.24

LOA: 37.75  
LWL: 34  
Beam: 11  
Draft: 7.2

Displacement: 12400  
Ballast: 5075  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 1/26/26, - 9 sec/mi for 25% oversized asymmetric spinnaker)

**Boat Name** Take Five More  
**Boat Type** Ericson 911S Olson  
**Rating:** 135 DW Rating: 671 Certificate Date 1/8/2026  
Displacement used for DW Rating: 8716  
Certified PHRF Data on file?

Sail #  
38132

**Rig Data:**

Max Headsail I: 41.5  
95 J: 12.33  
Rig Type P: 35.5  
MS E: 11.92  
Mast Material ISP: 41.5  
ALUMN JSP: 12.33

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
42 21.6 20 12.25  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 29.92  
LWL: 25  
Beam: 10.33  
Draft: 5.4

Displacement: 8100  
Ballast: 3200  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Talisman  
**Boat Type** Beneteau First 40  
**Rating:** 57 DW Rating: 568 Certificate Date 4/14/2026  
Displacement used for DW Rating: 18473  
Certified PHRF Data on file?

Sail #  
1003

**Rig Data:**

Max Headsail I: 52.69  
105 J: 15.09  
Rig Type P: 51.15  
FS E: 17.65  
Mast Material ISP: 56.54  
ALUMN JSP: 17.06

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
49.5 58.07 25.9 30.32

LOA: 40.15  
LWL: 35  
Beam: 12.76  
Draft: 8.04

Displacement: 17437  
Ballast: 6609  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Tangaroa  
**Boat Type** J 109 ODR w/108^ m  
**Rating:** 72 DW Rating: 603 Certificate Date 1/8/2026  
Displacement used for DW Rating: 11000  
Certified PHRF Data on file?

Sail #  
311

**Rig Data:**

Max Headsail I: 46.5  
100 J: 13.3  
Rig Type P: 43.25  
FS E: 15.5  
Mast Material ISP: 49  
ALUMN JSP: 18.8

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
45.63 56.33 27.2 27.75

LOA: 32.25  
LWL: 30.5  
Beam: 11.5  
Draft: 7

Displacement: 10900  
Ballast: 3900  
Engine: IB  
Prop Type: Fold

**Modifications on file:**

**Boat Name** Tango  
**Boat Type** Catalina 34 1&2  
**Rating:** 150 DW Rating: 650 Certificate Date 1/14/2026  
Displacement used for DW Rating: 13606  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 44  
120 J: 13.5  
Rig Type P: 38.5  
MS E: 12  
Mast Material ISP:  
ALUMN JSP: 35 41 20 21

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:

LOA: 35.67  
LWL: 29.83  
Beam: 11.75  
Draft: 5.58

Displacement: 11950  
Ballast: 5000  
Engine: IB  
Prop Type: Feath

**Boat Name** Tara  
**Boat Type** Catalina 36  
**Rating:** 144 DW Rating: 648 Certificate Date 4/1/2026  
Displacement used for DW Rating: 15996  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 44.75  
135 J: 14.33  
Rig Type P: 39  
MS E: 12  
Mast Material ISP: 44.75  
ALUMN JSP: 14.33

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
44.64 23.5 24 14.33  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 36.33  
LWL: 30.25  
Beam: 11.92  
Draft: 5.83

Displacement: 13500  
Ballast: 6000  
Engine: IB  
Prop Type: Fixed\_2

**Boat Name** TAZ!!  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 605 Certificate Date 1/6/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5  
150 J: 9  
Rig Type P: 28.5  
FS E: 10.42  
Mast Material ISP: 28.5  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
28.58 13 17.75 9.83  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 27.3  
LWL: 23.8  
Beam: 8.17  
Draft: 4.5

Displacement: 2450  
Ballast: 1100  
Engine: NONE  
Prop Type: None

**Boat Name** TC  
**Boat Type** Hobie 33 ODR MOD  
**Rating:** 84 DW Rating: 548 Certificate Date 5/19/2026  
Displacement used for DW Rating: 4265  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 5/18/26, -3 sec/mi for OSP)

**Rig Data:**

Max Headsail I: 33.83  
142 J: 12.4  
Rig Type P: 34.25  
FS E: 12  
Mast Material ISP: 36.25  
ALUMN JSP: 14.25

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
14.39  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
34.81 41.6 24.27 25.16

LOA: 33  
LWL: 30.5  
Beam: 8  
Draft: 5.3

Displacement: 4265  
Ballast: 1900  
Engine: OB  
Prop Type: None

**Boat Name** Tequila Mockingbird  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 605 Certificate Date 3/27/2026  
Displacement used for DW Rating: 2719  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5 *Symmetric Spin?* Yes LOA: 27.3 Displacement: 2450  
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.8 Ballast: 1100  
Rig Type P: 28.5 29 17.7 17.7 9.833  
FS E: 10.416 *Asymmetric Spin?* No Engine: OB  
Mast Material ISP: 32.5 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: Draft: 4.5

**Boat Name** The Dutch Rudder  
**Boat Type** Melges A Scow  
**Rating:** -42 DW Rating: 468 Certificate Date 4/30/2026  
Displacement used for DW Rating: 1950  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 45 *Symmetric Spin?* YES LOA: 38 Displacement: 1950  
115 J: 13.5 SL: SSMG: SSF: SPL: LWL: 26 Ballast: 400  
Rig Type P: 38 45 32 32 12  
FS E: 12.5 *Asymmetric Spin?* No Engine: OB  
Mast Material ISP: 45 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 13.5 Draft: 3.5

**Boat Name** The Floating Bear  
**Boat Type** Ericson 350 SD  
**Rating:** 132 DW Rating: Certificate Date 4/28/2026  
Displacement used for DW Rating: 13000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 46 *Symmetric Spin?* No LOA: 34.8 Displacement: 13000  
130 J: 15 SL: SSMG: SSF: SPL: LWL: 29 Ballast: 5200  
Rig Type P: 39  
MS E: 12.83 *Asymmetric Spin?* No Engine: IB  
Mast Material ISP: 46 SLE: SLU: ASMG: ASF: Prop Type: Feath  
ALUMN JSP: 15 Draft: 4.92

**Boat Name** The Flying Tiger  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 630 Certificate Date 1/15/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050  
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 26.6 17.55 17.55 9.75  
FS E: 9.5 *Asymmetric Spin?* No Engine: OB  
Mast Material ISP: 26.2 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: Draft: 4.08

**Boat Name** The Mighty Windsong      **Sail #**  
567  
**Boat Type** International Folkboat OB  
**Rating: 228**    DW Rating: 805    **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 10817  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail    I: 26  
155                J: 8.3  
Rig Type         P: 28.8  
MS                E: 11.2  
Mast Material    ISP: 26  
ALUMN            JSP: 8.3

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
27.13 14.89 14.92 8.36  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 25.75    Displacement: 5000  
LWL: 19.75    Ballast: 2750  
Beam: 7.5      Engine: OB  
Draft: 4        Prop Type: None

**Boat Name** Three Fisted Rat Boy      **Sail #**  
440  
**Boat Type** Santana 22  
**Rating: 237**    DW Rating: 740    **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 0  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail    I: 26  
125                J: 8.5  
Rig Type         P: 21.75  
MS                E: 9.83  
Mast Material    ISP: 26  
ALUMN            JSP: 8.58

*Symmetric Spin?* YES  
SL: SSMG: SSF: SPL:  
26 15.44 15.44 8.58  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 22        Displacement: 2600  
LWL: 18.67    Ballast: 1230  
Beam: 7.83     Engine: OB  
Draft: 3.5      Prop Type: None

**Boat Name** Thunderstruck              **Sail #**  
75  
**Boat Type** J 120 CARBON  
**Rating: 45**    DW Rating: 554    **Certificate Date** 2/10/2026  
Displacement used for DW Rating: 15000  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail    I: 50.5  
150                J: 14.5  
Rig Type         P: 46.5  
FS                E: 19.8  
Mast Material    ISP: 52  
CARBON           JSP: 21.5

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
52.72 63.02 37.04 36.28

LOA: 40        Displacement: 13900  
LWL: 35        Ballast: 6000  
Beam: 12        Engine: IB  
Draft: 7        Prop Type: Fold

**Boat Name** Timeless                      **Sail #**  
14  
**Boat Type** Sabre Spirit  
**Rating: 93**    DW Rating: 609    **Certificate Date** 3/24/2026  
Displacement used for DW Rating: 9600  
Certified PHRF Data on file?

**Modifications on file:** Electric main halyard (Mtg 3/23/26, -3 sec/mi for keel shoe)

**Rig Data:**

Max Headsail    I: 45.5  
90                 J: 12.87  
Rig Type         P: 45.5  
FS                E: 16.55  
Mast Material    ISP: 45.5  
CARBON           JSP: 12.87

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 36.67    Displacement: 9600  
LWL: 28.33    Ballast: 4000  
Beam: 10.42   Engine: IB  
Draft: 6.58    Prop Type: Fold

**Boat Name** Tivoli  
**Boat Type** Beneteau Oceanis 50  
**Rating:** 75 DW Rating: 538 Certificate Date 1/9/2026  
Displacement used for DW Rating: 26988  
Certified PHRF Data on file?

Sail #  
50045

**Rig Data:**

Max Headsail I: 60.82  
110 J: 18.43  
Rig Type P: 55.77  
FS E: 18.73  
Mast Material ISP: 60  
ALUMN JSP: 18.43

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
57.78 65.96 32.94 33.08

LOA: 49.5  
LWL: 43.67  
Beam: 14.75  
Draft: 5.75

Displacement: 26988  
Ballast: 9477  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 1/23/23, +3 sec/mi for in-mast furling mainsail)(Mtg 5/20/24, -3 sec/mi for oversized asymmetric)

**Boat Name** Toon Town  
**Boat Type** Ultimate 20 CM  
**Rating:** 141 DW Rating: 622 Certificate Date 1/8/2026  
Displacement used for DW Rating: 1350  
Certified PHRF Data on file?

Sail #  
178

**Rig Data:**

Max Headsail I: 26.08  
150 J: 7  
Rig Type P: 27.33  
FS E: 10.17  
Mast Material ISP: 27.58  
CARBON JSP: 12.79

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
28.4 31.4 17.7 19.2

LOA: 20.8  
LWL: 18  
Beam: 8.3  
Draft: 5

Displacement: 1350  
Ballast: 450  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Topgallant  
**Boat Type** Tartan 10  
**Rating:** 129 DW Rating: 629 Certificate Date 3/18/2026  
Displacement used for DW Rating: 7005  
Certified PHRF Data on file?

Sail #  
18608

**Rig Data:**

Max Headsail I: 35  
125 J: 11.75  
Rig Type P: 40.25  
FS E: 13.75  
Mast Material ISP: 35  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
35 21.6 20.3 12  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 33.16  
LWL: 27  
Beam: 9.25  
Draft: 5.83

Displacement: 6700  
Ballast: 3340  
Engine: IB  
Prop Type: FOLD

**Modifications on file:** (4/25/02 Installed Running Backstay)

**Boat Name** Topper II  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 629 Certificate Date 1/23/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

Sail #  
71

**Rig Data:**

Max Headsail I: 26.25  
150 J: 9.75  
Rig Type P: 25  
FS E: 9.5  
Mast Material ISP: 26.25  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
27 17.55 17.55 9.75  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:

LOA: 23.75  
LWL: 21.75  
Beam: 7.16  
Draft: 4.083

Displacement: 2050  
Ballast: 1025  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Tortuga **Sail #** 207  
**Boat Type** Westsail 32  
**Rating:** 219 **DW Rating:** 691 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 19500  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 31.2 *Symmetric Spin?* No LOA: 32 Displacement: 19500  
110 J: 18.4 SL: SSMG: SSF: SPL: LWL: 27.6 Ballast: 7000  
Rig Type P: 39.7  
CTR E: 14.5 *Asymmetric Spin?* No Engine: IB  
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: Draft: 5

**Boat Name** Tramp Boat **Sail #** 18430  
**Boat Type** Farr 10/20 ODR  
**Rating:** 117 **DW Rating:** 615 **Certificate Date** 1/9/2026  
Displacement used for DW Rating: 8176  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 37.75 *Symmetric Spin?* Yes LOA: 33.92 Displacement: 8176  
150 J: 11.67 SL: SSMG: SSF: SPL: LWL: 28.42 Ballast: 3100  
Rig Type P: 39.5 39.7 20.34 20.34 12.82  
FS E: 15.42 *Asymmetric Spin?* No Engine: IB  
Mast Material ISP: 39.67 SLE: SLU: ASMG: ASF: Prop Type: FOLD  
ALUMN JSP: 12.67 Draft: 5.75

**Boat Name** True Love **Sail #** 61052  
**Boat Type** Spencer 1330  
**Rating:** 114 **DW Rating:** 608 **Certificate Date** 6/24/2026  
Displacement used for DW Rating: 32006  
Certified PHRF Data on file?

**Modifications on file:** New Rudder, NCTR. (Mtg 1/20/20, custom rating assigned of 105)(Mtg 8/25/25, ORC certificate sumitted, custom rating changed from 105 to 114)

**Rig Data:**

Max Headsail I: 58.213 *Symmetric Spin?* Yes LOA: 44.34 Displacement: 32006  
153 J: 17.97 SL: SSMG: SSF: SPL: LWL: 37.142 Ballast: 10000  
Rig Type P: 52.2 57.74 32.94 32.94 18.22  
MS E: 15.471 *Asymmetric Spin?* No Engine: IB  
Mast Material ISP: 58.954 SLE: SLU: ASMG: ASF: Prop Type: Fold  
CARBON JSP: 22.23 Draft: 7.386

**Boat Name** Tuesday's Child **Sail #** 145  
**Boat Type** Cherubini 50  
**Rating:** -21 **DW Rating:** 475 **Certificate Date** 2/20/2026  
Displacement used for DW Rating: 19107  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 5/19/25, Custom Rating of -21 assigned)

**Rig Data:**

Max Headsail I: 64.2 *Symmetric Spin?* Yes LOA: 48.95 Displacement: 19107  
150 J: 22.65 SL: SSMG: SSF: SPL: LWL: 46.5 Ballast: 4800  
Rig Type P: 57.8 64.44 39.57 38 23.19  
MS E: 21.14 *Asymmetric Spin?* Yes Engine: IB  
Mast Material ISP: 64.2 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 63.71 74.18 43.77 44.39 Draft: 8.91

**Boat Name** Tule Fog **Sail #** 18178  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 605 **Certificate Date** 1/14/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	29	<i>Symmetric Spin?</i>	Yes	LOA:	27.3	Displacement:	2450
155	J:	9	SL:	SSMG:	SSF:	SPL:	Ballast:	1100
Rig Type	P:	29	29	17.7	17.7	9.83	LWL:	23.8
FS	E:	10	<i>Asymmetric Spin?</i>	No	Beam:	8.166	Engine:	OB
Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:				Draft:	4.5		

**Boat Name** Tunesy **Sail #** 279  
**Boat Type** ALERION EXPRESS 28 ODR  
**Rating:** 168 **DW Rating:** 695 **Certificate Date** 4/28/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	30	<i>Symmetric Spin?</i>	Yes	LOA:	28.25	Displacement:	5700
90	J:	9.75	SL:	SSMG:	SSF:	SPL:	Ballast:	2000
Rig Type	P:	33	29.75	17.55	17.24	9.75	LWL:	22.833
FS	E:	12.5	<i>Asymmetric Spin?</i>	No	Beam:	8.17	Engine:	IB
Mast Material	ISP:	30	SLE:	SLU:	ASMG:	ASF:	Prop Type:	FOLD
ALUMN	JSP:				Draft:	4.5		

**Boat Name** Twelve Bar Blues **Sail #** 87  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78 **DW Rating:** 592 **Certificate Date** 1/8/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	40.6	<i>Symmetric Spin?</i>	No	LOA:	34.5	Displacement:	7750
100	J:	13.5	SL:	SSMG:	SSF:	SPL:	Ballast:	3400
Rig Type	P:	41.5					LWL:	29.5
FS	E:	14.5	<i>Asymmetric Spin?</i>	Yes	Beam:	11	Engine:	IB
Mast Material	ISP:	42.1	SLE:	SLU:	ASMG:	ASF:	Prop Type:	Fold
ALUMN	JSP:	19.07	39.01	48.69	25.79	27.89	Draft:	6.5

**Boat Name** Twin Fin **Sail #** 275  
**Boat Type** Open 5.7 ODR  
**Rating:** 138 **DW Rating:** 601 **Certificate Date** 1/29/2026  
Displacement used for DW Rating: 992  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail	I:	21.52	<i>Symmetric Spin?</i>	No	LOA:	18.7	Displacement:	992
117	J:	7.3	SL:	SSMG:	SSF:	SPL:	Ballast:	405
Rig Type	P:	25.33					LWL:	18.7
FS	E:	10.24	<i>Asymmetric Spin?</i>	Yes	Beam:	8.3	Engine:	OB
Mast Material	ISP:	27.9	SLE:	SLU:	ASMG:	ASF:	Prop Type:	None
ALUMN	JSP:	12.3	20.6	25.8	17.9	17.5	Draft:	5.7

**Boat Name** Typon  
**Boat Type** Swan 47  
**Rating:** 72 DW Rating: 584 Certificate Date 2/10/2026  
Displacement used for DW Rating: 0  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 61 Symmetric Spin? YES LOA: 47.8 Displacement: 32400  
101 J: 19.8 SL: SSMG: SSF: SPL: LWL: 36.2 Ballast: 15500  
Rig Type P: 54 61.8 35.6 30 19  
MS E: 16 Asymmetric Spin? No Engine: IB  
Mast Material ISP: SLE: SLU: ASMG: ASF: Prop Type: Feath  
ALUMN JSP: Draft: 7.8

**Boat Name** U Betcha  
**Boat Type** Ultimate 20  
**Rating:** 144 DW Rating: 622 Certificate Date 1/16/2026  
Displacement used for DW Rating: 1350  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 22.8 Symmetric Spin? No LOA: 20.83 Displacement: 1350  
100 J: 7 SL: SSMG: SSF: SPL: LWL: 18 Ballast: 450  
Rig Type P: 27.5  
FS E: 10.33 Asymmetric Spin? Yes Engine: OB  
Mast Material ISP: 27.58 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 13 28.4 31.3 17.6 19.2 Draft: 5

**Boat Name** UHOO!  
**Boat Type** Ultimate 20  
**Rating:** 144 DW Rating: 609 Certificate Date 1/20/2026  
Displacement used for DW Rating: 1350  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 22.8 Symmetric Spin? No LOA: 20.8 Displacement: 1100  
100 J: 7 SL: SSMG: SSF: SPL: LWL: 18 Ballast: 450  
Rig Type P: 27.5  
FS E: 10.33 Asymmetric Spin? Yes Engine: OB  
Mast Material ISP: 27.58 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 13 28.4 31.3 17.6 19.2 Draft: 5

**Boat Name** Under The Radar  
**Boat Type** Express 27 ODR  
**Rating:** 129 DW Rating: 605 Certificate Date 2/26/2026  
Displacement used for DW Rating: 2510  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5 Symmetric Spin? Yes LOA: 27.25 Displacement: 2450  
155 J: 9 SL: SSMG: SSF: SPL: LWL: 23.75 Ballast: 1100  
Rig Type P: 28.5 29 17.7 17.7 9.83  
FS E: 10.42 Asymmetric Spin? No Engine: OB  
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF: Prop Type: None  
ALUMN JSP: 0 Draft: 4.5

**Boat Name** unMoored\_X **Sail #** 120  
**Boat Type** Moore 24  
**Rating: 150** DW Rating: 630 **Certificate Date** 2/26/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 26.25  
150 J: 9.75  
**Rig Type** P: 25  
FS E: 9.5  
**Mast Material** ISP: 26.25  
ALUMN JSP: 9.75

**Symmetric Spin?** YES  
**SL: SSMG: SSF: SPL:**  
26.6 17.55 17.55 9.75  
**Asymmetric Spin?** No  
**SLE: SLU: ASMG: ASF:**

**LOA:** 23.75  
**LWL:** 21.75  
**Beam:** 7.16  
**Draft:** 4.083

**Displacement:** 2110  
**Ballast:** 1025  
**Engine:** OB  
**Prop Type:** None

**Modifications on file:**

**Boat Name** Uno **Sail #** 28632  
**Boat Type** Wyliecat 30 IB  
**Rating: 126** DW Rating: 651 **Certificate Date** 2/26/2026  
Displacement used for DW Rating: 5800  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 35.8  
J: 5.5  
**Rig Type** P: 39.66  
CAT E: 19.75  
**Mast Material** ISP: 35.8  
CARBON JSP: 12

**Symmetric Spin?** No  
**SL: SSMG: SSF: SPL:**  
12  
**Asymmetric Spin?** No  
**SLE: SLU: ASMG: ASF:**  
32.8 37.02 18.7 19.68

**LOA:** 30.5  
**LWL:** 25  
**Beam:** 9.5  
**Draft:** 5.25

**Displacement:** 5800  
**Ballast:** 3000  
**Engine:** IB  
**Prop Type:** FOLD

**Modifications on file:** (mtg 2/21/08, penalty for oversized main -3 sec/mi)(Mtg 5/22/08, -24 when asymmetric spinnaker flown on 12' pole)

**Boat Name** Uno Dos **Sail #** 11  
**Boat Type** Wyliecat 30 IB  
**Rating: 126** DW Rating: 647 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 5500  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 0  
J: 0  
**Rig Type** P: 39.75  
CATBOAT E: 20.5  
**Mast Material** ISP: 29  
CARBON JSP: 10

**Symmetric Spin?** No  
**SL: SSMG: SSF: SPL:**  
29 17.75 17.75 10  
**Asymmetric Spin?** No  
**SLE: SLU: ASMG: ASF:**  
25 31.5 22.5 18.8

**LOA:** 30.5  
**LWL:** 25  
**Beam:** 9.5  
**Draft:** 5.25

**Displacement:** 5500  
**Ballast:** 3050  
**Engine:** IB  
**Prop Type:** FEATH

**Modifications on file:** (mtg 5/20/10, -21 sec/mi for added spinnakers)(9/5/12, removed spinnaker, back to standard configuration)((mtg 3/24/25, -3 sec/mi penalty for oversized main)

**Boat Name** Ventana **Sail #** 38130  
**Boat Type** Beneteau Oceanis 46.1 SM  
**Rating: 57** DW Rating: 535 **Certificate Date** 1/15/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Rig Data:**

**Max Headsail** I: 58.17  
105 J: 18.67  
**Rig Type** P: 54.33  
FS E: 18.5  
**Mast Material** ISP: 58.17  
ALUMN JSP: 21.67

**Symmetric Spin?** No  
**SL: SSMG: SSF: SPL:**  
**Asymmetric Spin?** Yes  
**SLE: SLU: ASMG: ASF:**  
57.68 64.17 30.18 34.25

**LOA:** 44.75  
**LWL:** 43.42  
**Beam:** 14.75  
**Draft:** 7.75

**Displacement:** 23356  
**Ballast:** 6028  
**Engine:** IB  
**Prop Type:** Fold

**Modifications on file:** Powered Winches. (1/13/20, +3 sec/mi for in-mast furling mainsail)

**Boat Name** Venture  
**Boat Type** C&C 33  
**Rating:** 165 DW Rating: 653 Certificate Date 1/7/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
543

**Rig Data:**

Max Headsail I: 43  
100 J: 14  
Rig Type P: 37.25  
MS E: 10.75  
Mast Material ISP: 43  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
14  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
36 40.2 24.2 24.2

LOA: 32.75  
LWL: 26.42  
Beam: 10.5  
Draft: 5.5

Displacement: 9800  
Ballast: 4075  
Engine: IB  
Prop Type: Feath

**Modifications on file:** Powered Halyard Winch (1/3/23, +3 sec/mi for in-mast furling mainsail, +3 sec/mi for mgm <50% of E)

**Boat Name** Vera Cruz  
**Boat Type** Jeanneau Sun Odyssey 349  
**Rating:** 138 DW Rating: 652 Certificate Date 1/6/2026  
Displacement used for DW Rating: 11738  
Certified PHRF Data on file?

Sail #  
38133

**Rig Data:**

Max Headsail I: 43.71  
1152 J: 12.37  
Rig Type P: 40.19  
FS E: 13.42  
Mast Material ISP: 44.8  
ALUMN JSP: 14.88

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
42.27 46.45 23.3 26.78

LOA: 32.75  
LWL: 30.83  
Beam: 11.25  
Draft: 6.5

Displacement: 11738  
Ballast: 3483  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 8/23/21, -3 sec/mi for square-top main)

**Boat Name** Vitamin Sea  
**Boat Type** Catalina 36  
**Rating:** 147 DW Rating: 651 Certificate Date 4/1/2026  
Displacement used for DW Rating: 15996  
Certified PHRF Data on file?

Sail #  
271

**Rig Data:**

Max Headsail I: 44.75  
135 J: 14.33  
Rig Type P: 39  
MS E: 12  
Mast Material ISP: 44.75  
ALUMN JSP: 14.33

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
44 24 24 14  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
42.1 45.3 25.33 24

LOA: 36.33  
LWL: 30.25  
Beam: 11.92  
Draft: 5.83

Displacement: 13500  
Ballast: 6000  
Engine: IB  
Prop Type: Fixed\_3

**Modifications on file:**

**Boat Name** Vitesse  
**Boat Type** R/P 52  
**Rating:** -111 DW Rating: 427 Certificate Date 4/30/2026  
Displacement used for DW Rating: 16965  
Certified PHRF Data on file?

Sail #  
84248

**Rig Data:**

Max Headsail I: 68.2  
100 J: 20.27  
Rig Type P: 69.14  
FS E: 23.95  
Mast Material ISP: 77.03  
CARBON JSP: 29.63

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
74.27 85.59 45.93 46.58

LOA: 52  
LWL: 49.37  
Beam: 14.72  
Draft: 11.59

Displacement: 17667  
Ballast: 8719  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 3/28/22, Custom rating of -108 assigned)(Mtg 4/29/26, custom rating changed to -111 based off changes from 2026 ORR certificate)

**Boat Name** Viva **Sail #** 103  
**Boat Type** Cal 40  
**Rating:** 114 **DW Rating:** 631 **Certificate Date** 3/24/2026  
Displacement used for DW Rating: 14064  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 46 *Symmetric Spin?* Yes LOA: 39.3 Displacement: 16600  
155 J: 15.17 SL: SSMG: SSF: SPL: LWL: 30.3 Ballast: 6000  
Rig Type P: 40 46 26.24 26.21 15.17  
MS E: 17.5 *Asymmetric Spin?* Yes Beam: 11 Engine: IB  
Mast Material ISP: 40 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 15.17 42.65 49.21 26.01 27.29 Draft: 5.58

**Boat Name** Wasaaabi **Sail #** 5  
**Boat Type** Ultimate 24 ODR  
**Rating:** 111 **DW Rating:** 590 **Certificate Date** 6/2/2026  
Displacement used for DW Rating: 2040  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.04 *Symmetric Spin?* No LOA: 24.38 Displacement: 2040  
110 J: 7.82 SL: SSMG: SSF: SPL: LWL: 21.17 Ballast: 750  
Rig Type P: 31  
FS E: 10.9 *Asymmetric Spin?* Yes Beam: 8.48 Engine: OB  
Mast Material ISP: 30.08 SLE: SLU: ASMG: ASF: Prop Type: None  
CARBON JSP: 14.5 30.81 36.12 21.06 22.28 Draft: 5.52

**Boat Name** Wasabi 3 **Sail #** 86  
**Boat Type** J 111  
**Rating:** 36 **DW Rating:** 548 **Certificate Date** 5/18/2026  
Displacement used for DW Rating: 9300  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 48.37 *Symmetric Spin?* No LOA: 36.5 Displacement: 9300  
105 J: 13.85 SL: SSMG: SSF: SPL: LWL: 32.7 Ballast: 3500  
Rig Type P: 45.17  
FS E: 14.5 *Asymmetric Spin?* Yes Beam: 10.8 Engine: IB  
Mast Material ISP: 51.4 SLE: SLU: ASMG: ASF: Prop Type: Fold  
CARBON JSP: 20.08 49.28 58.6 30.84 30.35 Draft: 7.2

**Boat Name** WeBe Jammin **Sail #** 567  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78 **DW Rating:** 595 **Certificate Date** 3/18/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 40.6 *Symmetric Spin?* No LOA: 34.5 Displacement: 7750  
100 J: 13.5 SL: SSMG: SSF: SPL: LWL: 29.5 Ballast: 3400  
Rig Type P: 41.5  
FS E: 14.6 *Asymmetric Spin?* Yes Beam: 11 Engine: IB  
Mast Material ISP: 42.1 SLE: SLU: ASMG: ASF: Prop Type: Fold  
ALUMN JSP: 19.07 37.7 49.5 23 26.2 Draft: 6.5

**Boat Name** Westerly  
**Boat Type** Morgan 36 4/6  
**Rating:** 120 DW Rating: 631 Certificate Date 1/16/2026  
Displacement used for DW Rating: 11900  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 47.5 *Symmetric Spin?* No LOA: 36 Displacement: 11900  
95 J: 13.58 SL: SSMG: SSF: SPL: LWL: 29.4 Ballast: 5000  
Rig Type P: 41.83  
MS E: 12.58 *Asymmetric Spin?* Yes Engine: IB  
Mast Material ISP: 47.5 SLE: SLU: ASMG: ASF: Beam: 11.8 Prop Type: Fixed\_2  
ALUMN JSP: Draft: 6.6

**Boat Name** Wet Spot  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 630 Certificate Date 2/26/2026  
Displacement used for DW Rating: 2050  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050  
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 26.6 17.55 17.55 9.75 Engine: OB  
FS E: 9.5 *Asymmetric Spin?* No Beam: 7.16 Prop Type: None  
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.08  
JSP:

**Boat Name** Wicked  
**Boat Type** Melges 32 ODR  
**Rating:** 27 DW Rating: 491 Certificate Date 1/15/2026  
Displacement used for DW Rating: 3828  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 40.86 *Symmetric Spin?* No LOA: 31.76 Displacement: 3800  
105 J: 10.7 SL: SSMG: SSF: SPL: LWL: 28.5 Ballast: 1600  
Rig Type P: 44.05  
FS E: 15.49 *Asymmetric Spin?* Yes Engine: OB  
Mast Material ISP: 48.3 SLE: SLU: ASMG: ASF: Beam: 9.83 Prop Type: None  
CARBON JSP: 18.7 46.9 55.75 31.31 31.83 Draft: 7

**Boat Name** Wiki Wiki  
**Boat Type** Moore 24  
**Rating:** 150 DW Rating: 632 Certificate Date 1/6/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 26.25 *Symmetric Spin?* Yes LOA: 23.75 Displacement: 2050  
150 J: 9.75 SL: SSMG: SSF: SPL: LWL: 21.75 Ballast: 1025  
Rig Type P: 25 27 17.5 17.5 9.75 Engine: OB  
FS E: 9.5 *Asymmetric Spin?* No Beam: 7.16 Prop Type: None  
Mast Material ISP: 26.25 SLE: SLU: ASMG: ASF: Draft: 4.083  
ALUMN JSP:



**Boat Name Willow** Sail # 38300  
**Boat Type** Wauquiez 40s Centurion  
**Rating: 72** DW Rating: 579 Certificate Date 1/9/2026  
Displacement used for DW Rating: 18960  
Certified PHRF Data on file?

**Rig Data:**

Max Headsail I: 51.5  
110 J: 14.17  
Rig Type P: 49.21  
FS E: 19.3  
Mast Material ISP: 51.5  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
50.73 25.54 25.54 14.17  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
46.75 52.8 27.66 28.54

LOA: 41.17 Displacement: 18960  
LWL: 36.4 Ballast: 6085  
Beam: 12.66 Engine: IB  
Draft: 7.75 Prop Type: FEATH

**Modifications on file:** (mtg 3/18/10, -3 sec/mi for oversized a-sail.)(mtg 1/27/11, - 3 sec/mi for added sprit)(1 powered cabin top Halyard winch, NCTR)(Electric backstay adjuster, NCTR)(1/3/23, +3 sec/mi for non-articulation)

**Boat Name Willpower** Sail # 7606  
**Boat Type** Peterson 42  
**Rating: 54** DW Rating: 592 Certificate Date 1/7/2026  
Displacement used for DW Rating: 18000  
Certified PHRF Data on file?

**Rig Data:**

Max Headsail I: 57  
100 J: 17.6  
Rig Type P: 50  
MS E: 16.2  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* NO  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 42 Displacement: 18000  
LWL: 34 Ballast: 8000  
Beam: 12 Engine: IB  
Draft: 7.75 Prop Type: Fold

**Modifications on file:**

**Boat Name Wind Dancer** Sail # 29  
**Boat Type** J 99  
**Rating: 75** DW Rating: 599 Certificate Date 1/9/2026  
Displacement used for DW Rating: 8415  
Certified PHRF Data on file?

**Rig Data:**

Max Headsail I: 43.47  
105 J: 12.56  
Rig Type P: 41.8  
FS E: 14.3  
Mast Material ISP: 47.25  
ALUMN JSP: 16.73

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
45.2 53.5 27.85 26

LOA: 32.6 Displacement: 8415  
LWL: 28.6 Ballast: 3480  
Beam: 11.18 Engine: IB  
Draft: 6.54 Prop Type: Fold

**Modifications on file:**

**Boat Name Wind Mate** Sail # 1805  
**Boat Type** Catalina 34 1&2  
**Rating: 150** DW Rating: 648 Certificate Date 1/16/2026  
Displacement used for DW Rating: 13606  
Certified PHRF Data on file?

**Rig Data:**

Max Headsail I: 44  
120 J: 13.5  
Rig Type P: 38.5  
MS E: 11.75  
Mast Material ISP: 44  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
39.5 44 24 22.25

LOA: 34.5 Displacement: 11950  
LWL: 29.83 Ballast: 5000  
Beam: 11.75 Engine: IB  
Draft: 5.58 Prop Type: Fold

**Modifications on file:**

**Boat Name** WindBorn  
**Boat Type** Jeanneau Sun Odyssey 37.1  
**Rating:** 144 DW Rating: Certificate Date 2/20/2026  
Displacement used for DW Rating: 14175  
Certified PHRF Data on file?

Sail #  
0

**Rig Data:**

Max Headsail I: 44.78  
88.5 J: 12.53  
Rig Type P: 39.04  
MS E: 13.94  
Mast Material ISP:  
ALUMN JSP:

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 37.41  
LWL: 31.83  
Beam: 12.08  
Draft: 6.33

Displacement: 14175  
Ballast: 4453  
Engine: IB  
Prop Type: Fixed\_2

**Modifications on file:**

**Boat Name** Windcatcher  
**Boat Type** Islander 36 NCPHRF  
**Rating:** 153 DW Rating: 663 Certificate Date 1/8/2026  
Displacement used for DW Rating: 18325  
Certified PHRF Data on file?

Sail #  
38015

**Rig Data:**

Max Headsail I: 45  
110 J: 14.48  
Rig Type P: 39.25  
MS E: 12.75  
Mast Material ISP: 45  
ALUMN JSP: 14.48

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 36.08  
LWL: 28.25  
Beam: 11.17  
Draft: 6.08

Displacement: 13450  
Ballast: 5450  
Engine: IB  
Prop Type: Fixed\_2

**Modifications on file:**

**Boat Name** Windsome  
**Boat Type** J 100 ODR  
**Rating:** 81 DW Rating: 584 Certificate Date 1/7/2026  
Displacement used for DW Rating: 7000  
Certified PHRF Data on file?

Sail #  
140

**Rig Data:**

Max Headsail I: 38.5  
100 J: 11.5  
Rig Type P: 38  
FS E: 13.5  
Mast Material ISP: 43  
CARBON JSP: 15.9

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
42.82 49.41 26.9 26.81

LOA: 32.8  
LWL: 29  
Beam: 9.25  
Draft: 5.75

Displacement: 6500  
Ballast: 2450  
Engine: IB  
Prop Type: Fold

**Modifications on file:** (Mtg 2/28/22, -3 sec/mi for increased spinnaker area)

**Boat Name** Windwalker  
**Boat Type** Islander 36 ODR  
**Rating:** 144 DW Rating: 655 Certificate Date 4/28/2026  
Displacement used for DW Rating: 13450  
Certified PHRF Data on file?

Sail #  
57307

**Rig Data:**

Max Headsail I: 45  
150 J: 14.48  
Rig Type P: 39.25  
MS E: 12.75  
Mast Material ISP: 45  
ALUMN JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
45.25 23.3 24.7 15  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 36.08  
LWL: 28.25  
Beam: 11.17  
Draft: 6.08

Displacement: 13450  
Ballast: 5820  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

<b>Boat Name</b> Wolfpack	Sail #	Max Headsail	I:	38.5	<i>Symmetric Spin?</i> No	LOA:	30	Displacement:	3300	
<b>Boat Type</b> Donovan 30	3001	150	J:	11.6	SL: SSMG: SSF: SPL:	LWL:	25	Ballast:	1330	
<b>Rating:</b> 87	DW Rating: 575	Certificate Date 1/15/2026	<b>Rig Data:</b>	Rig Type	P:	34	11.6	Beam:	10.75	
Displacement used for DW Rating:	3470		MS	E:	10.66	<i>Asymmetric Spin?</i> Yes	Beam:	10.75	Engine:	OB
Certified PHRF Data on file?	<input checked="" type="checkbox"/>		Mast Material	ISP:		SLE: SLU: ASMG: ASF:	Draft:	5.67	Prop Type:	None
			ALUMN	JSP:	11.6	37 41.25 19.4 20.65				

**Modifications on file:** (Mtg 6/26/14, New Rudder, NCTR)(Mtg 1/26/16, +3 sec/mi for smaller "E")

<b>Boat Name</b> Wolpertinger	Sail #	Max Headsail	I:	32.583	<i>Symmetric Spin?</i> Yes	LOA:	26.85	Displacement:	3000	
<b>Boat Type</b> Santa Cruz 27 MOD	47952	155	J:	10.75	SL: SSMG: SSF: SPL:	LWL:	23.39	Ballast:	1450	
<b>Rating:</b> 135	DW Rating: 618	Certificate Date 1/27/2026	<b>Rig Data:</b>	Rig Type	P:	28.25	32.1 21.6 21.6 11.75	Beam:	8	
Displacement used for DW Rating:	3200		MS	E:	8.53	<i>Asymmetric Spin?</i> Yes	Beam:	8	Engine:	OB
Certified PHRF Data on file?	<input type="checkbox"/>		Mast Material	ISP:	32.583	SLE: SLU: ASMG: ASF:	Draft:	4.5	Prop Type:	None
			ALUMN	JSP:	11.9	30.1 34.8 20.5				

**Modifications on file:** New rudder noted NCTR. (Mtg 5/11/04, -3 for oversized spinnaker midgirth; -3 sec/mi for OSP)

<b>Boat Name</b> WooHoo	Sail #	Max Headsail	I:	26.25	<i>Symmetric Spin?</i> Yes	LOA:	23.75	Displacement:	2050	
<b>Boat Type</b> Moore 24	80	150	J:	9.8	SL: SSMG: SSF: SPL:	LWL:	21.75	Ballast:	1025	
<b>Rating:</b> 150	DW Rating: 629	Certificate Date 3/27/2026	<b>Rig Data:</b>	Rig Type	P:	25	27 17.55 17.55 9.75	Beam:	7.16	
Displacement used for DW Rating:	2050		FS	E:	9.5	<i>Asymmetric Spin?</i> No	Beam:	7.16	Engine:	OB
Certified PHRF Data on file?	<input type="checkbox"/>		Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:	Draft:	4.083	Prop Type:	None
			ALUMN	JSP:						

**Modifications on file:**

<b>Boat Name</b> Wowla	Sail #	Max Headsail	I:	38.5	<i>Symmetric Spin?</i> No	LOA:	32.8	Displacement:	6500	
<b>Boat Type</b> J 100 ODR	14	125	J:	11.5	SL: SSMG: SSF: SPL:	LWL:	29	Ballast:	2500	
<b>Rating:</b> 84	DW Rating: 591	Certificate Date 5/18/2026	<b>Rig Data:</b>	Rig Type	P:	38	0 0	Beam:	9.3	
Displacement used for DW Rating:	7000		FS	E:	13.5	<i>Asymmetric Spin?</i> Yes	Beam:	9.3	Engine:	IB
Certified PHRF Data on file?	<input type="checkbox"/>		Mast Material	ISP:	43	SLE: SLU: ASMG: ASF:	Draft:	5.8	Prop Type:	FOLD
			CARBON	JSP:	15.9	42 47.1 23.4 22.3				

**Modifications on file:** powered winch for mainsail hoist

**Boat Name** Wreckless  
**Boat Type** Capo 26  
**Rating:** 156 DW Rating: 692 Certificate Date 1/9/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

Sail #  
77449

**Rig Data:**

Max Headsail I: 35.89  
155 J: 10.63  
Rig Type P: 30.78  
SL E: 10.01  
Mast Material ISP:  
JSP:

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
9.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:  
JSP:

LOA: 25.9  
LWL: 21.76  
Beam: 9.38  
Draft: 4.56

Displacement: 4920  
Ballast: 1964  
Engine: OB  
Prop Type: None

**Modifications on file:** SPL REDUCED TO "J" 9'9". 1194# BALAST IN THE KEEL, 770 # IN THE HULL

**Boat Name** Wysiwyg  
**Boat Type** Olson 30 OB  
**Rating:** 99 DW Rating: 583 Certificate Date 1/15/2026  
Displacement used for DW Rating: 4111  
Certified PHRF Data on file?

Sail #  
28132

**Rig Data:**

Max Headsail I: 36  
155 J: 11.75  
Rig Type P: 31.5  
MS E: 10.75  
Mast Material ISP: 35.9  
ALUMN JSP: 11.67

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
36 21.16 21.16 11.75  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 30  
LWL: 27.5  
Beam: 9.33  
Draft: 5.083

Displacement: 3600  
Ballast: 1800  
Engine: OB  
Prop Type: None

**Modifications on file:**

**Boat Name** Yellowfin  
**Boat Type** J 105 ODR w/ 5'BS  
**Rating:** 78 DW Rating: 587 Certificate Date 2/10/2026  
Displacement used for DW Rating: 8472  
Certified PHRF Data on file?

Sail #  
357

**Rig Data:**

Max Headsail I: 40.6  
100 J: 13.5  
Rig Type P: 41.5  
FS E: 14.5  
Mast Material ISP: 42.1  
ALUMN JSP: 19.07

*Symmetric Spin?* No  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* Yes  
SLE: SLU: ASMG: ASF:  
38.33 48.92 25.67 25.5

LOA: 34.5  
LWL: 29.5  
Beam: 11  
Draft: 6.5

Displacement: 7750  
Ballast: 3400  
Engine: IB  
Prop Type: FOLD

**Modifications on file:**

**Boat Name** Yemaya  
**Boat Type** Leigh 30  
**Rating:** 210 DW Rating: 721 Certificate Date 1/27/2026  
Displacement used for DW Rating: 9100  
Certified PHRF Data on file?

Sail #

**Rig Data:**

Max Headsail I: 36.5  
150 J: 12.33  
Rig Type P: 31.67  
MS E: 12.33  
Mast Material ISP: 36.5  
ALUMN JSP: 12.33

*Symmetric Spin?* Yes  
SL: SSMG: SSF: SPL:  
*Asymmetric Spin?* No  
SLE: SLU: ASMG: ASF:

LOA: 29.67  
LWL: 23.33  
Beam: 9.58  
Draft: 4.58

Displacement: 9100  
Ballast: 4400  
Engine: IB  
Prop Type: Fixed\_3

**Modifications on file:**

**Boat Name** Yeti **Sail #** 38  
**Boat Type** Express 27  
**Rating:** 129 **DW Rating:** 633 **Certificate Date** 1/16/2026  
Displacement used for DW Rating: 2870  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 28.5 *Symmetric Spin?* Yes  
140 J: 9 SL: SSMG: SSF: SPL:  
Rig Type P: 28.5 28.6 17.7 17.7 9.83  
FS E: 10.4 *Asymmetric Spin?* Yes  
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF:  
ALUMN JSP: 26.51 30.5 16.4 17.77

LOA: 27.25 Displacement: 2450  
LWL: 23.75 Ballast: 1100  
Beam: 8.16 Engine: OB  
Draft: 4.5 Prop Type: None

**Boat Name** Yippee!! **Sail #** 6437  
**Boat Type** Ranger 23  
**Rating:** 216 **DW Rating:** 730 **Certificate Date** 1/15/2026  
Displacement used for DW Rating: 3400  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

Max Headsail I: 27.5 *Symmetric Spin?* YES  
150 J: 9.7 SL: SSMG: SSF: SPL:  
Rig Type P: 24 27.6 17.4 17.4 9.7  
MS E: 9.17 *Asymmetric Spin?* No  
Mast Material ISP: 27.5 SLE: SLU: ASMG: ASF:  
ALUMN JSP:

LOA: 23 Displacement: 3400  
LWL: 20 Ballast: 1500  
Beam: 7.9 Engine: OB  
Draft: 3.75 Prop Type: None

**Boat Name** Young Betty **Sail #** 8448  
**Boat Type** Express 27 ODR  
**Rating:** 129 **DW Rating:** 630 **Certificate Date** 1/22/2026  
Displacement used for DW Rating: 2798  
Certified PHRF Data on file?

**Modifications on file:** New Rudder, NCTR

**Rig Data:**

Max Headsail I: 28.5 *Symmetric Spin?* Yes  
155 J: 9 SL: SSMG: SSF: SPL:  
Rig Type P: 28.5 29 17.8 17.8 9.833  
FS E: 10.416 *Asymmetric Spin?* No  
Mast Material ISP: 28.5 SLE: SLU: ASMG: ASF:  
ALUMN JSP:

LOA: 27.25 Displacement: 2450  
LWL: 23.75 Ballast: 1100  
Beam: 8.166 Engine: OB  
Draft: 4.5 Prop Type: None

**Boat Name** Zaff **Sail #** 56272  
**Boat Type** J 92  
**Rating:** 105 **DW Rating:** 597 **Certificate Date** 2/24/2026  
Displacement used for DW Rating: 5645  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 2/26/18, -3 sec/mi for increased ISP and oversized main girths)(Mtg 5/21/18, +3 sec/mi for small asymmetric spinnaker)(Mtg 2/23/26, New Keel, NCTR)

**Rig Data:**

Max Headsail I: 37 *Symmetric Spin?* No  
155 J: 11.5 SL: SSMG: SSF: SPL:  
Rig Type P: 37.75  
FS E: 13.25 *Asymmetric Spin?* Yes  
Mast Material ISP: 39 SLE: SLU: ASMG: ASF:  
ALUMN JSP: 17 38.6 45.8 28.9 29.5

LOA: 30 Displacement: 5500  
LWL: 25.8 Ballast: 2100  
Beam: 10 Engine: IB  
Draft: 5.9 Prop Type: Fold

**Boat Name** Zara  
**Boat Type** Beneteau 310  
**Rating:** 138 DW Rating: 647 Certificate Date 3/27/2026  
Displacement used for DW Rating: 7054  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 37.04 Symmetric Spin? No LOA: 31.2 Displacement: 7054  
125 J: 10.83 SL: SSMG: SSF: SPL: LWL: 27.7 Ballast: 2160  
Rig Type P: 37.8  
FS E: 12.9 Asymmetric Spin? No Engine: IB  
Mast Material ISP: 37.04 SLE: SLU: ASMG: ASF: Prop Type: Fixed\_2  
ALUMN JSP: 10.82 35 37 16.6 21.6 Draft: 5.9

**Boat Name** Zeehond  
**Boat Type** Newport 30-2  
**Rating:** 174 DW Rating: 677 Certificate Date 1/6/2026  
Displacement used for DW Rating: 8500  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 39.5 Symmetric Spin? Yes LOA: 30 Displacement: 8500  
150 J: 12.125 SL: SSMG: SSF: SPL: LWL: 25 Ballast: 2600  
Rig Type P: 34 39.25 21.78 21.75 ##### Engine: IB  
MS E: 10.25 Asymmetric Spin? No Prop Type: FOLD  
Mast Material ISP: 39.5 SLE: SLU: ASMG: ASF:  
ALUMN JSP: Draft: 4.75

**Boat Name** Zena  
**Boat Type** North Star 727 Farr  
**Rating:** 192 DW Rating: 714 Certificate Date 1/12/2026  
Displacement used for DW Rating:  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 24.4 Symmetric Spin? Yes LOA: 23.1 Displacement: 2700  
155 J: 7.8 SL: SSMG: SSF: SPL: LWL: 19.7 Ballast: 900  
Rig Type P: 25.7 24.34 14 14 7.8 Engine: OB  
FS E: 10.9 Asymmetric Spin? No Prop Type: None  
Mast Material ISP: 24.4 SLE: SLU: ASMG: ASF: 0 Draft: 4.6  
ALUMN JSP:

**Boat Name** Zenaida  
**Boat Type** ALERION EXPRESS 28 ODR  
**Rating:** 168 DW Rating: 695 Certificate Date 1/8/2026  
Displacement used for DW Rating: 5700  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**  
Max Headsail I: 30 Symmetric Spin? Yes LOA: 28.25 Displacement: 5700  
95 J: 9.75 SL: SSMG: SSF: SPL: LWL: 22.83 Ballast: 2200  
Rig Type P: 33 29.96 17.55 15.77 9.75 Engine: IB  
FS E: 12.5 Asymmetric Spin? No Prop Type: FOLD  
Mast Material ISP: SLE: SLU: ASMG: ASF:  
ALUMN JSP: Draft: 4.5

**Boat Name** Zenith **Sail #** 472  
**Boat Type** Islander 36 NCPHRF  
**Rating:** 147 **DW Rating:** 663 **Certificate Date** 5/1/2026  
Displacement used for DW Rating: 18325  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 45  
135 J: 14.48  
**Rig Type** P: 39.25  
MS E: 12.75  
**Mast Material** ISP: 45  
ALUMN JSP: 14.8

**Symmetric Spin?** No  
SL: SSMG: SSF: SPL:  
**Asymmetric Spin?** No  
SLE: SLU: ASMG: ASF:

LOA: 36.08 Displacement: 13450  
LWL: 28.25 Ballast: 5820  
Beam: 11.166 Engine: IB  
Draft: 6.083 Prop Type: Fold

**Boat Name** Zephyros **Sail #** 45  
**Boat Type** Beneteau First 30  
**Rating:** 105 **DW Rating:** 589 **Certificate Date** 1/12/2026  
Displacement used for DW Rating: 8267  
Certified PHRF Data on file?

**Modifications on file:** High Aspect Rudders

**Rig Data:**

**Max Headsail** I: 41.66  
105 J: 13.78  
**Rig Type** P: 40.2  
FS E: 14.25  
**Mast Material** ISP: 42.16  
ALUMN JSP: 15.7

**Symmetric Spin?** No  
SL: SSMG: SSF: SPL:  
**Asymmetric Spin?** Yes  
SLE: SLU: ASMG: ASF:  
40.5 45.6 23.8 25.98

LOA: 31.7 Displacement: 8267  
LWL: 27.5 Ballast: 2403  
Beam: 10.5 Engine: IB  
Draft: 6.25 Prop Type: Fold

**Boat Name** Zeus **Sail #** 33  
**Boat Type** Infiniti 52  
**Rating:** -117 **DW Rating:** 421 **Certificate Date** 3/24/2026  
Displacement used for DW Rating: 16660  
Certified PHRF Data on file?

**Modifications on file:** (Mtg 3/23/26, Custom rating of -117 assigned)

**Rig Data:**

**Max Headsail** I: 68.08  
155 J: 21.293  
**Rig Type** P: 69.75  
FS E: 23.06  
**Mast Material** ISP: 75.72  
CARBON JSP: 30.945

**Symmetric Spin?** No  
SL: SSMG: SSF: SPL:  
**Asymmetric Spin?** Yes  
SLE: SLU: ASMG: ASF:  
71.65 86.74 44.94 47.7

LOA: 52.42 Displacement: 16660  
LWL: 51.95 Ballast: 5160  
Beam: 14.88 Engine: IB  
Draft: 12.49 Prop Type: Fold

**Boat Name** Zingaro **Sail #** 5050  
**Boat Type** Santana 22  
**Rating:** 237 **DW Rating:** 741 **Certificate Date** 2/10/2026  
Displacement used for DW Rating: 2600  
Certified PHRF Data on file?

**Modifications on file:**

**Rig Data:**

**Max Headsail** I: 26  
125 J: 8.5  
**Rig Type** P: 21.75  
MS E: 9.83  
**Mast Material** ISP: 26  
ALUMN JSP:

**Symmetric Spin?** Yes  
SL: SSMG: SSF: SPL:  
26 15.44 15.44 8.58  
**Asymmetric Spin?** No  
SLE: SLU: ASMG: ASF:

LOA: 22 Displacement: 2600  
LWL: 18.67 Ballast: 1260  
Beam: 7.833 Engine: OB  
Draft: 3.5 Prop Type: None