

NCPHRF - CURRENT FLEET ROSTER

This Roster lists the boats with a current NCPHRF certificate. If the boat you are looking for is not listed, their certificate is either not current or not yet updated to the list. You can contact the YRA office to verify a boat not found on this list at info@yra.org or via phone at 415.771.9500. This list is updated monthly.

As of: 9/3/2026

Boat Name 61	Sail # 61	Max Headsail 150	I: 28.5	Symmetric Spin? YES	LOA: 27.25	Displacement: 2450
Boat Type Express 27 ODR			J: 9	SL: SSMG: SSF: SPL:	LWL: 23.75	Ballast: 1100
Rating: 129	DW Rating: 606	Rig Type FS	P: 28.5	28.5 17.75 17.75 9.833	Beam: 8.17	Engine: OB
Certificate Date 1/15/2026		Mast Material ALUMN	E: 10.416	Asymmetric Spin? No	Draft: 4.5	Prop Type: None
Displacement used for DW Rating: 2510			ISP: 28.5	SLE: SLU: ASMG: ASF:		
Certified PHRF Data on file? ☐			JSP:			
Modifications on file:						

Boat Name A Day Off			Sail #	Max Headsail		I:	26	Symmetric Spin? YES		LOA:	22	Displacement:	2600
Boat Type Santana 22			61991	100	J:	8.5	SL: SSMG: SSF: SPL:		LWL:	18.67	Ballast:		1230
Rating: 237			DW Rating: 742	Certificate Date 3/18/2026	Rig Data:	Rig Type	P:	21.75	26	15.44	15.44	8.583	
				MS		E:	9.833	Asymmetric Spin? No		Beam:	7.83	Engine: OB	
Displacement used for DW Rating:			2600	Mast Material		ISP:	26	SLE:	SLU:	ASMG: ASF:		Prop Type: None	
Certified PHRF Data on file?			☐	ALUMN		JSP:				Draft:	3.5		
Modifications on file:													

Boat Name Abigail Morgan		Sail # 18394	Rig Data:	Max Headsail 150	I: 28.5	Symmetric Spin? Yes	LOA: 27.25	Displacement: 2450
Boat Type Express 27 ODR				Rig Type FS	J: 9	SL: SSMG: SSF: SPL:	LWL: 23.75	Ballast: 1100
Rating: 129	DW Rating: 606	Certificate Date 1/20/2026			P: 28.5	##### 17.75 17.4 9.833		
Displacement used for DW Rating: 2510				Mast Material ALUMN	E: 10.416	Asymmetric Spin? No	Beam: 8.166	Engine: OB
Certified PHRF Data on file? ☐					ISP: 28.5	SLE: SLU: ASMG: ASF:	Draft: 4.5	Prop Type: None
Modifications on file:					JSP:			

Boat Name Acey Deucy				Sail #	Rig Data:	Max Headsail	I:	#####	Symmetric Spin?	Yes	LOA:	44.83	Displacement:	22770			
Boat Type J 44				97659		155	J:	17.08	SL:	SSMG:	SSF:	SPL:	LWL:	38.58	Ballast:	9000	
Rating: 21 DW Rating: 562 Certificate Date 1/7/2026						Rig Type	P:	53.51	59.8	30.8	30.8	#####	Beam:	13.67	Engine:	IB	
Displacement used for DW Rating: 23350						MS	E:	19.41	Asymmetric Spin?				Yes	Draft:	8.14	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	#####	SLE:	SLU:	ASMG:	ASF:					
Modifications on file: Electric Winches					ALUMN	JSP:		55.9	63.8	27.8	27						
Boat Name Ad Lib				Sail #	Rig Data:	Max Headsail	I:	36.83	Symmetric Spin?	Yes	LOA:	32.75	Displacement:	6160			
Boat Type Aphrodite 101				8161		100	J:	11.81	SL:	SSMG:	SSF:	SPL:	LWL:	26.33	Ballast:	3527	
Rating: 144 DW Rating: 650 Certificate Date 1/8/2026						Rig Type	P:	39.33	35.6	21.3	19.6	11.9	Beam:	7.92	Engine:	IB	
Displacement used for DW Rating: 7490						FS	E:	11.48	Asymmetric Spin?				No	Draft:	5.42	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	32.23	SLE:	SLU:	ASMG:	ASF:					
Modifications on file:					ALUMN	JSP:											
Boat Name Adrenalin				Sail #	Rig Data:	Max Headsail	I:	62.85	Symmetric Spin?	No	LOA:	51.45	Displacement:	21000			
Boat Type Santa Cruz 50				7008		155	J:	19	SL:	SSMG:	SSF:	SPL:	LWL:	47.77	Ballast:	8000	
Rating: -9 DW Rating: 488 Certificate Date 4/10/2026						Rig Type	P:	55.6				20.9	Beam:	12.25	Engine:	IB	
Displacement used for DW Rating: 20525						MS	E:	18.2	Asymmetric Spin?				Yes	Draft:	9.12	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	62.8	SLE:	SLU:	ASMG:	ASF:					
Modifications on file: (Mtg 4/23/15, +6 sec/mi for 20% decrease in spinnaker area, change custom rating from -15 to -9)					ALUMN	JSP:	20.9	60.1	67.95	36.96	36.81						
Boat Name Advantage 3				Sail #	Rig Data:	Max Headsail	I:	40.6	Symmetric Spin?	No	LOA:	34.5	Displacement:	7750			
Boat Type J 105 ODR w/ 5'BS				84		100	J:	13.5	SL:	SSMG:	SSF:	SPL:	LWL:	29.5	Ballast:	3400	
Rating: 78 DW Rating: 592 Certificate Date 1/12/2026						Rig Type	P:	41.5					Beam:	11	Engine:	IB	
Displacement used for DW Rating: 8472						FS	E:	14.5	Asymmetric Spin?				Yes	Draft:	6.5	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	42.1	SLE:	SLU:	ASMG:	ASF:					
Modifications on file:					ALUMN	JSP:	19.07	38.6	49	26.4	25.5						

Boat Name Ahi				Sail # 5029	Rig Data:	Max Headsail 155	I: 26	Symmetric Spin? Yes	LOA: 22	Displacement: 2600
Boat Type Santana 22						Rig Type MS	J: 8.5	SL: SSMG: SSF: SPL: 26 15.44 15.44 8.583	LWL: 18.67	Ballast: 1230
Rating: 234 DW Rating: 741 Certificate Date 1/20/2026							E: 9.833	Asymmetric Spin? No	Beam: 7.83	Engine: OB
Displacement used for DW Rating:						Mast Material ALUMN	ISP: 26	SLE: SLU: ASMG: ASF:	Draft: 3.5	Prop Type: None
Certified PHRF Data on file? ☐							JSP:			
Modifications on file:										
Boat Name Akumu				Sail # 44	Rig Data:	Max Headsail 125	I: 28	Symmetric Spin? YES	LOA: 25	Displacement: 2000
Boat Type B-25 ODR						Rig Type MS	J: 8.5	SL: SSMG: SSF: SPL: 37.66 17.1 16.75 9.83	LWL: 21.25	Ballast: 800
Rating: 138 DW Rating: 599 Certificate Date 4/1/2026							E: 11	Asymmetric Spin? No	Beam: 8.33	Engine: OB
Displacement used for DW Rating: 2450						Mast Material ALUMN	ISP: 32	SLE: SLU: ASMG: ASF:	Draft: 5	Prop Type: None
Certified PHRF Data on file? ☒							JSP:			
Modifications on file:										
Boat Name Akyaa				Sail # 163	Rig Data:	Max Headsail 90	I: 33.6	Symmetric Spin? Yes	LOA: 37	Displacement: 4260
Boat Type Hobie 33 ODR						Rig Type MS	J: 12.4	SL: SSMG: SSF: SPL: 36 23 23 13.12	LWL: 30.83	Ballast: 1800
Rating: 87 DW Rating: 543 Certificate Date 1/15/2026							E: 12.5	Asymmetric Spin? No	Beam: 8	Engine: OB
Displacement used for DW Rating: 4550						Mast Material ALUMN	ISP: 36.5	SLE: SLU: ASMG: ASF:	Draft: 5.5	Prop Type: None
Certified PHRF Data on file? ☐							JSP: 16.2			
Modifications on file: (mtg 8/19/10, -3 sec/mi for sprit)										
Boat Name Ala Moana				Sail # 104	Rig Data:	Max Headsail 120	I: 41.66	Symmetric Spin? No	LOA: 31.7	Displacement: 8267
Boat Type Beneteau First 30						Rig Type FS	J: 13.78	SL: SSMG: SSF: SPL:	LWL: 27.6	Ballast: 2403
Rating: 99 DW Rating: 616 Certificate Date 1/16/2026							P: 40.3	Asymmetric Spin? Yes	Beam: 10.5	Engine: IB
Displacement used for DW Rating:						Mast Material ALUMN	E: 14.25	SLE: SLU: ASMG: ASF:	Draft: 6.25	Prop Type: Fold
Certified PHRF Data on file? ☐							ISP: 42.16	43.7 48.6 26.9 28.82		
Modifications on file:										

Boat Name Albacore				Sail #	Rig Data:	Max Headsail	I:	25.67	Symmetric Spin?	Yes	LOA:	22	Displacement:	2600		
Boat Type Santana 22 ODR				18325		150	J:	8.58	SL:	SSMG:	SSF:	SPL:	LWL:	18.67	Ballast:	1230
Rating: 234 DW Rating: 739 Certificate Date 2/10/2026				Rig Type		P:	21.75	26	15.44	15.44	8.58	Beam:	7.83	Engine:	OB	
Displacement used for DW Rating:				MS		E:	9.83	Asymmetric Spin?				No	Draft:	3.5	Prop Type:	None
Certified PHRF Data on file? ☐				Mast Material		ISP:	25.67	SLE:	SLU:	ASMG:	ASF:					
ALUMN				JSP:	8.58											
Modifications on file:																

Boat Name Alchemy				Sail #	Rig Data:	Max Headsail	I:	32	Symmetric Spin?	Yes	LOA:	25	Displacement:	3300		
Boat Type Olson 25				18252		155	J:	9.583	SL:	SSMG:	SSF:	SPL:	LWL:	21.25	Ballast:	1300
Rating: 159 DW Rating: 673 Certificate Date 4/26/2026				Rig Type		P:	28	32	17.25	17	9.583	Beam:	9	Engine:	OB	
Displacement used for DW Rating:				MS		E:	10	Asymmetric Spin?				No	Draft:	4.5	Prop Type:	None
Certified PHRF Data on file? ☐				Mast Material		ISP:	32	SLE:	SLU:	ASMG:	ASF:					
ALUMN				JSP:												
Modifications on file:																

Boat Name Alchera				Sail #	Rig Data:	Max Headsail	I:	50.5	Symmetric Spin?	No	LOA:	40	Displacement:	13900		
Boat Type J 120 Mod				28870		125	J:	14.5	SL:	SSMG:	SSF:	SPL:	LWL:	35	Ballast:	6000
Rating: 51 DW Rating: 559 Certificate Date 1/12/2026				Rig Type		P:	46.5	Asymmetric Spin?				Yes	Beam:	12	Engine:	IB
Displacement used for DW Rating: 15000				FS		E:	17.57	SLE:	SLU:	ASMG:	ASF:	Draft:	7	Prop Type:	FOLD	
Certified PHRF Data on file? ☐				Mast Material		ISP:	52	49.99	57.96	30.6	34					
CARBON				JSP:	21.55											
Modifications on file: Modifications for offshore singlehandeding: Smaller spinnaker and main, 2 extra winches at helm, 3 additional gel batteries, dodger boss widened and all control lines led to cockpit, radar pole, veltran MHN jib. (Mtg 2/21/08, +3 sec/mi for small spinnaker, + 3 sec/mi for small headsail)																

Boat Name Allegro Non Troppo				Sail #	Rig Data:	Max Headsail	I:	30	Symmetric Spin?	Yes	LOA:	28.25	Displacement:	5700		
Boat Type Alerion Express 28 ODR				188		90	J:	9.75	SL:	SSMG:	SSF:	SPL:	LWL:	22.83	Ballast:	2200
Rating: 168 DW Rating: 695 Certificate Date 1/7/2026				Rig Type		P:	33	29.75	17.5	17.5	9.75	Beam:	8.2	Engine:	IB	
Displacement used for DW Rating: 5700				FS		E:	12.5	Asymmetric Spin?				No	Draft:	4.5	Prop Type:	Fold
Certified PHRF Data on file? ☐				Mast Material		ISP:	30	SLE:	SLU:	ASMG:	ASF:					
ALUMN				JSP:	9.75					0						
Modifications on file:																

Boat Name Alpha Boat Type S&S 47 (Stevens 47) Rating: 96 DW Rating: 596 Certificate Date 3/18/2026 Displacement used for DW Rating: 30000 Certified PHRF Data on file? ☐ Modifications on file: (mtg 4/28/25, -3 sec/mi for tweener)	Sail #8502 Rig Data:	Max Headsail95 Rig TypeMS Mast MaterialALUMN I: 53.58 J: 18.75 P: 47.9 E: 17.39 ISP: 53.58 JSP: 18.75 Symmetric Spin? Yes SL: 54.3 SSMG: 33.7 SSF: 33.7 SPL: 18.75 Asymmetric Spin? Yes SLE: 50.4 SLU: 52 ASMG: 17 ASF: 28
---	--	--

LOA: 47.75

LWL: 34.5

Beam: 11.67

Draft: 6.25

Displacement: 30000

Ballast: 13000

Engine: IB

Prop Type: FOLD

Boat Name Another Girl		Sail #	Max Headsail	I:	42.98	Symmetric Spin? No	LOA:	38.3	Displacement: 13000
Boat Type Alerion Express 38-2		20	90	J:	12.99	SL: SSMG: SSF: SPL:	LWL:	30.1	Ballast: 5000
Rating: 90	DW Rating: 613	Certificate Date 1/22/2026	Rig Type	P:	47.5				
			MS	E:	18.25	Asymmetric Spin? No	Beam:	10.3	Engine: IB
Displacement used for DW Rating:			Mast Material	ISP:		SLE: SLU: ASMG: ASF:			
Certified PHRF Data on file? ☐			CARBON	JSP:			Draft:	5.92	Prop Type: Feath
Modifications on file: (mtg 4/28/11, Custom rating of 90 assigned. Custom rating includes penalty for powered sheet winches)									

Boat Name Antares	Sail # 6237	Rig Data:	Max Headsail 155	I: 38.5	Symmetric Spin? Yes	LOA: 30	Displacement: 8600		
Boat Type Islander 30-2				J: 12.58	SL: SSMG: SSF: SPL: 38 22.7 22.92 #####	LWL: 24.58	Ballast: 3600		
Rating: 186	DW Rating: 684		Certificate Date 4/1/2026	Rig Type MS	P: 32.5	E: 11.58	Asymmetric Spin? No	Beam: 10	Engine: IB
Displacement used for DW Rating:			Mast Material ALUMN	ISP: #####	SLE: SLU: ASMG: ASF:	Draft: 5	Prop Type: FOLD		
Certified PHRF Data on file? ☐				JSP:					
Modifications on file:									

Boat Name Aquavit			Sail # 7381		Rig Data:	Max Headsail 125		I: 52.42	Symmetric Spin? No		LOA: 42.17	Displacement: 18541
Boat Type Jeanneau 42i P						Rig Type FS		J: 15.92	SL: SSMG: SSF: SPL:		LWL: 38.08	Ballast: 5556
Rating: 69 DW Rating: 555 Certificate Date 2/10/2026								P: 50.92			Beam: 13.67	Engine: IB
Displacement used for DW Rating:								E: 14.67	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐								ISP: 52.42	SLE: SLU: ASMG: ASF:		Prop Type: Fold	
								JSP: 19.75	49.58 56.92 33.42 33.42		Draft: 7.67	
Modifications on file:												

Boat Name Arcadia	Sail # 3113	Rig Data:	Max Headsail 125	I: 33	Symmetric Spin? No	LOA: 28.5	Displacement: 4327
Boat Type Custom Nash 28.5			Rig Type FS	J: 10	SL: SSMG: SSF: SPL:	LWL: 25.5	Ballast: 1200
Rating: 123 DW Rating: 596 Certificate Date 1/22/2026			Mast Material ALUMN	P: 32.5	Asymmetric Spin? Yes	Beam: 9	Engine: IB
Displacement used for DW Rating: 4327				E: 13	SLE: SLU: ASMG: ASF:	Draft: 6.5	Prop Type: FOLD
Certified PHRF Data on file? ☐				ISP: 34	34.908 38.8 24.606 24.606		
				JSP: 11			
Modifications on file: (Weighed Displacement as of 4/4/2009)(mtg 2/28/13, change custom rating from 135 to 123 after review of race results and structural modifications)							

Boat NameAzulla				Sail #28908		Rig Data:	Max Headsail105		I:48.89	Symmetric Spin?Yes		LOA:39.04	Displacement:17600	
Boat TypeElan 40 DK							105		J:14.21	SL:SSMG:SSF:SPL:49.4325.5724.614.15		LWL:34.07	Ballast:5621	
Rating:69DW Rating:592Certificate Date4/30/2026							Rig TypeFS		P:48.82	Asymmetric Spin?No		Beam:12.55	Engine:IB	
Displacement used for DW Rating:							Mast MaterialALUMN		ISP:50.05	SLE:SLU:ASMG:ASF:		Draft:7.87	Prop Type:FOLD	
Certified PHRF Data on file?☐									JSP:14.21					
Modifications on file:(Formerly Tupelo Honey)														
Boat NameAzure				Sail #72		Rig Data:	Max Headsail150		I:46	Symmetric Spin?Yes		LOA:39.333	Displacement:15500	
Boat TypeCAL 40							150		J:15.17	SL:SSMG:SSF:SPL:46.527.32715.17		LWL:30.5	Ballast:6000	
Rating:114DW Rating:635Certificate Date3/18/2026							Rig TypeMS		P:40	Asymmetric Spin?No		Beam:11	Engine:IB	
Displacement used for DW Rating:15680							Mast MaterialALUMN		ISP:46	SLE:SLU:ASMG:ASF:		Draft:5.5	Prop Type:FEATH	
Certified PHRF Data on file?☒									JSP:					
Modifications on file:														
Boat NameBacchanal				Sail #1180		Rig Data:	Max Headsail95		I:51.54	Symmetric Spin?No		LOA:38.68	Displacement:13902	
Boat TypeJPK 1180							95		J:13.37	SL:SSMG:SSF:SPL:		LWL:34.35	Ballast:	
Rating:39DW Rating:554Certificate Date1/28/2026							Rig TypeFS		P:50.85	Asymmetric Spin?Yes		Beam:12.93	Engine:IB	
Displacement used for DW Rating:							Mast MaterialCARBON		ISP:57.28	SLE:SLU:ASMG:ASF:54.4963.8833.7334.32		Draft:7.67	Prop Type:Fold	
Certified PHRF Data on file?☐									JSP:21.28					
Modifications on file:Powered Winches														
Boat NameBacon Berger				Sail #6		Rig Data:	Max Headsail110		I:28.69	Symmetric Spin?No		LOA:27.73	Displacement:2800	
Boat TypeAntrim 27 CM ODR							110		J:8.17	SL:SSMG:SSF:SPL:		LWL:23.75	Ballast:1050	
Rating:75DW Rating:565Certificate Date7/2/2026							Rig TypeFS		P:33.75	Asymmetric Spin?Yes		Beam:9.25	Engine:OB	
Displacement used for DW Rating:3185							Mast MaterialCARBON		ISP:37.14	SLE:SLU:ASMG:ASF:3842.6520.125.1		Draft:6	Prop Type:None	
Certified PHRF Data on file?☒									JSP:15					
Modifications on file:														

Boat Name Bad Hare Day				Sail #	Rig Data:	Max Headsail	I:	20.75	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	975		
Boat Type Wylie Wabbit ODR W/Trap				35		150	J:	6.5	SL:	SSMG:	SSF:	SPL:	LWL:	20	Ballast:	440
Rating: 126 DW Rating: 594 Certificate Date 1/12/2026						Rig Type	P:	23.75	21.6	14	14	8.5	Beam:	5.583	Engine:	OB
Displacement used for DW Rating: 975						FS	E:	10	<i>Asymmetric Spin?</i> No				Draft:	3.5	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	20.5	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Bald Eagle				Sail #	Rig Data:	Max Headsail	I:	40.6	<i>Symmetric Spin?</i>	No	LOA:	34.5	Displacement:	7750		
Boat Type J 105 ODR w/ 5'BS				347		100	J:	13.5	SL:	SSMG:	SSF:	SPL:	LWL:	29.5	Ballast:	3400
Rating: 78 DW Rating: 592 Certificate Date 1/20/2026						Rig Type	P:	41.5					Beam:	11	Engine:	IB
Displacement used for DW Rating: 8472						FS	E:	14.5	<i>Asymmetric Spin?</i> Yes				Draft:	6.5	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	42.1	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	19.07	38.6	49	26.4	25.5					
Modifications on file:																
Boat Name Baleineau				Sail #	Rig Data:	Max Headsail	I:	44	<i>Symmetric Spin?</i>	Yes	LOA:	34	Displacement:	10600		
Boat Type Ericson 34 Olson SM				42147		155	J:	13	SL:	SSMG:	SSF:	SPL:	LWL:	28	Ballast:	3650
Rating: 105 DW Rating: 638 Certificate Date 1/9/2026						Rig Type	P:	38.8	43.5	23.25	23.25	12.96	Beam:	10.83	Engine:	IB
Displacement used for DW Rating:						MS	E:	13	<i>Asymmetric Spin?</i> No				Draft:	6	Prop Type:	FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	44	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	44									
Modifications on file:																
Boat Name Bandit				Sail #	Rig Data:	Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	2050		
Boat Type Moore 24				118		150	J:	9.75	SL:	SSMG:	SSF:	SPL:	LWL:	21.75	Ballast:	1025
Rating: 150 DW Rating: 630 Certificate Date 1/22/2026						Rig Type	P:	25	26.6	17.55	17.55	9.75	Beam:	7.16	Engine:	OB
Displacement used for DW Rating: 2050						FS	E:	9.5	<i>Asymmetric Spin?</i> No				Draft:	4.083	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																

Boat Name Bella Luna				Sail #	Rig Data:	Max Headsail	I:	45	Symmetric Spin?	No	LOA:	36.083	Displacement:	13450			
Boat Type Islander 36 ODR				6697		135	J:	14.48	SL:	SSMG:	SSF:	SPL:	LWL:	28.25	Ballast:	5820	
Rating: 147				DW Rating:		660	Certificate Date	1/16/2026	Rig Type	P:	39.25			Beam:	11.17	Engine:	IB
Displacement used for DW Rating:				18325			MS	E:	12.75	Asymmetric Spin?	No			Draft:	6.083	Prop Type:	Fixed_2
Certified PHRF Data on file?				☐			Mast Material	ISP:	45	SLE:	SLU:	ASMG:	ASF:				
						ALUMN	JSP:										
Modifications on file:																	
Boat Name Bella Mia				Sail #	Rig Data:	Max Headsail	I:	43.57	Symmetric Spin?	No	LOA:	33.92	Displacement:	11795			
Boat Type jeanneau Sun Odyssey 349 SD				61979		110	J:	12.37	SL:	SSMG:	SSF:	SPL:	LWL:	30.84	Ballast:	3483	
Rating: 153				DW Rating:		632	Certificate Date	1/27/2026	Rig Type	P:	40.68			Beam:	11.29	Engine:	IB
Displacement used for DW Rating:				11795			FS	E:	13.62	Asymmetric Spin?	Yes			Draft:	4.89	Prop Type:	Fixed_3
Certified PHRF Data on file?				☐			Mast Material	ISP:	44.8	SLE:	SLU:	ASMG:	ASF:				
						ALUMN	JSP:	14.88	45	45	18	24					
Modifications on file:																	
Boat Name Belle				Sail #	Rig Data:	Max Headsail	I:	25.75	Symmetric Spin?	No	LOA:	20	Displacement:	1800			
Boat Type Harbor 20				0		90	J:	7	SL:	SSMG:	SSF:	SPL:	LWL:	17.17	Ballast:	900	
Rating: 210				DW Rating:		748	Certificate Date	5/8/2026	Rig Type	P:	26			Beam:	7	Engine:	OB
Displacement used for DW Rating:				1800			FS	E:	10	Asymmetric Spin?	No			Draft:	3.5	Prop Type:	None
Certified PHRF Data on file?				☐			Mast Material	ISP:	25.75	SLE:	SLU:	ASMG:	ASF:				
						ALUMN	JSP:										
Modifications on file:																	
Boat Name Bewitched				Sail #	Rig Data:	Max Headsail	I:	28.75	Symmetric Spin?	Yes	LOA:	24.5	Displacement:	3000			
Boat Type Merit 25				8177		155	J:	9.66	SL:	SSMG:	SSF:	SPL:	LWL:	20.5	Ballast:	1050	
Rating: 168				DW Rating:		695	Certificate Date	1/9/2026	Rig Type	P:	28	29	17.39	17.39	9.66	Beam:	8
Displacement used for DW Rating:				3286			FS	E:	9.75	Asymmetric Spin?	No			Draft:	4	Prop Type:	None
Certified PHRF Data on file?				☐			Mast Material	ISP:	28.75	SLE:	SLU:	ASMG:	ASF:				
						ALUMN	JSP:										
Modifications on file:																	

Boat Name Blue Star				Sail #	Rig Data:	Max Headsail	I:	48.5	Symmetric Spin?	No	LOA:	36.17	Displacement:	13800		
Boat Type Sabre 36-2				156		150	J:	13.46	SL:	SSMG: SSF: SPL:	LWL:	30.42	Ballast:	5520		
Rating: 111 DW Rating:				Certificate Date 4/1/2026		Rig Type	P:	41.6				Beam:	12	Engine:	IB	
Displacement used for DW Rating:				14800		MS	E:	14.83	Asymmetric Spin? No			Draft:	6.5	Prop Type: Fold		
Certified PHRF Data on file?				☐		Mast Material	ISP:	48.5	SLE:	SLU: ASMG: ASF:						
Modifications on file:				Adjustable backstay		ALUMN	JSP:	13.46								
Boat Name Blue Thing				Sail #	Rig Data:	Max Headsail	I:	28.5	Symmetric Spin?	Yes	LOA:	27.25	Displacement:	2450		
Boat Type Express 27 ODR				8		155	J:	9	SL:	SSMG: SSF: SPL:	LWL:	23.75	Ballast:	1100		
Rating: 129 DW Rating: 605				Certificate Date 1/16/2026		Rig Type	P:	28.5	29 17.75 17.75 9.833				Beam:	8.166	Engine:	OB
Displacement used for DW Rating:				2510		FS	E:	10.416	Asymmetric Spin? No			Draft:	4.5	Prop Type: None		
Certified PHRF Data on file?				☐		Mast Material	ISP:	28.5	SLE:	SLU: ASMG: ASF:						
Modifications on file:						ALUMN	JSP:									
Boat Name Bluebird				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin?	Yes	LOA:	23.75	Displacement:	2050		
Boat Type Moore 24				137		150	J:	9.75	SL:	SSMG: SSF: SPL:	LWL:	21.75	Ballast:	1025		
Rating: 150 DW Rating: 629				Certificate Date 1/12/2026		Rig Type	P:	25	27 17.55 17.55 9.75				Beam:	7.16	Engine:	OB
Displacement used for DW Rating:				2050		FS	E:	9.5	Asymmetric Spin? NO			Draft:	4.08	Prop Type: None		
Certified PHRF Data on file?				☐		Mast Material	ISP:	26.25	SLE:	SLU: ASMG: ASF:						
Modifications on file:						ALUMN	JSP:									
Boat Name BOB				Sail #	Rig Data:	Max Headsail	I:	27.85	Symmetric Spin?	No	LOA:	24	Displacement:	1750		
Boat Type Melges 24				350		100	J:	7.95	SL:	SSMG: SSF: SPL:	LWL:	22	Ballast:	650		
Rating: 84 DW Rating: 568				Certificate Date 5/1/2026		Rig Type	P:	28.75	7.95			Draft:	5.25	Prop Type: None		
Displacement used for DW Rating:				1783		FS	E:	12.416	Asymmetric Spin? Yes							Beam:
Certified PHRF Data on file?				☐		Mast Material	ISP:	31.85	SLE:	SLU: ASMG: ASF:						
Modifications on file:						CARBON	JSP:	12	32.9 38 19.23 20.67							

Boat Name Bodacious +	Sail # 48005	Max Headsail 125	I: 57.7	Symmetric Spin? Yes	LOA: 48.3	Displacement: 19743
Boat Type 1D 48			J: 16.7	SL: SSMG: SSF: SPL:	LWL: 40.2	Ballast: 8818
Rating: -12 DW Rating: 505 Certificate Date 1/14/2026		Rig Type P:	61.3	66.7 33.1 32.6 16.7		
Displacement used for DW Rating: 17334		FS	E: 22.5	Asymmetric Spin? Yes	Beam: 14.2	Engine: IB
Certified PHRF Data on file? ☐		Mast Material IS:	68.3	SLE: SLU: ASMG: ASF:		Prop Type: Fold
		CARBON	JSP: 16.7	65.7 67.7 30.1 30.1	Draft: 10.1	
Modifications on file: Water ballast system not operational (mtg 8/19/08, custom rating assigned of -30, includes dual spinnakers)(Mtg 3/24/11, new smaller mainsail, smaller symmetrical, change cutom rating from -30 to -24)(Mtg 8/25/11, switched to J length SPL, switched to smaller symmetric & asymetric spinnaker, +9 sec/mi, change custom rating from -24 to -15)(Mtg 9/22/11, removed asymmetrical spinnakers, +3 sec./mi. Change custom rating from -15 to -12)(1/24/13, New rudder noted, NCTR)(Mtg 8/28/14, -3 sec/mi for 10% increase in symmetrical spinnaker area)(5/28/20, switched to 125% headsail, +3 sec/mi. Change custom rating from -15 to -12)						

Boat Name Bombora	Sail # 38047	Rig Data:	Max Headsail 155	I: 28.5	Symmetric Spin? Yes				LOA: 27.25	Displacement: 2450	
Boat Type Express 27 ODR				J: 9	SL: 28.5	SSMG: 17.7	SSF: 17.7	SPL: 9.83	LWL: 23.8	Ballast: 1100	
Rating: 129	DW Rating: 632		Certificate Date 1/15/2026	Rig Type FS	P: 28.5	Asymmetric Spin? Yes				Beam: 8.17	Engine: OB
Displacement used for DW Rating:			2977	Mast Material ALUMN	ISP: 28.5	SLE: 26.97	SLU: 31	ASMG: 14.67	ASF: 16.73	Draft: 4.5	Prop Type: None
Certified PHRF Data on file?			☒		JSP:						
Modifications on file:											

Boat Name Breakaway	Sail # 180	Rig Data:	Max Headsail 114	I: 26.08	Symmetric Spin? No	LOA: 20.83	Displacement: 1350
Boat Type Ultimate 20 CM				J: 6.97	SL: SSMG: SSF: SPL:	LWL: 18	Ballast: 450
Rating: 144 DW Rating: 631	Certificate Date 1/7/2026		Rig Type FS	P: 27.33	0 0		
Displacement used for DW Rating: 1350			Mast Material CARBON	E: 10.17	Asymmetric Spin? Yes	Beam: 8.33	Engine: OB
Certified PHRF Data on file? ☐				ISP: 27.58	SLE: SLU: ASMG: ASF:		Prop Type: Fixed_3
				JSP: 12.79	28.417 30.42 17.7 19.167	Draft: 5	
Modifications on file:							

Boat Name Bunnicula	Sail #	Max Headsail	I:	20.5	<i>Symmetric Spin?</i> YES				LOA:	23.75	Displacement:	975				
Boat Type Wylie Wabbit ODR W/Trap	17	150	J:	6.5	SL:	SSMG:	SSF:	SPL:	LWL:	20	Ballast:	440				
Rating: 126	DW Rating:	590	Certificate Date	1/12/2026	Rig Data:	Rig Type	P:	23.75	22	13.9	13.7	8.5				
				FS		E:	10	<i>Asymmetric Spin?</i> No				Beam:	5.58	Engine:	OB	
Displacement used for DW Rating:				975		Mast Material	ISP:	20.5	SLE:	SLU:	ASMG:	ASF:	Prop Type:			None
Certified PHRF Data on file?				☐		ALUMN	JSP:					Draft:	3.5			
Modifications on file: <i>Hiking straps and single trapeze</i>																

Boat Name Caprice				Sail # 38143	Rig Data:	Max Headsail 106	I: 42.1 J: 12 P: 41.6 E: 13.8	Symmetric Spin? No SL: SSMG: SSF: SPL:	LOA: 35.4 LWL: 32.2 Beam: 11.9 Draft: 6.7	Displacement: 12046 Ballast: 3482 Engine: IB Prop Type: Fold
Boat Type Beneteau Oceanis 34.1						Rig Type FS		Asymmetric Spin? Yes		
Rating: 138 DW Rating: 616 Certificate Date 4/24/2026						Mast Material ALUMN	ISP: JSP:	SLE: 40.1 SLU: 44.9 ASMG: 25 ASF: 26.08		
Displacement used for DW Rating:										
Certified PHRF Data on file? ☐										
Modifications on file:										
Boat Name Carmelita				Sail # 131	Rig Data:	Max Headsail 125	I: 53 J: 16.42 P: 46.75 E: 15.5	Symmetric Spin? Yes SL: SSMG: SSF: SPL: 49 29.55 29.55 16.42	LOA: 41.83 LWL: 36 Beam: 13.83 Draft: 6.66	Displacement: 22000 Ballast: 8300 Engine: IB Prop Type: FEATH
Boat Type Catalina 42-1/2						Rig Type MS		Asymmetric Spin? Yes		
Rating: 105 DW Rating: 602 Certificate Date 1/12/2026						Mast Material ALUMN	ISP: 53 JSP:	SLE: 47.34 SLU: 56.75 ASMG: 29.69 ASF: 25.59		
Displacement used for DW Rating: 25500										
Certified PHRF Data on file? ☐										
Modifications on file: Electric Winches										
Boat Name Cascade				Sail # 13	Rig Data:	Max Headsail 116	I: 28.69 J: 8.17 P: 33.75 E: 14	Symmetric Spin? No SL: SSMG: SSF: SPL:	LOA: 27.73 LWL: 23.75 Beam: 9.25 Draft: 6	Displacement: 2900 Ballast: 1050 Engine: OB Prop Type: None
Boat Type Antrim 27 CM ODR						Rig Type FS		Asymmetric Spin? Yes		
Rating: 75 DW Rating: 561 Certificate Date 1/16/2026						Mast Material CARBON	ISP: 37.25 JSP: 15	SLE: 38 SLU: 44.2 ASMG: 20.1 ASF: 23		
Displacement used for DW Rating: 2931										
Certified PHRF Data on file? ☒										
Modifications on file:										
Boat Name Chance				Sail # 28484	Rig Data:	Max Headsail 100	I: 50.5 J: 14.5 P: 46.3 E: 17.8	Symmetric Spin? No SL: SSMG: SSF: SPL:	LOA: 40 LWL: 35 Beam: 12 Draft: 7	Displacement: 13900 Ballast: 6000 Engine: IB Prop Type: FOLD
Boat Type J 120 ALUM						Rig Type FS		Asymmetric Spin? Yes		
Rating: 48 DW Rating: 550 Certificate Date 1/12/2026						Mast Material ALUMN	ISP: 52 JSP: 21.5	SLE: 50.6 SLU: 64.1 ASMG: 37.65 ASF: 34.1		
Displacement used for DW Rating: 15000										
Certified PHRF Data on file? ☐										
Modifications on file:										

Boat Name Chance				Sail #	Rig Data:	Max Headsail	I:	30	<i>Symmetric Spin?</i>	No	LOA:	28.25	Displacement:	5700
Boat Type Alerion Express 28 ODR				421		90	J:	9.75	SL:	SSMG: SSF: SPL:	LWL:	22.83	Ballast:	2200
Rating: 168 DW Rating: 705 Certificate Date 3/3/2026						Rig Type	P:	33					Engine:	IB
Displacement used for DW Rating:				0		FS	E:	12.5	<i>Asymmetric Spin?</i>	No	Beam:	8.2		
Certified PHRF Data on file?				☐		Mast Material	ISP:	30	SLE:	SLU: ASMG: ASF:	Draft:	4.5	Prop Type:	Fold
Modifications on file:					ALUMN	JSP:	9.75							
Boat Name Charisma				Sail #	Rig Data:	Max Headsail	I:	42	<i>Symmetric Spin?</i>	No	LOA:	35.58	Displacement:	12000
Boat Type Hunter 35 Legend WK				0		135	J:	12.17	SL:	SSMG: SSF: SPL:	LWL:	29.75	Ballast:	4600
Rating: 138 DW Rating: 634 Certificate Date 1/26/2026						Rig Type	P:	44.08					Engine:	IB
Displacement used for DW Rating:				12000		MS	E:	14.25	<i>Asymmetric Spin?</i>	No	Beam:	11.75		
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU: ASMG: ASF:	Draft:	4.5	Prop Type:	Fixed_2
Modifications on file:					ALUMN	JSP:								
Boat Name Checkered Past				Sail #	Rig Data:	Max Headsail	I:		<i>Symmetric Spin?</i>	No	LOA:	38.83	Displacement:	12000
Boat Type Custom Wyliecat 39				3			J:		SL:	SSMG: SSF: SPL:	LWL:	32	Ballast:	6200
Rating: 102 DW Rating: 597 Certificate Date 12/16/2025						Rig Type	P:	52					Engine:	IB
Displacement used for DW Rating:				12000		CAT	E:	26.6	<i>Asymmetric Spin?</i>	No	Beam:	11.5		
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU: ASMG: ASF:	Draft:	6.6	Prop Type:	FOLD
Modifications on file:				Boat has been modified for handicapped sailing, including powered mainsail winch										
Boat Name Cheers				Sail #	Rig Data:	Max Headsail	I:	45.25	<i>Symmetric Spin?</i>	No	LOA:	35.17	Displacement:	10285
Boat Type Beneteau First 35				0		150	J:	13.3	SL:	SSMG: SSF: SPL:	LWL:	28.83	Ballast:	4850
Rating: 72 DW Rating: 627 Certificate Date 9/1/2026						Rig Type	P:	39.6					Engine:	IB
Displacement used for DW Rating:				10285		MS	E:	12.8	<i>Asymmetric Spin?</i>	Yes	Beam:	12.17		
Certified PHRF Data on file?				☐		Mast Material	ISP:	45.25	SLE:	SLU: ASMG: ASF:	Draft:	6.25	Prop Type:	Fixed_2
Modifications on file:					ALUMN	JSP:	13.3	44	47.5	26.5	28.6			

Boat Name Concussion Boat Type Olson 30 OB Rating: 99 DW Rating: 589 Certificate Date 4/28/2026 Displacement used for DW Rating: 4428 Certified PHRF Data on file? ☐ Modifications on file: Elliptical Rudder	Sail # 202	Rig Data:	Max Headsail 155 Rig Type MS Mast Material ALUMN I: 36 J: 11.75 P: 31.5 E: 10.75 ISP: 35.9 JSP: 11.67 Symmetric Spin? Yes SL: 36 SSMG: 21.16 SSF: 21.16 SPL: 11.75 Asymmetric Spin? Yes SLE: 33.3 SLU: 37.73 ASMG: 21 ASF: 21.82	LOA: 30 LWL: 27.5 Beam: 9.33 Draft: 5.08	Displacement: 3600 Ballast: 1800 Engine: OB Prop Type: None
Boat Name Corinna Boat Type Allied Princess 36 Rating: 213 DW Rating: 670 Certificate Date 3/27/2026 Displacement used for DW Rating: 14400 Certified PHRF Data on file? ☐ Modifications on file:	Sail # #####	Rig Data:	Max Headsail 120 Rig Type KTCH Mast Material ALUMN I: 41 J: 12.6 P: 36 E: 14 ISP: JSP: Symmetric Spin? No SL: SSMG: SSF: SPL: Asymmetric Spin? No SLE: SLU: ASMG: ASF:	LOA: 36 LWL: 27.5 Beam: 11 Draft: 4.5	Displacement: 14400 Ballast: 5000 Engine: IB Prop Type: Fixed_3
Boat Name Crazy Rhythm Boat Type Santa Cruz 27 Rating: 141 DW Rating: 618 Certificate Date 1/12/2026 Displacement used for DW Rating: 3200 Certified PHRF Data on file? ☐ Modifications on file: (Outboard Removed)	Sail # 18771	Rig Data:	Max Headsail 150 Rig Type MS Mast Material ALUMN I: 32.58 J: 10.75 P: 28.166 E: 8.583 ISP: 32.58 JSP: Symmetric Spin? Yes SL: 32.74 SSMG: 19.4 SSF: 19.4 SPL: 10.75 Asymmetric Spin? No SLE: SLU: ASMG: ASF:	LOA: 27 LWL: 24 Beam: 8 Draft: 4.5	Displacement: 3200 Ballast: 1600 Engine: OB Prop Type: None
Boat Name Crews Nest Boat Type Catalina 34 1&2 Rating: 147 DW Rating: 639 Certificate Date 3/18/2026 Displacement used for DW Rating: 13606 Certified PHRF Data on file? ☐ Modifications on file:	Sail # 1383	Rig Data:	Max Headsail 130 Rig Type MS Mast Material ALUMN I: 44 J: 13.5 P: 38.5 E: 12 ISP: 44 JSP: 13.5 Symmetric Spin? Yes SL: 42 SSMG: 24 SSF: 23.5 SPL: 13.5 Asymmetric Spin? No SLE: SLU: ASMG: ASF:	LOA: 35.67 LWL: 29.83 Beam: 11.75 Draft: 5.58	Displacement: 11950 Ballast: 5000 Engine: IB Prop Type: FEATH

Boat Name Crinan II				Sail #		Max Headsail		I:		Symmetric Spin?		LOA:		Displacement:	
Boat Type Wyliecat 30 IB				15		155		J:		SL: SSMG: SSF: SPL:		LWL:		Ballast:	
Rating: 126				DW Rating: 647		Rig Type		P: 39		Asymmetric Spin? No		Beam:		Engine: IB	
Certificate Date 1/15/2026						CATBOAT		E: 20				Draft:		Prop Type: FOLD	
Displacement used for DW Rating:				5500		Mast Material		ISP:		SLE: SLU: ASMG: ASF:					
Certified PHRF Data on file?				☐		CARBON		JSP:							
Modifications on file:				(Mtg 1/21/19, -3 sec/mi for square top mainsail)											
Boat Name CruzSea Baby				Sail #		Max Headsail		I:		Symmetric Spin?		LOA:		Displacement:	
Boat Type Beneteau First 10R ODR				52878		155		J:		SL: SSMG: SSF: SPL:		LWL:		Ballast:	
Rating: 84				DW Rating: 612		Rig Type		P: 42.25		Asymmetric Spin? Yes		Beam:		Engine: IB	
Certificate Date 9/3/2026						FS		E: 14.73				Draft:		Prop Type: Fold	
Displacement used for DW Rating:				9908		Mast Material		ISP: 46.41		SLE: SLU: ASMG: ASF:					
Certified PHRF Data on file?				☐		CARBON		JSP: 16.5		48.03 52.16 27.95 28.93					
Modifications on file:				(Rudder Modifications noted)											
Boat Name Cuckoo				Sail #		Max Headsail		I:		Symmetric Spin?		LOA:		Displacement:	
Boat Type Bird ODR				16		155		J:		SL: SSMG: SSF: SPL:		LWL:		Ballast:	
Rating: 204				DW Rating: 710		Rig Type		P: 32		Asymmetric Spin? No		Beam:		Engine: OB	
Certificate Date 2/20/2026						MS		E: 20.5				Draft:		Prop Type: None	
Displacement used for DW Rating:				8900		Mast Material		ISP: 20.25		SLE: SLU: ASMG: ASF:					
Certified PHRF Data on file?				☐		WOOD		JSP:							
Modifications on file:															
Boat Name Curie				Sail #		Max Headsail		I:		Symmetric Spin?		LOA:		Displacement:	
Boat Type Beneteau 32S5				52868		150		J:		SL: SSMG: SSF: SPL:		LWL:		Ballast:	
Rating: 138				DW Rating: 657		Rig Type		P: 38.88		39.98 17.3 17.3 9.6		Beam:		Engine: IB	
Certificate Date 1/20/2026						FS		E: 13.78		Asymmetric Spin? No		Draft:		Prop Type: FOLD	
Displacement used for DW Rating:				9260		Mast Material		ISP: 38.39		SLE: SLU: ASMG: ASF:					
Certified PHRF Data on file?				☐		ALUMN		JSP: 9.68		32.75 35.75 18.4 17.3					
Modifications on file:															

Boat Name Dianne				Sail #	Rig Data:	Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450		
Boat Type Express 27 ODR				0		155	J:	9	SL:	SSMG:	SSF:	SPL:	LWL:	23.75	Ballast:	1100
Rating: 129 DW Rating: 605 Certificate Date 1/14/2026						Rig Type	P:	28.5	29	17.75	17.75	9.833	Beam:	8.17	Engine:	OB
Displacement used for DW Rating:				2510		FS	E:	10.416	<i>Asymmetric Spin?</i> No				Draft:	4.5	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																

Boat Name Double Down				Sail #	Rig Data:	Max Headsail	I:	41.37	<i>Symmetric Spin?</i>	Yes	LOA:	29.92	Displacement:	7854		
Boat Type Custom Schumacher 30				18480		150	J:	12.16	SL:	SSMG:	SSF:	SPL:	LWL:	26	Ballast:	3650
Rating: 123 DW Rating: 654 Certificate Date 5/1/2026						Rig Type	P:	35.5	40.75	21.75	21.35	12.08	Beam:	10.65	Engine:	IB
Displacement used for DW Rating:				7854		MS	E:	12	<i>Asymmetric Spin?</i> No				Draft:	6.17	Prop Type:	FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:	41.5	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file: Rudder change, old rudder 85lbs new 65 lbs. Old alum/new carbon MTG 10/27/94 Noted- NCTR (MTG 1/9/97 Alum headsail removed and excess wires removed from mast-Noted NCTR)(Mtg 2/21/08, change custom rating from 126 to 123 after performance review)																

Boat Name Dragonsong				Sail #	Rig Data:	Max Headsail	I:	36	<i>Symmetric Spin?</i>	Yes	LOA:	30	Displacement:	3600		
Boat Type Olson 30 OB				87014		155	J:	11.75	SL:	SSMG:	SSF:	SPL:	LWL:	27.5	Ballast:	1800
Rating: 99 DW Rating: 583 Certificate Date 1/12/2026						Rig Type	P:	31.5	36	21.15	21.15	11.75	Beam:	9.33	Engine:	OB
Displacement used for DW Rating:				4111		MS	E:	10.75	<i>Asymmetric Spin?</i> No				Draft:	5.08	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	35.9	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	11.67									
Modifications on file:																

Boat Name Dream				Sail #	Rig Data:	Max Headsail	I:	53	<i>Symmetric Spin?</i>	Yes	LOA:	41	Displacement:	21500		
Boat Type Sceptre 41				12		90	J:	17.67	SL:	SSMG:	SSF:	SPL:	LWL:	36	Ballast:	8700
Rating: 129 DW Rating: 592 Certificate Date 4/28/2026						Rig Type	P:	47	53	29.5	28	17.67	Beam:	12.67	Engine:	IB
Displacement used for DW Rating:				0		MS	E:	13	<i>Asymmetric Spin?</i> No				Draft:	6.08	Prop Type:	Fold
Certified PHRF Data on file?				☐		Mast Material	ISP:	53	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	45.17	48.67	26.17	28						
Modifications on file:																

Boat Name Dream Catcher				Sail #	Rig Data:	Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	24	Displacement:	3100		
Boat Type J 24 ODR				481		150	J:	9.5	SL:	SSMG:	SSF:	SPL:	LWL:	20	Ballast:	950
Rating: 168 DW Rating: 694 Certificate Date 1/6/2026						Rig Type	P:	28	26.5	17	16.8	9.5	Beam:	8.92	Engine:	OB
Displacement used for DW Rating:				2870		FS	E:	9.75	<i>Asymmetric Spin?</i> No				Draft:	4	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Duende				Sail #	Rig Data:	Max Headsail	I:	46	<i>Symmetric Spin?</i>	Yes	LOA:	39.33	Displacement:	16000		
Boat Type Cal 40				7954		155	J:	15.2	SL:	SSMG:	SSF:	SPL:	LWL:	30	Ballast:	6000
Rating: 114 DW Rating: 638 Certificate Date 1/22/2026						Rig Type	P:	40	46	27	27	15.2	Beam:	11	Engine:	IB
Displacement used for DW Rating:				15239		MS	E:	17.5	<i>Asymmetric Spin?</i> No				Draft:	5.5	Prop Type:	Fold
Certified PHRF Data on file?				☒		Mast Material	ISP:	46	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Dulcinea				Sail #	Rig Data:	Max Headsail	I:	49.83	<i>Symmetric Spin?</i>	Yes	LOA:	38.17	Displacement:	15900		
Boat Type Catalina 38				88		135	J:	15.5	SL:	SSMG:	SSF:	SPL:	LWL:	30.25	Ballast:	6850
Rating: 120 DW Rating: 635 Certificate Date 1/15/2026						Rig Type	P:	44	49.84	27.9	27.9	15	Beam:	11.83	Engine:	IB
Displacement used for DW Rating:				16813		MS	E:	11.5	<i>Asymmetric Spin?</i> No				Draft:	6.75	Prop Type:	Fixed_2
Certified PHRF Data on file?				☐		Mast Material	ISP:	49.8	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	15.5									
Modifications on file:																
Boat Name Dura Mater				Sail #	Rig Data:	Max Headsail	I:	36	<i>Symmetric Spin?</i>	No	LOA:	26.58	Displacement:	6700		
Boat Type CAL 27-2 IB				616		125	J:	12	SL:	SSMG:	SSF:	SPL:	LWL:	22.08	Ballast:	3100
Rating: 210 DW Rating: 723 Certificate Date 1/12/2026						Rig Type	P:	30.83	32.8	18.4	21.1	11.8	Beam:	9.25	Engine:	IB
Displacement used for DW Rating:						MS	E:	10.25	<i>Asymmetric Spin?</i> No				Draft:	4.25	Prop Type:	Fixed_2
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																

Boat Name Eldamar				Sail #						Max Headsail		I:	39.5	Symmetric Spin? NO				LOA:	28.5	Displacement: 8600			
Boat Type Catalina 28-2 TM WK				1						120		J:	10.8	SL: SSMG: SSF: SPL:				LWL:	23.83	Ballast: 3500			
Rating: 204				DW Rating:		Certificate Date 2/10/2026		Rig Data:				Rig Type		P:	34					Beam:	10.17	Engine: IB	
Displacement used for DW Rating:				8600						MS		E:	10.75	Asymmetric Spin? No				Draft:	3.83	Prop Type: Fixed_2			
Certified PHRF Data on file?				☐						Mast Material		ISP:		SLE: SLU: ASMG: ASF:									
ALUMN										JSP:													
Modifications on file:																							
Boat Name Elise				Sail #						Max Headsail		I:	53	Symmetric Spin? YES				LOA:	39.58	Displacement: 17100			
Boat Type C&C 40-2 TM				518						150		J:	16.6	SL: SSMG: SSF: SPL:				LWL:	31.5	Ballast: 7910			
Rating: 90				DW Rating: 604		Certificate Date 1/12/2026		Rig Data:				Rig Type		P:	46.7	53.5 29.8 29.8 16.6				Beam:	12.67	Engine: IB	
Displacement used for DW Rating:				17100						MS		E:	13.3	Asymmetric Spin? No				Draft:	7	Prop Type: Fold			
Certified PHRF Data on file?				☐						Mast Material		ISP:	55	SLE: SLU: ASMG: ASF:									
ALUMN										JSP:													
Modifications on file:																							
Boat Name Enamored				Sail #						Max Headsail		I:	26.25	Symmetric Spin? YES				LOA:	23.75	Displacement: 2050			
Boat Type Moore 24				19						150		J:	9.75	SL: SSMG: SSF: SPL:				LWL:	21.75	Ballast: 1025			
Rating: 150				DW Rating: 630		Certificate Date 1/15/2026		Rig Data:				Rig Type		P:	25	26.6 17.5 17.5 9.75				Beam:	7.16	Engine: OB	
Displacement used for DW Rating:				2050						FS		E:	9.5	Asymmetric Spin? No				Draft:	4.08	Prop Type: None			
Certified PHRF Data on file?				☐						Mast Material		ISP:	26.25	SLE: SLU: ASMG: ASF:									
ALUMN										JSP:		9.75											
Modifications on file:																							
Boat Name Encore				Sail #						Max Headsail		I:	40.6	Symmetric Spin? No				LOA:	34.5	Displacement: 7750			
Boat Type J 105 ODR w/ 5'BS				217						100		J:	13.5	SL: SSMG: SSF: SPL:				LWL:	29.5	Ballast: 3400			
Rating: 78				DW Rating: 592		Certificate Date 4/10/2026		Rig Data:				Rig Type		P:	41.5					Beam:	11	Engine: IB	
Displacement used for DW Rating:				8472						FS		E:	14.5	Asymmetric Spin? Yes				Draft:	6.5	Prop Type: Fold			
Certified PHRF Data on file?				☐						Mast Material		ISP:	42.1	SLE: SLU: ASMG: ASF:									
ALUMN										JSP:		19.07	38.52	49.2	25.75	27.89							
Modifications on file:																							

Boat Name Falkor				Sail # 87863		Rig Data:	Max Headsail		I:	32	<i>Symmetric Spin?</i> Yes		LOA:	25	Displacement: 3300	
Boat Type Olson 25							155		J:	9.583	SL: SSMG: SSF: SPL:		LWL:	21.25	Ballast: 1300	
Rating: 159 DW Rating: 674				Certificate Date 2/20/2026			Rig Type		P:	28	31 17.28 17.28 9.583		Beam: 9		Engine: OB	
Displacement used for DW Rating:				3300			MS		E:	10	<i>Asymmetric Spin?</i> No		Draft: 4.5		Prop Type: None	
Certified PHRF Data on file?				☐			Mast Material		ISP:	32	SLE: SLU: ASMG: ASF:					
Certified PHRF Data on file?				☐		ALUMN		JSP:								
Modifications on file:																
Boat Name Fatuity				Sail # 48		Rig Data:	Max Headsail		I:	26.25	<i>Symmetric Spin?</i> Yes		LOA:	23.75	Displacement: 2050	
Boat Type Moore 24							150		J:	9.75	SL: SSMG: SSF: SPL:		LWL:	21.75	Ballast: 1025	
Rating: 150 DW Rating: 629				Certificate Date 1/15/2026			Rig Type		P:	25	27 17.55 17.55 9.75		Beam: 7.16		Engine: OB	
Displacement used for DW Rating:				2050			FS		E:	9.5	<i>Asymmetric Spin?</i> No		Draft: 4.083		Prop Type: None	
Certified PHRF Data on file?				☐			Mast Material		ISP:	26.25	SLE: SLU: ASMG: ASF:					
Certified PHRF Data on file?				☐		ALUMN		JSP:								
Modifications on file:																
Boat Name Feather				Sail # 23		Rig Data:	Max Headsail		I:	38.5	<i>Symmetric Spin?</i> No		LOA:	32.8	Displacement: 6500	
Boat Type J 100 ODR							100		J:	11.5	SL: SSMG: SSF: SPL:		LWL:	29	Ballast: 2500	
Rating: 84 DW Rating: 594				Certificate Date 1/15/2026			Rig Type		P:	38			Beam: 9.25		Engine: IB	
Displacement used for DW Rating:				7000			FS		E:	13.5	<i>Asymmetric Spin?</i> Yes		Draft: 5.75		Prop Type: Feath	
Certified PHRF Data on file?				☐			Mast Material		ISP:	43	SLE: SLU: ASMG: ASF:					
Certified PHRF Data on file?				☐		CARBON		JSP:	15.9	38.22 48.69 26.31 24.77						
Modifications on file: Powered Halyard Winch																
Boat Name Feet Wet				Sail # 3		Rig Data:	Max Headsail		I:	28.69	<i>Symmetric Spin?</i> No		LOA:	27.73	Displacement: 2900	
Boat Type Antrim 27 CM ODR							116		J:	8.17	SL: SSMG: SSF: SPL:		LWL:	23.75	Ballast: 1050	
Rating: 75 DW Rating: 556				Certificate Date 1/20/2026			Rig Type		P:	33.75			Beam: 9.25		Engine: OB	
Displacement used for DW Rating:				2900			FS		E:	14	<i>Asymmetric Spin?</i> Yes		Draft: 6		Prop Type: None	
Certified PHRF Data on file?				☐			Mast Material		ISP:	37.25	SLE: SLU: ASMG: ASF:					
Certified PHRF Data on file?				☐		CARBON		JSP:	15	38 44.2 20.1 25.1						
Modifications on file: BOWSPRINT IS ARTICULATING																

Boat Name Flying Fish				Sail #	Rig Data:	Max Headsail	I:	36	<i>Symmetric Spin?</i>	Yes	LOA:	30	Displacement:	3600			
Boat Type Olson 30 OB				197		150	J:	11.78	SL:	SSMG:	SSF:	SPL:	LWL:	27.5	Ballast:	1800	
Rating:	99	DW Rating:	584	Certificate Date		1/7/2026	Rig Type	P:	31.5	35.6	21	20.2	11.6	Beam:	9.33	Engine:	OB
Displacement used for DW Rating:				4111		MS	E:	10.75	<i>Asymmetric Spin?</i>				No	Draft:	5.1	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	35.92	SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:	11.67										
<i>Modifications on file:</i>																	
Boat Name Flying Green Dragon				Sail #	Rig Data:	Max Headsail	I:	47	<i>Symmetric Spin?</i>	No	LOA:	35.17	Displacement:	12500			
Boat Type Tartan 3500				56636		100	J:	13.75	SL:	SSMG:	SSF:	SPL:	LWL:	30	Ballast:	4200	
Rating:	123	DW Rating:	632	Certificate Date		1/22/2026	Rig Type	P:	41.4					Beam:	11.75	Engine:	IB
Displacement used for DW Rating:						MS	E:	14.4	<i>Asymmetric Spin?</i>				Yes	Draft:	6.5	Prop Type:	Fixed_2
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:		42.92	45.67	22.33	21.83						
<i>Modifications on file:</i>																	
Boat Name Flying Machine				Sail #	Rig Data:	Max Headsail	I:	30	<i>Symmetric Spin?</i>	No	LOA:	28.2	Displacement:	5700			
Boat Type ALERION EXPRESS 28 ODR				180		90	J:	9.8	SL:	SSMG:	SSF:	SPL:	LWL:	22.8	Ballast:	2200	
Rating:	168	DW Rating:	707	Certificate Date		6/5/2026	Rig Type	P:	33					Beam:	8.2	Engine:	IB
Displacement used for DW Rating:						FS	E:	13	<i>Asymmetric Spin?</i>				No	Draft:	4.5	Prop Type:	FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:											
<i>Modifications on file:</i>																	
Boat Name Fog Dog				Sail #	Rig Data:	Max Headsail	I:	43.58	<i>Symmetric Spin?</i>	No	LOA:	32.5	Displacement:	11300			
Boat Type Catalina 320				224		115	J:	12.33	SL:	SSMG:	SSF:	SPL:	LWL:	28	Ballast:	4000	
Rating:	165	DW Rating:		Certificate Date		1/16/2026	Rig Type	P:	38					Beam:	11.75	Engine:	IB
Displacement used for DW Rating:				12719		MS	E:	13.25	<i>Asymmetric Spin?</i>				No	Draft:	6	Prop Type:	Fixed_3
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:					
					ALUMN	JSP:											
<i>Modifications on file:</i>																	

Boat Name Fortitude			Sail #	Rig Data:	Max Headsail	I:	53	Symmetric Spin?	No	LOA:	41.83	Displacement:	20800
Boat Type Catalina 42-1/2			138		120	J:	16.42	SL:	SSMG: SSF: SPL:	LWL:	36	Ballast:	8300
Rating: 105 DW Rating: 602 Certificate Date 3/18/2026					Rig Type	P:	46.75					Engine:	IB
Displacement used for DW Rating: 25500					MS	E:	15.42	Asymmetric Spin?	No	Beam:	13.83	Prop Type:	Fold
Certified PHRF Data on file? ☐					Mast Material	ISP:	53	SLE:	SLU: ASMG: ASF:	Draft:	6.67		
Modifications on file:					ALUMN	JSP:							
Boat Name Frances			Sail #	Rig Data:	Max Headsail	I:	30	Symmetric Spin?	No	LOA:	28.2	Displacement:	5700
Boat Type ALERION EXPRESS 28 ODR			435		90	J:	9.75	SL:	SSMG: SSF: SPL:	LWL:	22.8	Ballast:	2200
Rating: 168 DW Rating: 706 Certificate Date 1/15/2026					Rig Type	P:	33					Engine:	IB
Displacement used for DW Rating: 5700					FS	E:	12.5	Asymmetric Spin?	No	Beam:	8.2	Prop Type:	Fold
Certified PHRF Data on file? ☐					Mast Material	ISP:	30	SLE:	SLU: ASMG: ASF:	Draft:	4.5		
Modifications on file:					ALUMN	JSP:	9.75						
Boat Name Free			Sail #	Rig Data:	Max Headsail	I:	43.7	Symmetric Spin?	No	LOA:	30.5	Displacement:	6500
Boat Type S&S 30			3002		95	J:	9.5	SL:	SSMG: SSF: SPL:	LWL:	27.5	Ballast:	2400
Rating: 144 DW Rating: 631 Certificate Date 1/6/2026					Rig Type	P:	40					Engine:	IB
Displacement used for DW Rating: 6000					FS	E:	14	Asymmetric Spin?	Yes	Beam:	8.25	Prop Type:	Fold
Certified PHRF Data on file? ☐					Mast Material	ISP:	43.58	SLE:	SLU: ASMG: ASF:	Draft:	5.5		
Modifications on file: Powered winches					ALUMN	JSP:	9.5	37.5	43.2 15.8 16.7				
Boat Name Freedom			Sail #	Rig Data:	Max Headsail	I:	54	Symmetric Spin?	Yes	LOA:	40	Displacement:	21000
Boat Type Worth 40			18230		155	J:	16	SL:	SSMG: SSF: SPL:	LWL:	34.25	Ballast:	7800
Rating: 96 DW Rating: 620 Certificate Date 3/24/2026					Rig Type	P:	47	52	28.8 28.8 16			Engine:	IB
Displacement used for DW Rating: 20394					MS	E:	14	Asymmetric Spin?	No	Beam:	12.5	Prop Type:	FOLD
Certified PHRF Data on file? ☒					Mast Material	ISP:		SLE:	SLU: ASMG: ASF:	Draft:	7.25		
Modifications on file:					ALUMN	JSP:	16						

Boat Name Frequent Flyer				Sail #	Rig Data:	Max Headsail	I:	38.2	Symmetric Spin? Yes				LOA:	30.9	Displacement:	4561
Boat Type Mumm/Farr 30				52		105	J:	10.9	SL:	SSMG:	SSF:	SPL:	LWL:	27.6	Ballast:	1997
Rating: 54 DW Rating: 552				Certificate Date 1/9/2026		Rig Type	P:	40.5	44.58	25.25	24.67	13.58	Beam:	10.1	Engine:	IB
Displacement used for DW Rating:				4561		FS	E:	14.6	Asymmetric Spin? Yes				Draft:	6.9	Prop Type:	Fold
Certified PHRF Data on file?				☐		Mast Material	ISP:	44.9	SLE:	SLU:	ASMG:	ASF:				
					CARBON	JSP:	13.58	41.33	46.92	23.67	25.25					
Modifications on file:																
Boat Name Friendship				Sail #	Rig Data:	Max Headsail	I:	48.11	Symmetric Spin? No				LOA:	37.42	Displacement:	18232
Boat Type Hanse 388						105	J:	14.2	SL:	SSMG:	SSF:	SPL:	LWL:	34.01	Ballast:	8100
Rating: 99 DW Rating: 608				Certificate Date 1/20/2026		Rig Type	P:	45.11					Beam:	12.82	Engine:	IB
Displacement used for DW Rating:				18232		FS	E:	16.9	Asymmetric Spin? No				Draft:	6.75	Prop Type:	Fold
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Froeya				Sail #	Rig Data:	Max Headsail	I:	46	Symmetric Spin? No				LOA:	34	Displacement:	11353
Boat Type Hanse 341/342				60128		100	J:	12.2	SL:	SSMG:	SSF:	SPL:	LWL:	29.2	Ballast:	3395
Rating: 141 DW Rating: 642				Certificate Date 1/9/2026		Rig Type	P:	42					Beam:	11.2	Engine:	IB
Displacement used for DW Rating:				12700		FS	E:	15	Asymmetric Spin? No				Draft:	5.9	Prop Type:	FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Froglips				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin? Yes				LOA:	24	Displacement:	3100
Boat Type J 24 ODR				2392		150	J:	9.5	SL:	SSMG:	SSF:	SPL:	LWL:	20	Ballast:	965
Rating: 168 DW Rating: 694				Certificate Date 1/6/2026		Rig Type	P:	28	26.5	17.13	17.03	9.5	Beam:	8.92	Engine:	OB
Displacement used for DW Rating:				2870		FS	E:	9.75	Asymmetric Spin? No				Draft:	4	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																

Boat Name Gig				Sail #	Rig Data:	Max Headsail	I:	37.5	Symmetric Spin? Yes	LOA:	30	Displacement: 5400
Boat Type Humboldt 30 IB				18112		149	J:	11.5	SL: SSMG: SSF: SPL:	LWL:	26.66	Ballast: 2222
Rating: 108	DW Rating:	608	Certificate Date	2/10/2026		Rig Type	P:	41.5	37 20.7 20.2 11.5	Beam:	10.5	Engine: IB
Displacement used for DW Rating:				5400		FS	E:	13.75	Asymmetric Spin? No			
Certified PHRF Data on file?				☐		Mast Material	ISP:	37.5	SLE: SLU: ASMG: ASF:	Draft:	5.75	Prop Type: FOLD
Modifications on file:						ALUMN	JSP:					
Boat Name Godzilla				Sail #	Rig Data:	Max Headsail	I:	28.5	Symmetric Spin? Yes	LOA:	27.25	Displacement: 2450
Boat Type Express 27 ODR				59		155	J:	9	SL: SSMG: SSF: SPL:	LWL:	23.75	Ballast: 1100
Rating: 129	DW Rating:	605	Certificate Date	1/22/2026		Rig Type	P:	28.5	29 17.75 17.75 9.83	Beam:	8.17	Engine: OB
Displacement used for DW Rating:				2510		FS	E:	10.42	Asymmetric Spin? No			
Certified PHRF Data on file?				☐		Mast Material	ISP:	28.5	SLE: SLU: ASMG: ASF:	Draft:	4.5	Prop Type: None
Modifications on file:						ALUMN	JSP:					
Boat Name Golden Moon				Sail #	Rig Data:	Max Headsail	I:	48.75	Symmetric Spin? Yes	LOA:	37	Displacement: 11000
Boat Type Express 37				18488		155	J:	14.33	SL: SSMG: SSF: SPL:	LWL:	30.83	Ballast: 4500
Rating: 72	DW Rating:	587	Certificate Date	3/3/2026		Rig Type	P:	42	48.27 25.79 25.79 14.33	Beam:	11.57	Engine: IB
Displacement used for DW Rating:				10207		MS	E:	13.75	Asymmetric Spin? No			
Certified PHRF Data on file?				☐		Mast Material	ISP:	48.75	SLE: SLU: ASMG: ASF:	Draft:	7.25	Prop Type: FOLD
Modifications on file:						ALUMN	JSP:		46 49.8 25 29.5			
Boat Name Good And Plenty				Sail #	Rig Data:	Max Headsail	I:	42.5	Symmetric Spin? Yes	LOA:	33	Displacement: 5800
Boat Type Soverel 33-2				18263		155	J:	12.75	SL: SSMG: SSF: SPL:	LWL:	30.5	Ballast: 2800
Rating: 96	DW Rating:	574	Certificate Date	1/20/2026		Rig Type	P:	41	42.5 22.95 22.95 12.75	Beam:	11	Engine: IB
Displacement used for DW Rating:				6500		MS	E:	13	Asymmetric Spin? No			
Certified PHRF Data on file?				☐		Mast Material	ISP:	41	SLE: SLU: ASMG: ASF:	Draft:	5.85	Prop Type: FOLD
Modifications on file:						ALUMN	JSP:	12.75				

Boat Name Greyhound				Sail #	Rig Data:	Max Headsail	I:	35.7	Symmetric Spin?	No	LOA:	27.7	Displacement:	2500		
Boat Type Viper 830				50951		105	J:	10.1	SL:	SSMG: SSF: SPL:	LWL:	25	Ballast:	1543		
Rating: 63 DW Rating: 549 Certificate Date 1/27/2026						Rig Type	P:	35.7	Asymmetric Spin? Yes			Beam:	8.5	Engine:	OB	
Displacement used for DW Rating: 2500						MS	E:	13.3	SLE:	SLU:	ASMG: ASF:	Draft:	7.16	Prop Type:	None	
Certified PHRF Data on file? ☐						Mast Material	ISP:	37.75	33.75	44	22	23				
Modifications on file: Roller Furler						CARBON	JSP:	15								
Boat Name Gypsy Lady				Sail #	Rig Data:	Max Headsail	I:	39	Symmetric Spin?	Yes	LOA:	33.3	Displacement:	10000		
Boat Type CAL 34-1				7507		155	J:	13.75	SL:	SSMG: SSF: SPL:	LWL:	26	Ballast:	3750		
Rating: 174 DW Rating: 678 Certificate Date 1/15/2026						Rig Type	P:	33.5	39.29	24.75	24.75	13.75	Beam:	10	Engine:	IB
Displacement used for DW Rating: 10213						MS	E:	14	Asymmetric Spin? No			Draft:	5	Prop Type:	FOLD	
Certified PHRF Data on file? ☒						Mast Material	ISP:	39	SLE:	SLU:	ASMG: ASF:					
Modifications on file:						ALUMN	JSP:	13.75								
Boat Name H Pod				Sail #	Rig Data:	Max Headsail	I:	38.5	Symmetric Spin?	No	LOA:	32.8	Displacement:	7013		
Boat Type J 100 ODR				165		105	J:	11.5	SL:	SSMG: SSF: SPL:	LWL:	29	Ballast:	2450		
Rating: 84 DW Rating: 586 Certificate Date 1/7/2026						Rig Type	P:	38	Asymmetric Spin? Yes			Beam:	9.21	Engine:	IB	
Displacement used for DW Rating: 7000						FS	E:	13.5	SLE:	SLU:	ASMG: ASF:	Draft:	5.75	Prop Type:	Fold	
Certified PHRF Data on file? ☐						Mast Material	ISP:	43	39.12	49.13	26.08	25.02				
Modifications on file:						CARBON	JSP:	15.9								
Boat Name H2Osprey				Sail #	Rig Data:	Max Headsail	I:	30	Symmetric Spin?	NO	LOA:	28.25	Displacement:	5700		
Boat Type ALERION EXPRESS 28 ODR				173		90	J:	9.75	SL:	SSMG: SSF: SPL:	LWL:	22.83	Ballast:	2200		
Rating: 168 DW Rating: 706 Certificate Date 1/8/2026						Rig Type	P:	33	Asymmetric Spin? No			Beam:	8.2	Engine:	IB	
Displacement used for DW Rating: 0						FS	E:	12.5	SLE:	SLU:	ASMG: ASF:	Draft:	4.5	Prop Type:	Fold	
Certified PHRF Data on file? ☐						Mast Material	ISP:									
Modifications on file:						ALUMN	JSP:									

Boat Name Holy Hand Grenade				Sail #	Rig Data:	Max Headsail	I:	20.75	Symmetric Spin? YES	LOA:	23.75	Displacement: 975
Boat Type Wylie Wabbit ODR W/Trap				40		150	J:	6.5	SL: SSMG: SSF: SPL:	LWL:	20	Ballast: 440
Rating: 126 DW Rating: 591 Certificate Date 6/5/2026						Rig Type	P:	23.75	21.5 14 14 8.5	Beam:	5.58	Engine: OB
Displacement used for DW Rating: 975						FS	E:	10	Asymmetric Spin? No			
Certified PHRF Data on file? ☐						Mast Material	ISP:	20.5	SLE: SLU: ASMG: ASF:	Draft:	3.5	Prop Type: None
Modifications on file: Hiking straps and single trapeze					ALUMN	JSP:						
Boat Name Hot Sheet				Sail #	Rig Data:	Max Headsail	I:	28.5	Symmetric Spin? YES	LOA:	27.25	Displacement: 2450
Boat Type Express 27 ODR				10		155	J:	9	SL: SSMG: SSF: SPL:	LWL:	23.75	Ballast: 1100
Rating: 129 DW Rating: 608 Certificate Date 1/15/2026						Rig Type	P:	28.5	29 17.75 17.75 9.83	Beam:	8.17	Engine: OB
Displacement used for DW Rating: 2450						FS	E:	10.42	Asymmetric Spin? No			
Certified PHRF Data on file? ☐						Mast Material	ISP:	28.5	SLE: SLU: ASMG: ASF:	Draft:	4.5	Prop Type: None
Modifications on file:					ALUMN	JSP:						
Boat Name Humble Vandal				Sail #	Rig Data:	Max Headsail	I:	37	Symmetric Spin? No	LOA:	30	Displacement: 5500
Boat Type J 92				64999		125	J:	11.5	SL: SSMG: SSF: SPL:	LWL:	26.5	Ballast: 2275
Rating: 108 DW Rating: 602 Certificate Date 1/15/2026						Rig Type	P:	38		Beam:	10	Engine: IB
Displacement used for DW Rating: 5800						FS	E:	13.5	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐						Mast Material	ISP:	38.5	SLE: SLU: ASMG: ASF:	Draft:	5.9	Prop Type: Fold
Modifications on file:					ALUMN	JSP:	17	40.8 45.4 25.1 26.5				
Boat Name Hygge				Sail #	Rig Data:	Max Headsail	I:	30.1	Symmetric Spin? YES	LOA:	32.67	Displacement: 4956
Boat Type BB-10				714		110	J:	9.82	SL: SSMG: SSF: SPL:	LWL:	23.92	Ballast: 2700
Rating: 135 DW Rating: 640 Certificate Date 1/7/2026						Rig Type	P:	36.09	32.25 17.7 17.7 9	Beam:	7.55	Engine: IB
Displacement used for DW Rating: 4956						FS	E:	11.65	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐						Mast Material	ISP:	30.33	SLE: SLU: ASMG: ASF:	Draft:	4.8	Prop Type: Fold
Modifications on file:					ALUMN	JSP:	9	28.17 31.5 14.42 17				

Boat Name Jam Jam				Sail #	Rig Data:	Max Headsail	I:	37.5	Symmetric Spin?	Yes	LOA:	30	Displacement:	8900		
Boat Type Yankee 30-1 SM				90		100	J:	12.75	SL:	SSMG:	SSF:	SPL:	LWL:	23	Ballast:	4180
Rating: 192 DW Rating: 708 Certificate Date 5/8/2026						Rig Type	P:	34.5	35	19.5	22.5	12.75	Beam:	9	Engine:	IB
Displacement used for DW Rating:						MS	E:	9.75	Asymmetric Spin?			No	Draft:	5.1	Prop Type:	Fixed_3
Certified PHRF Data on file?				☐		Mast Material	ISP:	37.5	SLE:	SLU:	ASMG:	ASF:				
Modifications on file:				(mtg 4/28/11, +3 sec/mi for engine modifications)												
Boat Name Jamani				Sail #	Rig Data:	Max Headsail	I:	50.5	Symmetric Spin?	No	LOA:	40	Displacement:	13900		
Boat Type J 120 ALUM				52879		150	J:	14.5	SL:	SSMG:	SSF:	SPL:	LWL:	35	Ballast:	6000
Rating: 45 DW Rating: 543 Certificate Date 1/9/2026						Rig Type	P:	46.5	Asymmetric Spin?			Yes	Beam:	12	Engine:	IB
Displacement used for DW Rating:				14799		FS	E:	17.8	SLE:	SLU:	ASMG:	ASF:	Draft:	7	Prop Type:	FOLD
Certified PHRF Data on file?				☒		Mast Material	ISP:	52	50	64	37	34				
Modifications on file:																
Boat Name Jarlen				Sail #	Rig Data:	Max Headsail	I:	#####	Symmetric Spin?	Yes	LOA:	35.42	Displacement:	10500		
Boat Type J 35				28528		150	J:	#####	SL:	SSMG:	SSF:	SPL:	LWL:	30	Ballast:	4400
Rating: 72 DW Rating: 597 Certificate Date 4/30/2026						Rig Type	P:	41.416	46	26	26	#####	Beam:	11.67	Engine:	IB
Displacement used for DW Rating:				10000		MS	E:	14	Asymmetric Spin?			No	Draft:	6.75	Prop Type:	FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:	46.3	SLE:	SLU:	ASMG:	ASF:				
Modifications on file:																
Boat Name Javelin				Sail #	Rig Data:	Max Headsail	I:	48.9	Symmetric Spin?	No	LOA:	41	Displacement:	9407		
Boat Type J 125				3		155	J:	14.7	SL:	SSMG:	SSF:	SPL:	LWL:	37	Ballast:	4500
Rating: -12 DW Rating: 481 Certificate Date 5/19/2026						Rig Type	P:	46.43	Asymmetric Spin?			Yes	Beam:	10.6	Engine:	IB
Displacement used for DW Rating:				9407		MS	E:	17.98	SLE:	SLU:	ASMG:	ASF:	Draft:	7.9	Prop Type:	FOLD
Certified PHRF Data on file?				☒		Mast Material	ISP:	52	52.55	61.67	37.86	37.89				
Modifications on file:																

Boat Name JouJou				Sail #	Rig Data:	Max Headsail	I:	41.7	Symmetric Spin? Yes	LOA:	30	Displacement: 7200
Boat Type Capo 30				87324		120	J:	12.75	SL: SSMG: SSF: SPL:	LWL:	25	Ballast: 3000
Rating: 123 DW Rating: 658 Certificate Date 1/12/2026						Rig Type	P:	36	41.5 21.5 21 12	Beam:	10.33	Engine: IB
Displacement used for DW Rating:				7200		MS	E:	11.5	Asymmetric Spin? No	Draft:	5.43	Prop Type: Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	41.5	SLE: SLU: ASMG: ASF:			
Modifications on file: Roller Furler (Mtg 1/25/18, New Rudder Installed, NCTR)					ALUMN	JSP:						
Boat Name Joyride				Sail #	Rig Data:	Max Headsail	I:	44.25	Symmetric Spin? Yes	LOA:	34	Displacement: 8000
Boat Type Express 34				41382		115	J:	13	SL: SSMG: SSF: SPL:	LWL:	28.33	Ballast: 3800
Rating: 102 DW Rating: 624 Certificate Date 1/15/2026						Rig Type	P:	38.5	44 23.4 23.4 13	Beam:	10.33	Engine: IB
Displacement used for DW Rating:				9129		MS	E:	12.83	Asymmetric Spin? No	Draft:	6.11	Prop Type: FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	44.25	SLE: SLU: ASMG: ASF:			
Modifications on file:					ALUMN	JSP:						
Boat Name J-Tripper				Sail #	Rig Data:	Max Headsail	I:	40.6	Symmetric Spin? No	LOA:	34.5	Displacement: 7750
Boat Type J 105 ODR w/ 5'BS				135		100	J:	13.5	SL: SSMG: SSF: SPL:	LWL:	29.5	Ballast: 3400
Rating: 78 DW Rating: 576 Certificate Date 4/28/2026						Rig Type	P:	41.5		Beam:	11	Engine: IB
Displacement used for DW Rating:						FS	E:	14.5	Asymmetric Spin? Yes	Draft:	6.5	Prop Type: FOLD
Certified PHRF Data on file? ☐						Mast Material	ISP:	42.1	SLE: SLU: ASMG: ASF:			
Modifications on file:					ALUMN	JSP:	19.07	38.71 48.88 23.26 25				
Boat Name Jubilant				Sail #	Rig Data:	Max Headsail	I:	49.02	Symmetric Spin? No	LOA:	36	Displacement: 11814
Boat Type J 112e GP				39581		105	J:	14.01	SL: SSMG: SSF: SPL:	LWL:	31.73	Ballast: 4195
Rating: 48 DW Rating: 583 Certificate Date 4/28/2026						Rig Type	P:	45.6		Beam:	11.81	Engine: IB
Displacement used for DW Rating:				12339		FS	E:	15.35	Asymmetric Spin? Yes	Draft:	7.28	Prop Type: Fold
Certified PHRF Data on file? ☒						Mast Material	ISP:	52.36	SLE: SLU: ASMG: ASF:			
Modifications on file: (Mtg 4/29/24, -3 sec/mi for increased spinnaker area)					CARBON	JSP:	20.11	50.52 54.99 33.3 32.217				

Boat Name Kynntana			Sail # 38086	Rig Data:	Max Headsail 108	I: 33.34	Symmetric Spin? No	LOA: 38.42	Displacement: 14370
Boat Type Freedom 38						J: 11.5	SL: SSMG: SSF: SPL:	LWL: 30.58	Ballast: 6500
Rating: 141 DW Rating: 645 Certificate Date 4/28/2026					Rig Type FS	P: 45.5	Asymmetric Spin? Yes	Beam: 12.5	Engine: IB
Displacement used for DW Rating: 15041					Mast Material CARBON	ISP: 34.1	SLE: SLU: ASMG: ASF:	Draft: 5.6	Prop Type: Fold
Certified PHRF Data on file? ☐						JSP: 11.5	32.5 34 16 17		
Modifications on file:									
Boat Name L20			Sail # 18721	Rig Data:	Max Headsail 150	I: 35	Symmetric Spin? Yes	LOA: 29.5	Displacement: 6000
Boat Type J 29 7/8 OB						J: 11.5	SL: SSMG: SSF: SPL:	LWL: 25	Ballast: 2100
Rating: 123 DW Rating: 652 Certificate Date 1/20/2026					Rig Type FS	P: 38.8	Asymmetric Spin? No	Beam: 11	Engine: OB
Displacement used for DW Rating: 6244					Mast Material ALUMN	ISP: 35	SLE: SLU: ASMG: ASF:	Draft: 5.6	Prop Type: None
Certified PHRF Data on file? ☐						JSP:			
Modifications on file:									
Boat Name La Dolce Vita			Sail # 64	Rig Data:	Max Headsail 155	I: 39.2	Symmetric Spin? No	LOA: 32.4	Displacement: 10000
Boat Type J 32						J: 11	SL: SSMG: SSF: SPL:	LWL: 29	Ballast: 3840
Rating: 120 DW Rating: 641 Certificate Date 4/1/2026					Rig Type FS	P: 38.5	Asymmetric Spin? Yes	Beam: 11	Engine: IB
Displacement used for DW Rating:					Mast Material ALUMN	ISP: 40.5	SLE: SLU: ASMG: ASF:	Draft: 6	Prop Type: Feath
Certified PHRF Data on file? ☐						JSP: 13	39.5 43 19.7 19.7		
Modifications on file: (Mtg 8/22/13, -6 sec/mi for sprit)									
Boat Name La Viajera			Sail # 56480	Rig Data:	Max Headsail 105	I: 46.5	Symmetric Spin? No	LOA: 35.25	Displacement: 10900
Boat Type J 109 ODR w/108^ m						J: 13.3	SL: SSMG: SSF: SPL:	LWL: 30.5	Ballast: 3900
Rating: 72 DW Rating: 598 Certificate Date 1/16/2026					Rig Type FS	P: 43.25	Asymmetric Spin? Yes	Beam: 11.5	Engine: IB
Displacement used for DW Rating: 11000					Mast Material ALUMN	ISP: 49.6	SLE: SLU: ASMG: ASF:	Draft: 7	Prop Type: Fold
Certified PHRF Data on file? ☐						JSP: 18.8	45.63 56.33 27.2 27.75		
Modifications on file:									

Boat Name Lady Bug			Sail #		Rig Data:	Max Headsail	I:	22	Symmetric Spin? Yes	LOA:	20	Displacement: 1950
Boat Type Cal 20			1541			115	J:	7.33	SL: SSMG: SSF: SPL:	LWL:	18.1	Ballast: 900
Rating: 273	DW Rating:	742	Certificate Date	1/26/2026		Rig Type	P:	23	22 13.2 13.2 7.33	Beam:	7	Engine: OB
Displacement used for DW Rating:			1950			FS	E:	10	Asymmetric Spin? No			
Certified PHRF Data on file?			☐			Mast Material	ISP:	22	SLE: SLU: ASMG: ASF:	Draft:	3.33	Prop Type: None
Modifications on file:						ALUMN	JSP:	7.33				
Boat Name Lagnaippe			Sail #		Rig Data:	Max Headsail	I:	46	Symmetric Spin? No	LOA:	32.5	Displacement: 9250
Boat Type C&C 99			56502			88	J:	13	SL: SSMG: SSF: SPL:	LWL:	29.12	Ballast: 3500
Rating: 111	DW Rating:	629	Certificate Date	1/29/2026		Rig Type	P:	40.5		Beam:	10.84	Engine: IB
Displacement used for DW Rating:			10214			MS	E:	13	Asymmetric Spin? No			
Certified PHRF Data on file?			☐			Mast Material	ISP:		SLE: SLU: ASMG: ASF:	Draft:	5.4	Prop Type: Fold
Modifications on file:						ALUMN	JSP:					
Boat Name Laissez Les BonTempsRouler			Sail #		Rig Data:	Max Headsail	I:	64.13	Symmetric Spin? Yes	LOA:	52.98	Displacement: 23452
Boat Type Santa Cruz 52 SD			38109			155	J:	18.9	SL: SSMG: SSF: SPL:	LWL:	48	Ballast: 9000
Rating: -6	DW Rating:	495	Certificate Date	1/12/2026		Rig Type	P:	57.5	63.91 34.19 33.89 18.91	Beam:	14	Engine: IB
Displacement used for DW Rating:			22549			MS	E:	21	Asymmetric Spin? Yes			
Certified PHRF Data on file?			☐			Mast Material	ISP:	64.5	SLE: SLU: ASMG: ASF:	Draft:	7	Prop Type: Feath
Modifications on file:						CARBON	JSP:	18.9	59.12 69.48 33.89 35			
<i>Shoal Draft (Mtg 1/25/18, Custom rating assigned, includes -3 sec/mi for main girths. As Sailed: -12)(Mtg 1/24/22, removed OSP, +3 sec/mi. Change custom rating from -12 to -9)(Mtg 2/28/22, updated draft from 8' to 7'. Custom rating changed from -9 to -6)</i>												
Boat Name Lanakila			Sail #		Rig Data:	Max Headsail	I:	31.2	Symmetric Spin? No	LOA:	26.25	Displacement: 3902
Boat Type Beneteau First 27			168			120	J:	12.2	SL: SSMG: SSF: SPL:	LWL:	25.9	Ballast: 1345
Rating: 87	DW Rating:	592	Certificate Date	1/14/2026		Rig Type	P:	33.2		Beam:	8.3	Engine: ib
Displacement used for DW Rating:			3902			FS	E:	11.4	Asymmetric Spin? Yes			
Certified PHRF Data on file?			☐			Mast Material	ISP:	35.8	SLE: SLU: ASMG: ASF:	Draft:	5.7	Prop Type: Fold
Modifications on file:						ALUMN	JSP:	17.5	35.2 43 21.95 23.4			

Boat Name Lark	Sail #	Max Headsail	I:	48.58	Symmetric Spin? No	LOA:	36	Displacement: 11300
Boat Type J 112e	70061	105	J:	14	SL: SSMG: SSF: SPL:	LWL:	31.76	Ballast: 3816
Rating: 54	DW Rating: 576	Certificate Date 1/15/2026	Rig Type	P: 45.93		Beam:	11.81	Engine: IB
Displacement used for DW Rating: 11300			FS	E: 15.5	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐			Mast Material	ISP: 52	SLE: SLU: ASMG: ASF:	Draft:	6.9	Prop Type: Fold
Modifications on file: Electric Halyard Winch			ALUMN	JSP: 20.75	50.02 58.7 30.55 31.4			

Boat Name Latency	Sail #	Max Headsail	I:	#####	Symmetric Spin? No	LOA:	32.6	Displacement: 8415
Boat Type J 99	108	95	J:	#####	SL: SSMG: SSF: SPL:	LWL:	28.6	Ballast: 3350
Rating: 75	DW Rating: 592	Certificate Date 1/9/2026	Rig Type	P: 41.798		Beam:	11.18	Engine: IB
Displacement used for DW Rating: 8788			FS	E: 14.288	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☒			Mast Material	ISP: #####	SLE: SLU: ASMG: ASF:	Draft:	6.54	Prop Type: Fold
Modifications on file:			ALUMN	JSP: #####	45.932 53.97 29.823 26.706			

Boat Name Lenora	Sail #	Max Headsail	I:	37.42	Symmetric Spin? No	LOA:	33.5	Displacement: 10400
Boat Type Hunter 33-2	60700	115	J:	10.83	SL: SSMG: SSF: SPL:	LWL:	29.42	Ballast: 3459
Rating: 153	DW Rating: 648	Certificate Date 1/22/2026	Rig Type	P: 36.46		Beam:	11.17	Engine: IB
Displacement used for DW Rating: 10400			FS	E: 15.83	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐			Mast Material	ISP: 38.42	SLE: SLU: ASMG: ASF:	Draft:	5.5	Prop Type: Fold
Modifications on file:			ALUMN	JSP: 10.83	35.5 39.33 16.67 18.5			

Boat Name Liberte	Sail #	Max Headsail	I:	58.14	Symmetric Spin? No	LOA:	44.75	Displacement: 23356
Boat Type Beneteau Oceanis 46.1 SM	0	109	J:	18.7	SL: SSMG: SSF: SPL:	LWL:	43.42	Ballast: 6028
Rating: 54	DW Rating: 533	Certificate Date 5/1/2026	Rig Type	P: 54.36		Beam:	14.75	Engine: IB
Displacement used for DW Rating: 23356			FS	E: 18.47	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐			Mast Material	ISP: 58.17	SLE: SLU: ASMG: ASF:	Draft:	7.75	Prop Type: Fold
Modifications on file: (Mtg 5/20/24, +3 sec/mi for in-mast furling mainsail, -3 sec/mi for electric sheeting winches)(mtg 6/30/25, -3 sec/mi for oversized spinnaker area)			ALUMN	JSP: 21.67	55.68 65.35 34.71 34.97			

Boat Name Liquid Asset				Sail #	Rig Data:	Max Headsail	I:	41.5	<i>Symmetric Spin?</i>	Yes	LOA:	33.17	Displacement:	10500		
Boat Type Ranger 33				27707		150	J:	13.7	SL:	SSMG:	SSF:	SPL:	LWL:	26.25	Ballast:	4500
Rating: 150 DW Rating: 658 Certificate Date 1/20/2026						Rig Type	P:	35	41.5	24.6	24.6	13.7	Beam:	9.58	Engine:	IB
Displacement used for DW Rating:				10289		MS	E:	13.75	<i>Asymmetric Spin?</i> No				Draft:	5.17	Prop Type:	Fold
Certified PHRF Data on file?				☐		Mast Material	ISP:	41.5	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	13.67									
Modifications on file:																
Boat Name Little Bullet				Sail #	Rig Data:	Max Headsail	I:	31.2	<i>Symmetric Spin?</i>	No	LOA:	26.25	Displacement:	3902		
Boat Type Beneteau First 27				38141		120	J:	12.2	SL:	SSMG:	SSF:	SPL:	LWL:	25.9	Ballast:	1345
Rating: 87 DW Rating: 591 Certificate Date 1/7/2026						Rig Type	P:	33.2					Beam:	8.3	Engine:	IB
Displacement used for DW Rating:				3902		FS	E:	11.4	<i>Asymmetric Spin?</i> Yes				Draft:	5.7	Prop Type:	Fold
Certified PHRF Data on file?				☐		Mast Material	ISP:	35.8	SLE:	SLU:	ASMG:	ASF:				
					CARBON	JSP:	17.5	35.2	43	21.95	23.4					
Modifications on file:																
Boat Name Little Duece Sloop				Sail #	Rig Data:	Max Headsail	I:	24	<i>Symmetric Spin?</i>	No	LOA:	19	Displacement:	1850		
Boat Type West Wight Potter 19				32		100	J:	7.05	SL:	SSMG:	SSF:	SPL:	LWL:	16.3	Ballast:	570
Rating: 360 DW Rating: 772 Certificate Date 2/24/2026						Rig Type	P:	22.5					Beam:	7.5	Engine:	OB
Displacement used for DW Rating:				1850		FS	E:	8	<i>Asymmetric Spin?</i> Yes				Draft:	4.08	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	24.98	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	9.8	23.95	27.23	12.73	14.76					
Modifications on file: (Mtg 2/23/26, Custom rating of 360 assigned)																
Boat Name Little My				Sail #	Rig Data:	Max Headsail	I:	34.58	<i>Symmetric Spin?</i>	No	LOA:	27.36	Displacement:	7275		
Boat Type Laurinkoster L28				6198		100	J:	9.34	SL:	SSMG:	SSF:	SPL:	LWL:	24.02	Ballast:	3527
Rating: 228 DW Rating: 724 Certificate Date 1/12/2026						Rig Type	P:	31.67					Beam:	8.2	Engine:	IB
Displacement used for DW Rating:				7275		MS	E:	12.43	<i>Asymmetric Spin?</i> No				Draft:	4.43	Prop Type:	Fixed_2
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:				
					WOOD	JSP:										
Modifications on file:																

Boat Name Loon	Sail #	Max Headsail	I:	45.29	Symmetric Spin? No	LOA:	39.37	Displacement: 10582
Boat Type Saffier SE37	8	86	J:	14.21	SL: SSMG: SSF: SPL:	LWL:	32.8	Ballast: 4520
Rating: 69	DW Rating: 567	Certificate Date 1/8/2026	Rig Type	P: 42.65		Beam:	11.32	Engine: IB
Displacement used for DW Rating: 10582			FS	E: 16.4	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐			Mast Material	ISP: 47.25	SLE: SLU: ASMG: ASF:	Draft:	6.89	Prop Type: Fold
Modifications on file: Harken Rewind Electronic Winches			CARBON	JSP: 18.54	40.28 49.05 14.5 14.14			

Boat Name Lotta'tude	Sail #	Max Headsail	I:		Symmetric Spin? No	LOA:	30.5	Displacement: 5500
Boat Type Wyliecat 30 IB	28716	0	J:		SL: SSMG: SSF: SPL:	LWL:	25	Ballast: 3050
Rating: 129	DW Rating: 648	Certificate Date 1/14/2026	Rig Type	P: 39.75		Beam:	9.42	Engine: IB
Displacement used for DW Rating: 5500			CAT	E: 20.5	Asymmetric Spin? No			
Certified PHRF Data on file? ☐			Mast Material	ISP:	SLE: SLU: ASMG: ASF:	Draft:	5.25	Prop Type: FOLD
Modifications on file:			CARBON	JSP:				

Boat Name Love Handles	Sail #	Max Headsail	I:	49.83	Symmetric Spin? No	LOA:	38.17	Displacement: 17200
Boat Type Catalina 38	296	125	J:	15.5	SL: SSMG: SSF: SPL:	LWL:	30.25	Ballast: 6850
Rating: 120	DW Rating: 645	Certificate Date 2/10/2026	Rig Type	P: 44	0 0	Beam:	11.83	Engine: IB
Displacement used for DW Rating: 16813			MS	E: 11.5	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐			Mast Material	ISP: 49.8	SLE: SLU: ASMG: ASF:	Draft:	6.75	Prop Type: Fold
Modifications on file:			ALUMN	JSP: 15.5	41.8 48.3 23 26.5			

Boat Name Lucky Duck	Sail #	Max Headsail	I:	35.4	Symmetric Spin? No	LOA:	30	Displacement: 3400
Boat Type J 90 Mod	38904	150	J:	10.5	SL: SSMG: SSF: SPL:	LWL:	27	Ballast: 1865
Rating: 48	DW Rating: 530	Certificate Date 1/9/2026	Rig Type	P: 35.8		Beam:	8.5	Engine: OB
Displacement used for DW Rating: 3400			FR	E: 14.5	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐			Mast Material	ISP: 40	SLE: SLU: ASMG: ASF:	Draft:	6.5	Prop Type: FOLD
Modifications on file: (Rudder changes noted, NCTR 1/13/03)(Added battery and kelp cutter 3-05)			CARBON	JSP: 18	39.7 49.8 28.1 28.8			

Boat Name Luna Sea				Sail #	Rig Data:	Max Headsail	I:	45	<i>Symmetric Spin?</i>	Yes	LOA:	36.08	Displacement:	18000		
Boat Type Islander 36 ODR				420		135	J:	14.48	SL:	SSMG:	SSF:	SPL:	LWL:	28.25	Ballast:	5450
Rating: 144 DW Rating: 660 Certificate Date 1/14/2026						Rig Type	P:	39.25	45	27	27	15	Beam:	11.17	Engine:	IB
Displacement used for DW Rating:				18325		MS	E:	12.75	<i>Asymmetric Spin?</i> No				Draft:	6.08	Prop Type:	Feath
Certified PHRF Data on file?				☐		Mast Material	ISP:	45	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Madame Blue				Sail #	Rig Data:	Max Headsail	I:	48.75	<i>Symmetric Spin?</i>	Yes	LOA:	35.43	Displacement:	13000		
Boat Type Pretorian 35				83368		135	J:	14.75	SL:	SSMG:	SSF:	SPL:	LWL:	30.33	Ballast:	6613
Rating: 132 DW Rating: 624 Certificate Date 1/12/2026						Rig Type	P:	42.5	47.5	26	25.1	14.8	Beam:	11.81	Engine:	IB
Displacement used for DW Rating:						MS	E:	12	<i>Asymmetric Spin?</i> Yes				Draft:	6	Prop Type:	Feath
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file: Roller Furler																
Boat Name Magic Bus				Sail #	Rig Data:	Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450		
Boat Type Express 27 ODR				41		150	J:	9	SL:	SSMG:	SSF:	SPL:	LWL:	23.75	Ballast:	1100
Rating: 129 DW Rating: 605 Certificate Date 4/10/2026						Rig Type	P:	28.5	29	17.5	17.9	9.833	Beam:	8.17	Engine:	OB
Displacement used for DW Rating:				2510		FS	E:	10.416	<i>Asymmetric Spin?</i> No				Draft:	4.5	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Maiden California				Sail #	Rig Data:	Max Headsail	I:	35.92	<i>Symmetric Spin?</i>	Yes	LOA:	30	Displacement:	3600		
Boat Type Olson 30 OB				28219		145	J:	11.78	SL:	SSMG:	SSF:	SPL:	LWL:	27.5	Ballast:	1800
Rating: 99 DW Rating: 582 Certificate Date 1/16/2026						Rig Type	P:	35.76	36	21.16	21.16	11.75	Beam:	9.33	Engine:	OB
Displacement used for DW Rating:				4111		MS	E:	9.84	<i>Asymmetric Spin?</i> No				Draft:	5.08	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	35.9	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	11.67									
Modifications on file: New Rudder Noted, NCTR																

Boat Name Margay	Sail # 46756	Max Headsail	I:	Symmetric Spin? No	LOA: 30.5	Displacement: 5500
Boat Type Wyliecat 30 OB			J:	SL: SSMG: SSF: SPL:	LWL: 25	Ballast: 3050
Rating: 126 DW Rating: 646 Certificate Date 2/26/2026		Rig Type	P: 39.8			
Displacement used for DW Rating:		CAT	E: 20	Asymmetric Spin? No	Beam: 9.5	Engine: OB
Certified PHRF Data on file? ☐		Mast Material	ISP:	SLE: SLU: ASMG: ASF:	Draft: 5.3	Prop Type: None
		CARBON	JSP:			

Modifications on file:

Boat Name Mas Que Nada	Sail # 285	Max Headsail	I: 25.75	Symmetric Spin? Yes	LOA: 20	Displacement: 1800
Boat Type Harbor 20		90	J: 7	SL: SSMG: SSF: SPL:	LWL: 17.2	Ballast: 900
Rating: 204 DW Rating: 729 Certificate Date 4/28/2026		Rig Type	P: 26	25.35 13.86 13.86 7.7		
Displacement used for DW Rating:		FS	E: 10	Asymmetric Spin? No	Beam: 7	Engine: OB
Certified PHRF Data on file? ☐		Mast Material	ISP: 25.75	SLE: SLU: ASMG: ASF:	Draft: 3.5	Prop Type: None
		ALUMN	JSP: 7.7			

Modifications on file: (Mtg 3/29/21, -3 sec/mi for 10% oversized spin pole, -3 sec/mi for 10% increase in spin area)

Boat Name Mas!	Sail # 138	Max Headsail	I: 26.25	Symmetric Spin? Yes	LOA: 23.75	Displacement: 2050
Boat Type Moore 24		150	J: 9.75	SL: SSMG: SSF: SPL:	LWL: 21.75	Ballast: 1025
Rating: 150 DW Rating: 635 Certificate Date 1/23/2026		Rig Type	P: 25	26.6 17 17.25 9.75		
Displacement used for DW Rating:	2225	FS	E: 9.5	Asymmetric Spin? Yes	Beam: 7.16	Engine: OB
Certified PHRF Data on file? ☐		Mast Material	ISP: 26.25	SLE: SLU: ASMG: ASF:	Draft: 4.08	Prop Type: None
		ALUMN	JSP:	25.1 28.4 17.3 17.6		

Modifications on file:

Boat Name Maverick	Sail # 132	Max Headsail	I: 31.5	Symmetric Spin? No	LOA: 26.25	Displacement: 2900
Boat Type J 80 ODR		100	J: 9.42	SL: SSMG: SSF: SPL:	LWL: 22	Ballast: 1400
Rating: 114 DW Rating: 615 Certificate Date 5/12/2026		Rig Type	P: 30			
Displacement used for DW Rating:	3223	FS	E: 12.42	Asymmetric Spin? Yes	Beam: 8.3	Engine: OB
Certified PHRF Data on file? ☐		Mast Material	ISP: 33.25	SLE: SLU: ASMG: ASF:	Draft: 4.75	Prop Type: None
		ALUMN	JSP: 15.67	31.33 39.5 25.9 22.75		

Modifications on file:

Boat Name Merlin	Sail # 8955	Max Headsail 146	I: 71.89	Symmetric Spin? No	LOA: 68.6	Displacement: 24363
Boat Type Custom Lee 68		Rig Type MS	J: 23.03	SL: SSMG: SSF: SPL: 30.4	LWL: 64	Ballast: 10484
Rating: -87 DW Rating: 416 Certificate Date 5/19/2026		Rig Data:	P: 67.02	Asymmetric Spin? Yes	Beam: 12.17	Engine: IB
Displacement used for DW Rating: 23931		Mast Material CARBON	E: 25.37	SLE: SLU: ASMG: ASF: 70.7 79.39 46.68 49.77	Draft: 10.65	Prop Type: FOLD
Certified PHRF Data on file? ☒			ISP: 74.28			
Modifications on file: (Mtg 4/27/17, custom rating assigned: -81)(Mtg 5/25/17, New custom rating: -87 as sailed)						

Boat Name Mermug	Sail # 46612	Max Headsail 125	I: 50.89	Symmetric Spin? Yes	LOA: 42.6	Displacement: 18220
Boat Type Beneteau 42S7 First DK SM		Rig Type FS	J: 14.27	SL: SSMG: SSF: SPL: 50.21 25.6 25 14.27	LWL: 35.9	Ballast: 6283
Rating: 72 DW Rating: 585 Certificate Date 1/22/2026		Rig Data:	P: 47.41	Asymmetric Spin? No	Beam: 13.6	Engine: IB
Displacement used for DW Rating: 18220		Mast Material ALUMN	E: 17.22	SLE: SLU: ASMG: ASF: 44.83 52 24 25.5	Draft: 7.7	Prop Type: FOLD
Certified PHRF Data on file? ☐			ISP: 50.89			
Modifications on file:						

Boat Name MIA	Sail # 70	Max Headsail 155	I: 28.5	Symmetric Spin? Yes	LOA: 27.25	Displacement: 2450
Boat Type Express 27 ODR		Rig Type FS	J: 9	SL: SSMG: SSF: SPL: 29 17.7 17.5 9.83	LWL: 23.75	Ballast: 1100
Rating: 129 DW Rating: 608 Certificate Date 1/14/2026		Rig Data:	P: 28.5	Asymmetric Spin? No	Beam: 8.17	Engine: OB
Displacement used for DW Rating: 2510		Mast Material ALUMN	E: 10.42	SLE: SLU: ASMG: ASF:	Draft: 4.5	Prop Type: None
Certified PHRF Data on file? ☐			ISP: 28.5			
Modifications on file:						

Boat Name Minami Kaze	Sail # 361	Max Headsail 110	I: 45.21	Symmetric Spin? No	LOA: 36.33	Displacement: 13349
Boat Type Beneteau 361 Oceanis		Rig Type MS	J: 13.94	SL: SSMG: SSF: SPL:	LWL: 31.08	Ballast: 4156
Rating: 147 DW Rating: Certificate Date 1/15/2026		Rig Data:	P: 38.39	Asymmetric Spin? No	Beam: 12.5	Engine: IB
Displacement used for DW Rating: 13349		Mast Material ALUMN	E: 14.44	SLE: SLU: ASMG: ASF:	Draft: 5	Prop Type: Fixed_3
Certified PHRF Data on file? ☐			ISP:			
Modifications on file:						

Boat Name MINIMAX				Sail #	Rig Data:	Max Headsail	I:	23.19	Symmetric Spin? NO	LOA:	20	Displacement: 1105
Boat Type Melges 20				131		110	J:	7.05	SL: SSMG: SSF: SPL:	LWL:	19.4	Ballast: 415
Rating: 111 DW Rating: 607 Certificate Date 9/1/2026						Rig Type	P:	24.25				Engine: OB
Displacement used for DW Rating: 1105						FS	E:	9.84	Asymmetric Spin? Yes	Beam:	7	Prop Type: None
Certified PHRF Data on file? ☐						Mast Material	ISP:	27.2	SLE: SLU: ASMG: ASF:	Draft:	4.5	
Modifications on file:					CARBON	JSP:	10.95	26.25 29.78 17.65 18.8				
Boat Name Mintaka 4				Sail #	Rig Data:	Max Headsail	I:	43.67	Symmetric Spin? Yes	LOA:	38.25	Displacement: 11850
Boat Type Farr 38				18441		125	J:	13.67	SL: SSMG: SSF: SPL:	LWL:	31.17	Ballast: 4100
Rating: 87 DW Rating: 591 Certificate Date 1/16/2026						Rig Type	P:	44.9	45 23.8 23.8 13.33			Engine: IB
Displacement used for DW Rating: 11939						FS	E:	17.9	Asymmetric Spin? No	Beam:	12	Prop Type: FOLD
Certified PHRF Data on file? ☒						Mast Material	ISP:	44	SLE: SLU: ASMG: ASF:	Draft:	6.33	
Modifications on file: (Mtg 8/26/25, +3 sec/mi for J length pole, +3 secmi for 10% smaller kite)					ALUMN	JSP:						
Boat Name Mirthmaker				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin? YES	LOA:	24	Displacement: 3100
Boat Type J 24 ODR				1		150	J:	9.5	SL: SSMG: SSF: SPL:	LWL:	20	Ballast: 965
Rating: 168 DW Rating: 694 Certificate Date 2/20/2026						Rig Type	P:	28	26.5 17 16.8 9.5			Engine: OB
Displacement used for DW Rating: 2870						FS	E:	9.75	Asymmetric Spin? No	Beam:	8.916	Prop Type: None
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:	Draft:	4	
Modifications on file:					ALUMN	JSP:						
Boat Name Mirthmaker				Sail #	Rig Data:	Max Headsail	I:	44.22	Symmetric Spin? Yes	LOA:	34.7	Displacement: 9810
Boat Type A 35				18250		105	J:	12.99	SL: SSMG: SSF: SPL:	LWL:	30.47	Ballast: 4367
Rating: 75 DW Rating: 588 Certificate Date 1/15/2026						Rig Type	P:	44.94	51.67 26.2 24.38 14.99			Engine: IB
Displacement used for DW Rating: 10514						FS	E:	14.66	Asymmetric Spin? Yes	Beam:	11.6	Prop Type: Fold
Certified PHRF Data on file? ☒						Mast Material	ISP:	51.06	SLE: SLU: ASMG: ASF:	Draft:	6.88	
Modifications on file: (Mtg 5/20/10, custom rating of 60 assigned, would like a copy of ORR Certificate)(mtg 6/15/10, change custom rating from 60 to 63 based on further clarification of boats configuration)(Mtg 10/27/16, change custom rating from 63 to 69 after appeal)					CARBON	JSP:	14.99	49.02 53.31 21.03 26.28				

Boat Name Mistral					Sail #		Max Headsail		I:	46.4	Symmetric Spin? Yes		LOA:	35	Displacement: 12495	
Boat Type Beneteau Farr First 36.7					28394		155		J:	13.1	SL: SSMG: SSF: SPL:		LWL:	30.3	Ballast: 4034	
Rating: 81 DW Rating: 614 Certificate Date 3/27/2026					Rig Data:		Rig Type		P:	45.4	45.8 23.47 22.07 13.1		Beam:	11.6	Engine: IB	
Displacement used for DW Rating: 12150							FS		E:	15.6	Asymmetric Spin? No					
Certified PHRF Data on file? ☐							Mast Material		ISP:	46.4	SLE: SLU: ASMG: ASF:		Prop Type: FOLD			
							ALUMN		JSP:	13.1			Draft: 7.2			
Modifications on file:																
Boat Name Mojito					Sail #		Max Headsail		I:	48.58	Symmetric Spin? No		LOA:	36.06	Displacement: 11300	
Boat Type J 112e					38150		105		J:	14.15	SL: SSMG: SSF: SPL:		LWL:	31.76	Ballast: 3816	
Rating: 54 DW Rating: 575 Certificate Date 1/8/2026					Rig Data:		Rig Type		P:	45.93			Beam:	11.81	Engine: IB	
Displacement used for DW Rating: 11300							FS		E:	15.5	Asymmetric Spin? Yes					
Certified PHRF Data on file? ☐							Mast Material		ISP:	52	SLE: SLU: ASMG: ASF:		Prop Type: Fold			
							CARBON		JSP:	20.75	49.83 52.82 31.04 34.08		Draft: 6.89			
Modifications on file:																
Boat Name Mojo					Sail #		Max Headsail		I:	46.4	Symmetric Spin? Yes		LOA:	35.42	Displacement: 10500	
Boat Type J 35					18935		150		J:	14.7	SL: SSMG: SSF: SPL:		LWL:	30	Ballast: 4400	
Rating: 72 DW Rating: 598 Certificate Date 1/26/2026					Rig Data:		Rig Type		P:	41.75	46 26.25 26.25 14.7		Beam:	11.8	Engine: IB	
Displacement used for DW Rating: 10000							MS		E:	14.98	Asymmetric Spin? No					
Certified PHRF Data on file? ☐							Mast Material		ISP:	46.3	SLE: SLU: ASMG: ASF:		Prop Type: Feath			
							ALUMN		JSP:	14.7			Draft: 6.9			
Modifications on file:																
Boat Name Moonlight					Sail #		Max Headsail		I:	28.5	Symmetric Spin? Yes		LOA:	27.25	Displacement: 2450	
Boat Type Express 27 ODR					28059		155		J:	9	SL: SSMG: SSF: SPL:		LWL:	23.75	Ballast: 1100	
Rating: 129 DW Rating: 604 Certificate Date 1/12/2026					Rig Data:		Rig Type		P:	28.5	29 16.5 17.6 9.833		Beam:	8.17	Engine: OB	
Displacement used for DW Rating: 2510							FS		E:	10.416	Asymmetric Spin? No					
Certified PHRF Data on file? ☐							Mast Material		ISP:	28.5	SLE: SLU: ASMG: ASF:		Prop Type: None			
							ALUMN		JSP:				Draft: 4.5			
Modifications on file:																

Boat Name Mudshark	Sail # 28052	Max Headsail 155	I: 48.75	Symmetric Spin? Yes	LOA: 37.08	Displacement: 11000
Boat Type Express 37		Rig Type MS	J: 14.33	SL: SSMG: SSF: SPL: 48 14.33	LWL: 30.83	Ballast: 4500
Rating: 72	DW Rating: 593	Certificate Date 4/10/2026	P: 42	Asymmetric Spin? No	Beam: 11.57	Engine: IB
Displacement used for DW Rating: 11814		Mast Material	E: 13.75	SLE: SLU: ASMG: ASF:	Draft: 7.25	Prop Type: FOLD
Certified PHRF Data on file? ☒			ISP: 48.75			
Modifications on file:			JSP:			

Boat Name Muninn	Sail # 61802	Max Headsail 101	I: 46.42	Symmetric Spin? No	LOA: 36	Displacement: 12495
Boat Type Beneteau Farr First 36.7		Rig Type FS	J: 13.1	SL: SSMG: SSF: SPL:	LWL: 30.3	Ballast: 4034
Rating: 78	DW Rating: 614	Certificate Date 1/6/2026	P: 45.44	Asymmetric Spin? Yes	Beam: 11.4	Engine: IB
Displacement used for DW Rating: 12150		Mast Material	E: 15.58	SLE: SLU: ASMG: ASF:	Draft: 7.2	Prop Type: Fold
Certified PHRF Data on file? ☐		ALUMN	ISP: 46.59	48.1 49.3 22 23.2		
Modifications on file: (Mtg 5/19/25, -9 sec/mi for 34% increase in JSP, +3 sec/mi for non-articulation)			JSP: 17.04			

Boat Name Music	Sail # 25352	Max Headsail 95	I: 48	Symmetric Spin? Yes	LOA: 37.6	Displacement: 14900
Boat Type Hunter 37 Legend WK		Rig Type FS	J: 13.6	SL: SSMG: SSF: SPL: 49.5 25.5 24.8 13	LWL: 31.4	Ballast: 6000
Rating: 111	DW Rating: 619	Certificate Date 1/9/2026	P: 48.72	Asymmetric Spin? No	Beam: 12.1	Engine: IB
Displacement used for DW Rating: 14900		Mast Material	E: 15.35	SLE: SLU: ASMG: ASF:	Draft: 5	Prop Type: Fixed_2
Certified PHRF Data on file? ☐		ALUMN	ISP: 48			
Modifications on file: (mtg 5/22/08 +3 sec/mi for 110% headsail, +3 sec/mi for 2-blade fixed prop, -9sec/mi for oversized luff & girths on spinnaker)			JSP:			

Boat Name Mymble	Sail # 57141	Max Headsail 105	I: 43.37	Symmetric Spin? No	LOA: 32.6	Displacement: 8415
Boat Type J 99		Rig Type FS	J: 12.56	SL: SSMG: SSF: SPL:	LWL: 28.6	Ballast: 3350
Rating: 75	DW Rating: 605	Certificate Date 1/12/2026	P: 41.8	Asymmetric Spin? Yes	Beam: 11.18	Engine: IB
Displacement used for DW Rating: 8415		Mast Material	E: 14.3	SLE: SLU: ASMG: ASF:	Draft: 6.54	Prop Type: Fold
Certified PHRF Data on file? ☐		ALUMN	ISP: 47.25	41.83 43.79 27.44 26.37		
Modifications on file: (Mtg 3/25/24, -3 sec/mi for tweener sail)(12/2/24, tweener sail removed +3 sec/mi)			JSP: 16.73			

Boat Name Mystic	Sail # 8577	Max Headsail 155	I: 30	Symmetric Spin? Yes	LOA: 27.5	Displacement: 3800
Boat Type J 27		Rig Type FS	J: 10.5	SL: SSMG: SSF: SPL: 28.83 18.83 17.67 10.5	LWL: 23	Ballast: 1530
Rating: 126	DW Rating: 641	Certificate Date 1/22/2026	P: 33	Asymmetric Spin? Yes	Beam: 8.5	Engine: OB
Displacement used for DW Rating: 3800		Mast Material ALUMN	E: 12.5	SLE: SLU: ASMG: ASF: 29 30.38 12.25 16.17	Draft: 4.9	Prop Type: None
Certified PHRF Data on file? ☐			ISP: 30			
Modifications on file:			JSP: 10.5			

Boat Name Nancy	Sail # 28890	Max Headsail 100	I: 39.66	Symmetric Spin? No	LOA: 30.5	Displacement: 5500
Boat Type Wyliecat 30 OB		Rig Type CAT	J: 19.75	SL: SSMG: SSF: SPL:	LWL: 25	Ballast: 3050
Rating: 123	DW Rating: 643	Certificate Date 1/6/2026	E: 19.75	Asymmetric Spin? No	Beam: 9.5	Engine: OB
Displacement used for DW Rating: 5500		Mast Material CARBON	ISP:	SLE: SLU: ASMG: ASF:	Draft: 5.25	Prop Type: None
Certified PHRF Data on file? ☐			JSP:			
Modifications on file: (-3 sec/mi for square top main)						

Boat Name National Biscuit	Sail # 8573	Max Headsail 100	I: 41.9	Symmetric Spin? Yes	LOA: 35.416	Displacement: 8700
Boat Type Custom Schumacher 35		Rig Type MS	J: 12.43	SL: SSMG: SSF: SPL: 41.52 22.37 22.37 12.43	LWL: 29	Ballast: 3850
Rating: 87	DW Rating: 607	Certificate Date 5/1/2026	P: 44.43	Asymmetric Spin? No	Beam: 11.25	Engine: IB
Displacement used for DW Rating: 8700		Mast Material ALUMN	E: 14	SLE: SLU: ASMG: ASF:	Draft: 6.416	Prop Type: FOLD
Certified PHRF Data on file? ☐			ISP: 41.9			
Modifications on file: (Mtg 12/9/24, +3 sec/mi for shortened "E", change custom rating from 84 to 87)			JSP:			

Boat Name Neja	Sail # 7325	Max Headsail 155	I: 38.01	Symmetric Spin? Yes	LOA: 31.75	Displacement: 11323
Boat Type Dasher 32		Rig Type MS	J: 12.59	SL: SSMG: SSF: SPL: 37.78 21.94 21.94 12.5	LWL: 26.75	Ballast: 3600
Rating: 174	DW Rating: 672	Certificate Date 1/7/2026	P: 33.22	Asymmetric Spin? No	Beam: 8.9	Engine: IB
Displacement used for DW Rating: 11323		Mast Material ALUMN	E: 14.6	SLE: SLU: ASMG: ASF:	Draft: 5.75	Prop Type: Fold
Certified PHRF Data on file? ☐			ISP: 38.01			
Modifications on file: 500 pounds less lead in keel than the Dasher Easom Boat Works built			JSP:			

Boat Name New Wave	Sail #	Max Headsail	I:	28.5	Symmetric Spin?	Yes	LOA:	27.25	Displacement:	2450				
Boat Type Express 27 ODR	18433	155	J:	9	SL:	SSMG:	SSF:	SPL:	LWL:	23.75	Ballast:	1100		
Rating: 129	DW Rating: 605	Certificate Date 2/20/2026	Rig Data:	Rig Type	P:	28.5	29	17.75	17.75	9.833	Beam:	8.17	Engine:	OB
Displacement used for DW Rating: 2510				FS	E:	10.416	Asymmetric Spin? Yes				Draft:	4.5	Prop Type:	None
Certified PHRF Data on file? ☐				Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:				
				ALUMN	JSP:	9.8	27.1	31.8	17.1	18.5				
Modifications on file:														
Boat Name Nikkicai	Sail #	Max Headsail	I:	43.58	Symmetric Spin?	No	LOA:	32.5	Displacement:	11300				
Boat Type Catalina 320	179	110	J:	12.33	SL:	SSMG:	SSF:	SPL:	LWL:	28	Ballast:	4000		
Rating: 159	DW Rating: 677	Certificate Date 4/15/2026	Rig Data:	Rig Type	P:	37.5					Beam:	11.75	Engine:	IB
Displacement used for DW Rating: 12719				MS	E:	13.25	Asymmetric Spin? No				Draft:	6	Prop Type:	Feath
Certified PHRF Data on file? ☐				Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:				
				ALUMN	JSP:									
Modifications on file:														
Boat Name Nobody's Girl	Sail #	Max Headsail	I:	26.25	Symmetric Spin?	Yes	LOA:	23.75	Displacement:	2130				
Boat Type Moore 24	84	150	J:	9.75	SL:	SSMG:	SSF:	SPL:	LWL:	21.75	Ballast:	1000		
Rating: 150	DW Rating: 647	Certificate Date 1/6/2026	Rig Data:	Rig Type	P:	25	26.6	17.55	17.55	9.5	Beam:	7.16	Engine:	OB
Displacement used for DW Rating: 2420				FS	E:	9.5	Asymmetric Spin? No				Draft:	4.083	Prop Type:	None
Certified PHRF Data on file? ☒				Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:				
				ALUMN	JSP:	9.75								
Modifications on file: (Mtg 3/25/24, new mainsail has oversized girths but no change to overall MSA: NCTR. -3 sec/mi for oversized spinnaker)(12/18/24, returned to stock Moore 24 configuration)														
Boat Name Northern Bear	Sail #	Max Headsail	I:	38.5	Symmetric Spin?	No	LOA:	32.8	Displacement:	6500				
Boat Type J 100 NCPHRF	128	90	J:	11.5	SL:	SSMG:	SSF:	SPL:	LWL:	29	Ballast:	2450		
Rating: 90	DW Rating: 597	Certificate Date 5/19/2026	Rig Data:	Rig Type	P:	38					Beam:	9.25	Engine:	IB
Displacement used for DW Rating: 7000				FS	E:	13.5	Asymmetric Spin? Yes				Draft:	5.75	Prop Type:	Fold
Certified PHRF Data on file? ☐				Mast Material	ISP:	43	SLE:	SLU:	ASMG:	ASF:				
				CARBON	JSP:	12.7	38.35	49.41	24.3	25.02				
Modifications on file: Hoyt Boom, NCTR														

Boat Name Pronto				Sail #	Rig Data:	Max Headsail	I:	43.25	Symmetric Spin? No	LOA:	32.75	Displacement:	9715
Boat Type Beneteau First 10R ODR				52905		95	J:	12.08	SL: SSMG: SSF: SPL:	LWL:	28.7	Ballast:	3528
Rating: 93 DW Rating: 627 Certificate Date 9/3/2026						Rig Type	P:	42.25				Engine:	IB
Displacement used for DW Rating: 9908						FS	E:	14.73	Asymmetric Spin? Yes	Beam:	11		
Certified PHRF Data on file? ☐						Mast Material	ISP:	46.41	SLE: SLU: ASMG: ASF:	Draft:	6.55		Prop Type: Fixed_2
Modifications on file:					CARBON	JSP:	16.5	37 41 23.2 14.9					
Boat Name Psycho Tiller				Sail #	Rig Data:	Max Headsail	I:	39.2	Symmetric Spin? Yes	LOA:	31.5	Displacement:	9680
Boat Type Jeanneau Sun Fast 32i				23		110	J:	11.1	SL: SSMG: SSF: SPL:	LWL:	27.11	Ballast:	2491
Rating: 144 DW Rating: 674 Certificate Date 4/30/2026						Rig Type	P:	36.7	38.4 17.1 15.8 11.1			Engine:	IB
Displacement used for DW Rating:						FS	E:	12.2	Asymmetric Spin? No	Beam:	10.9		
Certified PHRF Data on file? ☐						Mast Material	ISP:	38.1	SLE: SLU: ASMG: ASF:	Draft:	6.6		Prop Type: FOLD
Modifications on file:					ALUMN	JSP:	10.6						
Boat Name Punk Dolphin				Sail #	Rig Data:	Max Headsail	I:	48	Symmetric Spin? Yes	LOA:	38	Displacement:	14400
Boat Type Custom Wylie 38				18481		150	J:	14.33	SL: SSMG: SSF: SPL:	LWL:	31	Ballast:	5000
Rating: 72 DW Rating: 596 Certificate Date 1/12/2026						Rig Type	P:	43	48 25.8 25 14.33			Engine:	IB
Displacement used for DW Rating: 11495						MS	E:	14	Asymmetric Spin? No	Beam:	11.6		
Certified PHRF Data on file? ☐						Mast Material	ISP:	48	SLE: SLU: ASMG: ASF:	Draft:	6.75		Prop Type: FOLD
Modifications on file: (3/3/20, added 125% headsail, +3 sec/mi, change custom rating from 72 to 75)(1/3/25, switching back to 150% headsail, change custom rating from 75 to 72)					ALUMN	JSP:							
Boat Name QE 3				Sail #	Rig Data:	Max Headsail	I:	35	Symmetric Spin? Yes	LOA:	33.16	Displacement:	6700
Boat Type Tartan 10				8049		125	J:	12	SL: SSMG: SSF: SPL:	LWL:	27	Ballast:	3340
Rating: 129 DW Rating: 628 Certificate Date 3/18/2026						Rig Type	P:	40.25	35 21.6 21.6 12			Engine:	IB
Displacement used for DW Rating: 7005						FS	E:	13.75	Asymmetric Spin? No	Beam:	9.25		
Certified PHRF Data on file? ☐						Mast Material	ISP:	35	SLE: SLU: ASMG: ASF:	Draft:	5.83		Prop Type: FOLD
Modifications on file:					ALUMN	JSP:	0						

Boat Name Rantum Scantum				Sail #	Rig Data:	Max Headsail	I:	35	Symmetric Spin?	Yes	LOA:	29.5	Displacement:	6000		
Boat Type J 29 7/8 IB				32538		115	J:	#####	SL:	SSMG:	SSF:	SPL:	LWL:	25	Ballast:	2100
Rating: 132 DW Rating: 652 Certificate Date 7/3/2026						Rig Type	P:	38.666	35			11.5	Beam:	11.083	Engine:	OB
Displacement used for DW Rating: 6244						FS	E:	13	Asymmetric Spin?			No	Draft:	5.667	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	35	SLE:	SLU:	ASMG:	ASF:				
Modifications on file:						JSP:										
Boat Name Rascal				Sail #	Rig Data:	Max Headsail	I:	36	Symmetric Spin?	Yes	LOA:	30	Displacement:	4200		
Boat Type Custom Wilderness 30 SX				28175		150	J:	11	SL:	SSMG:	SSF:	SPL:	LWL:	26.5	Ballast:	1650
Rating: 105 DW Rating: 596 Certificate Date 1/9/2026						Rig Type	P:	32	35.76	19.8	19.8	11	Beam:	8.75	Engine:	OB
Displacement used for DW Rating: 4200						MS	E:	11.5	Asymmetric Spin?			No	Draft:	6	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	36	SLE:	SLU:	ASMG:	ASF:				
Modifications on file:				SML RIG&HVR KEELSPCL EDWILD30 SME RIG&LBS/STOCK WILD 30/-10/1/92 CHGED 105 MTG 9/7/93 +300LBS RMVD KEEL NO/CHG MTG 12/09/93 RDR CNG 11/27/95 LBS CNG-NO CNG 12/7/95 KEEL 3" FRD-BLST 1800/1686, DRAFT 5/5.50 (5"FILLER TOP OF KEEL)2/15/96 MTG. (NOTE- SMW CANNOT EXCEED 19.8 mtg-5-17-2001)(Mtg 1/21/19, +3 sec/mi for 95% headsail, change custom rating to 108)(1/20/23, added 150% headsail back, -3 sec/mi, custom rating back to 105)												
Boat Name Raven				Sail #	Rig Data:	Max Headsail	I:	47.24	Symmetric Spin?	Yes	LOA:	36.32	Displacement:	12125		
Boat Type Beneteau First 35				38073		108	J:	13.12	SL:	SSMG:	SSF:	SPL:	LWL:	30.6	Ballast:	3681
Rating: 75 DW Rating: 600 Certificate Date 2/20/2026						Rig Type	P:	45.93	51.31	26.25	25.46	14.73	Beam:	12.76	Engine:	IB
Displacement used for DW Rating: 12125						FS	E:	14.75	Asymmetric Spin?			No	Draft:	7.25	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	51.48	SLE:	SLU:	ASMG:	ASF:				
Modifications on file:						JSP:										
Boat Name Raven				Sail #	Rig Data:	Max Headsail	I:	52.17	Symmetric Spin?	Yes	LOA:	37.75	Displacement:	11800		
Boat Type C&C 115 ODR				38108		106	J:	14.5	SL:	SSMG:	SSF:	SPL:	LWL:	33	Ballast:	4200
Rating: 63 DW Rating: 580 Certificate Date 4/7/2026						Rig Type	P:	49.33	51.78	28.4	28.4	15.8	Beam:	11.92	Engine:	IB
Displacement used for DW Rating: 13152						FS	E:	16.33	Asymmetric Spin?			Yes	Draft:	6.67	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	52.17	SLE:	SLU:	ASMG:	ASF:				
Modifications on file:						JSP:	14.5	47.3	53.3	22.5	24.7					

Boat Name Ravenette				Sail #		Max Headsail				I:	38.67	Symmetric Spin? NO				LOA:	29.19	Displacement: 4990				
Boat Type J 88				80		104				J:	11.28	SL: SSMG: SSF: SPL:				LWL:	26.84	Ballast: 1840				
Rating: 81				DW Rating: 575		Certificate Date 1/29/2026		Rig Data:	Rig Type				P:	36.82					LWL:	26.84		
									FS				E:	12	Asymmetric Spin? Yes				Beam:	9.5	Engine: IB	
Displacement used for DW Rating:				4990					Mast Material				ISP:	46	SLE: SLU: ASMG: ASF:						Prop Type: Fold	
Certified PHRF Data on file?				☐					CARBON				JSP:	18.05	40.84 47.83 27.32 29				Draft:	6.5		
Modifications on file:																						
Boat Name Recidivist				Sail #		Max Headsail				I:	48.34	Symmetric Spin? No				LOA:	39.81	Displacement: 13000				
Boat Type Custom Schumacher 39				3510		125				J:	14.03	SL: SSMG: SSF: SPL:				LWL:	33.7	Ballast: 5500				
Rating: 33				DW Rating: 563		Certificate Date 6/24/2026		Rig Data:	Rig Type				P:	50.91					LWL:	33.7		
									FS				E:	18.49	Asymmetric Spin? Yes				Beam:	12.12	Engine: IB	
Displacement used for DW Rating:				13000					Mast Material				ISP:	56.78	SLE: SLU: ASMG: ASF:						Prop Type: FOLD	
Certified PHRF Data on file?				☐					CARBON				JSP:		42.65 49.87 24.44 27.56				Draft:	8.24		
Modifications on file: ALUMINUM MAST REPLACED W/CARBON. MTG 4/9/98- CHANGED FROM 24 TO 27 PER MTG 8/24/2000 (Mtg 5/22/08, -9 sec/mi for oversized luffs, +3 sec/mi for smaller headsail)(mtg 6/19/08, added Swept Back Spreaders, Elimated Runners, +9 sec/mi for standard sized spinnaker)(5/14/09, switching back to masthead configuration/oversized spinnaker -9 sec/mi)(Mtg1/26/26, remmoved MH spinaker, replaced with asymmetric, +9 sec/mi, +3 sec/mi for smaller mainsail, change custom rating from 21 to 36)																						
Boat Name Red Cloud				Sail #		Max Headsail				I:	38.3	Symmetric Spin? Yes				LOA:	36	Displacement: 10430				
Boat Type Farr 36				99		110				J:	12.6	SL: SSMG: SSF: SPL:				LWL:	31.33	Ballast: 3950				
Rating: 99				DW Rating: 633		Certificate Date 12/16/2025		Rig Data:	Rig Type				P:	41	38.15 21.9 21.9 12.16				LWL:	31.33		
									FS				E:	16.75	Asymmetric Spin? No				Beam:	11.92	Engine: IB	
Displacement used for DW Rating:				9739					Mast Material				ISP:	38.3	SLE: SLU: ASMG: ASF:						Prop Type: Fold	
Certified PHRF Data on file?				☒					ALUMN				JSP:	12.6					Draft:	6.16		
Modifications on file: (550# ADDED TO KEEL 300# TO FILL MIDDLE WINDOW+250# TO BOTTOM)(Mtg 1/26/12, -3 sec/mi for new mainsail)(mtg 3/29/12, +3 sec/mi after review of rating appeal, as sailed: 87)(2/20/20, removing masthead kite, reverting to stock Farr 36)(Mtg 4/29/24, engine moved aft, NCTR)(10/28/25, switching back to Masthead Kite, as sailed: 87)(12/16/25, removed Masthead Kite, back to stock configuration, as sailed: 99)																						
Boat Name Resilience				Sail #		Max Headsail				I:	30	Symmetric Spin? YES				LOA:	28.25	Displacement: 5700				
Boat Type Alerion Express 28 ODR				136		90				J:	9.75	SL: SSMG: SSF: SPL:				LWL:	22.83	Ballast: 2200				
Rating: 168				DW Rating: 696		Certificate Date 1/8/2026		Rig Data:	Rig Type				P:	33	29.96 16.73 16.73 9.55				LWL:	22.83		
									FS				E:	12.5	Asymmetric Spin? No				Beam:	8.2	Engine: IB	
Displacement used for DW Rating:				5700					Mast Material				ISP:	30	SLE: SLU: ASMG: ASF:						Prop Type: Fold	
Certified PHRF Data on file?				☐					ALUMN				JSP:	9.75					Draft:	4.5		
Modifications on file:																						

Boat Name Roxanne			Sail #	Rig Data:	Max Headsail	I:	57	Symmetric Spin? No	LOA:	41.3	Displacement: 20400
Boat Type Tartan 4100 SD TM			322		135	J:	15	SL: SSMG: SSF: SPL:	LWL:	35.9	Ballast: 8000
Rating: 90	DW Rating:	590	Certificate Date 3/18/2026		Rig Type	P:	50.1				Engine: IB
Displacement used for DW Rating:			20400		MS	E:	18	Asymmetric Spin? Yes	Beam:	13.6	
Certified PHRF Data on file?			☐		Mast Material	ISP:	57	SLE: SLU: ASMG: ASF:	Draft:	5.4	Prop Type: Feath
Modifications on file:					ALUMN	JSP:	15	53 58.9 27.7 27			
Boat Name Rufless			Sail #	Rig Data:	Max Headsail	I:	49.16	Symmetric Spin? NO	LOA:	41	Displacement: 9506
Boat Type J 125			2125		150	J:	14.8	SL: SSMG: SSF: SPL:	LWL:	37	Ballast: 4646
Rating: -12	DW Rating:	484	Certificate Date 5/19/2026		Rig Type	P:	46.68				Engine: IB
Displacement used for DW Rating:			9506		FS	E:	17.95	Asymmetric Spin? Yes	Beam:	10.6	
Certified PHRF Data on file?			☒		Mast Material	ISP:	52.26	SLE: SLU: ASMG: ASF:	Draft:	7.9	Prop Type: Fold
Modifications on file:					CARBON	JSP:	22.85	52.55 61.68 37.14 37.89			
Boat Name Rum Tum Tugger			Sail #	Rig Data:	Max Headsail	I:	43.2	Symmetric Spin? No	LOA:	32.75	Displacement: 9715
Boat Type Beneteau First 10R ODR MOD			39		130	J:	12.07	SL: SSMG: SSF: SPL:	LWL:	28.7	Ballast: 3528
Rating: 87	DW Rating:	619	Certificate Date 9/3/2026		Rig Type	P:	42.25				Engine: IB
Displacement used for DW Rating:			10868		FS	E:	14.73	Asymmetric Spin? Yes	Beam:	11	
Certified PHRF Data on file?			☒		Mast Material	ISP:	46.41	SLE: SLU: ASMG: ASF:	Draft:	6.55	Prop Type: FOLD
Modifications on file:			(mtg 9/23/10, +3 sec/mi for non-class smaller kite)		CARBON	JSP:	16.5	42.78 51.08 27.72 27.56			
Boat Name Rumour			Sail #	Rig Data:	Max Headsail	I:	42	Symmetric Spin? Yes	LOA:	32.5	Displacement: 9800
Boat Type Ericson 32-3			18260		100	J:	13.75	SL: SSMG: SSF: SPL:	LWL:	25.83	Ballast: 4200
Rating: 162	DW Rating:	663	Certificate Date 1/15/2026		Rig Type	P:	36	39.83 22.7 22 13.75			Engine: IB
Displacement used for DW Rating:			9800		MS	E:	11.5	Asymmetric Spin? No	Beam:	10.83	
Certified PHRF Data on file?			☐		Mast Material	ISP:	42	SLE: SLU: ASMG: ASF:	Draft:	6	Prop Type: Fixed_2
Modifications on file:					ALUMN	JSP:	13.75				

Boat Name Schocktail				Sail #	Rig Data:	Max Headsail	I:	26.5	Symmetric Spin? Yes	LOA:	24.58	Displacement: 2400
Boat Type Santana 525				77963		150	J:	8.75	SL: SSMG: SSF: SPL:	LWL:	18.5	Ballast: 950
Rating: 189 DW Rating: 691				Certificate Date 1/7/2026		Rig Type	P:	29	26 15.5 15.5 8.75	Beam:	9.33	Engine: OB
Displacement used for DW Rating:				0		FS	E:	10	Asymmetric Spin? No			
Certified PHRF Data on file?				☐		Mast Material	ISP:	26.5	SLE: SLU: ASMG: ASF:	Draft:	4.25	Prop Type: None
Modifications on file:						ALUMN	JSP:					
Boat Name Sea B				Sail #	Rig Data:	Max Headsail	I:	32	Symmetric Spin? No	LOA:	25	Displacement: 2900
Boat Type Olson 25				38984		155	J:	9.583	SL: SSMG: SSF: SPL:	LWL:	21.25	Ballast: 1300
Rating: 159 DW Rating: 661				Certificate Date 1/6/2026		Rig Type	P:	28		Beam:	9	Engine: OB
Displacement used for DW Rating:				2900		MS	E:	10	Asymmetric Spin? No			
Certified PHRF Data on file?				☐		Mast Material	ISP:	32	SLE: SLU: ASMG: ASF:	Draft:	4.5	Prop Type: None
Modifications on file:				Roller Furler		ALUMN	JSP:	9.58				
Boat Name Sea Breeze				Sail #	Rig Data:	Max Headsail	I:	43.58	Symmetric Spin? No	LOA:	32.5	Displacement: 11300
Boat Type Catalina 320				850		90	J:	12.33	SL: SSMG: SSF: SPL:	LWL:	28	Ballast: 4000
Rating: 159 DW Rating: 665				Certificate Date 7/3/2026		Rig Type	P:	38		Beam:	11.75	Engine: IB
Displacement used for DW Rating:				12719		MS	E:	13.25	Asymmetric Spin? No			
Certified PHRF Data on file?				☐		Mast Material	ISP:	43.58	SLE: SLU: ASMG: ASF:	Draft:	6	Prop Type: Feath
Modifications on file:						ALUMN	JSP:					
Boat Name Sea Jay				Sail #	Rig Data:	Max Headsail	I:	32	Symmetric Spin? Yes	LOA:	25	Displacement: 3000
Boat Type Olson 25				104		155	J:	9.6	SL: SSMG: SSF: SPL:	LWL:	21.25	Ballast: 1300
Rating: 159 DW Rating: 659				Certificate Date 3/27/2026		Rig Type	P:	28	32 17.25 17 9.583	Beam:	9	Engine: OB
Displacement used for DW Rating:				3000		MS	E:	10	Asymmetric Spin? No			
Certified PHRF Data on file?				☐		Mast Material	ISP:	32	SLE: SLU: ASMG: ASF:	Draft:	4.5	Prop Type: None
Modifications on file:						ALUMN	JSP:	9.6				

Boat Name SFYC 3				Sail #	Rig Data:	Max Headsail	I:	24.11	Symmetric Spin?	No	LOA:	20.98	Displacement:	1455	
Boat Type RS 21				3		92	J:	7.64	SL:	SSMG: SSF: SPL:	LWL:	18.67	Ballast:	731	
Rating: 114 DW Rating: 634 Certificate Date 2/20/2026						Rig Type	P:	25.59	Asymmetric Spin? Yes			Beam:	7.32	Engine:	IB
Displacement used for DW Rating:				1455		MS	E:	9.94	SLE:	SLU:	ASMG: ASF:	Draft:	4.4	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	28.68	27.5	33.46	17.55				
Modifications on file:						CARBON	JSP:	11.43							
Boat Name SFYC 4				Sail #	Rig Data:	Max Headsail	I:	24.11	Symmetric Spin?	No	LOA:	20.98	Displacement:	1455	
Boat Type RS 21				4		92	J:	7.64	SL:	SSMG: SSF: SPL:	LWL:	18.67	Ballast:	731	
Rating: 114 DW Rating: 634 Certificate Date 2/20/2026						Rig Type	P:	25.59	Asymmetric Spin? Yes			Beam:	7.32	Engine:	IB
Displacement used for DW Rating:				1455		MS	E:	9.94	SLE:	SLU:	ASMG: ASF:	Draft:	4.4	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	28.68	27.5	33.46	17.55				
Modifications on file:						CARBON	JSP:	11.43							
Boat Name SFYC 5				Sail #	Rig Data:	Max Headsail	I:	24.11	Symmetric Spin?	No	LOA:	20.98	Displacement:	1455	
Boat Type RS 21				5		92	J:	7.64	SL:	SSMG: SSF: SPL:	LWL:	18.67	Ballast:	731	
Rating: 114 DW Rating: 634 Certificate Date 2/20/2026						Rig Type	P:	25.59	Asymmetric Spin? Yes			Beam:	7.32	Engine:	IB
Displacement used for DW Rating:				1455		MS	E:	9.94	SLE:	SLU:	ASMG: ASF:	Draft:	4.4	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	28.68	27.5	33.46	17.55				
Modifications on file:						CARBON	JSP:	11.43							
Boat Name SFYC 6				Sail #	Rig Data:	Max Headsail	I:	24.11	Symmetric Spin?	No	LOA:	20.98	Displacement:	1455	
Boat Type RS 21				6		92	J:	7.64	SL:	SSMG: SSF: SPL:	LWL:	18.67	Ballast:	731	
Rating: 114 DW Rating: 634 Certificate Date 2/20/2026						Rig Type	P:	25.59	Asymmetric Spin? Yes			Beam:	7.32	Engine:	IB
Displacement used for DW Rating:				1455		MS	E:	9.94	SLE:	SLU:	ASMG: ASF:	Draft:	4.4	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	28.68	27.5	33.46	17.55				
Modifications on file:						CARBON	JSP:	11.43							

Boat Name Shack				Sail #	Rig Data:	Max Headsail	I:	39.33	Symmetric Spin? Yes	LOA:	30.416	Displacement: 8500
Boat Type Beneteau 305				28305		125	J:	11.38	SL: SSMG: SSF: SPL:	LWL:	26.166	Ballast: 2954
Rating: 162 DW Rating: 667 Certificate Date 3/18/2026				Rig Type		P:	33.58	39 20.43 20.43 11.38	Beam:	10.5	Engine: IB	
Displacement used for DW Rating:				MS		E:	11.08	Asymmetric Spin? No	Draft:	5.583	Prop Type: FOLD	
Certified PHRF Data on file? ☐				Mast Material		ISP:	39.33	SLE: SLU: ASMG: ASF:				
Modifications on file:				ALUMN	JSP:							
Boat Name Shadowfax				Sail #	Rig Data:	Max Headsail	I:	32	Symmetric Spin? Yes	LOA:	25	Displacement: 3300
Boat Type Olson 25				91		155	J:	9.6	SL: SSMG: SSF: SPL:	LWL:	21.25	Ballast: 1300
Rating: 159 DW Rating: 675 Certificate Date 3/27/2026				Rig Type		P:	28	31.7 17.25 17.25 9.583	Beam:	9	Engine: OB	
Displacement used for DW Rating: 3300				MS		E:	10	Asymmetric Spin? No	Draft:	4.5	Prop Type: None	
Certified PHRF Data on file? ☐				Mast Material		ISP:	32	SLE: SLU: ASMG: ASF:				
Modifications on file:				ALUMN	JSP:							
Boat Name Shake & Bake				Sail #	Rig Data:	Max Headsail	I:	38.88	Symmetric Spin? No	LOA:	30.18	Displacement: 5401
Boat Type Farr X2				38135		105	J:	14.11	SL: SSMG: SSF: SPL:	LWL:	28.61	Ballast: 1973
Rating: 45 DW Rating: 554 Certificate Date 1/12/2026				Rig Type		P:	40.03		Beam:	10.33	Engine: IB	
Displacement used for DW Rating: 5924				FS		E:	13.45	Asymmetric Spin? Yes	Draft:	6.89	Prop Type: Fold	
Certified PHRF Data on file? ☒				Mast Material		ISP:	43.96	SLE: SLU: ASMG: ASF:				
Modifications on file:				CARBON	JSP:	18.37	43.41 50.98 28.18 27.89					
(Mtg 11/27/23, -9 sec/mi for water ballast. Boat rates 45 when water ballast is enabled, 54 when water ballast is disabled)												
Boat Name Shaman				Sail #	Rig Data:	Max Headsail	I:	46	Symmetric Spin? Yes	LOA:	39.5	Displacement: 15500
Boat Type CAL 40				5166		155	J:	15.17	SL: SSMG: SSF: SPL:	LWL:	30.3	Ballast: 6000
Rating: 114 DW Rating: 624 Certificate Date 1/12/2026				Rig Type		P:	40	45.7 27.1 26.4 15.1	Beam:	11	Engine: IB	
Displacement used for DW Rating: 16000				MS		E:	17.5	Asymmetric Spin? No	Draft:	5.5	Prop Type: FEATH	
Certified PHRF Data on file? ☐				Mast Material		ISP:	46	SLE: SLU: ASMG: ASF:				
Modifications on file:				ALUMN	JSP:							

Boat Name Shockwave				Sail #	Rig Data:	Max Headsail	I:	37	<i>Symmetric Spin?</i>	No	LOA:	30	Displacement:	5500			
Boat Type J 92				77		135	J:	11.5	SL:	SSMG: SSF: SPL:	LWL:	26.5	Ballast:	2275			
Rating: 105 DW Rating: 613				Certificate Date 9/1/2026		Rig Type	P:	38					Beam:	10	Engine:	IB	
Displacement used for DW Rating:				5800		FS	E:	13.5	<i>Asymmetric Spin?</i> Yes								
Certified PHRF Data on file?				☐		Mast Material	ISP:	38.5	SLE:	SLU:	ASMG: ASF:	Draft:	5.9	Prop Type: Fold			
					ALUMN	JSP:	17	36	42.8	20.5 21.5							
Modifications on file:																	
Boat Name Siduri				Sail #	Rig Data:	Max Headsail	I:	53.11	<i>Symmetric Spin?</i>	NO	LOA:	42.2	Displacement:	19180			
Boat Type Dehler 42				42		105	J:	15.2	SL:	SSMG: SSF: SPL:	LWL:	37.9	Ballast:	5732			
Rating: 54 DW Rating: 577				Certificate Date 4/28/2026		Rig Type	P:	52					Beam:	12.8	Engine:	IB	
Displacement used for DW Rating:						MS	E:	18.8	<i>Asymmetric Spin?</i> NO								
Certified PHRF Data on file?				☐		Mast Material	ISP:	53.11	SLE:	SLU:	ASMG: ASF:	Draft:	7.1	Prop Type: Fold			
					ALUMN	JSP:											
Modifications on file:																	
Boat Name Siento El Viento				Sail #	Rig Data:	Max Headsail	I:	39.5	<i>Symmetric Spin?</i>	Yes	LOA:	29.5	Displacement:	7500			
Boat Type C&C 29				38311		155	J:	12.8	SL:	SSMG: SSF: SPL:	LWL:	23.6	Ballast:	2700			
Rating: 174 DW Rating: 699				Certificate Date 1/12/2026		Rig Type	P:	33.5	39 22 22 12.8					Beam:	10.5	Engine:	IB
Displacement used for DW Rating:				9200		MS	E:	10.1	<i>Asymmetric Spin?</i> No								
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG: ASF:	Draft:	5.25	Prop Type: Fold			
					ALUMN	JSP:											
Modifications on file:																	
Boat Name Simba				Sail #	Rig Data:	Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450			
Boat Type Express 27 ODR				87275		155	J:	9	SL:	SSMG: SSF: SPL:	LWL:	23.75	Ballast:	1100			
Rating: 129 DW Rating: 608				Certificate Date 1/12/2026		Rig Type	P:	28.5	29 17.5 17 9.833					Beam:	8.17	Engine:	OB
Displacement used for DW Rating:						FS	E:	10.42	<i>Asymmetric Spin?</i> No								
Certified PHRF Data on file?				☐		Mast Material	ISP:	28.5	SLE:	SLU:	ASMG: ASF:	Draft:	4.5	Prop Type: None			
					ALUMN	JSP:											
Modifications on file:																	

Boat Name Sky			Sail #	Rig Data:	Max Headsail	I:	30	Symmetric Spin?	No	LOA:	26.25	Displacement:	2900
Boat Type J 80 ODR			808		100	J:	9.145	SL:	SSMG: SSF: SPL:	LWL:	22	Ballast:	1400
Rating: 114 DW Rating: 618 Certificate Date 1/6/2026					Rig Type	P:	30			Beam:	8.2	Engine:	OB
Displacement used for DW Rating: 3223					MS	E:	12.416	Asymmetric Spin?	Yes	Draft:	4.75	Prop Type:	None
Certified PHRF Data on file? ☐					Mast Material	ISP:	33.25	SLE:	SLU: ASMG: ASF:				
Modifications on file:					ALUMN	JSP:	15.57	31.996	39.162	23.156	25.16		
Boat Name Slainte			Sail #	Rig Data:	Max Headsail	I:	22	Symmetric Spin?	Yes	LOA:	20	Displacement:	1950
Boat Type Cal 20			1510		115	J:	7.33	SL:	SSMG: SSF: SPL:	LWL:	18.08	Ballast:	900
Rating: 273 DW Rating: 743 Certificate Date 1/14/2026					Rig Type	P:	23	22	13.2	13.2	7.33	Engine:	OB
Displacement used for DW Rating: 1950					FS	E:	9.833	Asymmetric Spin?	No	Beam:	7	Prop Type:	None
Certified PHRF Data on file? ☐					Mast Material	ISP:	22	SLE:	SLU: ASMG: ASF:	Draft:	3.33		
Modifications on file:					ALUMN	JSP:	7.33						
Boat Name Slight Disorder			Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin?	Yes	LOA:	23.75	Displacement:	2050
Boat Type Moore 24			98		150	J:	9.75	SL:	SSMG: SSF: SPL:	LWL:	21.75	Ballast:	1025
Rating: 150 DW Rating: 632 Certificate Date 2/10/2026					Rig Type	P:	25	26.6	17.5	17.5	9.8	Engine:	OB
Displacement used for DW Rating: 2050					FS	E:	9.5	Asymmetric Spin?	No	Beam:	7.16	Prop Type:	None
Certified PHRF Data on file? ☐					Mast Material	ISP:	26.25	SLE:	SLU: ASMG: ASF:	Draft:	4.083		
Modifications on file:					ALUMN	JSP:	9.75						
Boat Name Sliver			Sail #	Rig Data:	Max Headsail	I:	33.83	Symmetric Spin?	YES	LOA:	33	Displacement:	4000
Boat Type Hobie 33 ODR			62042		155	J:	12.4	SL:	SSMG: SSF: SPL:	LWL:	30.5	Ballast:	1900
Rating: 87 DW Rating: 551 Certificate Date 1/22/2026					Rig Type	P:	36.13	36.6	22.3	22.3	13	Engine:	OB
Displacement used for DW Rating: 4550					FS	E:	12.5	Asymmetric Spin?	No	Beam:	8	Prop Type:	None
Certified PHRF Data on file? ☐					Mast Material	ISP:	36.5	SLE:	SLU: ASMG: ASF:	Draft:	5.5		
Modifications on file:					ALUMN	JSP:	13.12						

Boat Name S'Moore				Sail #	Rig Data:	Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	2050		
Boat Type Moore 24				150		155	J:	9.75	SL:	SSMG:	SSF:	SPL:	LWL:	21.75	Ballast:	1025
Rating: 150 DW Rating: 630 Certificate Date 1/12/2026						Rig Type	P:	25	26	17.55	17.55	9.75	Beam:	7.16	Engine:	OB
Displacement used for DW Rating: 2050						FS	E:	9.5	<i>Asymmetric Spin?</i> No				Draft:	4.083	Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Snafu				Sail #	Rig Data:	Max Headsail	I:	26.25	<i>Symmetric Spin?</i>	Yes	LOA:	23.75	Displacement:	2050		
Boat Type Moore 24				121		140	J:	9.75	SL:	SSMG:	SSF:	SPL:	LWL:	21.75	Ballast:	1000
Rating: 150 DW Rating: 646 Certificate Date 4/30/2026						Rig Type	P:	25	26.3	17.3	17.3	9.75	Beam:	7.16	Engine:	OB
Displacement used for DW Rating: 2290						FS	E:	9.5	<i>Asymmetric Spin?</i> No				Draft:	4.08	Prop Type:	None
Certified PHRF Data on file? ☒						Mast Material	ISP:	26.25	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Snowy Owl				Sail #	Rig Data:	Max Headsail	I:	48.75	<i>Symmetric Spin?</i>	Yes	LOA:	37.08	Displacement:	11000		
Boat Type Express 37 SD				69458		150	J:	14.33	SL:	SSMG:	SSF:	SPL:	LWL:	30.83	Ballast:	4500
Rating: 75 DW Rating: 587 Certificate Date 4/28/2026						Rig Type	P:	42	48.3	25.8	25.8	14.3	Beam:	11.57	Engine:	IB
Displacement used for DW Rating: 10207						MS	E:	13.8	<i>Asymmetric Spin?</i> No				Draft:	6.25	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:	48.75	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file: Shoal Draft version																
Boat Name Sobrante				Sail #	Rig Data:	Max Headsail	I:	42.75	<i>Symmetric Spin?</i>	No	LOA:	32.75	Displacement:	10200		
Boat Type Catalina 309 WK				143		95	J:	12	SL:	SSMG:	SSF:	SPL:	LWL:	26.5	Ballast:	4400
Rating: 180 DW Rating: Certificate Date 1/12/2026						Rig Type	P:	38.75					Beam:	11.5	Engine:	IB
Displacement used for DW Rating: 10200						FS	E:	13.75	<i>Asymmetric Spin?</i> No				Draft:	4.33	Prop Type:	Fold
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																

Boat Name Sparky				Sail #	Rig Data:	Max Headsail	I:	29	Symmetric Spin? Yes	LOA:	25	Displacement: 4550
Boat Type Catalina 25 FK				1498		145	J:	10.5	SL: SSMG: SSF: SPL:	LWL:	22.16	Ballast: 1900
Rating: 222 DW Rating: 714 Certificate Date 1/7/2026				Rig Type		P:	24.66	28.66 16.5 16.41 10.5	Beam:	8	Engine: OB	
Displacement used for DW Rating: 4550				MS		E:	9.58	Asymmetric Spin? Yes	Draft:	4	Prop Type: None	
Certified PHRF Data on file? ☐				Mast Material		ISP:	29	SLE: SLU: ASMG: ASF:				
ALUMN				JSP:	10.5	25.5 29.9 15.5 17.9						
Modifications on file:												
Boat Name Special Edition				Sail #	Rig Data:	Max Headsail	I:	#####	Symmetric Spin? Yes	LOA:	29.75	Displacement: 4600
Boat Type Custom Wilderness 30				8258		125	J:	11.75	SL: SSMG: SSF: SPL:	LWL:	27.75	Ballast: 1800
Rating: 96 DW Rating: 573 Certificate Date 1/14/2026				Rig Type		P:	34.333	39 25.4 24.5 #####	Beam:	8.75	Engine: OB	
Displacement used for DW Rating: 4600				FS		E:	11.5	Asymmetric Spin? No	Draft:	6	Prop Type: FOLD	
Certified PHRF Data on file? ☐				Mast Material		ISP:	#####	SLE: SLU: ASMG: ASF:				
CARBON				JSP:	#####							
Modifications on file: Added Masthead Halyards for spin/Jips, replaced inboard with Outboard open Transom (12/17/92) Mtg-. 1/18/90 RTNG 102.) (1998 rtg =96) (New Inboard = +3; Foretriangle is 11.75 = +6, jib=150%, Carbon Mast= -3; Keel = -6 mgt 3/8/05)(3/15/16, now has Outboard Motor, -3 sec/mi)												
Boat Name Speedwell				Sail #	Rig Data:	Max Headsail	I:	38.67	Symmetric Spin? No	LOA:	29.19	Displacement: 4990
Boat Type J 88				20		105	J:	11.28	SL: SSMG: SSF: SPL:	LWL:	26.84	Ballast: 1840
Rating: 81 DW Rating: 575 Certificate Date 1/8/2026				Rig Type		P:	36.82		Beam:	9.5	Engine: IB	
Displacement used for DW Rating: 4990				FS		E:	12	Asymmetric Spin? Yes	Draft:	6.5	Prop Type: Feath	
Certified PHRF Data on file? ☐				Mast Material		ISP:	46	SLE: SLU: ASMG: ASF:				
CARBON				JSP:	18.05	40.84 47.83 27.32 29						
Modifications on file:												
Boat Name Spindrift V				Sail #	Rig Data:	Max Headsail	I:	48.75	Symmetric Spin? Yes	LOA:	37.08	Displacement: 11000
Boat Type Express 37				18305		115	J:	14.33	SL: SSMG: SSF: SPL:	LWL:	30.83	Ballast: 4500
Rating: 75 DW Rating: 592 Certificate Date 1/12/2026				Rig Type		P:	42	48 25.7 25.7 14.33	Beam:	11.57	Engine: IB	
Displacement used for DW Rating: 11158				MS		E:	13.75	Asymmetric Spin? Yes	Draft:	7.25	Prop Type: FOLD	
Certified PHRF Data on file? ☒				Mast Material		ISP:	48.75	SLE: SLU: ASMG: ASF:				
ALUMN				JSP:	14.33	45.28 50.2 26.25 24.1						
Modifications on file:												

Boat Name Surf Rat	Sail #		Max Headsail	I: #####	Symmetric Spin? YES	LOA: 27	Displacement: 3000
Boat Type Santa Cruz 27	57131		150	J: 10.75	SL: SSMG: SSF: SPL:	LWL: 24	Ballast: 1500
Rating: 141	DW Rating: 618	Certificate Date 1/8/2026	Rig Type	P: 28.25	32.74 19.4 19.4 10.75	Beam: 8	Engine: OB
Displacement used for DW Rating: 3200			MS	E: 8.58	Asymmetric Spin? No	Draft: 4.5	Prop Type: None
Certified PHRF Data on file? ☐			Mast Material	ISP: 32.58	SLE: SLU: ASMG: ASF:		
Modifications on file:			ALUMN	JSP:			

Boat Name Surprise	Sail #		Max Headsail	I: 56.98	Symmetric Spin? Yes	LOA: 46	Displacement: 18642
Boat Type Custom Schumacher 46	28098		160	J: 17	SL: SSMG: SSF: SPL:	LWL: 40.63	Ballast: 8000
Rating: 6	DW Rating: 521	Certificate Date 9/1/2026	Rig Type	P: 57.01	59.7 33.7 33.7 18.7	Beam: 12.92	Engine: IB
Displacement used for DW Rating: 18462			FS	E: 19.72	Asymmetric Spin? Yes	Draft: 7.75	Prop Type: FOLD
Certified PHRF Data on file? ☐			Mast Material	ISP: 63	SLE: SLU: ASMG: ASF:		
Modifications on file:			CARBON	JSP:	60.17 65.06 30.97 37.23		
<i>(MTG 4/9/98)(mtg 2/20/04)(Mtg 9/27/21, ORR Certificate submitted with updated sail measurements and displacement. Custom rating changed from 6 to 3)</i>							

Boat Name Surprise!	Sail #		Max Headsail	I: 43.5	Symmetric Spin? No	LOA: 38.4	Displacement: 12400
Boat Type Alerion Express 38-1	18		148	J: 14	SL: SSMG: SSF: SPL:	LWL: 30.1	Ballast: 4200
Rating: 111	DW Rating: 614	Certificate Date 2/24/2026	Rig Type	P: 44.5	14.5	Beam: 10.8	Engine: IB
Displacement used for DW Rating: 12586			FS	E: 15.8	Asymmetric Spin? Yes	Draft: 5.8	Prop Type: Fold
Certified PHRF Data on file? ☒			Mast Material	ISP: 45.8	SLE: SLU: ASMG: ASF:		
Modifications on file:			ALUMN	JSP: 15	38.6 49 26.6 25.5		
<i>Power Winches. (mtg 9/24/18, Custom rating assigned. 114 As Sailed)(Mtg 2/23/26, added 148% genoa, change custom rating from 114 to 111)</i>							

Boat Name Surprise!	Sail #		Max Headsail	I: 30	Symmetric Spin? No	LOA: 23	Displacement: 3400
Boat Type Ranger 23 TM	499		155	J: 9.75	SL: SSMG: SSF: SPL:	LWL: 20	Ballast: 1500
Rating: 210	DW Rating:	Certificate Date 1/12/2026	Rig Type	P: 25.75		Beam: 7.92	Engine: OB
Displacement used for DW Rating:			MH	E: 9.17	Asymmetric Spin? No	Draft: 3.75	Prop Type: None
Certified PHRF Data on file? ☐			Mast Material	ISP:	SLE: SLU: ASMG: ASF:		
Modifications on file:			ALUMN	JSP:			

Boat Name Sweet De	Sail #	Max Headsail	I:	45.41	Symmetric Spin? NO	LOA:	36.12	Displacement: 10580
Boat Type Beneteau First 36	36	104	J:	15.83	SL: SSMG: SSF: SPL:	LWL:	33.67	Ballast: 3420
Rating: 57	DW Rating: 554	Certificate Date 5/21/2026	Rig Type	P: 45.33		Beam:	12.5	Engine: IB
Displacement used for DW Rating: 10580			FS	E: 15.42	Asymmetric Spin? Yes	Draft:	7.42	Prop Type: Fold
Certified PHRF Data on file? ☐			Mast Material	ISP: 50.42	SLE: SLU: ASMG: ASF:			
			ALUMN	JSP: 18.83	50.56 58.89 32.64 32.89			
Modifications on file:								

Boat Name Sweet De	Sail #	Max Headsail	I:	30	Symmetric Spin? No	LOA:	28.25	Displacement: 5700
Boat Type ALERION EXPRESS 28 ODR	254	90	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	22.83	Ballast: 2200
Rating: 168	DW Rating: 703	Certificate Date 8/21/2026	Rig Type	P: 33		Beam:	8.2	Engine: IB
Displacement used for DW Rating: 5700			FS	E: 12.5	Asymmetric Spin? Yes	Draft:	4.5	Prop Type: Fold
Certified PHRF Data on file? ☐			Mast Material	ISP: 30	SLE: SLU: ASMG: ASF:			
			ALUMN	JSP: 9.75	27.44 31.5 15.43 15.73			
Modifications on file:								

Boat Name Sweet Jane	Sail #	Max Headsail	I:	33.5	Symmetric Spin? No	LOA:	28	Displacement: 4250
Boat Type J 9	3	104	J:	10	SL: SSMG: SSF: SPL:	LWL:	25.4	Ballast: 2000
Rating: 117	DW Rating: 612	Certificate Date 5/1/2026	Rig Type	P: 34		Beam:	8.55	Engine: IB
Displacement used for DW Rating: 4250			FS	E: 13.36	Asymmetric Spin? Yes	Draft:	4.9	Prop Type: Fold
Certified PHRF Data on file? ☐			Mast Material	ISP: 35	SLE: SLU: ASMG: ASF:			
			ALUMN	JSP: 12.4	33.54 40 21.9 22			
Modifications on file:								

Boat Name Sweet Pea	Sail #	Max Headsail	I:	38.5	Symmetric Spin? Yes	LOA:	30	Displacement: 8600
Boat Type Islander 30-2	195	155	J:	12.58	SL: SSMG: SSF: SPL:	LWL:	24.58	Ballast: 3500
Rating: 186	DW Rating: 684	Certificate Date 1/12/2026	Rig Type	P: 32.5	38.6 22.5 22.5 12.42	Beam:	10	Engine: IB
Displacement used for DW Rating: 8600			MS	E: 11.58	Asymmetric Spin? Yes	Draft:	5	Prop Type: FOLD
Certified PHRF Data on file? ☐			Mast Material	ISP: 38.42	SLE: SLU: ASMG: ASF:			
			ALUMN	JSP:	31.68 35 22.64 17.69			
Modifications on file: (Mtg 9/30/19, -6 sec/mi for genoa)(7/29/20, removed 185% genoa)								

Boat Name Swell Patrol				Sail #	Rig Data:	Max Headsail	I:	42.5	Symmetric Spin?	Yes	LOA:	33	Displacement:	5800			
Boat Type Soverel 33-2				46924		155	J:	12.75	SL:	SSMG:	SSF:	SPL:	LWL:	30.42	Ballast:	2800	
Rating: 90 DW Rating: 554 Certificate Date 4/30/2026						Rig Type	P:	41	42.5	22.95	22.95	12.75	Beam:	11	Engine:	OB	
Displacement used for DW Rating: 6500						MS	E:	13	Asymmetric Spin?				No			Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	42.5	SLE:	SLU:	ASMG:	ASF:	Draft:	5.83			
Modifications on file: (mtg 8/28/23, -6 sec/mi for OB motor)(9/16/25, -3 sec/mi for oversized asymmetric)(4/30/26, removed oversized asymmetrical, +3 sec/mi)																	
Boat Name Swift Ness				Sail #	Rig Data:	Max Headsail	I:	48.37	Symmetric Spin?	No	LOA:	36.5	Displacement:	10017			
Boat Type J 111				101		105	J:	13.85	SL:	SSMG:	SSF:	SPL:	LWL:	34.62	Ballast:	3500	
Rating: 36 DW Rating: 554 Certificate Date 2/27/2026						Rig Type	P:	45.17					Beam:	10.8	Engine:	IB	
Displacement used for DW Rating: 10017						FS	E:	14.5	Asymmetric Spin?				Yes			Prop Type:	Fold
Certified PHRF Data on file? ☒						Mast Material	ISP:	51.4	SLE:	SLU:	ASMG:	ASF:	Draft:	7.2			
Modifications on file:																	
Boat Name Synchronicity				Sail #	Rig Data:	Max Headsail	I:	32	Symmetric Spin?	Yes	LOA:	25	Displacement:	3300			
Boat Type Olson 25				68		155	J:	9.583	SL:	SSMG:	SSF:	SPL:	LWL:	21.25	Ballast:	1300	
Rating: 159 DW Rating: 674 Certificate Date 1/14/2026						Rig Type	P:	28	32	17.28	17.28	9.583	Beam:	9	Engine:	OB	
Displacement used for DW Rating:						MS	E:	10	Asymmetric Spin?				No			Prop Type:	None
Certified PHRF Data on file? ☐						Mast Material	ISP:	32	SLE:	SLU:	ASMG:	ASF:	Draft:	4.5			
Modifications on file:																	
Boat Name Syncopation				Sail #	Rig Data:	Max Headsail	I:	47.83	Symmetric Spin?	No	LOA:	36	Displacement:	13200			
Boat Type Sabre 36 CB				35		125	J:	14.33	SL:	SSMG:	SSF:	SPL:	LWL:	29.33	Ballast:	5400	
Rating: 138 DW Rating: 640 Certificate Date 4/28/2026						Rig Type	P:	41.5					Beam:	11.25	Engine:	IB	
Displacement used for DW Rating: 0						MS	E:	13	Asymmetric Spin?				Yes			Prop Type:	Fixed_2
Certified PHRF Data on file? ☐						Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:	Draft:	7.67			
Modifications on file:																	

Boat Name Take Five		Sail #	Rig Data:	Max Headsail	I: 50	Symmetric Spin? No	LOA: 37.75	Displacement: 12400
Boat Type Cape Fear 38 R		52538		104	J: 13.75	SL: SSMG: SSF: SPL:	LWL: 34	Ballast: 5075
Rating: 51	DW Rating: 563	Certificate Date 1/27/2026		Rig Type	P: 48	Asymmetric Spin? Yes	Beam: 11	Engine: IB
Displacement used for DW Rating:		12400		FS	E: 17.2			
Certified PHRF Data on file? ☐				Mast Material	ISP: 54	SLE: SLU: ASMG: ASF:		
Modifications on file: (Mtg 1/26/26, - 9 sec/mi for 25% oversized asymmetric spinnaker)				ALUMN	JSP: 16	54.05 59 31.04 30.24	Draft: 7.2	Prop Type: Fold
Boat Name Take Five More		Sail #	Rig Data:	Max Headsail	I: 41.5	Symmetric Spin? YES	LOA: 29.92	Displacement: 8100
Boat Type Ericson 911S Olson		38132		95	J: 12.33	SL: SSMG: SSF: SPL:	LWL: 25	Ballast: 3200
Rating: 135	DW Rating: 671	Certificate Date 1/8/2026		Rig Type	P: 35.5	Asymmetric Spin? No	Beam: 10.33	Engine: IB
Displacement used for DW Rating:		8716		MS	E: 11.92			
Certified PHRF Data on file? ☐				Mast Material	ISP: 41.5	SLE: SLU: ASMG: ASF:		
Modifications on file:				ALUMN	JSP: 12.33		Draft: 5.4	Prop Type: Fold
Boat Name Talisman		Sail #	Rig Data:	Max Headsail	I: 52.69	Symmetric Spin? No	LOA: 40.15	Displacement: 17437
Boat Type Beneteau First 40		1003		105	J: 15.09	SL: SSMG: SSF: SPL:	LWL: 35	Ballast: 6609
Rating: 57	DW Rating: 568	Certificate Date 4/14/2026		Rig Type	P: 51.15	Asymmetric Spin? Yes	Beam: 12.76	Engine: IB
Displacement used for DW Rating:		18473		FS	E: 17.65			
Certified PHRF Data on file? ☒				Mast Material	ISP: 56.54	SLE: SLU: ASMG: ASF:		
Modifications on file:				ALUMN	JSP: 17.06	49.5 58.07 25.9 30.32	Draft: 8.04	Prop Type: Fold
Boat Name Tangaroa		Sail #	Rig Data:	Max Headsail	I: 46.5	Symmetric Spin? No	LOA: 32.25	Displacement: 10900
Boat Type J 109 ODR w/108^ m		311		100	J: 13.3	SL: SSMG: SSF: SPL:	LWL: 30.5	Ballast: 3900
Rating: 72	DW Rating: 603	Certificate Date 1/8/2026		Rig Type	P: 43.25	Asymmetric Spin? Yes	Beam: 11.5	Engine: IB
Displacement used for DW Rating:		11000		FS	E: 15.5			
Certified PHRF Data on file? ☐				Mast Material	ISP: 49	SLE: SLU: ASMG: ASF:		
Modifications on file:				ALUMN	JSP: 18.8	45.63 56.33 27.2 27.75	Draft: 7	Prop Type: Fold

Boat Name Tortuga		Sail #	Max Headsail	I:	31.2	Symmetric Spin? No	LOA:	32	Displacement: 19500	
Boat Type Westsail 32		207	110	J:	18.4	SL: SSMG: SSF: SPL:	LWL:	27.6	Ballast: 7000	
Rating:	219	DW Rating:	691	Certificate Date	1/12/2026	Rig Data:				
Displacement used for DW Rating:		19500					Rig Type	P:	39.7	
							CTR	E:	14.5	
							Mast Material	ISP:		Asymmetric Spin? No
							ALUMN	JSP:		
Certified PHRF Data on file?		☐					SLE: SLU: ASMG: ASF:	Beam:	11	Engine: IB
								Draft:	5	Prop Type: FOLD
Modifications on file:										

Boat Name Tramp Boat	Sail #	Max Headsail	I:	37.75	Symmetric Spin? Yes	LOA:	33.92	Displacement: 8176
Boat Type Farr 10/20 ODR	18430	150	J:	11.67	SL: SSMG: SSF: SPL:	LWL:	28.42	Ballast: 3100
Rating: 117	DW Rating: 615	Certificate Date 1/9/2026	Rig Type	P: 39.5	39.7 20.34 20.34 12.82	Beam:	10.5	Engine: IB
Displacement used for DW Rating: 8176			FS	E: 15.42	Asymmetric Spin? No			
Certified PHRF Data on file? ☐			Mast Material	ISP: 39.67	SLE: SLU: ASMG: ASF:	Draft:	5.75	Prop Type: FOLD
ALUMN			JSP: 12.67					
Modifications on file:								

Boat Name True Love			Sail #	Max Headsail	I: #####	Symmetric Spin? Yes	LOA: 44.34	Displacement: 32006
Boat Type Spencer 1330			61052	153	J: 17.97	SL: SSMG: SSF: SPL:	LWL: 37.142	Ballast: 10000
Rating: 114	DW Rating: 608	Certificate Date 6/24/2026	Rig Data:	Rig Type	P: 52.2	57.74 32.94 32.94 18.22		
Displacement used for DW Rating: 32006				MS	E: 15.471	Asymmetric Spin? No	Beam: 13.021	Engine: IB
Certified PHRF Data on file? ☒				Mast Material	ISP: #####	SLE: SLU: ASMG: ASF:		Prop Type: Fold
				CARBON	JSP: 22.23		Draft: 7.386	
Modifications on file: New Rudder, NCTR. (Mtg 1/20/20, custom rating assigned of 105)(Mtg 8/25/25, ORC certificate sumitted, custom rating changed from 105 to 114)								

Boat Name Tuesday's Child	Sail #	Max Headsail	I:	64.2	Symmetric Spin? Yes	LOA:	48.95	Displacement: 19107
Boat Type Cherubini 50	145	150	J:	22.65	SL: SSMG: SSF: SPL:	LWL:	46.5	Ballast: 4800
Rating: -21	DW Rating: 475	Certificate Date 2/20/2026	Rig Type	P: 57.8	64.44 39.57 38 23.19	Beam:	11.43	Engine: IB
Displacement used for DW Rating: 19107			MS	E: 21.14	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☒			Mast Material	ISP: 64.2	SLE: SLU: ASMG: ASF:	Draft:	8.91	Prop Type: Fold
ALUMN			JSP:	63.71	74.18	43.77	44.39	
Modifications on file: (Mtg 5/19/25, Custom Rating of -21 assigned)								

Boat Name Tule Fog				Sail #	Rig Data:	Max Headsail	I:	29	<i>Symmetric Spin?</i>	Yes	LOA:	27.3	Displacement:	2450		
Boat Type Express 27 ODR				18178		155	J:	9	SL:	SSMG:	SSF:	SPL:	LWL:	23.8	Ballast:	1100
Rating: 129 DW Rating: 605 Certificate Date 1/14/2026						Rig Type	P:	29	29	17.7	17.7	9.83	Beam:	8.166	Engine:	OB
Displacement used for DW Rating:				2510		FS	E:	10	<i>Asymmetric Spin?</i> No				Draft:	4.5	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Tunesy				Sail #	Rig Data:	Max Headsail	I:	30	<i>Symmetric Spin?</i>	Yes	LOA:	28.25	Displacement:	5700		
Boat Type ALERION EXPRESS 28 ODR				279		90	J:	9.75	SL:	SSMG:	SSF:	SPL:	LWL:	22.833	Ballast:	2000
Rating: 168 DW Rating: 695 Certificate Date 4/28/2026						Rig Type	P:	33	29.75	17.55	17.24	9.75	Beam:	8.17	Engine:	IB
Displacement used for DW Rating:						FS	E:	12.5	<i>Asymmetric Spin?</i> No				Draft:	4.5	Prop Type:	FOLD
Certified PHRF Data on file?				☐		Mast Material	ISP:	30	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:										
Modifications on file:																
Boat Name Twelve Bar Blues				Sail #	Rig Data:	Max Headsail	I:	40.6	<i>Symmetric Spin?</i>	No	LOA:	34.5	Displacement:	7750		
Boat Type J 105 ODR w/ 5'BS				87		100	J:	13.5	SL:	SSMG:	SSF:	SPL:	LWL:	29.5	Ballast:	3400
Rating: 78 DW Rating: 592 Certificate Date 1/8/2026						Rig Type	P:	41.5					Beam:	11	Engine:	IB
Displacement used for DW Rating:				8472		FS	E:	14.5	<i>Asymmetric Spin?</i> Yes				Draft:	6.5	Prop Type:	Fold
Certified PHRF Data on file?				☐		Mast Material	ISP:	42.1	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	19.07	39.01	48.69	25.79	27.89					
Modifications on file:																
Boat Name Twin Fin				Sail #	Rig Data:	Max Headsail	I:	21.52	<i>Symmetric Spin?</i>	No	LOA:	18.7	Displacement:	992		
Boat Type Open 5.7 ODR				275		117	J:	7.3	SL:	SSMG:	SSF:	SPL:	LWL:	18.7	Ballast:	405
Rating: 138 DW Rating: 601 Certificate Date 1/29/2026						Rig Type	P:	25.33					Beam:	8.3	Engine:	OB
Displacement used for DW Rating:				992		FS	E:	10.24	<i>Asymmetric Spin?</i> Yes				Draft:	5.7	Prop Type:	None
Certified PHRF Data on file?				☐		Mast Material	ISP:	27.9	SLE:	SLU:	ASMG:	ASF:				
					ALUMN	JSP:	12.3	20.6	25.8	17.9	17.5					
Modifications on file:																

Boat Name Typon				Sail #	Rig Data:	Max Headsail	I:	61	<i>Symmetric Spin?</i>	YES	LOA:	47.8	Displacement:	32400				
Boat Type Swan 47				59855		101	J:	19.8	SL:	SSMG:	SSF:	SPL:	LWL:	36.2	Ballast:	15500		
Rating: 72 DW Rating:				584		Certificate Date	2/10/2026	Rig Type	P:	54	61.8	35.6	30	19	Beam:	13.7	Engine:	IB
Displacement used for DW Rating:				0		MS	E:	16	<i>Asymmetric Spin?</i>				No	Draft:	7.8	Prop Type:	Feath	
Certified PHRF Data on file?				☐		Mast Material	ISP:		SLE:	SLU:	ASMG:	ASF:						
					ALUMN	JSP:												
<i>Modifications on file:</i>																		
Boat Name U Betcha				Sail #	Rig Data:	Max Headsail	I:	22.8	<i>Symmetric Spin?</i>	No	LOA:	20.83	Displacement:	1350				
Boat Type Ultimate 20				172		100	J:	7	SL:	SSMG:	SSF:	SPL:	LWL:	18	Ballast:	450		
Rating: 144 DW Rating:				622		Certificate Date	1/16/2026	Rig Type	P:	27.5			Beam:	8.166	Engine:	OB		
Displacement used for DW Rating:				1350		FS	E:	10.33	<i>Asymmetric Spin?</i>				Yes	Draft:	5	Prop Type:	None	
Certified PHRF Data on file?				☐		Mast Material	ISP:	27.58	SLE:	SLU:	ASMG:	ASF:						
					ALUMN	JSP:	13	28.4	31.3	17.6	19.2							
<i>Modifications on file:</i>																		
Boat Name UHOO!				Sail #	Rig Data:	Max Headsail	I:	22.8	<i>Symmetric Spin?</i>	No	LOA:	20.8	Displacement:	1100				
Boat Type Ultimate 20				62		100	J:	7	SL:	SSMG:	SSF:	SPL:	LWL:	18	Ballast:	450		
Rating: 144 DW Rating:				609		Certificate Date	1/20/2026	Rig Type	P:	27.5			Beam:	8.166	Engine:	OB		
Displacement used for DW Rating:				1350		FS	E:	10.33	<i>Asymmetric Spin?</i>				Yes	Draft:	5	Prop Type:	None	
Certified PHRF Data on file?				☐		Mast Material	ISP:	27.58	SLE:	SLU:	ASMG:	ASF:						
					ALUMN	JSP:	13	28.4	31.3	17.6	19.2							
<i>Modifications on file:</i>																		
Boat Name Under The Radar				Sail #	Rig Data:	Max Headsail	I:	28.5	<i>Symmetric Spin?</i>	Yes	LOA:	27.25	Displacement:	2450				
Boat Type Express 27 ODR				40316		155	J:	9	SL:	SSMG:	SSF:	SPL:	LWL:	23.75	Ballast:	1100		
Rating: 129 DW Rating:				605		Certificate Date	2/26/2026	Rig Type	P:	28.5	29	17.7	17.7	9.83	Beam:	8.17	Engine:	OB
Displacement used for DW Rating:				2510		FS	E:	10.42	<i>Asymmetric Spin?</i>				No	Draft:	4.5	Prop Type:	None	
Certified PHRF Data on file?				☐		Mast Material	ISP:	28.5	SLE:	SLU:	ASMG:	ASF:						
					ALUMN	JSP:					0							
<i>Modifications on file:</i>																		

Boat Name Ventana	Sail #	Max Headsail	I:	58.17	Symmetric Spin? No	LOA:	44.75	Displacement: 23356
Boat Type Beneteau Oceanis 46.1 SM	38130	105	J:	18.67	SL: SSMG: SSF: SPL:	LWL:	43.42	Ballast: 6028
Rating: 57 DW Rating: 535 Certificate Date 1/15/2026	Rig Data:	Rig Type	P:	54.33		Beam:	14.75	Engine: IB
Displacement used for DW Rating:		FS	E:	18.5	Asymmetric Spin? Yes	Draft:	7.75	Prop Type: Fold
Certified PHRF Data on file? ☐		Mast Material	ISP:	58.17	SLE: SLU: ASMG: ASF:			
Modifications on file: Powered Winches. (1/13/20, +3 sec/mi for in-mast furling mainsail)		ALUMN	JSP:	21.67	57.68 64.17 30.18 34.25			

Boat Name Venture	Sail #	Max Headsail	I:	43	Symmetric Spin? No	LOA:	32.75	Displacement: 9800
Boat Type C&C 33	543	100	J:	14	SL: SSMG: SSF: SPL:	LWL:	26.42	Ballast: 4075
Rating: 165 DW Rating: 653 Certificate Date 1/7/2026	Rig Data:	Rig Type	P:	37.25	14	Beam:	10.5	Engine: IB
Displacement used for DW Rating:		MS	E:	10.75	Asymmetric Spin? Yes	Draft:	5.5	Prop Type: Feath
Certified PHRF Data on file? ☐		Mast Material	ISP:	43	SLE: SLU: ASMG: ASF:			
Modifications on file: Powered Halyard Winch (1/3/23, +3 sec/mi for in-mast furling mainsail, +3 sec/mi for mgm <50% of E)		ALUMN	JSP:		36 40.2 24.2 24.2			

Boat Name Vera Cruz	Sail #	Max Headsail	I:	43.71	Symmetric Spin? No	LOA:	32.75	Displacement: 11738
Boat Type Jeanneau Sun Odyssey 349	38133	1152	J:	12.37	SL: SSMG: SSF: SPL:	LWL:	30.83	Ballast: 3483
Rating: 138 DW Rating: 652 Certificate Date 1/6/2026	Rig Data:	Rig Type	P:	40.19		Beam:	11.25	Engine: IB
Displacement used for DW Rating: 11738		FS	E:	13.42	Asymmetric Spin? Yes	Draft:	6.5	Prop Type: Fold
Certified PHRF Data on file? ☒		Mast Material	ISP:	44.8	SLE: SLU: ASMG: ASF:			
Modifications on file: (Mtg 8/23/21, -3 sec/mi for square-top main)		ALUMN	JSP:	14.88	42.27 46.45 23.3 26.78			

Boat Name Vitamin Sea	Sail #	Max Headsail	I:	44.75	Symmetric Spin? Yes	LOA:	36.33	Displacement: 13500
Boat Type Catalina 36	271	135	J:	14.33	SL: SSMG: SSF: SPL:	LWL:	30.25	Ballast: 6000
Rating: 147 DW Rating: 651 Certificate Date 4/1/2026	Rig Data:	Rig Type	P:	39	44 24 24 14	Beam:	11.92	Engine: IB
Displacement used for DW Rating: 15996		MS	E:	12	Asymmetric Spin? Yes	Draft:	5.83	Prop Type: Fixed_3
Certified PHRF Data on file? ☐		Mast Material	ISP:	44.75	SLE: SLU: ASMG: ASF:			
Modifications on file:		ALUMN	JSP:	14.33	42.1 45.3 25.33 24			

Boat Name Westerly				Sail #	Rig Data:	Max Headsail	I:	47.5	Symmetric Spin? No	LOA:	36	Displacement: 11900
Boat Type Morgan 36 4/6				4205		95	J:	13.58	SL: SSMG: SSF: SPL:	LWL:	29.4	Ballast: 5000
Rating: 120 DW Rating: 631 Certificate Date 1/16/2026						Rig Type	P:	41.83		Beam:	11.8	Engine: IB
Displacement used for DW Rating: 11900						MS	E:	12.58	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐						Mast Material	ISP:	47.5	SLE: SLU: ASMG: ASF:	Draft:	6.6	Prop Type: Fixed_2
Modifications on file:												
Boat Name Wet Spot				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin? Yes	LOA:	23.75	Displacement: 2050
Boat Type Moore 24				51		150	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	21.75	Ballast: 1025
Rating: 150 DW Rating: 630 Certificate Date 2/26/2026						Rig Type	P:	25	26.6 17.55 17.55 9.75	Beam:	7.16	Engine: OB
Displacement used for DW Rating: 2050						FS	E:	9.5	Asymmetric Spin? No			
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:	Draft:	4.08	Prop Type: None
Modifications on file:												
Boat Name Wicked				Sail #	Rig Data:	Max Headsail	I:	40.86	Symmetric Spin? No	LOA:	31.76	Displacement: 3800
Boat Type Melges 32 ODR				65		105	J:	10.7	SL: SSMG: SSF: SPL:	LWL:	28.5	Ballast: 1600
Rating: 27 DW Rating: 491 Certificate Date 1/15/2026						Rig Type	P:	44.05		Beam:	9.83	Engine: OB
Displacement used for DW Rating: 3828						FS	E:	15.49	Asymmetric Spin? Yes			
Certified PHRF Data on file? ☐						Mast Material	ISP:	48.3	SLE: SLU: ASMG: ASF:	Draft:	7	Prop Type: None
Modifications on file:												
Boat Name Wiki Wiki				Sail #	Rig Data:	Max Headsail	I:	26.25	Symmetric Spin? Yes	LOA:	23.75	Displacement: 2050
Boat Type Moore 24				61		150	J:	9.75	SL: SSMG: SSF: SPL:	LWL:	21.75	Ballast: 1025
Rating: 150 DW Rating: 632 Certificate Date 1/6/2026						Rig Type	P:	25	27 17.5 17.5 9.75	Beam:	7.16	Engine: OB
Displacement used for DW Rating:						FS	E:	9.5	Asymmetric Spin? No			
Certified PHRF Data on file? ☐						Mast Material	ISP:	26.25	SLE: SLU: ASMG: ASF:	Draft:	4.083	Prop Type: None
Modifications on file:												

Boat Name Wildcard Sail #37005 Boat Type Santa Cruz 37 Rating: 27 DW Rating: 521 Certificate Date 1/7/2026 Displacement used for DW Rating: 9339 Certified PHRF Data on file? ☒ Modifications on file: (Mtg 1/26/16, new keel box & rudder noted, NCTR)	Rig Data: Max Headsail105 Rig TypeFS Mast MaterialCARBON	I: 47.1 J: 13.4 P: 47 E: 17 ISP: 52.17 JSP: 19 Symmetric Spin? No SL: SSMG: SSF: SPL: Asymmetric Spin? Yes SLE: SLU: ASMG: ASF: 50.85 59.7 33.3 33.3	LOA: 37 LWL: 34.75 Beam: 10.64 Draft: 7.5 Displacement: 8662 Ballast: 3730 Engine: IB Prop Type: FOLD
Boat Name Wilder Sail #59333 Boat Type Santa Cruz 27 Rating: 141 DW Rating: 624 Certificate Date 1/6/2026 Displacement used for DW Rating: 3440 Certified PHRF Data on file? ☒ Modifications on file: Elliptical Rudder	Rig Data: Max Headsail155 Rig TypeMS Mast MaterialALUMN	I: 32.7 J: 10.9 P: 28.2 E: 8.7 ISP: 32.58 JSP: 10.9 Symmetric Spin? Yes SL: SSMG: SSF: SPL: 32.8 19.6 17.59 10.9 Asymmetric Spin? Yes SLE: SLU: ASMG: ASF: 32.38 34.28 18.99 18.01	LOA: 27 LWL: 24 Beam: 8 Draft: 4.5 Displacement: 3300 Ballast: 1600 Engine: OB Prop Type: None
Boat Name Wile E Coyote Sail #11 Boat Type Express 27 ODR Rating: 129 DW Rating: 605 Certificate Date 1/8/2026 Displacement used for DW Rating: 2510 Certified PHRF Data on file? ☐ Modifications on file:	Rig Data: Max Headsail150 Rig TypeFS Mast MaterialALUMN	I: 28.5 J: 9 P: 28.5 E: 10.416 ISP: 28.5 JSP: Symmetric Spin? Yes SL: SSMG: SSF: SPL: 29 17.7 17.7 9.833 Asymmetric Spin? No SLE: SLU: ASMG: ASF:	LOA: 27.25 LWL: 23.75 Beam: 8.17 Draft: 4.5 Displacement: 2450 Ballast: 1100 Engine: OB Prop Type: None
Boat Name Will O The Wind Sail #27 Boat Type Hunter 27 IB Rating: 210 DW Rating: Certificate Date 1/6/2026 Displacement used for DW Rating: 0 Certified PHRF Data on file? ☐ Modifications on file:	Rig Data: Max Headsail120 Rig TypeMS Mast MaterialALUMN	I: 37.55 J: 10.85 P: 31.9 E: 9.4 ISP: JSP: Symmetric Spin? NO SL: SSMG: SSF: SPL: Asymmetric Spin? No SLE: SLU: ASMG: ASF:	LOA: 27.1 LWL: 22 Beam: 9.25 Draft: 4.25 Displacement: 7000 Ballast: 3000 Engine: IB Prop Type: Fixed_2

Boat Name Wind River			Rig Data:	Max Headsail	I:	59.55	Symmetric Spin?	No	LOA:	44.5	Displacement:	27999	
Boat Type Hallberg Rassy 43 MkI/MkII				110	J:	16.34	SL:	SSMG: SSF: SPL:	LWL:	38.6	Ballast:	10472	
Rating: 111 DW Rating: Certificate Date 9/3/2026				Rig Type	P:	51.38	Asymmetric Spin? No			Beam:	13.4	Engine:	IB
Displacement used for DW Rating: 27999				CTR	E:	17.7	SLE:	SLU: ASMG: ASF:	Draft:	6.6	Prop Type:	Fold	
Certified PHRF Data on file? ☐				Mast Material	ISP:	59.55							
Modifications on file:													
Boat Name WindBorn			Rig Data:	Max Headsail	I:	44.78	Symmetric Spin?	No	LOA:	37.41	Displacement:	14175	
Boat Type Jeanneau Sun Odyssey 37.1				88.5	J:	12.53	SL:	SSMG: SSF: SPL:	LWL:	31.83	Ballast:	4453	
Rating: 144 DW Rating: Certificate Date 2/20/2026				Rig Type	P:	39.04	Asymmetric Spin? No			Beam:	12.08	Engine:	IB
Displacement used for DW Rating: 14175				MS	E:	13.94	SLE:	SLU: ASMG: ASF:	Draft:	6.33	Prop Type:	Fixed_2	
Certified PHRF Data on file? ☐				Mast Material	ISP:								
Modifications on file:													
Boat Name Windcatcher			Rig Data:	Max Headsail	I:	45	Symmetric Spin?	No	LOA:	36.08	Displacement:	13450	
Boat Type Islander 36 NCPHRF				110	J:	14.48	SL:	SSMG: SSF: SPL:	LWL:	28.25	Ballast:	5450	
Rating: 153 DW Rating: 663 Certificate Date 1/8/2026				Rig Type	P:	39.25	Asymmetric Spin? No			Beam:	11.17	Engine:	IB
Displacement used for DW Rating: 18325				MS	E:	12.75	SLE:	SLU: ASMG: ASF:	Draft:	6.08	Prop Type:	Fixed_2	
Certified PHRF Data on file? ☐				Mast Material	ISP:	45							
Modifications on file:													
Boat Name Windsome			Rig Data:	Max Headsail	I:	38.5	Symmetric Spin?	No	LOA:	32.8	Displacement:	6500	
Boat Type J 100 ODR				100	J:	11.5	SL:	SSMG: SSF: SPL:	LWL:	29	Ballast:	2450	
Rating: 84 DW Rating: 589 Certificate Date 9/3/2026				Rig Type	P:	38	Asymmetric Spin? Yes			Beam:	9.25	Engine:	IB
Displacement used for DW Rating: 7000				FS	E:	13.5	SLE:	SLU: ASMG: ASF:	Draft:	5.75	Prop Type:	Fold	
Certified PHRF Data on file? ☐				Mast Material	ISP:	43	38.71	48.56	26.25	24.93			
Modifications on file:													

Boat Name Yellowfin				Sail #	Rig Data:	Max Headsail	I:	40.6	Symmetric Spin?	No	LOA:	34.5	Displacement:	7750		
Boat Type J 105 ODR w/ 5'BS				357		100	J:	13.5	SL:	SSMG: SSF: SPL:	LWL:	29.5	Ballast:	3400		
Rating: 78 DW Rating: 587 Certificate Date 2/10/2026						Rig Type	P:	41.5	Asymmetric Spin? Yes			Beam:	11	Engine:	IB	
Displacement used for DW Rating: 8472						FS	E:	14.5	SLE:	SLU: ASMG: ASF:	Draft:	6.5	Prop Type:	FOLD		
Certified PHRF Data on file? ☐						Mast Material	ISP:	42.1	38.33	48.92	25.67	25.5				
Modifications on file:						ALUMN	JSP:	19.07								
Boat Name Yemaya				Sail #	Rig Data:	Max Headsail	I:	36.5	Symmetric Spin?	Yes	LOA:	29.67	Displacement:	9100		
Boat Type Leigh 30						150	J:	12.33	SL:	SSMG: SSF: SPL:	LWL:	23.33	Ballast:	4400		
Rating: 210 DW Rating: 721 Certificate Date 1/27/2026						Rig Type	P:	31.67	Asymmetric Spin? No			Beam:	9.58	Engine:	IB	
Displacement used for DW Rating: 9100						MS	E:	12.33	SLE:	SLU: ASMG: ASF:	Draft:	4.58	Prop Type:	Fixed_3		
Certified PHRF Data on file? ☐						Mast Material	ISP:	36.5								
Modifications on file:						ALUMN	JSP:	12.33								
Boat Name Yeti				Sail #	Rig Data:	Max Headsail	I:	28.5	Symmetric Spin?	Yes	LOA:	27.25	Displacement:	2450		
Boat Type Express 27						140	J:	9	SL:	SSMG: SSF: SPL:	LWL:	23.75	Ballast:	1100		
Rating: 129 DW Rating: 633 Certificate Date 1/16/2026						Rig Type	P:	28.5	28.6	17.7	17.7	9.83	Beam:	8.16	Engine:	OB
Displacement used for DW Rating: 2870						FS	E:	10.4	Asymmetric Spin? Yes			Draft:	4.5	Prop Type:	None	
Certified PHRF Data on file? ☒						Mast Material	ISP:	28.5	SLE:	SLU: ASMG: ASF:						
Modifications on file:						ALUMN	JSP:	26.51	30.5	16.4	17.77					
Boat Name Yippee!!				Sail #	Rig Data:	Max Headsail	I:	27.5	Symmetric Spin?	YES	LOA:	23	Displacement:	3400		
Boat Type Ranger 23						150	J:	9.7	SL:	SSMG: SSF: SPL:	LWL:	20	Ballast:	1500		
Rating: 216 DW Rating: 730 Certificate Date 1/15/2026						Rig Type	P:	24	27.6	17.4	17.4	9.7	Beam:	7.9	Engine:	OB
Displacement used for DW Rating: 3400						MS	E:	9.17	Asymmetric Spin? No			Draft:	3.75	Prop Type:	None	
Certified PHRF Data on file? ☐						Mast Material	ISP:	27.5	SLE:	SLU: ASMG: ASF:						
Modifications on file:						ALUMN	JSP:									

Boat Name Zeehond				Sail # 707	Rig Data:	Max Headsail 150	I: 39.5	Symmetric Spin? Yes	LOA: 30	Displacement: 8500
Boat Type Newport 30-2							J: #####	SL: SSMG: SSF: SPL:	LWL: 25	Ballast: 2600
Rating: 174 DW Rating: 677 Certificate Date 1/6/2026						Rig Type MS	P: 34	39.25 21.78 21.75 #####	Beam: 10.5	Engine: IB
Displacement used for DW Rating: 8500						Mast Material ALUMN	ISP: 39.5	SLE: SLU: ASMG: ASF:	Draft: 4.75	Prop Type: FOLD
Certified PHRF Data on file? ☐							JSP:			
Modifications on file:										
Boat Name Zena				Sail # 28824	Rig Data:	Max Headsail 155	I: 24.4	Symmetric Spin? Yes	LOA: 23.1	Displacement: 2700
Boat Type North Star 727 Farr							J: 7.8	SL: SSMG: SSF: SPL:	LWL: 19.7	Ballast: 900
Rating: 192 DW Rating: 714 Certificate Date 1/12/2026						Rig Type FS	P: 25.7	24.34 14 14 7.8	Beam: 8.3	Engine: OB
Displacement used for DW Rating:						Mast Material ALUMN	ISP: 24.4	SLE: SLU: ASMG: ASF:	Draft: 4.6	Prop Type: None
Certified PHRF Data on file? ☐							JSP:	0		
Modifications on file:										
Boat Name Zenaida				Sail # 38079	Rig Data:	Max Headsail 95	I: 30	Symmetric Spin? Yes	LOA: 28.25	Displacement: 5700
Boat Type ALERION EXPRESS 28 ODR							J: 9.75	SL: SSMG: SSF: SPL:	LWL: 22.83	Ballast: 2200
Rating: 168 DW Rating: 695 Certificate Date 1/8/2026						Rig Type FS	P: 33	29.96 17.55 15.77 9.75	Beam: 8.2	Engine: IB
Displacement used for DW Rating: 5700						Mast Material ALUMN	ISP:	SLE: SLU: ASMG: ASF:	Draft: 4.5	Prop Type: FOLD
Certified PHRF Data on file? ☐							JSP:			
Modifications on file:										
Boat Name Zenith				Sail # 472	Rig Data:	Max Headsail 135	I: 45	Symmetric Spin? No	LOA: 36.08	Displacement: 13450
Boat Type Islander 36 NCPHRF							J: 14.48	SL: SSMG: SSF: SPL:	LWL: 28.25	Ballast: 5820
Rating: 147 DW Rating: 663 Certificate Date 5/1/2026						Rig Type MS	P: 39.25		Beam: 11.166	Engine: IB
Displacement used for DW Rating: 18325						Mast Material ALUMN	ISP: 45	SLE: SLU: ASMG: ASF:	Draft: 6.083	Prop Type: Fold
Certified PHRF Data on file? ☐							JSP: 14.8			
Modifications on file:										

